



|            |            |                 |              |
|------------|------------|-----------------|--------------|
| Test Mode: | 802.11a 20 | Frequency(MHz): | 5580         |
| Polarity:  | Vertical   | Test Voltage:   | AC 120V_60Hz |




| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1   | 7649.000        | 39.57          | 6.74           | 46.31           | 74.00          | -27.69      | peak   |
| 2   | 9244.000        | 37.77          | 10.49          | 48.26           | 74.00          | -25.74      | peak   |
| 3   | 11609.000       | 32.08          | 16.98          | 49.06           | 74.00          | -24.94      | peak   |
| 4   | 12676.000       | 31.45          | 18.05          | 49.50           | 74.00          | -24.50      | peak   |
| 5   | 14073.000       | 27.56          | 21.57          | 49.13           | 74.00          | -24.87      | peak   |
| 6   | 17978.000       | 22.48          | 25.97          | 48.45           | 74.00          | -25.55      | peak   |

|            |            |                 |              |
|------------|------------|-----------------|--------------|
| Test Mode: | 802.11a 20 | Frequency(MHz): | 5700         |
| Polarity:  | Horizontal | Test Voltage:   | AC 120V_60Hz |




| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1   | 7649.000        | 40.56          | 6.74           | 47.30           | 74.00          | -26.70      | peak   |
| 2   | 9112.000        | 37.50          | 10.41          | 47.91           | 74.00          | -26.09      | peak   |
| 3   | 11653.000       | 33.09          | 17.05          | 50.14           | 74.00          | -23.86      | peak   |
| 4   | 12654.000       | 32.03          | 18.01          | 50.04           | 74.00          | -23.96      | peak   |
| 5   | 13886.000       | 28.11          | 21.60          | 49.71           | 74.00          | -24.29      | peak   |
| 6   | 17956.000       | 23.05          | 25.82          | 48.87           | 74.00          | -25.13      | peak   |

|            |            |                 |              |
|------------|------------|-----------------|--------------|
| Test Mode: | 802.11a 20 | Frequency(MHz): | 5700         |
| Polarity:  | Vertical   | Test Voltage:   | AC 120V_60Hz |




| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1   | 7649.000        | 38.69          | 6.74           | 45.43           | 74.00          | -28.57      | peak   |
| 2   | 9112.000        | 38.11          | 10.41          | 48.52           | 74.00          | -25.48      | peak   |
| 3   | 11004.000       | 33.49          | 14.74          | 48.23           | 74.00          | -25.77      | peak   |
| 4   | 12236.000       | 31.49          | 17.76          | 49.25           | 74.00          | -24.75      | peak   |
| 5   | 12665.000       | 31.31          | 18.04          | 49.35           | 74.00          | -24.65      | peak   |
| 6   | 17945.000       | 23.27          | 25.75          | 49.02           | 74.00          | -24.98      | peak   |

|            |            |                 |              |
|------------|------------|-----------------|--------------|
| Test Mode: | 802.11a 20 | Frequency(MHz): | 5720         |
| Polarity:  | Horizontal | Test Voltage:   | AC 120V_60Hz |




| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1   | 7649.000        | 40.57          | 6.74           | 47.31           | 74.00          | -26.69      | peak   |
| 2   | 9145.000        | 38.93          | 10.43          | 49.36           | 74.00          | -24.64      | peak   |
| 3   | 10784.000       | 35.71          | 13.91          | 49.62           | 74.00          | -24.38      | peak   |
| 4   | 11433.000       | 33.72          | 16.50          | 50.22           | 74.00          | -23.78      | peak   |
| 5   | 13919.000       | 28.53          | 21.68          | 50.21           | 74.00          | -23.79      | peak   |
| 6   | 17956.000       | 24.86          | 25.82          | 50.68           | 74.00          | -23.32      | peak   |

|            |            |                 |              |
|------------|------------|-----------------|--------------|
| Test Mode: | 802.11a 20 | Frequency(MHz): | 5720         |
| Polarity:  | Vertical   | Test Voltage:   | AC 120V_60Hz |




| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1   | 7649.000        | 38.84          | 6.74           | 45.58           | 74.00          | -28.42      | peak   |
| 2   | 9145.000        | 37.15          | 10.43          | 47.58           | 74.00          | -26.42      | peak   |
| 3   | 11444.000       | 34.32          | 16.53          | 50.85           | 74.00          | -23.15      | peak   |
| 4   | 13556.000       | 29.76          | 20.78          | 50.54           | 74.00          | -23.46      | peak   |
| 5   | 17714.000       | 26.20          | 24.16          | 50.36           | 74.00          | -23.64      | peak   |
| 6   | 17967.000       | 24.55          | 25.89          | 50.44           | 74.00          | -23.56      | peak   |

|            |            |                 |              |
|------------|------------|-----------------|--------------|
| Test Mode: | 802.11a 20 | Frequency(MHz): | 5745         |
| Polarity:  | Horizontal | Test Voltage:   | AC 120V_60Hz |




| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1   | 7649.000        | 40.72          | 6.74           | 47.46           | 74.00          | -26.54      | peak   |
| 2   | 10223.000       | 35.04          | 12.24          | 47.28           | 74.00          | -26.72      | peak   |
| 3   | 11620.000       | 32.34          | 16.99          | 49.33           | 74.00          | -24.67      | peak   |
| 4   | 12665.000       | 32.55          | 18.04          | 50.59           | 74.00          | -23.41      | peak   |
| 5   | 13919.000       | 28.42          | 21.68          | 50.10           | 74.00          | -23.90      | peak   |
| 6   | 17989.000       | 23.42          | 26.04          | 49.46           | 74.00          | -24.54      | peak   |

|            |            |                 |              |
|------------|------------|-----------------|--------------|
| Test Mode: | 802.11a 20 | Frequency(MHz): | 5745         |
| Polarity:  | Vertical   | Test Voltage:   | AC 120V_60Hz |



| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1   | 7649.000        | 38.91          | 6.74           | 45.65           | 74.00          | -28.35      | peak   |
| 2   | 9233.000        | 36.49          | 10.48          | 46.97           | 74.00          | -27.03      | peak   |
| 3   | 11059.000       | 34.84          | 14.96          | 49.80           | 74.00          | -24.20      | peak   |
| 4   | 12676.000       | 31.64          | 18.05          | 49.69           | 74.00          | -24.31      | peak   |
| 5   | 13919.000       | 28.74          | 21.68          | 50.42           | 74.00          | -23.58      | peak   |
| 6   | 17989.000       | 24.32          | 26.04          | 50.36           | 74.00          | -23.64      | peak   |


|            |            |                 |              |
|------------|------------|-----------------|--------------|
| Test Mode: | 802.11a 20 | Frequency(MHz): | 5785         |
| Polarity:  | Horizontal | Test Voltage:   | AC 120V_60Hz |



| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1   | 7649.000        | 40.90          | 6.74           | 47.64           | 74.00          | -26.36      | peak   |
| 2   | 9255.000        | 39.67          | 10.51          | 50.18           | 74.00          | -23.82      | peak   |
| 3   | 11565.000       | 32.38          | 16.89          | 49.27           | 74.00          | -24.73      | peak   |
| 4   | 12643.000       | 31.04          | 18.01          | 49.05           | 74.00          | -24.95      | peak   |
| 5   | 13006.000       | 30.92          | 18.47          | 49.39           | 74.00          | -24.61      | peak   |
| 6   | 17989.000       | 23.57          | 26.04          | 49.61           | 74.00          | -24.39      | peak   |




|            |            |                 |              |
|------------|------------|-----------------|--------------|
| Test Mode: | 802.11a 20 | Frequency(MHz): | 5785         |
| Polarity:  | Vertical   | Test Voltage:   | AC 120V_60Hz |




| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1   | 7649.000        | 39.34          | 6.74           | 46.08           | 74.00          | -27.92      | peak   |
| 2   | 9057.000        | 36.77          | 10.38          | 47.15           | 74.00          | -26.85      | peak   |
| 3   | 11576.000       | 32.64          | 16.91          | 49.55           | 74.00          | -24.45      | peak   |
| 4   | 11884.000       | 32.05          | 17.48          | 49.53           | 74.00          | -24.47      | peak   |
| 5   | 14018.000       | 28.13          | 21.80          | 49.93           | 74.00          | -24.07      | peak   |
| 6   | 17989.000       | 24.78          | 26.04          | 50.82           | 74.00          | -23.18      | peak   |

|            |            |                 |              |
|------------|------------|-----------------|--------------|
| Test Mode: | 802.11a 20 | Frequency(MHz): | 5825         |
| Polarity:  | Horizontal | Test Voltage:   | AC 120V_60Hz |




| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1   | 7649.000        | 40.67          | 6.74           | 47.41           | 74.00          | -26.59      | peak   |
| 2   | 9277.000        | 36.22          | 10.51          | 46.73           | 74.00          | -27.27      | peak   |
| 3   | 11301.000       | 33.24          | 15.95          | 49.19           | 74.00          | -24.81      | peak   |
| 4   | 12698.000       | 31.46          | 18.08          | 49.54           | 74.00          | -24.46      | peak   |
| 5   | 13600.000       | 28.30          | 20.89          | 49.19           | 74.00          | -24.81      | peak   |
| 6   | 17989.000       | 23.24          | 26.04          | 49.28           | 74.00          | -24.72      | peak   |

|            |            |                 |              |
|------------|------------|-----------------|--------------|
| Test Mode: | 802.11a 20 | Frequency(MHz): | 5825         |
| Polarity:  | Vertical   | Test Voltage:   | AC 120V_60Hz |




| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1   | 7341.000        | 37.88          | 6.93           | 44.81           | 74.00          | -29.19      | peak   |
| 2   | 9255.000        | 37.48          | 10.51          | 47.99           | 74.00          | -26.01      | peak   |
| 3   | 11004.000       | 34.68          | 14.74          | 49.42           | 74.00          | -24.58      | peak   |
| 4   | 12621.000       | 31.38          | 17.98          | 49.36           | 74.00          | -24.64      | peak   |
| 5   | 13611.000       | 28.03          | 20.92          | 48.95           | 74.00          | -25.05      | peak   |
| 6   | 17945.000       | 23.22          | 25.75          | 48.97           | 74.00          | -25.03      | peak   |

|            |              |                 |              |
|------------|--------------|-----------------|--------------|
| Test Mode: | 802.11n HT20 | Frequency(MHz): | 5180         |
| Polarity:  | Horizontal   | Test Voltage:   | AC 120V_60Hz |




| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1   | 7649.000        | 39.93          | 6.74           | 46.67           | 74.00          | -27.33      | peak   |
| 2   | 10355.000       | 38.09          | 12.52          | 50.61           | 74.00          | -23.39      | peak   |
| 3   | 11697.000       | 31.81          | 17.13          | 48.94           | 74.00          | -25.06      | peak   |
| 4   | 12698.000       | 30.98          | 18.08          | 49.06           | 74.00          | -24.94      | peak   |
| 5   | 13919.000       | 27.28          | 21.68          | 48.96           | 74.00          | -25.04      | peak   |
| 6   | 17923.000       | 23.29          | 25.60          | 48.89           | 74.00          | -25.11      | peak   |

|            |              |                 |              |
|------------|--------------|-----------------|--------------|
| Test Mode: | 802.11n HT20 | Frequency(MHz): | 5180         |
| Polarity:  | Vertical     | Test Voltage:   | AC 120V_60Hz |




| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1   | 7715.000        | 38.67          | 6.68           | 45.35           | 74.00          | -28.65      | peak   |
| 2   | 8947.000        | 36.67          | 9.98           | 46.65           | 74.00          | -27.35      | peak   |
| 3   | 10355.000       | 38.24          | 12.52          | 50.76           | 74.00          | -23.24      | peak   |
| 4   | 11048.000       | 34.17          | 14.91          | 49.08           | 74.00          | -24.92      | peak   |
| 5   | 13919.000       | 27.07          | 21.68          | 48.75           | 74.00          | -25.25      | peak   |
| 6   | 17945.000       | 23.52          | 25.75          | 49.27           | 74.00          | -24.73      | peak   |

|            |              |                 |              |
|------------|--------------|-----------------|--------------|
| Test Mode: | 802.11n HT20 | Frequency(MHz): | 5200         |
| Polarity:  | Horizontal   | Test Voltage:   | AC 120V_60Hz |




| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1   | 7649.000        | 40.54          | 6.74           | 47.28           | 74.00          | -26.72      | peak   |
| 2   | 10399.000       | 38.73          | 12.61          | 51.34           | 74.00          | -22.66      | peak   |
| 3   | 10795.000       | 35.84          | 13.94          | 49.78           | 74.00          | -24.22      | peak   |
| 4   | 11653.000       | 32.88          | 17.05          | 49.93           | 74.00          | -24.07      | peak   |
| 5   | 13919.000       | 28.66          | 21.68          | 50.34           | 74.00          | -23.66      | peak   |
| 6   | 17978.000       | 23.49          | 25.97          | 49.46           | 74.00          | -24.54      | peak   |

|            |              |                 |              |
|------------|--------------|-----------------|--------------|
| Test Mode: | 802.11n HT20 | Frequency(MHz): | 5200         |
| Polarity:  | Vertical     | Test Voltage:   | AC 120V_60Hz |



| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1   | 7649.000        | 40.54          | 6.74           | 47.28           | 74.00          | -26.72      | peak   |
| 2   | 10399.000       | 38.10          | 12.61          | 50.71           | 74.00          | -23.29      | peak   |
| 3   | 11510.000       | 33.01          | 16.79          | 49.80           | 74.00          | -24.20      | peak   |
| 4   | 12676.000       | 32.13          | 18.05          | 50.18           | 74.00          | -23.82      | peak   |
| 5   | 13930.000       | 27.23          | 21.71          | 48.94           | 74.00          | -25.06      | peak   |
| 6   | 17956.000       | 22.93          | 25.82          | 48.75           | 74.00          | -25.25      | peak   |


|            |              |                 |              |
|------------|--------------|-----------------|--------------|
| Test Mode: | 802.11n HT20 | Frequency(MHz): | 5240         |
| Polarity:  | Horizontal   | Test Voltage:   | AC 120V_60Hz |



| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1   | 7649.000        | 40.45          | 6.74           | 47.19           | 74.00          | -26.81      | peak   |
| 2   | 9211.000        | 36.41          | 10.47          | 46.88           | 74.00          | -27.12      | peak   |
| 3   | 10476.000       | 39.35          | 12.77          | 52.12           | 74.00          | -21.88      | peak   |
| 4   | 11400.000       | 32.60          | 16.36          | 48.96           | 74.00          | -25.04      | peak   |
| 5   | 12687.000       | 31.63          | 18.05          | 49.68           | 74.00          | -24.32      | peak   |
| 6   | 17989.000       | 23.49          | 26.04          | 49.53           | 74.00          | -24.47      | peak   |




|            |              |                 |              |
|------------|--------------|-----------------|--------------|
| Test Mode: | 802.11n HT20 | Frequency(MHz): | 5240         |
| Polarity:  | Vertical     | Test Voltage:   | AC 120V_60Hz |




| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1   | 7649.000        | 38.28          | 6.74           | 45.02           | 74.00          | -28.98      | peak   |
| 2   | 9233.000        | 35.94          | 10.48          | 46.42           | 74.00          | -27.58      | peak   |
| 3   | 11015.000       | 34.64          | 14.79          | 49.43           | 74.00          | -24.57      | peak   |
| 4   | 11686.000       | 32.69          | 17.12          | 49.81           | 74.00          | -24.19      | peak   |
| 5   | 13963.000       | 28.59          | 21.78          | 50.37           | 74.00          | -23.63      | peak   |
| 6   | 17934.000       | 24.02          | 25.67          | 49.69           | 74.00          | -24.31      | peak   |

|            |              |                 |              |
|------------|--------------|-----------------|--------------|
| Test Mode: | 802.11n HT20 | Frequency(MHz): | 5260         |
| Polarity:  | Horizontal   | Test Voltage:   | AC 120V_60Hz |




| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1   | 7649.000        | 41.35          | 6.74           | 48.09           | 74.00          | -25.91      | peak   |
| 2   | 9332.000        | 36.96          | 10.54          | 47.50           | 74.00          | -26.50      | peak   |
| 3   | 10509.000       | 38.83          | 12.85          | 51.68           | 74.00          | -22.32      | peak   |
| 4   | 11840.000       | 32.23          | 17.40          | 49.63           | 74.00          | -24.37      | peak   |
| 5   | 13941.000       | 27.48          | 21.73          | 49.21           | 74.00          | -24.79      | peak   |
| 6   | 17956.000       | 23.87          | 25.82          | 49.69           | 74.00          | -24.31      | peak   |

|            |              |                 |              |
|------------|--------------|-----------------|--------------|
| Test Mode: | 802.11n HT20 | Frequency(MHz): | 5260         |
| Polarity:  | Vertical     | Test Voltage:   | AC 120V_60Hz |




| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1   | 8980.000        | 36.96          | 10.21          | 47.17           | 74.00          | -26.83      | peak   |
| 2   | 10531.000       | 35.93          | 12.94          | 48.87           | 74.00          | -25.13      | peak   |
| 3   | 11510.000       | 33.54          | 16.79          | 50.33           | 74.00          | -23.67      | peak   |
| 4   | 12709.000       | 32.18          | 18.09          | 50.27           | 74.00          | -23.73      | peak   |
| 5   | 13688.000       | 27.99          | 21.10          | 49.09           | 74.00          | -24.91      | peak   |
| 6   | 18000.000       | 22.76          | 26.12          | 48.88           | 74.00          | -25.12      | peak   |

|            |              |                 |              |
|------------|--------------|-----------------|--------------|
| Test Mode: | 802.11n HT20 | Frequency(MHz): | 5280         |
| Polarity:  | Horizontal   | Test Voltage:   | AC 120V_60Hz |




| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1   | 7649.000        | 41.66          | 6.74           | 48.40           | 74.00          | -25.60      | peak   |
| 2   | 10553.000       | 39.47          | 13.02          | 52.49           | 74.00          | -21.51      | peak   |
| 3   | 11477.000       | 33.35          | 16.67          | 50.02           | 74.00          | -23.98      | peak   |
| 4   | 12709.000       | 31.73          | 18.09          | 49.82           | 74.00          | -24.18      | peak   |
| 5   | 13864.000       | 27.71          | 21.53          | 49.24           | 74.00          | -24.76      | peak   |
| 6   | 18000.000       | 23.84          | 26.12          | 49.96           | 74.00          | -24.04      | peak   |

|            |              |                 |              |
|------------|--------------|-----------------|--------------|
| Test Mode: | 802.11n HT20 | Frequency(MHz): | 5280         |
| Polarity:  | Vertical     | Test Voltage:   | AC 120V_60Hz |




| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1   | 7341.000        | 39.01          | 6.93           | 45.94           | 74.00          | -28.06      | peak   |
| 2   | 8991.000        | 36.57          | 10.28          | 46.85           | 74.00          | -27.15      | peak   |
| 3   | 11059.000       | 34.51          | 14.96          | 49.47           | 74.00          | -24.53      | peak   |
| 4   | 12665.000       | 30.77          | 18.04          | 48.81           | 74.00          | -25.19      | peak   |
| 5   | 13952.000       | 27.65          | 21.76          | 49.41           | 74.00          | -24.59      | peak   |
| 6   | 17967.000       | 23.44          | 25.89          | 49.33           | 74.00          | -24.67      | peak   |

|            |              |                 |              |
|------------|--------------|-----------------|--------------|
| Test Mode: | 802.11n HT20 | Frequency(MHz): | 5320         |
| Polarity:  | Horizontal   | Test Voltage:   | AC 120V_60Hz |




| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1   | 7649.000        | 40.46          | 6.74           | 47.20           | 74.00          | -26.80      | peak   |
| 2   | 9255.000        | 35.96          | 10.51          | 46.47           | 74.00          | -27.53      | peak   |
| 3   | 10641.000       | 36.31          | 13.36          | 49.67           | 74.00          | -24.33      | peak   |
| 4   | 11675.000       | 32.75          | 17.10          | 49.85           | 74.00          | -24.15      | peak   |
| 5   | 13919.000       | 28.10          | 21.68          | 49.78           | 74.00          | -24.22      | peak   |
| 6   | 17978.000       | 23.66          | 25.97          | 49.63           | 74.00          | -24.37      | peak   |

|            |              |                 |              |
|------------|--------------|-----------------|--------------|
| Test Mode: | 802.11n HT20 | Frequency(MHz): | 5320         |
| Polarity:  | Vertical     | Test Voltage:   | AC 120V_60Hz |



| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1   | 7649.000        | 39.39          | 6.74           | 46.13           | 74.00          | -27.87      | peak   |
| 2   | 9365.000        | 36.71          | 10.57          | 47.28           | 74.00          | -26.72      | peak   |
| 3   | 11400.000       | 33.32          | 16.36          | 49.68           | 74.00          | -24.32      | peak   |
| 4   | 12698.000       | 32.11          | 18.08          | 50.19           | 74.00          | -23.81      | peak   |
| 5   | 13897.000       | 27.64          | 21.62          | 49.26           | 74.00          | -24.74      | peak   |
| 6   | 17989.000       | 22.49          | 26.04          | 48.53           | 74.00          | -25.47      | peak   |


|            |              |                 |              |
|------------|--------------|-----------------|--------------|
| Test Mode: | 802.11n HT20 | Frequency(MHz): | 5500         |
| Polarity:  | Horizontal   | Test Voltage:   | AC 120V_60Hz |



| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1   | 7649.000        | 41.33          | 6.74           | 48.07           | 74.00          | -25.93      | peak   |
| 2   | 9145.000        | 36.04          | 10.43          | 46.47           | 74.00          | -27.53      | peak   |
| 3   | 10784.000       | 34.10          | 13.91          | 48.01           | 74.00          | -25.99      | peak   |
| 4   | 11763.000       | 31.28          | 17.26          | 48.54           | 74.00          | -25.46      | peak   |
| 5   | 13457.000       | 28.28          | 20.46          | 48.74           | 74.00          | -25.26      | peak   |
| 6   | 17967.000       | 23.38          | 25.89          | 49.27           | 74.00          | -24.73      | peak   |




|            |              |                 |              |
|------------|--------------|-----------------|--------------|
| Test Mode: | 802.11n HT20 | Frequency(MHz): | 5500         |
| Polarity:  | Vertical     | Test Voltage:   | AC 120V_60Hz |




| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1   | 7649.000        | 38.56          | 6.74           | 45.30           | 74.00          | -28.70      | peak   |
| 2   | 9134.000        | 36.73          | 10.41          | 47.14           | 74.00          | -26.86      | peak   |
| 3   | 10916.000       | 34.51          | 14.39          | 48.90           | 74.00          | -25.10      | peak   |
| 4   | 12643.000       | 31.20          | 18.01          | 49.21           | 74.00          | -24.79      | peak   |
| 5   | 13006.000       | 30.68          | 18.47          | 49.15           | 74.00          | -24.85      | peak   |
| 6   | 17945.000       | 23.62          | 25.75          | 49.37           | 74.00          | -24.63      | peak   |

|            |              |                 |              |
|------------|--------------|-----------------|--------------|
| Test Mode: | 802.11n HT20 | Frequency(MHz): | 5580         |
| Polarity:  | Horizontal   | Test Voltage:   | AC 120V_60Hz |




| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1   | 7649.000        | 40.08          | 6.74           | 46.82           | 74.00          | -27.18      | peak   |
| 2   | 9211.000        | 36.63          | 10.47          | 47.10           | 74.00          | -26.90      | peak   |
| 3   | 11004.000       | 33.79          | 14.74          | 48.53           | 74.00          | -25.47      | peak   |
| 4   | 12632.000       | 29.82          | 17.99          | 47.81           | 74.00          | -26.19      | peak   |
| 5   | 13380.000       | 27.77          | 20.12          | 47.89           | 74.00          | -26.11      | peak   |
| 6   | 17967.000       | 21.58          | 25.89          | 47.47           | 74.00          | -26.53      | peak   |

|            |              |                 |              |
|------------|--------------|-----------------|--------------|
| Test Mode: | 802.11n HT20 | Frequency(MHz): | 5580         |
| Polarity:  | Vertical     | Test Voltage:   | AC 120V_60Hz |




| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1   | 7649.000        | 40.67          | 6.74           | 47.41           | 74.00          | -26.59      | peak   |
| 2   | 9255.000        | 36.25          | 10.51          | 46.76           | 74.00          | -27.24      | peak   |
| 3   | 10872.000       | 34.43          | 14.23          | 48.66           | 74.00          | -25.34      | peak   |
| 4   | 11697.000       | 32.34          | 17.13          | 49.47           | 74.00          | -24.53      | peak   |
| 5   | 12643.000       | 31.30          | 18.01          | 49.31           | 74.00          | -24.69      | peak   |
| 6   | 18000.000       | 22.68          | 26.12          | 48.80           | 74.00          | -25.20      | peak   |

|            |              |                 |              |
|------------|--------------|-----------------|--------------|
| Test Mode: | 802.11n HT20 | Frequency(MHz): | 5700         |
| Polarity:  | Horizontal   | Test Voltage:   | AC 120V_60Hz |




| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1   | 9112.000        | 37.02          | 10.41          | 47.43           | 74.00          | -26.57      | peak   |
| 2   | 10949.000       | 33.71          | 14.52          | 48.23           | 74.00          | -25.77      | peak   |
| 3   | 11697.000       | 32.57          | 17.13          | 49.70           | 74.00          | -24.30      | peak   |
| 4   | 12698.000       | 30.72          | 18.08          | 48.80           | 74.00          | -25.20      | peak   |
| 5   | 13853.000       | 26.83          | 21.52          | 48.35           | 74.00          | -25.65      | peak   |
| 6   | 17956.000       | 22.53          | 25.82          | 48.35           | 74.00          | -25.65      | peak   |

|            |              |                 |              |
|------------|--------------|-----------------|--------------|
| Test Mode: | 802.11n HT20 | Frequency(MHz): | 5700         |
| Polarity:  | Vertical     | Test Voltage:   | AC 120V_60Hz |




| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1   | 9112.000        | 36.33          | 10.41          | 46.74           | 74.00          | -27.26      | peak   |
| 2   | 10916.000       | 34.71          | 14.39          | 49.10           | 74.00          | -24.90      | peak   |
| 3   | 11521.000       | 32.38          | 16.82          | 49.20           | 74.00          | -24.80      | peak   |
| 4   | 12621.000       | 31.50          | 17.98          | 49.48           | 74.00          | -24.52      | peak   |
| 5   | 13919.000       | 27.79          | 21.68          | 49.47           | 74.00          | -24.53      | peak   |
| 6   | 17967.000       | 23.51          | 25.89          | 49.40           | 74.00          | -24.60      | peak   |

|            |              |                 |              |
|------------|--------------|-----------------|--------------|
| Test Mode: | 802.11n HT20 | Frequency(MHz): | 5720         |
| Polarity:  | Horizontal   | Test Voltage:   | AC 120V_60Hz |




| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1   | 7649.000        | 40.49          | 6.74           | 47.23           | 74.00          | -26.77      | peak   |
| 2   | 9145.000        | 36.66          | 10.43          | 47.09           | 74.00          | -26.91      | peak   |
| 3   | 10784.000       | 35.24          | 13.91          | 49.15           | 74.00          | -24.85      | peak   |
| 4   | 11433.000       | 32.68          | 16.50          | 49.18           | 74.00          | -24.82      | peak   |
| 5   | 13633.000       | 28.07          | 20.97          | 49.04           | 74.00          | -24.96      | peak   |
| 6   | 17923.000       | 22.75          | 25.60          | 48.35           | 74.00          | -25.65      | peak   |

|            |              |                 |              |
|------------|--------------|-----------------|--------------|
| Test Mode: | 802.11n HT20 | Frequency(MHz): | 5720         |
| Polarity:  | Vertical     | Test Voltage:   | AC 120V_60Hz |



| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1   | 7649.000        | 40.38          | 6.74           | 47.12           | 74.00          | -26.88      | peak   |
| 2   | 9145.000        | 37.78          | 10.43          | 48.21           | 74.00          | -25.79      | peak   |
| 3   | 11004.000       | 35.18          | 14.74          | 49.92           | 74.00          | -24.08      | peak   |
| 4   | 11642.000       | 32.99          | 17.03          | 50.02           | 74.00          | -23.98      | peak   |
| 5   | 13754.000       | 28.12          | 21.27          | 49.39           | 74.00          | -24.61      | peak   |
| 6   | 17967.000       | 23.65          | 25.89          | 49.54           | 74.00          | -24.46      | peak   |


|            |              |                 |              |
|------------|--------------|-----------------|--------------|
| Test Mode: | 802.11n HT20 | Frequency(MHz): | 5745         |
| Polarity:  | Horizontal   | Test Voltage:   | AC 120V_60Hz |



| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1   | 7649.000        | 41.60          | 6.74           | 48.34           | 74.00          | -25.66      | peak   |
| 2   | 9189.000        | 38.41          | 10.46          | 48.87           | 74.00          | -25.13      | peak   |
| 3   | 11048.000       | 35.08          | 14.91          | 49.99           | 74.00          | -24.01      | peak   |
| 4   | 11488.000       | 33.54          | 16.72          | 50.26           | 74.00          | -23.74      | peak   |
| 5   | 13633.000       | 28.37          | 20.97          | 49.34           | 74.00          | -24.66      | peak   |
| 6   | 17978.000       | 23.58          | 25.97          | 49.55           | 74.00          | -24.45      | peak   |




|            |              |                 |              |
|------------|--------------|-----------------|--------------|
| Test Mode: | 802.11n HT20 | Frequency(MHz): | 5745         |
| Polarity:  | Vertical     | Test Voltage:   | AC 120V_60Hz |




| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1   | 7649.000        | 38.98          | 6.74           | 45.72           | 74.00          | -28.28      | peak   |
| 2   | 9189.000        | 36.89          | 10.46          | 47.35           | 74.00          | -26.65      | peak   |
| 3   | 11048.000       | 35.43          | 14.91          | 50.34           | 74.00          | -23.66      | peak   |
| 4   | 12610.000       | 32.03          | 17.97          | 50.00           | 74.00          | -24.00      | peak   |
| 5   | 13864.000       | 28.07          | 21.53          | 49.60           | 74.00          | -24.40      | peak   |
| 6   | 18000.000       | 23.35          | 26.12          | 49.47           | 74.00          | -24.53      | peak   |

|            |              |                 |              |
|------------|--------------|-----------------|--------------|
| Test Mode: | 802.11n HT20 | Frequency(MHz): | 5785         |
| Polarity:  | Horizontal   | Test Voltage:   | AC 120V_60Hz |




| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1   | 7649.000        | 40.58          | 6.74           | 47.32           | 74.00          | -26.68      | peak   |
| 2   | 11048.000       | 35.79          | 14.91          | 50.70           | 74.00          | -23.30      | peak   |
| 3   | 11576.000       | 36.33          | 16.91          | 53.24           | 74.00          | -20.76      | peak   |
| 4   | 11576.000       | 28.80          | 16.91          | 45.71           | 54.00          | -8.29       | AVG    |
| 5   | 12610.000       | 32.38          | 17.97          | 50.35           | 74.00          | -23.65      | peak   |
| 6   | 13611.000       | 30.02          | 20.92          | 50.94           | 74.00          | -23.06      | peak   |
| 7   | 17923.000       | 24.43          | 25.60          | 50.03           | 74.00          | -23.97      | peak   |

|            |              |                 |              |
|------------|--------------|-----------------|--------------|
| Test Mode: | 802.11n HT20 | Frequency(MHz): | 5785         |
| Polarity:  | Vertical     | Test Voltage:   | AC 120V_60Hz |




| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1   | 7649.000        | 39.58          | 6.74           | 46.32           | 74.00          | -27.68      | peak   |
| 2   | 8958.000        | 36.99          | 10.05          | 47.04           | 74.00          | -26.96      | peak   |
| 3   | 11059.000       | 33.75          | 14.96          | 48.71           | 74.00          | -25.29      | peak   |
| 4   | 12698.000       | 31.46          | 18.08          | 49.54           | 74.00          | -24.46      | peak   |
| 5   | 14029.000       | 27.42          | 21.76          | 49.18           | 74.00          | -24.82      | peak   |
| 6   | 17989.000       | 23.07          | 26.04          | 49.11           | 74.00          | -24.89      | peak   |

|            |              |                 |              |
|------------|--------------|-----------------|--------------|
| Test Mode: | 802.11n HT20 | Frequency(MHz): | 5825         |
| Polarity:  | Horizontal   | Test Voltage:   | AC 120V_60Hz |




| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1   | 7649.000        | 40.97          | 6.74           | 47.71           | 74.00          | -26.29      | peak   |
| 2   | 9321.000        | 37.07          | 10.53          | 47.60           | 74.00          | -26.40      | peak   |
| 3   | 11213.000       | 34.15          | 15.59          | 49.74           | 74.00          | -24.26      | peak   |
| 4   | 11642.000       | 36.24          | 17.03          | 53.27           | 74.00          | -20.73      | peak   |
| 5   | 11642.000       | 31.47          | 17.03          | 48.50           | 54.00          | -5.50       | AVG    |
| 6   | 13567.000       | 29.28          | 20.80          | 50.08           | 74.00          | -23.92      | peak   |
| 7   | 17989.000       | 24.27          | 26.04          | 50.31           | 74.00          | -23.69      | peak   |

|            |              |                 |              |
|------------|--------------|-----------------|--------------|
| Test Mode: | 802.11n HT20 | Frequency(MHz): | 5825         |
| Polarity:  | Vertical     | Test Voltage:   | AC 120V_60Hz |




| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1   | 7649.000        | 38.76          | 6.74           | 45.50           | 74.00          | -28.50      | peak   |
| 2   | 10234.000       | 35.78          | 12.26          | 48.04           | 74.00          | -25.96      | peak   |
| 3   | 11059.000       | 34.37          | 14.96          | 49.33           | 74.00          | -24.67      | peak   |
| 4   | 11895.000       | 31.64          | 17.51          | 49.15           | 74.00          | -24.85      | peak   |
| 5   | 13754.000       | 28.27          | 21.27          | 49.54           | 74.00          | -24.46      | peak   |
| 6   | 18000.000       | 23.57          | 26.12          | 49.69           | 74.00          | -24.31      | peak   |

|            |              |                 |              |
|------------|--------------|-----------------|--------------|
| Test Mode: | 802.11n HT40 | Frequency(MHz): | 5190         |
| Polarity:  | Horizontal   | Test Voltage:   | AC 120V_60Hz |




| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1   | 7649.000        | 40.80          | 6.74           | 47.54           | 74.00          | -26.46      | peak   |
| 2   | 9189.000        | 36.01          | 10.46          | 46.47           | 74.00          | -27.53      | peak   |
| 3   | 10377.000       | 37.01          | 12.56          | 49.57           | 74.00          | -24.43      | peak   |
| 4   | 11312.000       | 33.09          | 16.00          | 49.09           | 74.00          | -24.91      | peak   |
| 5   | 12632.000       | 31.29          | 17.99          | 49.28           | 74.00          | -24.72      | peak   |
| 6   | 17989.000       | 23.55          | 26.04          | 49.59           | 74.00          | -24.41      | peak   |

|            |              |                 |              |
|------------|--------------|-----------------|--------------|
| Test Mode: | 802.11n HT40 | Frequency(MHz): | 5190         |
| Polarity:  | Vertical     | Test Voltage:   | AC 120V_60Hz |



| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1   | 9200.000        | 36.46          | 10.46          | 46.92           | 74.00          | -27.08      | peak   |
| 2   | 10366.000       | 36.69          | 12.54          | 49.23           | 74.00          | -24.77      | peak   |
| 3   | 11763.000       | 32.95          | 17.26          | 50.21           | 74.00          | -23.79      | peak   |
| 4   | 12258.000       | 32.19          | 17.77          | 49.96           | 74.00          | -24.04      | peak   |
| 5   | 13567.000       | 29.18          | 20.80          | 49.98           | 74.00          | -24.02      | peak   |
| 6   | 17956.000       | 23.25          | 25.82          | 49.07           | 74.00          | -24.93      | peak   |


|            |              |                 |              |
|------------|--------------|-----------------|--------------|
| Test Mode: | 802.11n HT40 | Frequency(MHz): | 5230         |
| Polarity:  | Horizontal   | Test Voltage:   | AC 120V_60Hz |



| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1   | 7649.000        | 42.20          | 6.74           | 48.94           | 74.00          | -25.06      | peak   |
| 2   | 9123.000        | 36.81          | 10.42          | 47.23           | 74.00          | -26.77      | peak   |
| 3   | 11081.000       | 34.46          | 15.05          | 49.51           | 74.00          | -24.49      | peak   |
| 4   | 11730.000       | 32.94          | 17.19          | 50.13           | 74.00          | -23.87      | peak   |
| 5   | 13919.000       | 28.60          | 21.68          | 50.28           | 74.00          | -23.72      | peak   |
| 6   | 17978.000       | 24.75          | 25.97          | 50.72           | 74.00          | -23.28      | peak   |




|            |              |                 |              |
|------------|--------------|-----------------|--------------|
| Test Mode: | 802.11n HT40 | Frequency(MHz): | 5230         |
| Polarity:  | Vertical     | Test Voltage:   | AC 120V_60Hz |




| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1   | 7649.000        | 40.35          | 6.74           | 47.09           | 74.00          | -26.91      | peak   |
| 2   | 9255.000        | 36.86          | 10.51          | 47.37           | 74.00          | -26.63      | peak   |
| 3   | 10872.000       | 35.16          | 14.23          | 49.39           | 74.00          | -24.61      | peak   |
| 4   | 12698.000       | 31.64          | 18.08          | 49.72           | 74.00          | -24.28      | peak   |
| 5   | 13919.000       | 27.50          | 21.68          | 49.18           | 74.00          | -24.82      | peak   |
| 6   | 17978.000       | 23.33          | 25.97          | 49.30           | 74.00          | -24.70      | peak   |

|            |              |                 |              |
|------------|--------------|-----------------|--------------|
| Test Mode: | 802.11n HT40 | Frequency(MHz): | 5270         |
| Polarity:  | Horizontal   | Test Voltage:   | AC 120V_60Hz |




| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1   | 7649.000        | 40.61          | 6.74           | 47.35           | 74.00          | -26.65      | peak   |
| 2   | 8936.000        | 37.43          | 9.90           | 47.33           | 74.00          | -26.67      | peak   |
| 3   | 10553.000       | 36.26          | 13.02          | 49.28           | 74.00          | -24.72      | peak   |
| 4   | 12115.000       | 31.78          | 17.73          | 49.51           | 74.00          | -24.49      | peak   |
| 5   | 13886.000       | 26.83          | 21.60          | 48.43           | 74.00          | -25.57      | peak   |
| 6   | 17989.000       | 23.26          | 26.04          | 49.30           | 74.00          | -24.70      | peak   |

|            |              |                 |              |
|------------|--------------|-----------------|--------------|
| Test Mode: | 802.11n HT40 | Frequency(MHz): | 5270         |
| Polarity:  | Vertical     | Test Voltage:   | AC 120V_60Hz |




| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1   | 7649.000        | 40.08          | 6.74           | 46.82           | 74.00          | -27.18      | peak   |
| 2   | 9211.000        | 36.58          | 10.47          | 47.05           | 74.00          | -26.95      | peak   |
| 3   | 10531.000       | 36.23          | 12.94          | 49.17           | 74.00          | -24.83      | peak   |
| 4   | 12709.000       | 31.87          | 18.09          | 49.96           | 74.00          | -24.04      | peak   |
| 5   | 13490.000       | 28.61          | 20.60          | 49.21           | 74.00          | -24.79      | peak   |
| 6   | 17978.000       | 24.15          | 25.97          | 50.12           | 74.00          | -23.88      | peak   |

|            |              |                 |              |
|------------|--------------|-----------------|--------------|
| Test Mode: | 802.11n HT40 | Frequency(MHz): | 5310         |
| Polarity:  | Horizontal   | Test Voltage:   | AC 120V_60Hz |




| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1   | 7649.000        | 41.43          | 6.74           | 48.17           | 74.00          | -25.83      | peak   |
| 2   | 8870.000        | 37.64          | 9.44           | 47.08           | 74.00          | -26.92      | peak   |
| 3   | 10784.000       | 34.94          | 13.91          | 48.85           | 74.00          | -25.15      | peak   |
| 4   | 11862.000       | 31.82          | 17.45          | 49.27           | 74.00          | -24.73      | peak   |
| 5   | 13600.000       | 28.46          | 20.89          | 49.35           | 74.00          | -24.65      | peak   |
| 6   | 17989.000       | 23.69          | 26.04          | 49.73           | 74.00          | -24.27      | peak   |

|            |              |                 |              |
|------------|--------------|-----------------|--------------|
| Test Mode: | 802.11n HT40 | Frequency(MHz): | 5310         |
| Polarity:  | Vertical     | Test Voltage:   | AC 120V_60Hz |




| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1   | 9343.000        | 36.75          | 10.55          | 47.30           | 74.00          | -26.70      | peak   |
| 2   | 10982.000       | 34.79          | 14.64          | 49.43           | 74.00          | -24.57      | peak   |
| 3   | 11653.000       | 32.71          | 17.05          | 49.76           | 74.00          | -24.24      | peak   |
| 4   | 12698.000       | 32.34          | 18.08          | 50.42           | 74.00          | -23.58      | peak   |
| 5   | 14018.000       | 27.86          | 21.80          | 49.66           | 74.00          | -24.34      | peak   |
| 6   | 18000.000       | 23.88          | 26.12          | 50.00           | 74.00          | -24.00      | peak   |

|            |              |                 |              |
|------------|--------------|-----------------|--------------|
| Test Mode: | 802.11n HT40 | Frequency(MHz): | 5510         |
| Polarity:  | Horizontal   | Test Voltage:   | AC 120V_60Hz |




| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1   | 7649.000        | 40.68          | 6.74           | 47.42           | 74.00          | -26.58      | peak   |
| 2   | 10619.000       | 36.13          | 13.28          | 49.41           | 74.00          | -24.59      | peak   |
| 3   | 11884.000       | 32.84          | 17.48          | 50.32           | 74.00          | -23.68      | peak   |
| 4   | 12698.000       | 32.70          | 18.08          | 50.78           | 74.00          | -23.22      | peak   |
| 5   | 13853.000       | 28.65          | 21.52          | 50.17           | 74.00          | -23.83      | peak   |
| 6   | 17945.000       | 24.33          | 25.75          | 50.08           | 74.00          | -23.92      | peak   |

|            |              |                 |              |
|------------|--------------|-----------------|--------------|
| Test Mode: | 802.11n HT40 | Frequency(MHz): | 5510         |
| Polarity:  | Vertical     | Test Voltage:   | AC 120V_60Hz |



| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1   | 7649.000        | 39.98          | 6.74           | 46.72           | 74.00          | -27.28      | peak   |
| 2   | 9057.000        | 36.58          | 10.38          | 46.96           | 74.00          | -27.04      | peak   |
| 3   | 11411.000       | 33.90          | 16.41          | 50.31           | 74.00          | -23.69      | peak   |
| 4   | 12247.000       | 32.55          | 17.77          | 50.32           | 74.00          | -23.68      | peak   |
| 5   | 13468.000       | 30.21          | 20.50          | 50.71           | 74.00          | -23.29      | peak   |
| 6   | 18000.000       | 24.17          | 26.12          | 50.29           | 74.00          | -23.71      | peak   |


|            |              |                 |              |
|------------|--------------|-----------------|--------------|
| Test Mode: | 802.11n HT40 | Frequency(MHz): | 5550         |
| Polarity:  | Horizontal   | Test Voltage:   | AC 120V_60Hz |



| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1   | 7649.000        | 42.07          | 6.74           | 48.81           | 74.00          | -25.19      | peak   |
| 2   | 8881.000        | 38.26          | 9.52           | 47.78           | 74.00          | -26.22      | peak   |
| 3   | 10883.000       | 34.93          | 14.27          | 49.20           | 74.00          | -24.80      | peak   |
| 4   | 12698.000       | 31.25          | 18.08          | 49.33           | 74.00          | -24.67      | peak   |
| 5   | 13457.000       | 28.99          | 20.46          | 49.45           | 74.00          | -24.55      | peak   |
| 6   | 17989.000       | 23.38          | 26.04          | 49.42           | 74.00          | -24.58      | peak   |




|            |              |                 |              |
|------------|--------------|-----------------|--------------|
| Test Mode: | 802.11n HT40 | Frequency(MHz): | 5550         |
| Polarity:  | Vertical     | Test Voltage:   | AC 120V_60Hz |




| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1   | 7715.000        | 38.86          | 6.68           | 45.54           | 74.00          | -28.46      | peak   |
| 2   | 9343.000        | 37.18          | 10.55          | 47.73           | 74.00          | -26.27      | peak   |
| 3   | 11180.000       | 33.92          | 15.46          | 49.38           | 74.00          | -24.62      | peak   |
| 4   | 12654.000       | 32.37          | 18.01          | 50.38           | 74.00          | -23.62      | peak   |
| 5   | 13567.000       | 28.60          | 20.80          | 49.40           | 74.00          | -24.60      | peak   |
| 6   | 17945.000       | 23.75          | 25.75          | 49.50           | 74.00          | -24.50      | peak   |

|            |              |                 |              |
|------------|--------------|-----------------|--------------|
| Test Mode: | 802.11n HT40 | Frequency(MHz): | 5670         |
| Polarity:  | Horizontal   | Test Voltage:   | AC 120V_60Hz |




| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1   | 9068.000        | 37.16          | 10.39          | 47.55           | 74.00          | -26.45      | peak   |
| 2   | 11246.000       | 33.46          | 15.73          | 49.19           | 74.00          | -24.81      | peak   |
| 3   | 11730.000       | 32.34          | 17.19          | 49.53           | 74.00          | -24.47      | peak   |
| 4   | 12643.000       | 32.21          | 18.01          | 50.22           | 74.00          | -23.78      | peak   |
| 5   | 13996.000       | 27.42          | 21.87          | 49.29           | 74.00          | -24.71      | peak   |
| 6   | 17989.000       | 23.77          | 26.04          | 49.81           | 74.00          | -24.19      | peak   |

|            |              |                 |              |
|------------|--------------|-----------------|--------------|
| Test Mode: | 802.11n HT40 | Frequency(MHz): | 5670         |
| Polarity:  | Vertical     | Test Voltage:   | AC 120V_60Hz |




| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1   | 9068.000        | 38.46          | 10.39          | 48.85           | 74.00          | -25.15      | peak   |
| 2   | 11015.000       | 34.77          | 14.79          | 49.56           | 74.00          | -24.44      | peak   |
| 3   | 11653.000       | 32.98          | 17.05          | 50.03           | 74.00          | -23.97      | peak   |
| 4   | 12599.000       | 32.02          | 17.95          | 49.97           | 74.00          | -24.03      | peak   |
| 5   | 13985.000       | 27.65          | 21.85          | 49.50           | 74.00          | -24.50      | peak   |
| 6   | 17956.000       | 23.14          | 25.82          | 48.96           | 74.00          | -25.04      | peak   |

|            |              |                 |              |
|------------|--------------|-----------------|--------------|
| Test Mode: | 802.11n HT40 | Frequency(MHz): | 5710         |
| Polarity:  | Horizontal   | Test Voltage:   | AC 120V_60Hz |




| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1   | 7649.000        | 42.04          | 6.74           | 48.78           | 74.00          | -25.22      | peak   |
| 2   | 9134.000        | 38.94          | 10.41          | 49.35           | 74.00          | -24.65      | peak   |
| 3   | 11048.000       | 34.64          | 14.91          | 49.55           | 74.00          | -24.45      | peak   |
| 4   | 12621.000       | 31.59          | 17.98          | 49.57           | 74.00          | -24.43      | peak   |
| 5   | 13886.000       | 27.43          | 21.60          | 49.03           | 74.00          | -24.97      | peak   |
| 6   | 17956.000       | 23.95          | 25.82          | 49.77           | 74.00          | -24.23      | peak   |

|            |              |                 |              |
|------------|--------------|-----------------|--------------|
| Test Mode: | 802.11n HT40 | Frequency(MHz): | 5710         |
| Polarity:  | Vertical     | Test Voltage:   | AC 120V_60Hz |




| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1   | 7649.000        | 39.69          | 6.74           | 46.43           | 74.00          | -27.57      | peak   |
| 2   | 9134.000        | 37.58          | 10.41          | 47.99           | 74.00          | -26.01      | peak   |
| 3   | 11048.000       | 35.04          | 14.91          | 49.95           | 74.00          | -24.05      | peak   |
| 4   | 11752.000       | 33.66          | 17.24          | 50.90           | 74.00          | -23.10      | peak   |
| 5   | 13391.000       | 30.53          | 20.16          | 50.69           | 74.00          | -23.31      | peak   |
| 6   | 17956.000       | 24.13          | 25.82          | 49.95           | 74.00          | -24.05      | peak   |

|            |              |                 |              |
|------------|--------------|-----------------|--------------|
| Test Mode: | 802.11n HT40 | Frequency(MHz): | 5755         |
| Polarity:  | Horizontal   | Test Voltage:   | AC 120V_60Hz |




| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1   | 7649.000        | 40.76          | 6.74           | 47.50           | 74.00          | -26.50      | peak   |
| 2   | 10443.000       | 36.45          | 12.70          | 49.15           | 74.00          | -24.85      | peak   |
| 3   | 11400.000       | 33.11          | 16.36          | 49.47           | 74.00          | -24.53      | peak   |
| 4   | 13886.000       | 28.18          | 21.60          | 49.78           | 74.00          | -24.22      | peak   |
| 5   | 17703.000       | 25.68          | 24.09          | 49.77           | 74.00          | -24.23      | peak   |
| 6   | 18000.000       | 23.72          | 26.12          | 49.84           | 74.00          | -24.16      | peak   |

|            |              |                 |              |
|------------|--------------|-----------------|--------------|
| Test Mode: | 802.11n HT40 | Frequency(MHz): | 5755         |
| Polarity:  | Vertical     | Test Voltage:   | AC 120V_60Hz |



| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1   | 7649.000        | 40.12          | 6.74           | 46.86           | 74.00          | -27.14      | peak   |
| 2   | 9200.000        | 36.30          | 10.46          | 46.76           | 74.00          | -27.24      | peak   |
| 3   | 10883.000       | 35.52          | 14.27          | 49.79           | 74.00          | -24.21      | peak   |
| 4   | 12643.000       | 32.03          | 18.01          | 50.04           | 74.00          | -23.96      | peak   |
| 5   | 13347.000       | 29.32          | 19.97          | 49.29           | 74.00          | -24.71      | peak   |
| 6   | 17967.000       | 23.26          | 25.89          | 49.15           | 74.00          | -24.85      | peak   |


|            |              |                 |              |
|------------|--------------|-----------------|--------------|
| Test Mode: | 802.11n HT40 | Frequency(MHz): | 5795         |
| Polarity:  | Horizontal   | Test Voltage:   | AC 120V_60Hz |



| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1   | 7649.000        | 41.22          | 6.74           | 47.96           | 74.00          | -26.04      | peak   |
| 2   | 9266.000        | 37.80          | 10.51          | 48.31           | 74.00          | -25.69      | peak   |
| 3   | 11059.000       | 34.20          | 14.96          | 49.16           | 74.00          | -24.84      | peak   |
| 4   | 12687.000       | 32.08          | 18.05          | 50.13           | 74.00          | -23.87      | peak   |
| 5   | 13864.000       | 26.93          | 21.53          | 48.46           | 74.00          | -25.54      | peak   |
| 6   | 18000.000       | 22.34          | 26.12          | 48.46           | 74.00          | -25.54      | peak   |




|            |              |                 |              |
|------------|--------------|-----------------|--------------|
| Test Mode: | 802.11n HT40 | Frequency(MHz): | 5795         |
| Polarity:  | Vertical     | Test Voltage:   | AC 120V_60Hz |




| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1   | 9354.000        | 36.39          | 10.56          | 46.95           | 74.00          | -27.05      | peak   |
| 2   | 11147.000       | 34.10          | 15.32          | 49.42           | 74.00          | -24.58      | peak   |
| 3   | 11642.000       | 32.57          | 17.03          | 49.60           | 74.00          | -24.40      | peak   |
| 4   | 12500.000       | 31.56          | 17.83          | 49.39           | 74.00          | -24.61      | peak   |
| 5   | 13985.000       | 27.48          | 21.85          | 49.33           | 74.00          | -24.67      | peak   |
| 6   | 17923.000       | 23.21          | 25.60          | 48.81           | 74.00          | -25.19      | peak   |

|            |                |                 |              |
|------------|----------------|-----------------|--------------|
| Test Mode: | 802.11ac VHT80 | Frequency(MHz): | 5210         |
| Polarity:  | Horizontal     | Test Voltage:   | AC 120V_60Hz |




| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1   | 7649.000        | 41.16          | 6.74           | 47.90           | 74.00          | -26.10      | peak   |
| 2   | 10443.000       | 44.77          | 12.70          | 57.47           | 74.00          | -16.53      | peak   |
| 3   | 11048.000       | 34.73          | 14.91          | 49.64           | 74.00          | -24.36      | peak   |
| 4   | 12687.000       | 31.17          | 18.05          | 49.22           | 74.00          | -24.78      | peak   |
| 5   | 13919.000       | 27.43          | 21.68          | 49.11           | 74.00          | -24.89      | peak   |
| 6   | 17923.000       | 23.52          | 25.60          | 49.12           | 74.00          | -24.88      | peak   |

|            |                |                 |              |
|------------|----------------|-----------------|--------------|
| Test Mode: | 802.11ac VHT80 | Frequency(MHz): | 5210         |
| Polarity:  | Vertical       | Test Voltage:   | AC 120V_60Hz |




| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1   | 9189.000        | 36.45          | 10.46          | 46.91           | 74.00          | -27.09      | peak   |
| 2   | 10443.000       | 40.75          | 12.70          | 53.45           | 74.00          | -20.55      | peak   |
| 3   | 11895.000       | 31.77          | 17.51          | 49.28           | 74.00          | -24.72      | peak   |
| 4   | 12687.000       | 31.33          | 18.05          | 49.38           | 74.00          | -24.62      | peak   |
| 5   | 13875.000       | 27.61          | 21.57          | 49.18           | 74.00          | -24.82      | peak   |
| 6   | 17923.000       | 24.09          | 25.60          | 49.69           | 74.00          | -24.31      | peak   |

|            |                |                 |              |
|------------|----------------|-----------------|--------------|
| Test Mode: | 802.11ac VHT80 | Frequency(MHz): | 5290         |
| Polarity:  | Horizontal     | Test Voltage:   | AC 120V_60Hz |




| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1   | 8463.000        | 40.28          | 6.85           | 47.13           | 74.00          | -26.87      | peak   |
| 2   | 10597.000       | 42.08          | 13.19          | 55.27           | 74.00          | -18.73      | peak   |
| 3   | 11763.000       | 33.27          | 17.26          | 50.53           | 74.00          | -23.47      | peak   |
| 4   | 12709.000       | 32.27          | 18.09          | 50.36           | 74.00          | -23.64      | peak   |
| 5   | 13963.000       | 29.11          | 21.78          | 50.89           | 74.00          | -23.11      | peak   |
| 6   | 17978.000       | 24.53          | 25.97          | 50.50           | 74.00          | -23.50      | peak   |

|            |                |                 |              |
|------------|----------------|-----------------|--------------|
| Test Mode: | 802.11ac VHT80 | Frequency(MHz): | 5290         |
| Polarity:  | Vertical       | Test Voltage:   | AC 120V_60Hz |




| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1   | 9057.000        | 36.59          | 10.38          | 46.97           | 74.00          | -27.03      | peak   |
| 2   | 10575.000       | 36.04          | 13.10          | 49.14           | 74.00          | -24.86      | peak   |
| 3   | 11400.000       | 32.98          | 16.36          | 49.34           | 74.00          | -24.66      | peak   |
| 4   | 12698.000       | 32.09          | 18.08          | 50.17           | 74.00          | -23.83      | peak   |
| 5   | 13930.000       | 28.38          | 21.71          | 50.09           | 74.00          | -23.91      | peak   |
| 6   | 17967.000       | 24.10          | 25.89          | 49.99           | 74.00          | -24.01      | peak   |

|            |                |                 |              |
|------------|----------------|-----------------|--------------|
| Test Mode: | 802.11ac VHT80 | Frequency(MHz): | 5530         |
| Polarity:  | Horizontal     | Test Voltage:   | AC 120V_60Hz |




| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1   | 7649.000        | 40.83          | 6.74           | 47.57           | 74.00          | -26.43      | peak   |
| 2   | 9068.000        | 37.07          | 10.39          | 47.46           | 74.00          | -26.54      | peak   |
| 3   | 11081.000       | 35.61          | 15.05          | 50.66           | 74.00          | -23.34      | peak   |
| 4   | 12676.000       | 32.28          | 18.05          | 50.33           | 74.00          | -23.67      | peak   |
| 5   | 13556.000       | 29.28          | 20.78          | 50.06           | 74.00          | -23.94      | peak   |
| 6   | 17978.000       | 24.21          | 25.97          | 50.18           | 74.00          | -23.82      | peak   |

|            |                |                 |              |
|------------|----------------|-----------------|--------------|
| Test Mode: | 802.11ac VHT80 | Frequency(MHz): | 5530         |
| Polarity:  | Vertical       | Test Voltage:   | AC 120V_60Hz |



| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1   | 7649.000        | 40.35          | 6.74           | 47.09           | 74.00          | -26.91      | peak   |
| 2   | 9222.000        | 36.47          | 10.48          | 46.95           | 74.00          | -27.05      | peak   |
| 3   | 11081.000       | 35.06          | 15.05          | 50.11           | 74.00          | -23.89      | peak   |
| 4   | 11884.000       | 32.43          | 17.48          | 49.91           | 74.00          | -24.09      | peak   |
| 5   | 13974.000       | 27.85          | 21.82          | 49.67           | 74.00          | -24.33      | peak   |
| 6   | 17989.000       | 23.67          | 26.04          | 49.71           | 74.00          | -24.29      | peak   |


|            |                |                 |              |
|------------|----------------|-----------------|--------------|
| Test Mode: | 802.11ac VHT80 | Frequency(MHz): | 5610         |
| Polarity:  | Horizontal     | Test Voltage:   | AC 120V_60Hz |



| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1   | 8969.000        | 38.00          | 10.13          | 48.13           | 74.00          | -25.87      | peak   |
| 2   | 10784.000       | 36.00          | 13.91          | 49.91           | 74.00          | -24.09      | peak   |
| 3   | 11664.000       | 32.87          | 17.08          | 49.95           | 74.00          | -24.05      | peak   |
| 4   | 12698.000       | 32.33          | 18.08          | 50.41           | 74.00          | -23.59      | peak   |
| 5   | 13391.000       | 29.73          | 20.16          | 49.89           | 74.00          | -24.11      | peak   |
| 6   | 17912.000       | 23.38          | 25.52          | 48.90           | 74.00          | -25.10      | peak   |




|            |                |                 |              |
|------------|----------------|-----------------|--------------|
| Test Mode: | 802.11ac VHT80 | Frequency(MHz): | 5610         |
| Polarity:  | Vertical       | Test Voltage:   | AC 120V_60Hz |




| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1   | 9244.000        | 37.17          | 10.49          | 47.66           | 74.00          | -26.34      | peak   |
| 2   | 11081.000       | 34.86          | 15.05          | 49.91           | 74.00          | -24.09      | peak   |
| 3   | 11873.000       | 32.73          | 17.46          | 50.19           | 74.00          | -23.81      | peak   |
| 4   | 12709.000       | 32.13          | 18.09          | 50.22           | 74.00          | -23.78      | peak   |
| 5   | 13446.000       | 29.29          | 20.41          | 49.70           | 74.00          | -24.30      | peak   |
| 6   | 17967.000       | 23.18          | 25.89          | 49.07           | 74.00          | -24.93      | peak   |

|            |                |                 |              |
|------------|----------------|-----------------|--------------|
| Test Mode: | 802.11ac VHT80 | Frequency(MHz): | 5690         |
| Polarity:  | Horizontal     | Test Voltage:   | AC 120V_60Hz |




| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1   | 7649.000        | 40.38          | 6.74           | 47.12           | 74.00          | -26.88      | peak   |
| 2   | 9101.000        | 36.35          | 10.40          | 46.75           | 74.00          | -27.25      | peak   |
| 3   | 11389.000       | 33.01          | 16.31          | 49.32           | 74.00          | -24.68      | peak   |
| 4   | 11884.000       | 30.87          | 17.48          | 48.35           | 74.00          | -25.65      | peak   |
| 5   | 13919.000       | 26.54          | 21.68          | 48.22           | 74.00          | -25.78      | peak   |
| 6   | 17989.000       | 22.83          | 26.04          | 48.87           | 74.00          | -25.13      | peak   |

|            |                |                 |              |
|------------|----------------|-----------------|--------------|
| Test Mode: | 802.11ac VHT80 | Frequency(MHz): | 5690         |
| Polarity:  | Vertical       | Test Voltage:   | AC 120V_60Hz |




| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1   | 7649.000        | 39.47          | 6.74           | 46.21           | 74.00          | -27.79      | peak   |
| 2   | 9101.000        | 37.42          | 10.40          | 47.82           | 74.00          | -26.18      | peak   |
| 3   | 10905.000       | 34.53          | 14.36          | 48.89           | 74.00          | -25.11      | peak   |
| 4   | 12709.000       | 30.92          | 18.09          | 49.01           | 74.00          | -24.99      | peak   |
| 5   | 13567.000       | 28.27          | 20.80          | 49.07           | 74.00          | -24.93      | peak   |
| 6   | 17813.000       | 23.89          | 24.84          | 48.73           | 74.00          | -25.27      | peak   |

|            |                |                 |              |
|------------|----------------|-----------------|--------------|
| Test Mode: | 802.11ac VHT80 | Frequency(MHz): | 5775         |
| Polarity:  | Horizontal     | Test Voltage:   | AC 120V_60Hz |




| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1   | 9233.000        | 37.81          | 10.48          | 48.29           | 74.00          | -25.71      | peak   |
| 2   | 11015.000       | 34.72          | 14.79          | 49.51           | 74.00          | -24.49      | peak   |
| 3   | 11565.000       | 33.34          | 16.89          | 50.23           | 74.00          | -23.77      | peak   |
| 4   | 12698.000       | 30.97          | 18.08          | 49.05           | 74.00          | -24.95      | peak   |
| 5   | 13919.000       | 27.39          | 21.68          | 49.07           | 74.00          | -24.93      | peak   |
| 6   | 17714.000       | 25.52          | 24.16          | 49.68           | 74.00          | -24.32      | peak   |

|            |                |                 |              |
|------------|----------------|-----------------|--------------|
| Test Mode: | 802.11ac VHT80 | Frequency(MHz): | 5775         |
| Polarity:  | Vertical       | Test Voltage:   | AC 120V_60Hz |




| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1   | 7649.000        | 38.60          | 6.74           | 45.34           | 74.00          | -28.66      | peak   |
| 2   | 9178.000        | 37.04          | 10.45          | 47.49           | 74.00          | -26.51      | peak   |
| 3   | 11323.000       | 34.13          | 16.05          | 50.18           | 74.00          | -23.82      | peak   |
| 4   | 12687.000       | 32.26          | 18.05          | 50.31           | 74.00          | -23.69      | peak   |
| 5   | 13864.000       | 28.87          | 21.53          | 50.40           | 74.00          | -23.60      | peak   |
| 6   | 17978.000       | 23.24          | 25.97          | 49.21           | 74.00          | -24.79      | peak   |

|            |                 |                 |              |
|------------|-----------------|-----------------|--------------|
| Test Mode: | 802.11ac VHT160 | Frequency(MHz): | 5250         |
| Polarity:  | Horizontal      | Test Voltage:   | AC 120V_60Hz |




| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1   | 7649.000        | 40.42          | 6.74           | 47.16           | 74.00          | -26.84      | peak   |
| 2   | 10509.000       | 40.83          | 12.85          | 53.68           | 74.00          | -20.32      | peak   |
| 3   | 11400.000       | 33.04          | 16.36          | 49.40           | 74.00          | -24.60      | peak   |
| 4   | 12687.000       | 31.45          | 18.05          | 49.50           | 74.00          | -24.50      | peak   |
| 5   | 13919.000       | 27.80          | 21.68          | 49.48           | 74.00          | -24.52      | peak   |
| 6   | 17989.000       | 22.72          | 26.04          | 48.76           | 74.00          | -25.24      | peak   |

|            |                 |                 |              |
|------------|-----------------|-----------------|--------------|
| Test Mode: | 802.11ac VHT160 | Frequency(MHz): | 5250         |
| Polarity:  | Vertical        | Test Voltage:   | AC 120V_60Hz |



| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1   | 7649.000        | 39.43          | 6.74           | 46.17           | 74.00          | -27.83      | peak   |
| 2   | 9574.000        | 35.82          | 10.81          | 46.63           | 74.00          | -27.37      | peak   |
| 3   | 11312.000       | 33.40          | 16.00          | 49.40           | 74.00          | -24.60      | peak   |
| 4   | 11851.000       | 31.85          | 17.43          | 49.28           | 74.00          | -24.72      | peak   |
| 5   | 13908.000       | 28.84          | 21.66          | 50.50           | 74.00          | -23.50      | peak   |
| 6   | 17879.000       | 24.48          | 25.29          | 49.77           | 74.00          | -24.23      | peak   |


|            |                 |                 |              |
|------------|-----------------|-----------------|--------------|
| Test Mode: | 802.11ac VHT160 | Frequency(MHz): | 5570         |
| Polarity:  | Horizontal      | Test Voltage:   | AC 120V_60Hz |



| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1   | 7649.000        | 41.87          | 6.74           | 48.61           | 74.00          | -25.39      | peak   |
| 2   | 9255.000        | 36.21          | 10.51          | 46.72           | 74.00          | -27.28      | peak   |
| 3   | 11268.000       | 33.29          | 15.83          | 49.12           | 74.00          | -24.88      | peak   |
| 4   | 12698.000       | 31.27          | 18.08          | 49.35           | 74.00          | -24.65      | peak   |
| 5   | 13864.000       | 27.71          | 21.53          | 49.24           | 74.00          | -24.76      | peak   |
| 6   | 17912.000       | 23.87          | 25.52          | 49.39           | 74.00          | -24.61      | peak   |




|            |                 |                 |              |
|------------|-----------------|-----------------|--------------|
| Test Mode: | 802.11ac VHT160 | Frequency(MHz): | 5570         |
| Polarity:  | Vertical        | Test Voltage:   | AC 120V_60Hz |




| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1   | 7649.000        | 39.32          | 6.74           | 46.06           | 74.00          | -27.94      | peak   |
| 2   | 8903.000        | 37.69          | 9.66           | 47.35           | 74.00          | -26.65      | peak   |
| 3   | 11070.000       | 34.80          | 15.01          | 49.81           | 74.00          | -24.19      | peak   |
| 4   | 12687.000       | 32.00          | 18.05          | 50.05           | 74.00          | -23.95      | peak   |
| 5   | 13996.000       | 28.17          | 21.87          | 50.04           | 74.00          | -23.96      | peak   |
| 6   | 17989.000       | 24.34          | 26.04          | 50.38           | 74.00          | -23.62      | peak   |

|            |               |                 |              |
|------------|---------------|-----------------|--------------|
| Test Mode: | 802.11ax HE20 | Frequency(MHz): | 5180         |
| Polarity:  | Horizontal    | Test Voltage:   | AC 120V_60Hz |




| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1   | 7649.000        | 40.80          | 6.74           | 47.54           | 74.00          | -26.46      | peak   |
| 2   | 10355.000       | 47.04          | 12.52          | 59.56           | 74.00          | -14.44      | peak   |
| 3   | 11730.000       | 33.03          | 17.19          | 50.22           | 74.00          | -23.78      | peak   |
| 4   | 12698.000       | 32.35          | 18.08          | 50.43           | 74.00          | -23.57      | peak   |
| 5   | 13864.000       | 29.24          | 21.53          | 50.77           | 74.00          | -23.23      | peak   |
| 6   | 17956.000       | 24.19          | 25.82          | 50.01           | 74.00          | -23.99      | peak   |

|            |               |                 |              |
|------------|---------------|-----------------|--------------|
| Test Mode: | 802.11ax HE20 | Frequency(MHz): | 5180         |
| Polarity:  | Vertical      | Test Voltage:   | AC 120V_60Hz |




| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1   | 9244.000        | 37.29          | 10.49          | 47.78           | 74.00          | -26.22      | peak   |
| 2   | 10366.000       | 45.72          | 12.54          | 58.26           | 74.00          | -15.74      | peak   |
| 3   | 11741.000       | 32.69          | 17.22          | 49.91           | 74.00          | -24.09      | peak   |
| 4   | 12709.000       | 31.70          | 18.09          | 49.79           | 74.00          | -24.21      | peak   |
| 5   | 13996.000       | 27.65          | 21.87          | 49.52           | 74.00          | -24.48      | peak   |
| 6   | 17989.000       | 24.05          | 26.04          | 50.09           | 74.00          | -23.91      | peak   |

|            |               |                 |              |
|------------|---------------|-----------------|--------------|
| Test Mode: | 802.11ax HE20 | Frequency(MHz): | 5200         |
| Polarity:  | Horizontal    | Test Voltage:   | AC 120V_60Hz |




| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1   | 7649.000        | 42.32          | 6.74           | 49.06           | 74.00          | -24.94      | peak   |
| 2   | 9211.000        | 35.94          | 10.47          | 46.41           | 74.00          | -27.59      | peak   |
| 3   | 10410.000       | 41.34          | 12.62          | 53.96           | 74.00          | -20.04      | peak   |
| 4   | 11400.000       | 33.51          | 16.36          | 49.87           | 74.00          | -24.13      | peak   |
| 5   | 13930.000       | 28.12          | 21.71          | 49.83           | 74.00          | -24.17      | peak   |
| 6   | 18000.000       | 24.07          | 26.12          | 50.19           | 74.00          | -23.81      | peak   |

|            |               |                 |              |
|------------|---------------|-----------------|--------------|
| Test Mode: | 802.11ax HE20 | Frequency(MHz): | 5200         |
| Polarity:  | Vertical      | Test Voltage:   | AC 120V_60Hz |




| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1   | 8980.000        | 36.30          | 10.21          | 46.51           | 74.00          | -27.49      | peak   |
| 2   | 10399.000       | 38.34          | 12.61          | 50.95           | 74.00          | -23.05      | peak   |
| 3   | 11774.000       | 31.25          | 17.28          | 48.53           | 74.00          | -25.47      | peak   |
| 4   | 12665.000       | 30.77          | 18.04          | 48.81           | 74.00          | -25.19      | peak   |
| 5   | 13875.000       | 27.24          | 21.57          | 48.81           | 74.00          | -25.19      | peak   |
| 6   | 17945.000       | 23.65          | 25.75          | 49.40           | 74.00          | -24.60      | peak   |

|            |               |                 |              |
|------------|---------------|-----------------|--------------|
| Test Mode: | 802.11ax HE20 | Frequency(MHz): | 5240         |
| Polarity:  | Horizontal    | Test Voltage:   | AC 120V_60Hz |




| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1   | 7649.000        | 41.39          | 6.74           | 48.13           | 74.00          | -25.87      | peak   |
| 2   | 10487.000       | 40.21          | 12.79          | 53.00           | 74.00          | -21.00      | peak   |
| 3   | 11312.000       | 33.65          | 16.00          | 49.65           | 74.00          | -24.35      | peak   |
| 4   | 12621.000       | 32.80          | 17.98          | 50.78           | 74.00          | -23.22      | peak   |
| 5   | 13853.000       | 27.91          | 21.52          | 49.43           | 74.00          | -24.57      | peak   |
| 6   | 17978.000       | 24.05          | 25.97          | 50.02           | 74.00          | -23.98      | peak   |

|            |               |                 |              |
|------------|---------------|-----------------|--------------|
| Test Mode: | 802.11ax HE20 | Frequency(MHz): | 5240         |
| Polarity:  | Vertical      | Test Voltage:   | AC 120V_60Hz |



| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1   | 7649.000        | 38.80          | 6.74           | 45.54           | 74.00          | -28.46      | peak   |
| 2   | 9101.000        | 36.88          | 10.40          | 47.28           | 74.00          | -26.72      | peak   |
| 3   | 10476.000       | 38.33          | 12.77          | 51.10           | 74.00          | -22.90      | peak   |
| 4   | 11873.000       | 32.50          | 17.46          | 49.96           | 74.00          | -24.04      | peak   |
| 5   | 13380.000       | 29.78          | 20.12          | 49.90           | 74.00          | -24.10      | peak   |
| 6   | 17934.000       | 23.90          | 25.67          | 49.57           | 74.00          | -24.43      | peak   |


|            |               |                 |              |
|------------|---------------|-----------------|--------------|
| Test Mode: | 802.11ax HE20 | Frequency(MHz): | 5260         |
| Polarity:  | Horizontal    | Test Voltage:   | AC 120V_60Hz |



| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1   | 7649.000        | 42.03          | 6.74           | 48.77           | 74.00          | -25.23      | peak   |
| 2   | 10509.000       | 40.86          | 12.85          | 53.71           | 74.00          | -20.29      | peak   |
| 3   | 11906.000       | 32.57          | 17.52          | 50.09           | 74.00          | -23.91      | peak   |
| 4   | 12555.000       | 32.63          | 17.90          | 50.53           | 74.00          | -23.47      | peak   |
| 5   | 13985.000       | 27.85          | 21.85          | 49.70           | 74.00          | -24.30      | peak   |
| 6   | 17967.000       | 24.21          | 25.89          | 50.10           | 74.00          | -23.90      | peak   |




|            |               |                 |              |
|------------|---------------|-----------------|--------------|
| Test Mode: | 802.11ax HE20 | Frequency(MHz): | 5260         |
| Polarity:  | Vertical      | Test Voltage:   | AC 120V_60Hz |




| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1   | 7649.000        | 39.52          | 6.74           | 46.26           | 74.00          | -27.74      | peak   |
| 2   | 8991.000        | 37.11          | 10.28          | 47.39           | 74.00          | -26.61      | peak   |
| 3   | 10509.000       | 38.85          | 12.85          | 51.70           | 74.00          | -22.30      | peak   |
| 4   | 11664.000       | 33.10          | 17.08          | 50.18           | 74.00          | -23.82      | peak   |
| 5   | 12698.000       | 31.79          | 18.08          | 49.87           | 74.00          | -24.13      | peak   |
| 6   | 18000.000       | 23.55          | 26.12          | 49.67           | 74.00          | -24.33      | peak   |

|            |               |                 |              |
|------------|---------------|-----------------|--------------|
| Test Mode: | 802.11ax HE20 | Frequency(MHz): | 5280         |
| Polarity:  | Horizontal    | Test Voltage:   | AC 120V_60Hz |




| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1   | 7649.000        | 40.83          | 6.74           | 47.57           | 74.00          | -26.43      | peak   |
| 2   | 9332.000        | 36.95          | 10.54          | 47.49           | 74.00          | -26.51      | peak   |
| 3   | 10564.000       | 44.64          | 13.06          | 57.70           | 74.00          | -16.30      | peak   |
| 4   | 11510.000       | 32.99          | 16.79          | 49.78           | 74.00          | -24.22      | peak   |
| 5   | 13127.000       | 30.78          | 19.01          | 49.79           | 74.00          | -24.21      | peak   |
| 6   | 17978.000       | 24.02          | 25.97          | 49.99           | 74.00          | -24.01      | peak   |

|            |               |                 |              |
|------------|---------------|-----------------|--------------|
| Test Mode: | 802.11ax HE20 | Frequency(MHz): | 5280         |
| Polarity:  | Vertical      | Test Voltage:   | AC 120V_60Hz |




| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1   | 7649.000        | 40.29          | 6.74           | 47.03           | 74.00          | -26.97      | peak   |
| 2   | 10564.000       | 40.35          | 13.06          | 53.41           | 74.00          | -20.59      | peak   |
| 3   | 11785.000       | 33.23          | 17.30          | 50.53           | 74.00          | -23.47      | peak   |
| 4   | 12676.000       | 31.31          | 18.05          | 49.36           | 74.00          | -24.64      | peak   |
| 5   | 13380.000       | 29.15          | 20.12          | 49.27           | 74.00          | -24.73      | peak   |
| 6   | 17967.000       | 23.33          | 25.89          | 49.22           | 74.00          | -24.78      | peak   |

|            |               |                 |              |
|------------|---------------|-----------------|--------------|
| Test Mode: | 802.11ax HE20 | Frequency(MHz): | 5320         |
| Polarity:  | Horizontal    | Test Voltage:   | AC 120V_60Hz |




| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1   | 7649.000        | 40.50          | 6.74           | 47.24           | 74.00          | -26.76      | peak   |
| 2   | 9200.000        | 36.49          | 10.46          | 46.95           | 74.00          | -27.05      | peak   |
| 3   | 10641.000       | 37.87          | 13.36          | 51.23           | 74.00          | -22.77      | peak   |
| 4   | 10641.000       | 28.45          | 13.36          | 41.81           | 54.00          | -12.19      | AVG    |
| 5   | 11730.000       | 31.92          | 17.19          | 49.11           | 74.00          | -24.89      | peak   |
| 6   | 13006.000       | 30.72          | 18.47          | 49.19           | 74.00          | -24.81      | peak   |
| 7   | 17714.000       | 24.77          | 24.16          | 48.93           | 74.00          | -25.07      | peak   |

|            |               |                 |              |
|------------|---------------|-----------------|--------------|
| Test Mode: | 802.11ax HE20 | Frequency(MHz): | 5320         |
| Polarity:  | Vertical      | Test Voltage:   | AC 120V_60Hz |




| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1   | 9068.000        | 36.41          | 10.39          | 46.80           | 74.00          | -27.20      | peak   |
| 2   | 10630.000       | 37.01          | 13.31          | 50.32           | 74.00          | -23.68      | peak   |
| 3   | 11026.000       | 35.31          | 14.82          | 50.13           | 74.00          | -23.87      | peak   |
| 4   | 12610.000       | 32.78          | 17.97          | 50.75           | 74.00          | -23.25      | peak   |
| 5   | 13622.000       | 29.20          | 20.95          | 50.15           | 74.00          | -23.85      | peak   |
| 6   | 17967.000       | 24.14          | 25.89          | 50.03           | 74.00          | -23.97      | peak   |

|            |               |                 |              |
|------------|---------------|-----------------|--------------|
| Test Mode: | 802.11ax HE20 | Frequency(MHz): | 5500         |
| Polarity:  | Horizontal    | Test Voltage:   | AC 120V_60Hz |




| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1   | 7649.000        | 41.36          | 6.74           | 48.10           | 74.00          | -25.90      | peak   |
| 2   | 9354.000        | 36.54          | 10.56          | 47.10           | 74.00          | -26.90      | peak   |
| 3   | 11004.000       | 33.39          | 14.74          | 48.13           | 74.00          | -25.87      | peak   |
| 4   | 11917.000       | 31.35          | 17.54          | 48.89           | 74.00          | -25.11      | peak   |
| 5   | 13314.000       | 28.98          | 19.83          | 48.81           | 74.00          | -25.19      | peak   |
| 6   | 17967.000       | 24.19          | 25.89          | 50.08           | 74.00          | -23.92      | peak   |

|            |               |                 |              |
|------------|---------------|-----------------|--------------|
| Test Mode: | 802.11ax HE20 | Frequency(MHz): | 5500         |
| Polarity:  | Vertical      | Test Voltage:   | AC 120V_60Hz |



| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1   | 7649.000        | 39.59          | 6.74           | 46.33           | 74.00          | -27.67      | peak   |
| 2   | 9189.000        | 37.12          | 10.46          | 47.58           | 74.00          | -26.42      | peak   |
| 3   | 11004.000       | 36.03          | 14.74          | 50.77           | 74.00          | -23.23      | peak   |
| 4   | 11774.000       | 32.34          | 17.28          | 49.62           | 74.00          | -24.38      | peak   |
| 5   | 13974.000       | 27.86          | 21.82          | 49.68           | 74.00          | -24.32      | peak   |
| 6   | 18000.000       | 23.65          | 26.12          | 49.77           | 74.00          | -24.23      | peak   |


|            |               |                 |              |
|------------|---------------|-----------------|--------------|
| Test Mode: | 802.11ax HE20 | Frequency(MHz): | 5580         |
| Polarity:  | Horizontal    | Test Voltage:   | AC 120V_60Hz |



| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1   | 7649.000        | 41.47          | 6.74           | 48.21           | 74.00          | -25.79      | peak   |
| 2   | 8925.000        | 38.06          | 9.82           | 47.88           | 74.00          | -26.12      | peak   |
| 3   | 11147.000       | 35.33          | 15.32          | 50.65           | 74.00          | -23.35      | peak   |
| 4   | 11653.000       | 31.42          | 17.05          | 48.47           | 74.00          | -25.53      | peak   |
| 5   | 13028.000       | 28.97          | 18.57          | 47.54           | 74.00          | -26.46      | peak   |
| 6   | 17967.000       | 22.46          | 25.89          | 48.35           | 74.00          | -25.65      | peak   |




|            |               |                 |              |
|------------|---------------|-----------------|--------------|
| Test Mode: | 802.11ax HE20 | Frequency(MHz): | 5580         |
| Polarity:  | Vertical      | Test Voltage:   | AC 120V_60Hz |




| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1   | 7649.000        | 40.20          | 6.74           | 46.94           | 74.00          | -27.06      | peak   |
| 2   | 8925.000        | 38.11          | 9.82           | 47.93           | 74.00          | -26.07      | peak   |
| 3   | 11158.000       | 35.14          | 15.37          | 50.51           | 74.00          | -23.49      | peak   |
| 4   | 12621.000       | 31.37          | 17.98          | 49.35           | 74.00          | -24.65      | peak   |
| 5   | 13611.000       | 28.02          | 20.92          | 48.94           | 74.00          | -25.06      | peak   |
| 6   | 17846.000       | 23.84          | 25.08          | 48.92           | 74.00          | -25.08      | peak   |

|            |               |                 |              |
|------------|---------------|-----------------|--------------|
| Test Mode: | 802.11ax HE20 | Frequency(MHz): | 5700         |
| Polarity:  | Horizontal    | Test Voltage:   | AC 120V_60Hz |




| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1   | 7649.000        | 40.48          | 6.74           | 47.22           | 74.00          | -26.78      | peak   |
| 2   | 9112.000        | 38.79          | 10.41          | 49.20           | 74.00          | -24.80      | peak   |
| 3   | 10883.000       | 35.12          | 14.27          | 49.39           | 74.00          | -24.61      | peak   |
| 4   | 12698.000       | 30.36          | 18.08          | 48.44           | 74.00          | -25.56      | peak   |
| 5   | 13424.000       | 28.65          | 20.30          | 48.95           | 74.00          | -25.05      | peak   |
| 6   | 17989.000       | 24.13          | 26.04          | 50.17           | 74.00          | -23.83      | peak   |

|            |               |                 |              |
|------------|---------------|-----------------|--------------|
| Test Mode: | 802.11ax HE20 | Frequency(MHz): | 5700         |
| Polarity:  | Vertical      | Test Voltage:   | AC 120V_60Hz |




| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1   | 7627.000        | 39.70          | 6.76           | 46.46           | 74.00          | -27.54      | peak   |
| 2   | 9112.000        | 38.02          | 10.41          | 48.43           | 74.00          | -25.57      | peak   |
| 3   | 11400.000       | 35.98          | 16.36          | 52.34           | 74.00          | -21.66      | peak   |
| 4   | 11400.000       | 26.49          | 16.36          | 42.85           | 54.00          | -11.15      | AVG    |
| 5   | 12258.000       | 32.21          | 17.77          | 49.98           | 74.00          | -24.02      | peak   |
| 6   | 13512.000       | 27.92          | 20.68          | 48.60           | 74.00          | -25.40      | peak   |
| 7   | 17989.000       | 22.10          | 26.04          | 48.14           | 74.00          | -25.86      | peak   |

|            |               |                 |              |
|------------|---------------|-----------------|--------------|
| Test Mode: | 802.11ax HE20 | Frequency(MHz): | 5720         |
| Polarity:  | Horizontal    | Test Voltage:   | AC 120V_60Hz |




| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1   | 7649.000        | 40.83          | 6.74           | 47.57           | 74.00          | -26.43      | peak   |
| 2   | 9145.000        | 39.23          | 10.43          | 49.66           | 74.00          | -24.34      | peak   |
| 3   | 11444.000       | 38.05          | 16.53          | 54.58           | 74.00          | -19.42      | peak   |
| 4   | 11444.000       | 30.40          | 16.53          | 46.93           | 54.00          | -7.07       | AVG    |
| 5   | 12599.000       | 31.02          | 17.95          | 48.97           | 74.00          | -25.03      | peak   |
| 6   | 13589.000       | 27.94          | 20.86          | 48.80           | 74.00          | -25.20      | peak   |
| 7   | 17978.000       | 23.80          | 25.97          | 49.77           | 74.00          | -24.23      | peak   |

|            |               |                 |              |
|------------|---------------|-----------------|--------------|
| Test Mode: | 802.11ax HE20 | Frequency(MHz): | 5720         |
| Polarity:  | Vertical      | Test Voltage:   | AC 120V_60Hz |




| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1   | 9233.000        | 37.14          | 10.48          | 47.62           | 74.00          | -26.38      | peak   |
| 2   | 11070.000       | 34.25          | 15.01          | 49.26           | 74.00          | -24.74      | peak   |
| 3   | 11884.000       | 32.24          | 17.48          | 49.72           | 74.00          | -24.28      | peak   |
| 4   | 12698.000       | 32.19          | 18.08          | 50.27           | 74.00          | -23.73      | peak   |
| 5   | 13556.000       | 28.95          | 20.78          | 49.73           | 74.00          | -24.27      | peak   |
| 6   | 18000.000       | 24.09          | 26.12          | 50.21           | 74.00          | -23.79      | peak   |

|            |               |                 |              |
|------------|---------------|-----------------|--------------|
| Test Mode: | 802.11ax HE20 | Frequency(MHz): | 5745         |
| Polarity:  | Horizontal    | Test Voltage:   | AC 120V_60Hz |




| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1   | 7649.000        | 41.07          | 6.74           | 47.81           | 74.00          | -26.19      | peak   |
| 2   | 9189.000        | 37.81          | 10.46          | 48.27           | 74.00          | -25.73      | peak   |
| 3   | 11488.000       | 36.32          | 16.72          | 53.04           | 74.00          | -20.96      | peak   |
| 4   | 11488.000       | 25.99          | 16.72          | 42.71           | 54.00          | -11.29      | AVG    |
| 5   | 12632.000       | 31.49          | 17.99          | 49.48           | 74.00          | -24.52      | peak   |
| 6   | 13985.000       | 26.64          | 21.85          | 48.49           | 74.00          | -25.51      | peak   |
| 7   | 17923.000       | 23.09          | 25.60          | 48.69           | 74.00          | -25.31      | peak   |

|            |               |                 |              |
|------------|---------------|-----------------|--------------|
| Test Mode: | 802.11ax HE20 | Frequency(MHz): | 5745         |
| Polarity:  | Vertical      | Test Voltage:   | AC 120V_60Hz |



| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1   | 9189.000        | 37.70          | 10.46          | 48.16           | 74.00          | -25.84      | peak   |
| 2   | 11037.000       | 33.79          | 14.87          | 48.66           | 74.00          | -25.34      | peak   |
| 3   | 11598.000       | 32.66          | 16.96          | 49.62           | 74.00          | -24.38      | peak   |
| 4   | 12709.000       | 31.64          | 18.09          | 49.73           | 74.00          | -24.27      | peak   |
| 5   | 13963.000       | 27.35          | 21.78          | 49.13           | 74.00          | -24.87      | peak   |
| 6   | 17945.000       | 23.02          | 25.75          | 48.77           | 74.00          | -25.23      | peak   |


|            |               |                 |              |
|------------|---------------|-----------------|--------------|
| Test Mode: | 802.11ax HE20 | Frequency(MHz): | 5785         |
| Polarity:  | Horizontal    | Test Voltage:   | AC 120V_60Hz |



| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1   | 7649.000        | 41.77          | 6.74           | 48.51           | 74.00          | -25.49      | peak   |
| 2   | 9255.000        | 38.71          | 10.51          | 49.22           | 74.00          | -24.78      | peak   |
| 3   | 11565.000       | 35.78          | 16.89          | 52.67           | 74.00          | -21.33      | peak   |
| 4   | 11565.000       | 24.94          | 16.89          | 41.83           | 54.00          | -12.17      | AVG    |
| 5   | 13127.000       | 31.07          | 19.01          | 50.08           | 74.00          | -23.92      | peak   |
| 6   | 13974.000       | 27.77          | 21.82          | 49.59           | 74.00          | -24.41      | peak   |
| 7   | 17967.000       | 24.59          | 25.89          | 50.48           | 74.00          | -23.52      | peak   |




|            |               |                 |              |
|------------|---------------|-----------------|--------------|
| Test Mode: | 802.11ax HE20 | Frequency(MHz): | 5785         |
| Polarity:  | Vertical      | Test Voltage:   | AC 120V_60Hz |




| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1   | 9189.000        | 36.98          | 10.46          | 47.44           | 74.00          | -26.56      | peak   |
| 2   | 11048.000       | 34.36          | 14.91          | 49.27           | 74.00          | -24.73      | peak   |
| 3   | 11565.000       | 33.90          | 16.89          | 50.79           | 74.00          | -23.21      | peak   |
| 4   | 12698.000       | 31.86          | 18.08          | 49.94           | 74.00          | -24.06      | peak   |
| 5   | 13864.000       | 28.45          | 21.53          | 49.98           | 74.00          | -24.02      | peak   |
| 6   | 17989.000       | 23.89          | 26.04          | 49.93           | 74.00          | -24.07      | peak   |

|            |               |                 |              |
|------------|---------------|-----------------|--------------|
| Test Mode: | 802.11ax HE20 | Frequency(MHz): | 5825         |
| Polarity:  | Horizontal    | Test Voltage:   | AC 120V_60Hz |




| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1   | 9288.000        | 36.58          | 10.52          | 47.10           | 74.00          | -26.90      | peak   |
| 2   | 11015.000       | 34.76          | 14.79          | 49.55           | 74.00          | -24.45      | peak   |
| 3   | 11653.000       | 37.15          | 17.05          | 54.20           | 74.00          | -19.80      | peak   |
| 4   | 11653.000       | 28.56          | 17.05          | 45.61           | 54.00          | -8.39       | AVG    |
| 5   | 12676.000       | 31.61          | 18.05          | 49.66           | 74.00          | -24.34      | peak   |
| 6   | 13589.000       | 29.62          | 20.86          | 50.48           | 74.00          | -23.52      | peak   |
| 7   | 17934.000       | 24.20          | 25.67          | 49.87           | 74.00          | -24.13      | peak   |

|            |               |                 |              |
|------------|---------------|-----------------|--------------|
| Test Mode: | 802.11ax HE20 | Frequency(MHz): | 5825         |
| Polarity:  | Vertical      | Test Voltage:   | AC 120V_60Hz |




| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1   | 8914.000        | 37.00          | 9.75           | 46.75           | 74.00          | -27.25      | peak   |
| 2   | 11147.000       | 34.40          | 15.32          | 49.72           | 74.00          | -24.28      | peak   |
| 3   | 11642.000       | 36.15          | 17.03          | 53.18           | 74.00          | -20.82      | peak   |
| 4   | 11642.000       | 24.71          | 17.03          | 41.74           | 54.00          | -12.26      | AVG    |
| 5   | 12566.000       | 32.17          | 17.91          | 50.08           | 74.00          | -23.92      | peak   |
| 6   | 13963.000       | 27.74          | 21.78          | 49.52           | 74.00          | -24.48      | peak   |
| 7   | 17967.000       | 24.13          | 25.89          | 50.02           | 74.00          | -23.98      | peak   |

|            |               |                 |              |
|------------|---------------|-----------------|--------------|
| Test Mode: | 802.11ax HE40 | Frequency(MHz): | 5190         |
| Polarity:  | Horizontal    | Test Voltage:   | AC 120V_60Hz |




| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1   | 7649.000        | 40.31          | 6.74           | 47.05           | 74.00          | -26.95      | peak   |
| 2   | 10366.000       | 45.30          | 12.54          | 57.84           | 74.00          | -16.16      | peak   |
| 3   | 11906.000       | 32.25          | 17.52          | 49.77           | 74.00          | -24.23      | peak   |
| 4   | 12687.000       | 32.08          | 18.05          | 50.13           | 74.00          | -23.87      | peak   |
| 5   | 13116.000       | 30.65          | 18.96          | 49.61           | 74.00          | -24.39      | peak   |
| 6   | 17934.000       | 23.60          | 25.67          | 49.27           | 74.00          | -24.73      | peak   |

|            |               |                 |              |
|------------|---------------|-----------------|--------------|
| Test Mode: | 802.11ax HE40 | Frequency(MHz): | 5190         |
| Polarity:  | Vertical      | Test Voltage:   | AC 120V_60Hz |




| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1   | 7649.000        | 39.41          | 6.74           | 46.15           | 74.00          | -27.85      | peak   |
| 2   | 9321.000        | 36.16          | 10.53          | 46.69           | 74.00          | -27.31      | peak   |
| 3   | 10366.000       | 36.97          | 12.54          | 49.51           | 74.00          | -24.49      | peak   |
| 4   | 11730.000       | 31.40          | 17.19          | 48.59           | 74.00          | -25.41      | peak   |
| 5   | 14062.000       | 27.30          | 21.62          | 48.92           | 74.00          | -25.08      | peak   |
| 6   | 17956.000       | 23.10          | 25.82          | 48.92           | 74.00          | -25.08      | peak   |

|            |               |                 |              |
|------------|---------------|-----------------|--------------|
| Test Mode: | 802.11ax HE40 | Frequency(MHz): | 5230         |
| Polarity:  | Horizontal    | Test Voltage:   | AC 120V_60Hz |




| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1   | 7649.000        | 40.85          | 6.74           | 47.59           | 74.00          | -26.41      | peak   |
| 2   | 9255.000        | 36.30          | 10.51          | 46.81           | 74.00          | -27.19      | peak   |
| 3   | 10454.000       | 46.29          | 12.73          | 59.02           | 74.00          | -14.98      | peak   |
| 4   | 11884.000       | 33.48          | 17.48          | 50.96           | 74.00          | -23.04      | peak   |
| 5   | 13930.000       | 29.16          | 21.71          | 50.87           | 74.00          | -23.13      | peak   |
| 6   | 17989.000       | 24.74          | 26.04          | 50.78           | 74.00          | -23.22      | peak   |

|            |               |                 |              |
|------------|---------------|-----------------|--------------|
| Test Mode: | 802.11ax HE40 | Frequency(MHz): | 5230         |
| Polarity:  | Vertical      | Test Voltage:   | AC 120V_60Hz |



| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1   | 8980.000        | 36.99          | 10.21          | 47.20           | 74.00          | -26.80      | peak   |
| 2   | 10454.000       | 39.72          | 12.73          | 52.45           | 74.00          | -21.55      | peak   |
| 3   | 11763.000       | 32.39          | 17.26          | 49.65           | 74.00          | -24.35      | peak   |
| 4   | 12610.000       | 31.11          | 17.97          | 49.08           | 74.00          | -24.92      | peak   |
| 5   | 13809.000       | 27.55          | 21.41          | 48.96           | 74.00          | -25.04      | peak   |
| 6   | 17978.000       | 24.17          | 25.97          | 50.14           | 74.00          | -23.86      | peak   |


|            |               |                 |              |
|------------|---------------|-----------------|--------------|
| Test Mode: | 802.11ax HE40 | Frequency(MHz): | 5270         |
| Polarity:  | Horizontal    | Test Voltage:   | AC 120V_60Hz |



| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1   | 7649.000        | 42.53          | 6.74           | 49.27           | 74.00          | -24.73      | peak   |
| 2   | 9211.000        | 36.98          | 10.47          | 47.45           | 74.00          | -26.55      | peak   |
| 3   | 10531.000       | 44.32          | 12.94          | 57.26           | 74.00          | -16.74      | peak   |
| 4   | 11840.000       | 32.57          | 17.40          | 49.97           | 74.00          | -24.03      | peak   |
| 5   | 13468.000       | 29.42          | 20.50          | 49.92           | 74.00          | -24.08      | peak   |
| 6   | 17956.000       | 24.20          | 25.82          | 50.02           | 74.00          | -23.98      | peak   |




|            |               |                 |              |
|------------|---------------|-----------------|--------------|
| Test Mode: | 802.11ax HE40 | Frequency(MHz): | 5270         |
| Polarity:  | Vertical      | Test Voltage:   | AC 120V_60Hz |




| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1   | 9233.000        | 36.81          | 10.48          | 47.29           | 74.00          | -26.71      | peak   |
| 2   | 10520.000       | 37.73          | 12.90          | 50.63           | 74.00          | -23.37      | peak   |
| 3   | 12291.000       | 32.27          | 17.78          | 50.05           | 74.00          | -23.95      | peak   |
| 4   | 13622.000       | 28.28          | 20.95          | 49.23           | 74.00          | -24.77      | peak   |
| 5   | 14414.000       | 28.91          | 20.14          | 49.05           | 74.00          | -24.95      | peak   |
| 6   | 17989.000       | 23.90          | 26.04          | 49.94           | 74.00          | -24.06      | peak   |

|            |               |                 |              |
|------------|---------------|-----------------|--------------|
| Test Mode: | 802.11ax HE40 | Frequency(MHz): | 5310         |
| Polarity:  | Horizontal    | Test Voltage:   | AC 120V_60Hz |




| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1   | 7649.000        | 40.90          | 6.74           | 47.64           | 74.00          | -26.36      | peak   |
| 2   | 10608.000       | 42.32          | 13.23          | 55.55           | 74.00          | -18.45      | peak   |
| 3   | 10608.000       | 33.97          | 13.23          | 47.20           | 54.00          | -6.80       | AVG    |
| 4   | 11455.000       | 33.30          | 16.58          | 49.88           | 74.00          | -24.12      | peak   |
| 5   | 12258.000       | 32.44          | 17.77          | 50.21           | 74.00          | -23.79      | peak   |
| 6   | 13853.000       | 28.48          | 21.52          | 50.00           | 74.00          | -24.00      | peak   |
| 7   | 17604.000       | 26.58          | 23.41          | 49.99           | 74.00          | -24.01      | peak   |

|            |               |                 |              |
|------------|---------------|-----------------|--------------|
| Test Mode: | 802.11ax HE40 | Frequency(MHz): | 5310         |
| Polarity:  | Vertical      | Test Voltage:   | AC 120V_60Hz |




| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1   | 7968.000        | 38.76          | 6.45           | 45.21           | 74.00          | -28.79      | peak   |
| 2   | 9101.000        | 37.15          | 10.40          | 47.55           | 74.00          | -26.45      | peak   |
| 3   | 10608.000       | 37.52          | 13.23          | 50.75           | 74.00          | -23.25      | peak   |
| 4   | 11653.000       | 32.68          | 17.05          | 49.73           | 74.00          | -24.27      | peak   |
| 5   | 13501.000       | 29.28          | 20.64          | 49.92           | 74.00          | -24.08      | peak   |
| 6   | 18000.000       | 23.70          | 26.12          | 49.82           | 74.00          | -24.18      | peak   |

|            |               |                 |              |
|------------|---------------|-----------------|--------------|
| Test Mode: | 802.11ax HE40 | Frequency(MHz): | 5510         |
| Polarity:  | Horizontal    | Test Voltage:   | AC 120V_60Hz |




| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1   | 7649.000        | 42.04          | 6.74           | 48.78           | 74.00          | -25.22      | peak   |
| 2   | 9233.000        | 37.33          | 10.48          | 47.81           | 74.00          | -26.19      | peak   |
| 3   | 11015.000       | 39.20          | 14.79          | 53.99           | 74.00          | -20.01      | peak   |
| 4   | 11015.000       | 29.51          | 14.79          | 44.30           | 54.00          | -9.70       | AVG    |
| 5   | 11664.000       | 33.23          | 17.08          | 50.31           | 74.00          | -23.69      | peak   |
| 6   | 12632.000       | 32.19          | 17.99          | 50.18           | 74.00          | -23.82      | peak   |
| 7   | 17615.000       | 25.45          | 23.49          | 48.94           | 74.00          | -25.06      | peak   |

|            |               |                 |              |
|------------|---------------|-----------------|--------------|
| Test Mode: | 802.11ax HE40 | Frequency(MHz): | 5510         |
| Polarity:  | Vertical      | Test Voltage:   | AC 120V_60Hz |




| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1   | 9178.000        | 36.92          | 10.45          | 47.37           | 74.00          | -26.63      | peak   |
| 2   | 11015.000       | 35.24          | 14.79          | 50.03           | 74.00          | -23.97      | peak   |
| 3   | 11862.000       | 31.75          | 17.45          | 49.20           | 74.00          | -24.80      | peak   |
| 4   | 12742.000       | 31.21          | 18.13          | 49.34           | 74.00          | -24.66      | peak   |
| 5   | 13501.000       | 28.98          | 20.64          | 49.62           | 74.00          | -24.38      | peak   |
| 6   | 17967.000       | 23.01          | 25.89          | 48.90           | 74.00          | -25.10      | peak   |

|            |               |                 |              |
|------------|---------------|-----------------|--------------|
| Test Mode: | 802.11ax HE40 | Frequency(MHz): | 5550         |
| Polarity:  | Horizontal    | Test Voltage:   | AC 120V_60Hz |




| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1   | 9145.000        | 36.96          | 10.43          | 47.39           | 74.00          | -26.61      | peak   |
| 2   | 10784.000       | 35.43          | 13.91          | 49.34           | 74.00          | -24.66      | peak   |
| 3   | 11092.000       | 35.01          | 15.10          | 50.11           | 74.00          | -23.89      | peak   |
| 4   | 11906.000       | 31.99          | 17.52          | 49.51           | 74.00          | -24.49      | peak   |
| 5   | 13611.000       | 29.14          | 20.92          | 50.06           | 74.00          | -23.94      | peak   |
| 6   | 17989.000       | 24.42          | 26.04          | 50.46           | 74.00          | -23.54      | peak   |

|            |               |                 |              |
|------------|---------------|-----------------|--------------|
| Test Mode: | 802.11ax HE40 | Frequency(MHz): | 5550         |
| Polarity:  | Vertical      | Test Voltage:   | AC 120V_60Hz |



| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1   | 9244.000        | 36.89          | 10.49          | 47.38           | 74.00          | -26.62      | peak   |
| 2   | 10773.000       | 33.73          | 13.85          | 47.58           | 74.00          | -26.42      | peak   |
| 3   | 11642.000       | 32.42          | 17.03          | 49.45           | 74.00          | -24.55      | peak   |
| 4   | 12687.000       | 31.20          | 18.05          | 49.25           | 74.00          | -24.75      | peak   |
| 5   | 13996.000       | 27.68          | 21.87          | 49.55           | 74.00          | -24.45      | peak   |
| 6   | 17989.000       | 23.84          | 26.04          | 49.88           | 74.00          | -24.12      | peak   |


|            |               |                 |              |
|------------|---------------|-----------------|--------------|
| Test Mode: | 802.11ax HE40 | Frequency(MHz): | 5670         |
| Polarity:  | Horizontal    | Test Voltage:   | AC 120V_60Hz |



| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1   | 7649.000        | 41.46          | 6.74           | 48.20           | 74.00          | -25.80      | peak   |
| 2   | 9068.000        | 39.36          | 10.39          | 49.75           | 74.00          | -24.25      | peak   |
| 3   | 10784.000       | 35.35          | 13.91          | 49.26           | 74.00          | -24.74      | peak   |
| 4   | 11345.000       | 33.65          | 16.14          | 49.79           | 74.00          | -24.21      | peak   |
| 5   | 12621.000       | 30.79          | 17.98          | 48.77           | 74.00          | -25.23      | peak   |
| 6   | 17978.000       | 22.68          | 25.97          | 48.65           | 74.00          | -25.35      | peak   |




|            |               |                 |              |
|------------|---------------|-----------------|--------------|
| Test Mode: | 802.11ax HE40 | Frequency(MHz): | 5670         |
| Polarity:  | Vertical      | Test Voltage:   | AC 120V_60Hz |




| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1   | 7649.000        | 38.89          | 6.74           | 45.63           | 74.00          | -28.37      | peak   |
| 2   | 9068.000        | 36.60          | 10.39          | 46.99           | 74.00          | -27.01      | peak   |
| 3   | 11059.000       | 34.39          | 14.96          | 49.35           | 74.00          | -24.65      | peak   |
| 4   | 12236.000       | 31.65          | 17.76          | 49.41           | 74.00          | -24.59      | peak   |
| 5   | 13358.000       | 29.56          | 20.02          | 49.58           | 74.00          | -24.42      | peak   |
| 6   | 17967.000       | 22.85          | 25.89          | 48.74           | 74.00          | -25.26      | peak   |

|            |               |                 |              |
|------------|---------------|-----------------|--------------|
| Test Mode: | 802.11ax HE40 | Frequency(MHz): | 5710         |
| Polarity:  | Horizontal    | Test Voltage:   | AC 120V_60Hz |




| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1   | 7649.000        | 40.47          | 6.74           | 47.21           | 74.00          | -26.79      | peak   |
| 2   | 9134.000        | 40.40          | 10.41          | 50.81           | 74.00          | -23.19      | peak   |
| 3   | 11422.000       | 38.35          | 16.46          | 54.81           | 74.00          | -19.19      | peak   |
| 4   | 11422.000       | 29.14          | 16.46          | 45.60           | 54.00          | -8.40       | AVG    |
| 5   | 12632.000       | 31.61          | 17.99          | 49.60           | 74.00          | -24.40      | peak   |
| 6   | 13633.000       | 28.26          | 20.97          | 49.23           | 74.00          | -24.77      | peak   |
| 7   | 17956.000       | 24.35          | 25.82          | 50.17           | 74.00          | -23.83      | peak   |

|            |               |                 |              |
|------------|---------------|-----------------|--------------|
| Test Mode: | 802.11ax HE40 | Frequency(MHz): | 5710         |
| Polarity:  | Vertical      | Test Voltage:   | AC 120V_60Hz |




| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1   | 9134.000        | 37.52          | 10.41          | 47.93           | 74.00          | -26.07      | peak   |
| 2   | 10212.000       | 36.14          | 12.21          | 48.35           | 74.00          | -25.65      | peak   |
| 3   | 11015.000       | 34.94          | 14.79          | 49.73           | 74.00          | -24.27      | peak   |
| 4   | 11785.000       | 32.29          | 17.30          | 49.59           | 74.00          | -24.41      | peak   |
| 5   | 13864.000       | 28.15          | 21.53          | 49.68           | 74.00          | -24.32      | peak   |
| 6   | 17989.000       | 23.63          | 26.04          | 49.67           | 74.00          | -24.33      | peak   |

|            |               |                 |              |
|------------|---------------|-----------------|--------------|
| Test Mode: | 802.11ax HE40 | Frequency(MHz): | 5755         |
| Polarity:  | Horizontal    | Test Voltage:   | AC 120V_60Hz |




| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1   | 7649.000        | 40.68          | 6.74           | 47.42           | 74.00          | -26.58      | peak   |
| 2   | 9211.000        | 37.11          | 10.47          | 47.58           | 74.00          | -26.42      | peak   |
| 3   | 11510.000       | 33.31          | 16.79          | 50.10           | 74.00          | -23.90      | peak   |
| 4   | 12709.000       | 32.43          | 18.09          | 50.52           | 74.00          | -23.48      | peak   |
| 5   | 13853.000       | 28.67          | 21.52          | 50.19           | 74.00          | -23.81      | peak   |
| 6   | 17989.000       | 23.99          | 26.04          | 50.03           | 74.00          | -23.97      | peak   |

|            |               |                 |              |
|------------|---------------|-----------------|--------------|
| Test Mode: | 802.11ax HE40 | Frequency(MHz): | 5755         |
| Polarity:  | Vertical      | Test Voltage:   | AC 120V_60Hz |




| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1   | 8573.000        | 38.84          | 7.40           | 46.24           | 74.00          | -27.76      | peak   |
| 2   | 9332.000        | 36.82          | 10.54          | 47.36           | 74.00          | -26.64      | peak   |
| 3   | 11070.000       | 34.04          | 15.01          | 49.05           | 74.00          | -24.95      | peak   |
| 4   | 12676.000       | 31.46          | 18.05          | 49.51           | 74.00          | -24.49      | peak   |
| 5   | 13919.000       | 27.73          | 21.68          | 49.41           | 74.00          | -24.59      | peak   |
| 6   | 17978.000       | 22.93          | 25.97          | 48.90           | 74.00          | -25.10      | peak   |

|            |               |                 |              |
|------------|---------------|-----------------|--------------|
| Test Mode: | 802.11ax HE40 | Frequency(MHz): | 5795         |
| Polarity:  | Horizontal    | Test Voltage:   | AC 120V_60Hz |




| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1   | 9266.000        | 37.57          | 10.51          | 48.08           | 74.00          | -25.92      | peak   |
| 2   | 11059.000       | 34.92          | 14.96          | 49.88           | 74.00          | -24.12      | peak   |
| 3   | 11587.000       | 35.04          | 16.93          | 51.97           | 74.00          | -22.03      | peak   |
| 4   | 11587.000       | 24.87          | 16.93          | 41.80           | 54.00          | -12.20      | AVG    |
| 5   | 12698.000       | 31.79          | 18.08          | 49.87           | 74.00          | -24.13      | peak   |
| 6   | 13974.000       | 28.23          | 21.82          | 50.05           | 74.00          | -23.95      | peak   |
| 7   | 17967.000       | 23.59          | 25.89          | 49.48           | 74.00          | -24.52      | peak   |

|            |               |                 |              |
|------------|---------------|-----------------|--------------|
| Test Mode: | 802.11ax HE40 | Frequency(MHz): | 5795         |
| Polarity:  | Vertical      | Test Voltage:   | AC 120V_60Hz |



| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1   | 7649.000        | 39.34          | 6.74           | 46.08           | 74.00          | -27.92      | peak   |
| 2   | 9266.000        | 36.77          | 10.51          | 47.28           | 74.00          | -26.72      | peak   |
| 3   | 10894.000       | 34.04          | 14.32          | 48.36           | 74.00          | -25.64      | peak   |
| 4   | 12698.000       | 30.80          | 18.08          | 48.88           | 74.00          | -25.12      | peak   |
| 5   | 13699.000       | 28.18          | 21.14          | 49.32           | 74.00          | -24.68      | peak   |
| 6   | 17967.000       | 23.52          | 25.89          | 49.41           | 74.00          | -24.59      | peak   |


|            |               |                 |              |
|------------|---------------|-----------------|--------------|
| Test Mode: | 802.11ax HE80 | Frequency(MHz): | 5210         |
| Polarity:  | Horizontal    | Test Voltage:   | AC 120V_60Hz |



| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1   | 7649.000        | 42.04          | 6.74           | 48.78           | 74.00          | -25.22      | peak   |
| 2   | 10410.000       | 44.50          | 12.62          | 57.12           | 74.00          | -16.88      | peak   |
| 3   | 10784.000       | 36.30          | 13.91          | 50.21           | 74.00          | -23.79      | peak   |
| 4   | 12665.000       | 32.03          | 18.04          | 50.07           | 74.00          | -23.93      | peak   |
| 5   | 13908.000       | 28.54          | 21.66          | 50.20           | 74.00          | -23.80      | peak   |
| 6   | 17967.000       | 24.08          | 25.89          | 49.97           | 74.00          | -24.03      | peak   |




|            |               |                 |              |
|------------|---------------|-----------------|--------------|
| Test Mode: | 802.11ax HE80 | Frequency(MHz): | 5210         |
| Polarity:  | Vertical      | Test Voltage:   | AC 120V_60Hz |




| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1   | 7649.000        | 38.70          | 6.74           | 45.44           | 74.00          | -28.56      | peak   |
| 2   | 9255.000        | 35.84          | 10.51          | 46.35           | 74.00          | -27.65      | peak   |
| 3   | 10432.000       | 38.13          | 12.67          | 50.80           | 74.00          | -23.20      | peak   |
| 4   | 11059.000       | 35.14          | 14.96          | 50.10           | 74.00          | -23.90      | peak   |
| 5   | 13072.000       | 31.66          | 18.77          | 50.43           | 74.00          | -23.57      | peak   |
| 6   | 17967.000       | 24.74          | 25.89          | 50.63           | 74.00          | -23.37      | peak   |

|            |               |                 |              |
|------------|---------------|-----------------|--------------|
| Test Mode: | 802.11ax HE80 | Frequency(MHz): | 5290         |
| Polarity:  | Horizontal    | Test Voltage:   | AC 120V_60Hz |




| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1   | 8463.000        | 40.52          | 6.85           | 47.37           | 74.00          | -26.63      | peak   |
| 2   | 10564.000       | 42.62          | 13.06          | 55.68           | 74.00          | -18.32      | peak   |
| 3   | 11400.000       | 34.22          | 16.36          | 50.58           | 74.00          | -23.42      | peak   |
| 4   | 11664.000       | 33.07          | 17.08          | 50.15           | 74.00          | -23.85      | peak   |
| 5   | 13809.000       | 28.65          | 21.41          | 50.06           | 74.00          | -23.94      | peak   |
| 6   | 17615.000       | 25.70          | 23.49          | 49.19           | 74.00          | -24.81      | peak   |

|            |               |                 |              |
|------------|---------------|-----------------|--------------|
| Test Mode: | 802.11ax HE80 | Frequency(MHz): | 5290         |
| Polarity:  | Vertical      | Test Voltage:   | AC 120V_60Hz |




| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1   | 7649.000        | 39.66          | 6.74           | 46.40           | 74.00          | -27.60      | peak   |
| 2   | 9145.000        | 36.33          | 10.43          | 46.76           | 74.00          | -27.24      | peak   |
| 3   | 10564.000       | 37.68          | 13.06          | 50.74           | 74.00          | -23.26      | peak   |
| 4   | 11884.000       | 33.27          | 17.48          | 50.75           | 74.00          | -23.25      | peak   |
| 5   | 13919.000       | 28.76          | 21.68          | 50.44           | 74.00          | -23.56      | peak   |
| 6   | 17967.000       | 25.15          | 25.89          | 51.04           | 74.00          | -22.96      | peak   |

|            |               |                 |              |
|------------|---------------|-----------------|--------------|
| Test Mode: | 802.11ax HE80 | Frequency(MHz): | 5530         |
| Polarity:  | Horizontal    | Test Voltage:   | AC 120V_60Hz |




| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1   | 7649.000        | 41.58          | 6.74           | 48.32           | 74.00          | -25.68      | peak   |
| 2   | 10212.000       | 35.62          | 12.21          | 47.83           | 74.00          | -26.17      | peak   |
| 3   | 11081.000       | 34.67          | 15.05          | 49.72           | 74.00          | -24.28      | peak   |
| 4   | 12709.000       | 31.61          | 18.09          | 49.70           | 74.00          | -24.30      | peak   |
| 5   | 13589.000       | 28.76          | 20.86          | 49.62           | 74.00          | -24.38      | peak   |
| 6   | 17956.000       | 24.51          | 25.82          | 50.33           | 74.00          | -23.67      | peak   |

|            |               |                 |              |
|------------|---------------|-----------------|--------------|
| Test Mode: | 802.11ax HE80 | Frequency(MHz): | 5530         |
| Polarity:  | Vertical      | Test Voltage:   | AC 120V_60Hz |




| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1   | 7649.000        | 39.24          | 6.74           | 45.98           | 74.00          | -28.02      | peak   |
| 2   | 9189.000        | 36.54          | 10.46          | 47.00           | 74.00          | -27.00      | peak   |
| 3   | 11070.000       | 35.10          | 15.01          | 50.11           | 74.00          | -23.89      | peak   |
| 4   | 12687.000       | 32.29          | 18.05          | 50.34           | 74.00          | -23.66      | peak   |
| 5   | 13589.000       | 28.88          | 20.86          | 49.74           | 74.00          | -24.26      | peak   |
| 6   | 17978.000       | 24.46          | 25.97          | 50.43           | 74.00          | -23.57      | peak   |

|            |               |                 |              |
|------------|---------------|-----------------|--------------|
| Test Mode: | 802.11ax HE80 | Frequency(MHz): | 5610         |
| Polarity:  | Horizontal    | Test Voltage:   | AC 120V_60Hz |




| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1   | 7649.000        | 41.31          | 6.74           | 48.05           | 74.00          | -25.95      | peak   |
| 2   | 8969.000        | 38.12          | 10.13          | 48.25           | 74.00          | -25.75      | peak   |
| 3   | 11037.000       | 35.37          | 14.87          | 50.24           | 74.00          | -23.76      | peak   |
| 4   | 12665.000       | 31.98          | 18.04          | 50.02           | 74.00          | -23.98      | peak   |
| 5   | 13875.000       | 29.10          | 21.57          | 50.67           | 74.00          | -23.33      | peak   |
| 6   | 17945.000       | 24.48          | 25.75          | 50.23           | 74.00          | -23.77      | peak   |

|            |               |                 |              |
|------------|---------------|-----------------|--------------|
| Test Mode: | 802.11ax HE80 | Frequency(MHz): | 5610         |
| Polarity:  | Vertical      | Test Voltage:   | AC 120V_60Hz |



| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1   | 7649.000        | 39.95          | 6.74           | 46.69           | 74.00          | -27.31      | peak   |
| 2   | 8969.000        | 37.54          | 10.13          | 47.67           | 74.00          | -26.33      | peak   |
| 3   | 11235.000       | 34.16          | 15.68          | 49.84           | 74.00          | -24.16      | peak   |
| 4   | 11730.000       | 33.22          | 17.19          | 50.41           | 74.00          | -23.59      | peak   |
| 5   | 14018.000       | 27.98          | 21.80          | 49.78           | 74.00          | -24.22      | peak   |
| 6   | 17989.000       | 23.98          | 26.04          | 50.02           | 74.00          | -23.98      | peak   |


|            |               |                 |              |
|------------|---------------|-----------------|--------------|
| Test Mode: | 802.11ax HE80 | Frequency(MHz): | 5690         |
| Polarity:  | Horizontal    | Test Voltage:   | AC 120V_60Hz |



| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1   | 7649.000        | 41.77          | 6.74           | 48.51           | 74.00          | -25.49      | peak   |
| 2   | 10784.000       | 35.93          | 13.91          | 49.84           | 74.00          | -24.16      | peak   |
| 3   | 11642.000       | 33.60          | 17.03          | 50.63           | 74.00          | -23.37      | peak   |
| 4   | 12643.000       | 32.32          | 18.01          | 50.33           | 74.00          | -23.67      | peak   |
| 5   | 14007.000       | 28.13          | 21.85          | 49.98           | 74.00          | -24.02      | peak   |
| 6   | 18000.000       | 24.33          | 26.12          | 50.45           | 74.00          | -23.55      | peak   |




|            |               |                 |              |
|------------|---------------|-----------------|--------------|
| Test Mode: | 802.11ax HE80 | Frequency(MHz): | 5690         |
| Polarity:  | Vertical      | Test Voltage:   | AC 120V_60Hz |




| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1   | 7649.000        | 38.93          | 6.74           | 45.67           | 74.00          | -28.33      | peak   |
| 2   | 9101.000        | 37.01          | 10.40          | 47.41           | 74.00          | -26.59      | peak   |
| 3   | 11389.000       | 33.83          | 16.31          | 50.14           | 74.00          | -23.86      | peak   |
| 4   | 12698.000       | 32.15          | 18.08          | 50.23           | 74.00          | -23.77      | peak   |
| 5   | 13875.000       | 28.98          | 21.57          | 50.55           | 74.00          | -23.45      | peak   |
| 6   | 18000.000       | 24.24          | 26.12          | 50.36           | 74.00          | -23.64      | peak   |

|            |               |                 |              |
|------------|---------------|-----------------|--------------|
| Test Mode: | 802.11ax HE80 | Frequency(MHz): | 5775         |
| Polarity:  | Horizontal    | Test Voltage:   | AC 120V_60Hz |




| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1   | 7649.000        | 42.36          | 6.74           | 49.10           | 74.00          | -24.90      | peak   |
| 2   | 9233.000        | 38.29          | 10.48          | 48.77           | 74.00          | -25.23      | peak   |
| 3   | 10784.000       | 35.33          | 13.91          | 49.24           | 74.00          | -24.76      | peak   |
| 4   | 11565.000       | 32.35          | 16.89          | 49.24           | 74.00          | -24.76      | peak   |
| 5   | 14007.000       | 28.72          | 21.85          | 50.57           | 74.00          | -23.43      | peak   |
| 6   | 17989.000       | 24.62          | 26.04          | 50.66           | 74.00          | -23.34      | peak   |

|            |               |                 |              |
|------------|---------------|-----------------|--------------|
| Test Mode: | 802.11ax HE80 | Frequency(MHz): | 5775         |
| Polarity:  | Vertical      | Test Voltage:   | AC 120V_60Hz |




| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1   | 9233.000        | 37.42          | 10.48          | 47.90           | 74.00          | -26.10      | peak   |
| 2   | 10883.000       | 33.59          | 14.27          | 47.86           | 74.00          | -26.14      | peak   |
| 3   | 11521.000       | 33.56          | 16.82          | 50.38           | 74.00          | -23.62      | peak   |
| 4   | 12665.000       | 31.14          | 18.04          | 49.18           | 74.00          | -24.82      | peak   |
| 5   | 13864.000       | 27.53          | 21.53          | 49.06           | 74.00          | -24.94      | peak   |
| 6   | 17956.000       | 23.05          | 25.82          | 48.87           | 74.00          | -25.13      | peak   |

|            |                |                 |              |
|------------|----------------|-----------------|--------------|
| Test Mode: | 802.11ax HE160 | Frequency(MHz): | 5250         |
| Polarity:  | Horizontal     | Test Voltage:   | AC 120V_60Hz |




| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1   | 7649.000        | 41.49          | 6.74           | 48.23           | 74.00          | -25.77      | peak   |
| 2   | 9541.000        | 36.38          | 10.74          | 47.12           | 74.00          | -26.88      | peak   |
| 3   | 10509.000       | 40.45          | 12.85          | 53.30           | 74.00          | -20.70      | peak   |
| 4   | 11664.000       | 33.56          | 17.08          | 50.64           | 74.00          | -23.36      | peak   |
| 5   | 12698.000       | 31.83          | 18.08          | 49.91           | 74.00          | -24.09      | peak   |
| 6   | 17978.000       | 23.85          | 25.97          | 49.82           | 74.00          | -24.18      | peak   |

|            |                |                 |              |
|------------|----------------|-----------------|--------------|
| Test Mode: | 802.11ax HE160 | Frequency(MHz): | 5250         |
| Polarity:  | Vertical       | Test Voltage:   | AC 120V_60Hz |




| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1   | 8936.000        | 36.55          | 9.90           | 46.45           | 74.00          | -27.55      | peak   |
| 2   | 11191.000       | 34.31          | 15.50          | 49.81           | 74.00          | -24.19      | peak   |
| 3   | 11686.000       | 33.21          | 17.12          | 50.33           | 74.00          | -23.67      | peak   |
| 4   | 12698.000       | 32.24          | 18.08          | 50.32           | 74.00          | -23.68      | peak   |
| 5   | 14139.000       | 29.54          | 21.30          | 50.84           | 74.00          | -23.16      | peak   |
| 6   | 17967.000       | 25.18          | 25.89          | 51.07           | 74.00          | -22.93      | peak   |

|            |                |                 |              |
|------------|----------------|-----------------|--------------|
| Test Mode: | 802.11ax HE160 | Frequency(MHz): | 5570         |
| Polarity:  | Horizontal     | Test Voltage:   | AC 120V_60Hz |



| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1   | 7649.000        | 41.09          | 6.74           | 47.83           | 74.00          | -26.17      | peak   |
| 2   | 9255.000        | 36.89          | 10.51          | 47.40           | 74.00          | -26.60      | peak   |
| 3   | 11400.000       | 33.21          | 16.36          | 49.57           | 74.00          | -24.43      | peak   |
| 4   | 12698.000       | 31.42          | 18.08          | 49.50           | 74.00          | -24.50      | peak   |
| 5   | 14436.000       | 29.83          | 20.05          | 49.88           | 74.00          | -24.12      | peak   |
| 6   | 17989.000       | 24.29          | 26.04          | 50.33           | 74.00          | -23.67      | peak   |


|            |                |                 |              |
|------------|----------------|-----------------|--------------|
| Test Mode: | 802.11ax HE160 | Frequency(MHz): | 5570         |
| Polarity:  | Vertical       | Test Voltage:   | AC 120V_60Hz |



| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1   | 7649.000        | 39.23          | 6.74           | 45.97           | 74.00          | -28.03      | peak   |
| 2   | 9332.000        | 37.27          | 10.54          | 47.81           | 74.00          | -26.19      | peak   |
| 3   | 11059.000       | 34.65          | 14.96          | 49.61           | 74.00          | -24.39      | peak   |
| 4   | 12665.000       | 31.63          | 18.04          | 49.67           | 74.00          | -24.33      | peak   |
| 5   | 13468.000       | 28.97          | 20.50          | 49.47           | 74.00          | -24.53      | peak   |
| 6   | 17978.000       | 23.08          | 25.97          | 49.05           | 74.00          | -24.95      | peak   |

### 8.4. SPURIOUS EMISSIONS(9 KHZ~30 MHZ)


|            |            |                 |               |
|------------|------------|-----------------|---------------|
| Test Mode: | 802.11a20  | Frequency(MHz): | 5180          |
| Polarity:  | Horizontal | Test Voltage:   | AC 120, 60 Hz |



| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1   | 0.0100          | 77.22          | -101.40        | -24.18          | 47.60          | -71.78      | peak   |
| 2   | 0.0114          | 75.88          | -101.40        | -25.52          | 46.46          | -71.98      | peak   |
| 3   | 0.0206          | 71.42          | -101.35        | -29.93          | 41.32          | -71.25      | peak   |
| 4   | 0.0279          | 69.17          | -101.38        | -32.21          | 38.69          | -70.90      | peak   |
| 5   | 0.0675          | 63.14          | -101.56        | -38.42          | 31.02          | -69.44      | peak   |
| 6   | 0.0810          | 61.52          | -101.64        | -40.12          | 29.43          | -69.55      | peak   |




|            |            |                 |               |
|------------|------------|-----------------|---------------|
| Test Mode: | 802.11a20  | Frequency(MHz): | 5180          |
| Polarity:  | Horizontal | Test Voltage:   | AC 120, 60 Hz |



| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1   | 0.1554          | 76.27          | -101.65        | -25.38          | 23.77          | -49.15      | peak   |
| 2   | 0.1621          | 75.42          | -101.65        | -26.23          | 23.41          | -49.64      | peak   |
| 3   | 0.1801          | 72.53          | -101.68        | -29.15          | 22.50          | -51.65      | peak   |
| 4   | 0.2020          | 69.50          | -101.72        | -32.22          | 21.49          | -53.71      | peak   |
| 5   | 0.2305          | 67.44          | -101.77        | -34.33          | 20.35          | -54.68      | peak   |
| 6   | 0.2837          | 64.22          | -101.83        | -37.61          | 18.54          | -56.15      | peak   |

|            |            |                 |               |
|------------|------------|-----------------|---------------|
| Test Mode: | 802.11a20  | Frequency(MHz): | 5180          |
| Polarity:  | Horizontal | Test Voltage:   | AC 120, 60 Hz |



| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1   | 0.5039          | 65.43          | -62.07         | 3.36            | 33.56          | -30.20      | peak   |
| 2   | 0.8296          | 62.94          | -62.17         | 0.77            | 29.23          | -28.46      | peak   |
| 3   | 1.5564          | 59.68          | -62.02         | -2.34           | 23.76          | -26.10      | peak   |
| 4   | 3.7100          | 54.70          | -61.41         | -6.71           | 29.54          | -36.25      | peak   |
| 5   | 6.5998          | 53.62          | -61.27         | -7.65           | 29.54          | -37.19      | peak   |
| 6   | 11.8513         | 52.56          | -60.88         | -8.32           | 29.54          | -37.86      | peak   |