


802.11ax HE20 mode/5500MHz


Detector mode: Average

Polarity: Horizontal



Detector mode: Average

Polarity: Vertical




No.	Frequency MHz	Reading dBμV/m	Level dBμV/m	Factor dB	Limit dBμV/m	Margin dB	Height cm	Angle °	Pole	Comment
1	5418.975	28.93	48.01	19.08	54.00	5.99	100	136	Horizontal	/
2	5460	29.09	48.18	19.09	54.00	5.82	200	205	Horizontal	/
3	5501.085	82.67	102.19	19.52	-	-	200	205	Horizontal	No limit
1	5357.27	28.87	47.44	18.57	54.00	6.56	200	135	Vertical	/
2	5460	29.24	48.07	18.83	54.00	5.93	200	196	Vertical	/
3	5498.04	82.70	102.10	19.40	-	-	100	134	Vertical	No limit

802.11ax HE20 mode/5700MHz


Detector mode: Peak

Polarity: Horizontal



Detector mode: Peak

Polarity: Vertical




No.	Frequency MHz	Reading dBμV/m	Level dBμV/m	Factor dB	Limit dBμV/m	Margin dB	Height cm	Angle °	Pole	Comment
1	5695.345	84.54	105.49	20.95	-	-	200	102	Horizontal	No limit
2	5725	41.05	62.21	21.16	68.30	6.09	100	66	Horizontal	/
3	5729.645	42.26	63.45	21.19	68.30	4.85	200	70	Horizontal	/
1	5698.74	91.76	112.64	20.88	-	-	200	157	Vertical	No limit
2	5725	46.97	67.98	21.01	68.30	0.32	200	147	Vertical	/
3	5729.925	46.84	67.87	21.03	68.30	0.43	200	15	Vertical	/

802.11ax HE20 mode/5700MHz


Detector mode: Average

Polarity: Horizontal



Detector mode: Average

Polarity: Vertical




No.	Frequency MHz	Reading dBμV/m	Level dBμV/m	Factor dB	Limit dBμV/m	Margin dB	Height cm	Angle °	Pole	Comment
1	5694.33	61.43	82.37	20.94	54.00	-28.37	200	112	Horizontal	No limit
1	5701.015	67.65	88.54	20.89	54.00	-34.54	200	188	Vertical	No limit

802.11ax HE20 mode/5720MHz


Detector mode: Peak

Polarity: Horizontal



Detector mode: Peak

Polarity: Vertical




No.	Frequency MHz	Reading dBμV/m	Level dBμV/m	Factor dB	Limit dBμV/m	Margin dB	Height cm	Angle °	Pole	Comment
1	5470	39.10	58.30	19.20	68.30	10.00	200	10	Horizontal	/
2	5721.18	96.99	117.04	20.05	-	-	200	30	Horizontal	No limit
3	5850	39.79	61.57	21.78	68.30	6.73	100	16	Horizontal	/
1	5470	38.67	57.65	18.98	68.30	10.65	100	31	Vertical	/
2	5723.954	96.79	116.70	19.91	-	-	200	16	Vertical	No limit
3	5850	39.12	60.70	21.58	68.30	7.60	200	189	Vertical	/

802.11ax HE20 mode/5720MHz


Detector mode: Average

Polarity: Horizontal



Detector mode: Average

Polarity: Vertical




No.	Frequency MHz	Reading dBμV/m	Level dBμV/m	Factor dB	Limit dBμV/m	Margin dB	Height cm	Angle °	Pole	Comment
1	5721.142	81.11	101.16	20.05	54.00	-47.16	200	11	Horizontal	No limit
1	5720.914	81.23	101.12	19.89	54.00	-47.12	200	15	Vertical	No limit

802.11n HT40 mode/5190MHz


Detector mode: Peak

Polarity: Horizontal



Detector mode: Peak

Polarity: Vertical




No.	Frequency MHz	Reading dBμV/m	Level dBμV/m	Factor dB	Limit dBuV/m	Margin dB	Height cm	Angle °	Pole	Comment
1	5145.84	42.35	60.95	18.60	74.00	13.05	100	196	Horizontal	/
2	5150	40.34	58.92	18.58	68.30	9.38	200	91	Horizontal	/
3	5192.635	79.02	97.70	18.68	-	-	200	295	Horizontal	No limit
1	5148.01	52.33	70.81	18.48	74.00	3.19	200	56	Vertical	/
2	5150	46.93	65.41	18.48	68.30	2.89	200	56	Vertical	/
3	5188.26	89.23	107.95	18.72	-	-	200	37	Vertical	No limit

802.11n HT40 mode/5190MHz


Detector mode: Average

Polarity: Horizontal



Detector mode: Average

Polarity: Vertical




No.	Frequency MHz	Reading dBμV/m	Level dBμV/m	Factor dB	Limit dBμV/m	Margin dB	Height cm	Angle °	Pole	Comment
1	5131.035	28.78	47.43	18.65	54.00	6.57	200	244	Horizontal	/
2	5150	28.69	47.27	18.58	54.00	6.73	200	305	Horizontal	/
3	5191.55	69.72	88.40	18.68	-	-	100	197	Horizontal	No limit
1	5148.395	33.99	52.47	18.48	54.00	1.53	200	66	Vertical	/
2	5150	34.17	52.65	18.48	54.00	1.35	200	37	Vertical	/
3	5187.35	79.51	98.23	18.72	-	-	200	47	Vertical	No limit

802.11n HT40 mode/5230MHz


Detector mode: Peak

Polarity: Horizontal



Detector mode: Peak

Polarity: Vertical




No.	Frequency MHz	Reading dBμV/m	Level dBμV/m	Factor dB	Limit dBμV/m	Margin dB	Height cm	Angle °	Pole	Comment
1	5052.23	41.68	60.60	18.92	74.00	13.40	100	297	Horizontal	/
2	5150	40.37	58.95	18.58	68.30	9.35	200	81	Horizontal	/
3	5231.64	83.18	101.69	18.51	-	-	200	294	Horizontal	No limit
1	5148.55	50.15	68.63	18.48	74.00	5.37	200	55	Vertical	/
2	5150	46.52	65.00	18.48	68.30	3.30	200	35	Vertical	/
3	5232.445	92.37	111.11	18.74	-	-	200	35	Vertical	No limit

802.11n HT40 mode/5230MHz


Detector mode: Average

Polarity: Horizontal



Detector mode: Average

Polarity: Vertical




No.	Frequency MHz	Reading dBμV/m	Level dBμV/m	Factor dB	Limit dBμV/m	Margin dB	Height cm	Angle °	Pole	Comment
1	5072.6	28.68	47.54	18.86	54.00	6.46	200	195	Horizontal	/
2	5150	28.60	47.18	18.58	54.00	6.82	100	198	Horizontal	/
3	5228.07	73.67	92.20	18.53	-	-	200	295	Horizontal	No limit
1	5067.28	28.76	47.57	18.81	54.00	6.43	100	131	Vertical	/
2	5150	28.59	47.07	18.48	54.00	6.93	100	192	Vertical	/
3	5231.22	73.55	92.29	18.74	-	-	200	298	Vertical	No limit

802.11n HT40 mode/5270MHz


Detector mode: Peak

Polarity: Horizontal



Detector mode: Peak

Polarity: Vertical




No.	Frequency MHz	Reading dBμV/m	Level dBμV/m	Factor dB	Limit dBμV/m	Margin dB	Height cm	Angle °	Pole	Comment
1	5274.035	80.84	99.24	18.40	-	-	200	295	Horizontal	No limit
2	5350	39.73	58.27	18.54	68.30	10.03	200	265	Horizontal	/
3	5397.375	41.89	61.00	19.11	74.00	13.00	100	318	Horizontal	/
1	5272.81	89.70	108.40	18.70	-	-	200	45	Vertical	No limit
2	5350	39.81	58.35	18.54	68.30	9.95	200	198	Vertical	/
3	5426.95	41.98	60.69	18.71	74.00	13.31	200	137	Vertical	/

802.11n HT40 mode/5270MHz


Detector mode: Average

Polarity: Horizontal



Detector mode: Average

Polarity: Vertical




No.	Frequency MHz	Reading dBµV/m	Level dBµV/m	Factor dB	Limit dBµV/m	Margin dB	Height cm	Angle °	Pole	Comment
1	5268.75	71.52	89.92	18.40	-	-	200	303	Horizontal	No limit
2	5350	28.01	46.55	18.54	54.00	7.45	200	284	Horizontal	/
3	5396.675	28.46	47.56	19.10	54.00	6.44	200	101	Horizontal	/
1	5271.76	79.58	98.28	18.70	-	-	200	47	Vertical	No limit
2	5350	28.72	47.26	18.54	54.00	6.74	200	118	Vertical	/
3	5407.77	28.72	47.45	18.73	54.00	6.55	200	36	Vertical	/

802.11n HT40 mode/5310MHz


Detector mode: Peak

Polarity: Horizontal



Detector mode: Peak

Polarity: Vertical




No.	Frequency MHz	Reading dBμV/m	Level dBμV/m	Factor dB	Limit dBμV/m	Margin dB	Height cm	Angle °	Pole	Comment
1	5304.46	80.57	98.97	18.40	-	-	200	294	Horizontal	No limit
2	5350	41.48	60.02	18.54	68.30	8.28	200	284	Horizontal	/
3	5356.085	43.75	62.36	18.61	74.00	11.64	200	294	Horizontal	/
1	5306.875	87.12	105.79	18.67	-	-	200	86	Vertical	No limit
2	5350	46.52	65.06	18.54	68.30	3.24	200	157	Vertical	/
3	5351.99	49.72	68.27	18.55	74.00	5.73	200	56	Vertical	/

802.11n HT40 mode/5310MHz


Detector mode: Average

Polarity: Horizontal



Detector mode: Average

Polarity: Vertical




No.	Frequency MHz	Reading dBμV/m	Level dBμV/m	Factor dB	Limit dBμV/m	Margin dB	Height cm	Angle °	Pole	Comment
1	5311.11	70.42	88.84	18.42	-	-	200	293	Horizontal	No limit
2	5350	29.45	47.99	18.54	54.00	6.01	200	293	Horizontal	/
3	5360.11	29.34	48.00	18.66	54.00	6.00	200	283	Horizontal	/
1	5307.96	77.49	96.16	18.67	-	-	200	36	Vertical	No limit
2	5350	32.71	51.25	18.54	54.00	2.75	200	45	Vertical	/
3	5354.37	33.07	51.62	18.55	54.00	2.38	200	75	Vertical	/

802.11n HT40 mode/5510MHz


Detector mode: Peak

Polarity: Horizontal



Detector mode: Peak

Polarity: Vertical




No.	Frequency MHz	Reading dBμV/m	Level dBμV/m	Factor dB	Limit dBμV/m	Margin dB	Height cm	Angle °	Pole	Comment
1	5392.83	41.47	60.52	19.05	74.00	13.48	100	97	Horizontal	/
2	5460	39.81	58.90	19.09	68.30	9.40	100	16	Horizontal	/
3	5508.19	80.17	99.61	19.44	-	-	200	22	Horizontal	No limit
1	5459.015	43.85	62.66	18.81	74.00	11.34	200	108	Vertical	/
2	5460	41.31	60.14	18.83	68.30	8.16	200	118	Vertical	/
3	5507.49	86.59	105.98	19.39	-	-	100	234	Vertical	No limit

802.11n HT40 mode/5510MHz


Detector mode: Average

Polarity: Horizontal



Detector mode: Average

Polarity: Vertical




No.	Frequency MHz	Reading dBμV/m	Level dBμV/m	Factor dB	Limit dBμV/m	Margin dB	Height cm	Angle °	Pole	Comment
1	5417.225	28.44	47.52	19.08	54.00	6.48	200	294	Horizontal	/
2	5460	27.86	46.95	19.09	54.00	7.05	200	2	Horizontal	/
3	5508.54	70.59	90.03	19.44	-	-	200	294	Horizontal	No limit
1	5436.58	28.63	47.33	18.70	54.00	6.67	100	233	Vertical	/
2	5460	28.83	47.66	18.83	54.00	6.34	100	233	Vertical	/
3	5507.665	76.80	96.20	19.40	-	-	100	233	Vertical	No limit

802.11n HT40 mode/5670MHz


Detector mode: Peak

Polarity: Horizontal



Detector mode: Peak

Polarity: Vertical




No.	Frequency MHz	Reading dBμV/m	Level dBμV/m	Factor dB	Limit dBμV/m	Margin dB	Height cm	Angle °	Pole	Comment
1	5671.44	79.97	99.75	19.78	-	-	200	22	Horizontal	No limit
2	5725	39.36	59.42	20.06	68.30	8.88	200	265	Horizontal	/
3	5775.6	41.93	62.17	20.24	68.30	6.13	100	16	Horizontal	/
1	5671.72	86.89	106.58	19.69	-	-	100	233	Vertical	No limit
2	5725	39.99	59.90	19.91	68.30	8.40	100	82	Vertical	/
3	5734.3	41.96	61.92	19.96	68.30	6.38	100	203	Vertical	/

802.11n HT40 mode/5670MHz


Detector mode: Average

Polarity: Horizontal



Detector mode: Average

Polarity: Vertical




No.	Frequency MHz	Reading dBμV/m	Level dBμV/m	Factor dB	Limit dBμV/m	Margin dB	Height cm	Angle °	Pole	Comment
1	5670.915	71.09	90.86	19.77	54.00	-36.86	200	22	Horizontal	No limit
1	5671.65	77.75	97.44	19.69	54.00	-43.44	100	243	Vertical	No limit

802.11n HT40 mode/5710MHz


Detector mode: Peak

Polarity: Horizontal



Detector mode: Peak

Polarity: Vertical




No.	Frequency MHz	Reading dBμV/m	Level dBμV/m	Factor dB	Limit dBμV/m	Margin dB	Height cm	Angle °	Pole	Comment
1	5470	38.52	57.72	19.20	68.30	10.58	200	257	Horizontal	/
2	5713.352	90.26	110.29	20.03	-	--	100	314	Horizontal	No limit
3	5850	38.48	60.26	21.78	68.30	8.04	200	186	Horizontal	/
1	5470	38.38	57.36	18.98	68.30	10.94	100	204	Vertical	/
2	5712.934	90.49	110.35	19.86	-	-	100	317	Vertical	No limit
3	5850	38.32	59.90	21.58	68.30	8.40	200	112	Vertical	/

802.11n HT40 mode/5710MHz


Detector mode: Average

Polarity: Horizontal



Detector mode: Average

Polarity: Vertical




No.	Frequency MHz	Reading dBμV/m	Level dBμV/m	Factor dB	Limit dBμV/m	Margin dB	Height cm	Angle °	Pole	Comment
1	5712.554	78.98	99.01	20.03	54.00	-45.01	200	319	Horizontal	No limit
1	5707.12	78.96	98.78	19.82	54.00	-44.78	100	318	Vertical	No limit

802.11ac VHT40 mode/5190MHz


Detector mode: Peak

Polarity: Horizontal



Detector mode: Peak

Polarity: Vertical




No.	Frequency MHz	Reading dBμV/m	Level dBμV/m	Factor dB	Limit dBμV/m	Margin dB	Height cm	Angle °	Pole	Comment
1	5137.51	50.06	68.68	18.62	74.00	5.32	200	32	Horizontal	/
2	5150	48.14	66.72	18.58	68.30	1.58	200	32	Horizontal	/
3	5186.93	92.93	111.60	18.67	-	-	200	42	Horizontal	No limit
1	5137.195	50.26	68.76	18.50	74.00	5.24	200	46	Vertical	/
2	5150	46.59	65.07	18.48	68.30	3.23	200	136	Vertical	/
3	5192.705	93.09	111.84	18.75	-	-	200	56	Vertical	No limit

802.11ac VHT40 mode/5190MHz


Detector mode: Average

Polarity: Horizontal



Detector mode: Average

Polarity: Vertical




No.	Frequency MHz	Reading dBμV/m	Level dBμV/m	Factor dB	Limit dBμV/m	Margin dB	Height cm	Angle °	Pole	Comment
1	5062.89	28.63	47.52	18.89	54.00	6.48	200	133	Horizontal	/
2	5150	27.62	46.20	18.58	54.00	7.80	100	16	Horizontal	/
3	5192.985	69.40	88.09	18.69	-	-	200	13	Horizontal	No limit
1	5076.015	28.92	47.66	18.74	54.00	6.34	200	55	Vertical	/
2	5150	30.42	48.90	18.48	54.00	5.10	200	46	Vertical	/
3	5193.195	82.08	100.84	18.76	-	-	200	46	Vertical	No limit

802.11ac VHT40 mode/5230MHz


Detector mode: Peak

Polarity: Horizontal



Detector mode: Peak

Polarity: Vertical




No.	Frequency MHz	Reading dBμV/m	Level dBμV/m	Factor dB	Limit dBμV/m	Margin dB	Height cm	Angle °	Pole	Comment
1	5137.665	42.99	61.61	18.62	74.00	12.39	200	233	Horizontal	/
2	5150	40.29	58.87	18.58	68.30	9.43	200	132	Horizontal	/
3	5228.56	86.67	105.20	18.53	-	-	200	22	Horizontal	No limit
1	5136.545	53.04	71.54	18.50	74.00	2.46	200	66	Vertical	/
2	5150	47.73	66.21	18.48	68.30	2.09	200	97	Vertical	/
3	5234.965	97.43	116.16	18.73	-	-	200	56	Vertical	No limit

802.11ac VHT40 mode/5230MHz


Detector mode: Average

Polarity: Horizontal



Detector mode: Average

Polarity: Vertical




No.	Frequency MHz	Reading dBμV/m	Level dBμV/m	Factor dB	Limit dBμV/m	Margin dB	Height cm	Angle °	Pole	Comment
1	5077.465	28.89	47.73	18.84	54.00	6.27	100	360	Horizontal	/
2	5150	28.48	47.06	18.58	54.00	6.94	200	11	Horizontal	/
3	5231.57	75.22	93.73	18.51	-	-	200	20	Horizontal	No limit
1	5110.96	31.17	49.72	18.55	54.00	4.28	200	36	Vertical	/
2	5150	34.61	53.09	18.48	54.00	0.91	200	57	Vertical	/
3	5226.04	86.80	105.55	18.75	-	-	200	48	Vertical	No limit

802.11ac VHT40 mode/5270MHz


Detector mode: Peak

Polarity: Horizontal



Detector mode: Peak

Polarity: Vertical




No.	Frequency MHz	Reading dBμV/m	Level dBμV/m	Factor dB	Limit dBμV/m	Margin dB	Height cm	Angle °	Pole	Comment
1	5271.2	83.24	101.64	18.40	-	-	200	20	Horizontal	No limit
2	5350	39.55	58.09	18.54	68.30	10.21	100	117	Horizontal	/
3	5416.03	41.61	60.70	19.09	74.00	13.30	100	167	Horizontal	/
1	5271.165	94.42	113.12	18.70	-	-	200	45	Vertical	No limit
2	5350	39.73	58.27	18.54	68.30	10.03	200	330	Vertical	/
3	5377.25	42.67	61.32	18.65	74.00	12.68	200	45	Vertical	/

802.11ac VHT40 mode/5270MHz


Detector mode: Average

Polarity: Horizontal



Detector mode: Average

Polarity: Vertical




No.	Frequency MHz	Reading dBμV/m	Level dBμV/m	Factor dB	Limit dBμV/m	Margin dB	Height cm	Angle °	Pole	Comment
1	5267.945	72.74	91.14	18.40	-	-	200	22	Horizontal	No limit
2	5350	28.03	46.57	18.54	54.00	7.43	100	76	Horizontal	/
3	5379.105	28.64	47.53	18.89	54.00	6.47	200	71	Horizontal	/
1	5267.49	83.24	101.94	18.70	-	-	200	49	Vertical	No limit
2	5350	29.36	47.90	18.54	54.00	6.10	200	38	Vertical	/
3	5367.345	29.17	47.78	18.61	54.00	6.22	200	69	Vertical	/

802.11ac VHT40 mode/5310MHz


Detector mode: Peak

Polarity: Horizontal



Detector mode: Peak

Polarity: Vertical




No.	Frequency MHz	Reading dBμV/m	Level dBμV/m	Factor dB	Limit dBμV/m	Margin dB	Height cm	Angle °	Pole	Comment
1	5311.425	82.52	100.94	18.42	-	-	200	18	Horizontal	No limit
2	5350	43.00	61.54	18.54	68.30	6.76	200	302	Horizontal	/
3	5352.62	47.27	65.84	18.57	74.00	8.16	200	27	Horizontal	/
1	5311.355	92.31	110.96	18.65	-	-	200	46	Vertical	No limit
2	5350	47.16	65.70	18.54	68.30	2.60	200	76	Vertical	/
3	5354.615	54.49	73.05	18.56	74.00	0.95	200	46	Vertical	/

802.11ac VHT40 mode/5310MHz


Detector mode: Average

Polarity: Horizontal



Detector mode: Average

Polarity: Vertical




No.	Frequency MHz	Reading dBμV/m	Level dBμV/m	Factor dB	Limit dBuV/m	Margin dB	Height cm	Angle °	Pole	Comment
1	5307.68	71.65	90.07	18.42	-	-	200	21	Horizontal	No limit
2	5350	28.53	47.07	18.54	54.00	6.93	200	21	Horizontal	/
3	5374.635	28.73	47.57	18.84	54.00	6.43	100	218	Horizontal	/
1	5310.76	81.04	99.70	18.66	-	-	200	54	Vertical	No limit
2	5350	30.60	49.14	18.54	54.00	4.86	200	86	Vertical	/
3	5358.115	30.67	49.24	18.57	54.00	4.76	200	36	Vertical	/

802.11ac VHT40 mode/5510MHz


Detector mode: Peak

Polarity: Horizontal



Detector mode: Peak

Polarity: Vertical




No.	Frequency MHz	Reading dBμV/m	Level dBμV/m	Factor dB	Limit dBμV/m	Margin dB	Height cm	Angle °	Pole	Comment
1	5457.405	44.53	63.59	19.06	74.00	10.41	200	349	Horizontal	/
2	5460	40.20	59.29	19.09	68.30	9.01	100	295	Horizontal	/
3	5508.715	82.40	101.84	19.44	-	-	200	26	Horizontal	No limit
1	5456.985	49.85	68.63	18.78	74.00	5.37	200	21	Vertical	/
2	5460	43.47	62.30	18.83	68.30	6.00	200	50	Vertical	/
3	5511.27	92.01	111.39	19.38	-	-	200	40	Vertical	No limit

802.11ac VHT40 mode/5510MHz


Detector mode: Average

Polarity: Horizontal



Detector mode: Average

Polarity: Vertical




No.	Frequency MHz	Reading dBμV/m	Level dBμV/m	Factor dB	Limit dBμV/m	Margin dB	Height cm	Angle °	Pole	Comment
1	5391.01	31.38	50.41	19.03	54.00	3.59	200	341	Horizontal	/
2	5460	30.39	49.48	19.09	54.00	4.52	100	1	Horizontal	/
3	5514.945	75.58	94.95	19.37	-	-	200	26	Horizontal	No limit
1	5427.935	31.73	50.43	18.70	54.00	3.57	200	286	Vertical	/
2	5460	32.55	51.38	18.83	54.00	2.62	200	33	Vertical	/
3	5505.005	84.73	104.14	19.41	-	-	200	93	Vertical	No limit

802.11ac VHT40 mode/5670MHz


Detector mode: Peak

Polarity: Horizontal



Detector mode: Peak

Polarity: Vertical




No.	Frequency MHz	Reading dBμV/m	Level dBμV/m	Factor dB	Limit dBμV/m	Margin dB	Height cm	Angle °	Pole	Comment
1	5665.875	83.01	102.75	19.74	-	-	200	25	Horizontal	No limit
2	5725	40.15	60.21	20.06	68.30	8.09	200	14	Horizontal	/
3	5792.855	41.61	61.93	20.32	68.30	6.37	200	259	Horizontal	/
1	5673.085	92.18	111.88	19.70	-	-	200	49	Vertical	No limit
2	5725	41.43	61.34	19.91	68.30	6.96	200	100	Vertical	/
3	5738.71	44.39	64.37	19.98	68.30	3.93	100	88	Vertical	/

802.11ac VHT40 mode/5670MHz


Detector mode: Average

Polarity: Horizontal



Detector mode: Average

Polarity: Vertical




No.	Frequency MHz	Reading dBμV/m	Level dBμV/m	Factor dB	Limit dBμV/m	Margin dB	Height cm	Angle °	Pole	Comment
1	5671.265	72.30	92.08	19.78	54.00	-38.08	200	26	Horizontal	No limit
1	5673.19	81.32	101.02	19.70	54.00	-47.02	200	52	Vertical	No limit

802.11ac VHT40 mode/5710MHz


Detector mode: Peak

Polarity: Horizontal



Detector mode: Peak

Polarity: Vertical




No.	Frequency MHz	Reading dBμV/m	Level dBμV/m	Factor dB	Limit dBμV/m	Margin dB	Height cm	Angle °	Pole	Comment
1	5470	39.28	58.48	19.20	68.30	9.82	200	274	Horizontal	/
2	5712.516	94.70	114.73	20.03	-	-	200	144	Horizontal	No limit
3	5850	38.19	59.97	21.78	68.30	8.33	200	182	Horizontal	/
1	5470	39.07	58.05	18.98	68.30	10.25	200	57	Vertical	/
2	5712.288	93.94	113.78	19.84	-	-	200	16	Vertical	No limit
3	5850	38.53	60.11	21.58	68.30	8.19	100	121	Vertical	/

802.11ac VHT40 mode/5710MHz


Detector mode: Average

Polarity: Horizontal



Detector mode: Average

Polarity: Vertical




No.	Frequency MHz	Reading dBμV/m	Level dBμV/m	Factor dB	Limit dBμV/m	Margin dB	Height cm	Angle °	Pole	Comment
1	5712.136	78.13	98.15	20.02	54.00	-44.15	100	26	Horizontal	No limit
1	5708.032	78.04	97.87	19.83	54.00	-43.87	100	21	Vertical	No limit

802.11ax HE40 mode/5190MHz


Detector mode: Peak

Polarity: Horizontal



Detector mode: Peak

Polarity: Vertical




No.	Frequency MHz	Reading dBμV/m	Level dBμV/m	Factor dB	Limit dBuV/m	Margin dB	Height cm	Angle °	Pole	Comment
1	5142.06	47.95	66.56	18.61	74.00	7.44	200	153	Horizontal	/
2	5150	48.51	67.09	18.58	68.30	1.21	100	136	Horizontal	/
3	5194.07	93.78	112.46	18.68	-	-	100	147	Horizontal	No limit
1	5149.725	48.36	66.84	18.48	74.00	7.16	200	136	Vertical	/
2	5150	48.10	66.58	18.48	68.30	1.72	100	140	Vertical	/
3	5186.195	94.53	113.24	18.71	-	-	100	140	Vertical	No limit

802.11ax HE40 mode/5190MHz


Detector mode: Average

Polarity: Horizontal



Detector mode: Average

Polarity: Vertical




No.	Frequency MHz	Reading dBμV/m	Level dBμV/m	Factor dB	Limit dBμV/m	Margin dB	Height cm	Angle °	Pole	Comment
1	5149.865	31.85	50.43	18.58	54.00	3.57	100	138	Horizontal	/
2	5150	31.46	50.04	18.58	54.00	3.96	100	138	Horizontal	/
3	5188.645	80.30	98.98	18.68	-	-	200	141	Horizontal	No limit
1	5149.9	31.59	50.07	18.48	54.00	3.93	100	142	Vertical	/
2	5150	31.39	49.87	18.48	54.00	4.13	200	138	Vertical	/
3	5187.56	80.21	98.93	18.72	-	-	100	132	Vertical	No limit

802.11ax HE40 mode/5230MHz


Detector mode: Peak

Polarity: Horizontal



Detector mode: Peak

Polarity: Vertical




No.	Frequency MHz	Reading dBμV/m	Level dBμV/m	Factor dB	Limit dBμV/m	Margin dB	Height cm	Angle °	Pole	Comment
1	5067.16	41.50	60.37	18.87	74.00	13.63	200	162	Horizontal	/
2	5150	39.52	58.10	18.58	68.30	10.20	200	152	Horizontal	/
3	5232.255	94.76	113.27	18.51	-	-	200	132	Horizontal	No limit
1	5086.76	41.70	60.37	18.67	74.00	13.63	100	233	Vertical	/
2	5150	39.19	57.67	18.48	68.30	10.63	200	169	Vertical	/
3	5232.255	94.22	112.96	18.74	-	-	200	138	Vertical	No limit

802.11ax HE40 mode/5230MHz


Detector mode: Average

Polarity: Horizontal



Detector mode: Average

Polarity: Vertical




No.	Frequency MHz	Reading dBμV/m	Level dBμV/m	Factor dB	Limit dBμV/m	Margin dB	Height cm	Angle °	Pole	Comment
1	5081.825	28.99	47.81	18.82	54.00	6.19	200	274	Horizontal	/
2	5150	27.30	45.88	18.58	54.00	8.12	200	206	Horizontal	/
3	5231.625	80.16	98.67	18.51	-	-	100	127	Horizontal	No limit
1	5066.81	28.58	47.39	18.81	54.00	6.61	100	203	Vertical	/
2	5150	27.46	45.94	18.48	54.00	8.06	100	147	Vertical	/
3	5230.645	80.56	99.30	18.74	-	-	200	131	Vertical	No limit

802.11ax HE40 mode/5270MHz


Detector mode: Peak

Polarity: Horizontal



Detector mode: Peak

Polarity: Vertical




No.	Frequency MHz	Reading dBμV/m	Level dBμV/m	Factor dB	Limit dBμV/m	Margin dB	Height cm	Angle °	Pole	Comment
1	5273.228	94.25	112.65	18.40	-	-	100	144	Horizontal	No limit
2	5350	40.61	59.15	18.54	68.30	9.15	100	144	Horizontal	/
3	5401.51	42.01	61.14	19.13	74.00	12.86	200	261	Horizontal	/
1	5275.098	93.16	111.85	18.69	-	-	200	146	Vertical	No limit
2	5350	40.14	58.68	18.54	68.30	9.62	100	3	Vertical	/
3	5415.178	41.76	60.48	18.72	74.00	13.52	200	15	Vertical	/

802.11ax HE40 mode/5270MHz


Detector mode: Average

Polarity: Horizontal



Detector mode: Average

Polarity: Vertical




No.	Frequency MHz	Reading dBμV/m	Level dBμV/m	Factor dB	Limit dBμV/m	Margin dB	Height cm	Angle °	Pole	Comment
1	5268.468	79.71	98.11	18.40	-	-	200	132	Horizontal	No limit
2	5350	28.51	47.05	18.54	54.00	6.95	200	163	Horizontal	/
3	5379.07	28.98	47.87	18.89	54.00	6.13	200	132	Horizontal	/
1	5265.102	80.10	98.80	18.70	-	-	100	142	Vertical	No limit
2	5350	28.54	47.08	18.54	54.00	6.92	200	318	Vertical	/
3	5353.978	29.13	47.68	18.55	54.00	6.32	200	26	Vertical	/

802.11ax HE40 mode/5310MHz


Detector mode: Peak

Polarity: Horizontal



Detector mode: Peak

Polarity: Vertical




No.	Frequency MHz	Reading dBμV/m	Level dBμV/m	Factor dB	Limit dBμV/m	Margin dB	Height cm	Angle °	Pole	Comment
1	5309.465	91.49	109.91	18.42	-	-	200	141	Horizontal	No limit
2	5350	45.44	63.98	18.54	68.30	4.32	200	161	Horizontal	/
3	5353.39	47.31	65.89	18.58	74.00	8.11	100	138	Horizontal	/
1	5307.995	92.40	111.07	18.67	-	-	100	142	Vertical	No limit
2	5350	43.95	62.49	18.54	68.30	5.81	200	35	Vertical	/
3	5352.165	47.81	66.36	18.55	74.00	7.64	200	137	Vertical	/

802.11ax HE40 mode/5310MHz


Detector mode: Average

Polarity: Horizontal



Detector mode: Average

Polarity: Vertical




No.	Frequency MHz	Reading dBμV/m	Level dBμV/m	Factor dB	Limit dBμV/m	Margin dB	Height cm	Angle °	Pole	Comment
1	5308.625	78.45	96.87	18.42	-	-	100	145	Horizontal	No limit
2	5350	29.90	48.44	18.54	54.00	5.56	200	132	Horizontal	/
3	5350.8	30.37	48.92	18.55	54.00	5.08	200	122	Horizontal	/
1	5308.135	78.27	96.94	18.67	-	-	100	142	Vertical	No limit
2	5350	29.75	48.29	18.54	54.00	5.71	100	20	Vertical	/
3	5350.485	30.42	48.96	18.54	54.00	5.04	100	132	Vertical	/

802.11ax HE40 mode/5510MHz


Detector mode: Peak

Polarity: Horizontal



Detector mode: Peak

Polarity: Vertical




No.	Frequency MHz	Reading dBµV/m	Level dBµV/m	Factor dB	Limit dBµV/m	Margin dB	Height cm	Angle °	Pole	Comment
1	5458.385	48.61	67.69	19.08	74.00	6.31	100	329	Horizontal	/
2	5460	46.14	65.23	19.09	68.30	3.07	200	193	Horizontal	/
3	5507.49	93.61	113.06	19.45	-	-	100	17	Horizontal	No limit
1	5458.49	48.75	67.56	18.81	74.00	6.44	100	324	Vertical	/
2	5460	45.98	64.81	18.83	68.30	3.49	200	26	Vertical	/
3	5511.095	93.51	112.89	19.38	-	-	200	26	Vertical	No limit

802.11ax HE40 mode/5510MHz


Detector mode: Average

Polarity: Horizontal



Detector mode: Average

Polarity: Vertical




No.	Frequency MHz	Reading dBμV/m	Level dBμV/m	Factor dB	Limit dBμV/m	Margin dB	Height cm	Angle °	Pole	Comment
1	5454.535	29.51	48.54	19.03	54.00	5.46	200	30	Horizontal	/
2	5460	28.79	47.88	19.09	54.00	6.12	100	318	Horizontal	/
3	5507.945	79.37	98.81	19.44	-	-	100	26	Horizontal	No limit
1	5459.645	29.37	48.20	18.83	54.00	5.80	100	121	Vertical	/
2	5460	28.89	47.72	18.83	54.00	6.28	200	26	Vertical	/
3	5507.455	79.28	98.67	19.39	-	-	100	20	Vertical	No limit

802.11ax HE40 mode/5670MHz


Detector mode: Peak

Polarity: Horizontal



Detector mode: Peak

Polarity: Vertical




No.	Frequency MHz	Reading dBμV/m	Level dBμV/m	Factor dB	Limit dBμV/m	Margin dB	Height cm	Angle °	Pole	Comment
1	5672.07	93.64	113.42	19.78	-	-	100	25	Horizontal	No limit
2	5725	43.41	63.47	20.06	68.30	4.83	100	146	Horizontal	/
3	5726.285	46.50	66.56	20.06	68.30	1.74	200	314	Horizontal	/
1	5670.81	93.14	112.83	19.69	-	-	100	10	Vertical	No limit
2	5725	41.57	61.48	19.91	68.30	6.82	200	360	Vertical	/
3	5726.845	46.16	66.08	19.92	68.30	2.22	100	141	Vertical	/

802.11ax HE40 mode/5670MHz


Detector mode: Average

Polarity: Horizontal



Detector mode: Average

Polarity: Vertical




No.	Frequency MHz	Reading dBμV/m	Level dBμV/m	Factor dB	Limit dBμV/m	Margin dB	Height cm	Angle °	Pole	Comment
1	5671.58	79.09	98.87	19.78	54.00	-44.87	100	148	Horizontal	No limit
1	5668.955	79.08	98.76	19.68	54.00	-44.76	200	138	Vertical	No limit

802.11ax HE40 mode/5710MHz


Detector mode: Peak

Polarity: Horizontal



Detector mode: Peak

Polarity: Vertical




No.	Frequency MHz	Reading dBμV/m	Level dBμV/m	Factor dB	Limit dBuV/m	Margin dB	Height cm	Angle °	Pole	Comment
1	5470	38.13	57.33	19.20	68.30	10.97	200	234	Horizontal	/
2	5711.794	95.50	115.52	20.02	-	-	200	10	Horizontal	No limit
3	5850	38.54	60.32	21.78	68.30	7.98	100	165	Horizontal	/
1	5470	39.34	58.32	18.98	68.30	9.98	100	10	Vertical	/
2	5711.528	95.46	115.30	19.84	-	-	100	132	Vertical	No limit
3	5850	39.48	61.06	21.58	68.30	7.24	100	132	Vertical	/

802.11ax HE40 mode/5710MHz


Detector mode: Average

Polarity: Horizontal



Detector mode: Average

Polarity: Vertical



No.	Frequency MHz	Reading dBμV/m	Level dBμV/m	Factor dB	Limit dBμV/m	Margin dB	Height cm	Angle °	Pole	Comment
1	5707.804	81.70	101.71	20.01	54.00	-47.71	200	143	Horizontal	No limit
1	5707.88	81.28	101.11	19.83	54.00	-47.11	200	146	Vertical	No limit