

RF Test Data for Bluetooth(BDR+EDR) (Conducted Measurements)

General Description of EUT	
Product Name:	Android TV Box
Test Model:	SDSTB02
Sample ID:	202207-0234-9-2#
Environmental Conditions	
Temperature:	24.5°C
Relative Humidity:	46%
Test Voltage:	DC 12V
Test Engineer:	Huangjianping
Note: For a more detailed features description, please refer to the report TBR-C-202207-0234-92.	

Contents

1. Maximum Conducted Output Power	3
2. -20dB Bandwidth	9
3. Occupied Channel Bandwidth	15
4. Band Edge	21
5. Band Edge(Hopping)	28
6. Conducted RF Spurious Emission	35
7. Restrict Band	45
8. Carrier Frequencies Separation	52
9. Number of Hopping Channel	55
10. Dwell Time	58

1. Maximum Conducted Output Power

Condition	Mode	Frequency (MHz)	Antenna	Conducted Power (dBm)	Limit (dBm)	Verdict
NVNT	1-DH1	2402	Ant1	7.870	21	Pass
NVNT	1-DH1	2441	Ant1	7.142	21	Pass
NVNT	1-DH1	2480	Ant1	6.375	21	Pass
NVNT	2-DH1	2402	Ant1	9.438	21	Pass
NVNT	2-DH1	2441	Ant1	8.630	21	Pass
NVNT	2-DH1	2480	Ant1	8.133	21	Pass
NVNT	3-DH1	2402	Ant1	10.173	21	Pass
NVNT	3-DH1	2441	Ant1	9.235	21	Pass
NVNT	3-DH1	2480	Ant1	8.877	21	Pass

Test Graphs

Power NVNT 1-DH1 2402MHz Ant1



Power NVNT 1-DH1 2441MHz Ant1




Power NVNT 1-DH1 2480MHz Ant1



Power NVNT 2-DH1 2402MHz Ant1



Power NVNT 2-DH1 2441MHz Ant1



Power NVNT 2-DH1 2480MHz Ant1



Power NVNT 3-DH1 2402MHz Ant1



Power NVNT 3-DH1 2441MHz Ant1





2. -20dB Bandwidth

Condition	Mode	Frequency (MHz)	Antenna	-20 dB Bandwidth (MHz)	Limit -20 dB Bandwidth (MHz)	Verdict
NVNT	1-DH1	2402	Ant1	0.92	/	Pass
NVNT	1-DH1	2441	Ant1	0.92	/	Pass
NVNT	1-DH1	2480	Ant1	0.93	/	Pass
NVNT	2-DH1	2402	Ant1	1.21	/	Pass
NVNT	2-DH1	2441	Ant1	1.22	/	Pass
NVNT	2-DH1	2480	Ant1	1.18	/	Pass
NVNT	3-DH1	2402	Ant1	1.2	/	Pass
NVNT	3-DH1	2441	Ant1	1.21	/	Pass
NVNT	3-DH1	2480	Ant1	1.21	/	Pass

Test Graphs

-20dB Bandwidth NVNT 1-DH1 2402MHz Ant1




-20dB Bandwidth NVNT 1-DH1 2441MHz Ant1




-20dB Bandwidth NVNT 1-DH1 2480MHz Ant1



-20dB Bandwidth NVNT 2-DH1 2402MHz Ant1




-20dB Bandwidth NVNT 2-DH1 2441MHz Ant1




-20dB Bandwidth NVNT 2-DH1 2480MHz Ant1




-20dB Bandwidth NVNT 3-DH1 2402MHz Ant1



-20dB Bandwidth NVNT 3-DH1 2441MHz Ant1





3. Occupied Channel Bandwidth

Condition	Mode	Frequency (MHz)	Antenna	99% OBW (MHz)
NVNT	1-DH1	2402	Ant1	0.870
NVNT	1-DH1	2441	Ant1	0.825
NVNT	1-DH1	2480	Ant1	0.865
NVNT	2-DH1	2402	Ant1	1.151
NVNT	2-DH1	2441	Ant1	1.136
NVNT	2-DH1	2480	Ant1	1.147
NVNT	3-DH1	2402	Ant1	1.135
NVNT	3-DH1	2441	Ant1	1.133
NVNT	3-DH1	2480	Ant1	1.143

Test Graphs

OBW NVNT 1-DH1 2402MHz Ant1




OBW NVNT 1-DH1 2441MHz Ant1



OBW NVNT 1-DH1 2480MHz Ant1




OBW NVNT 2-DH1 2402MHz Ant1



OBW NVNT 2-DH1 2441MHz Ant1



OBW NVNT 2-DH1 2480MHz Ant1




OBW NVNT 3-DH1 2402MHz Ant1



OBW NVNT 3-DH1 2441MHz Ant1





4. Band Edge


Condition	Mode	Frequency (MHz)	Antenna	Hopping Mode	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	1-DH1	2402	Ant1	No-Hopping	-61.95	-20	Pass
NVNT	1-DH1	2480	Ant1	No-Hopping	-59.13	-20	Pass
NVNT	2-DH1	2402	Ant1	No-Hopping	-63.01	-20	Pass
NVNT	2-DH1	2480	Ant1	No-Hopping	-60.34	-20	Pass
NVNT	3-DH1	2402	Ant1	No-Hopping	-62.14	-20	Pass
NVNT	3-DH1	2480	Ant1	No-Hopping	-59.97	-20	Pass

Test Graphs

Band Edge NVNT 1-DH1 2402MHz Ant1 No-Hopping Ref




Band Edge NVNT 1-DH1 2402MHz Ant1 No-Hopping Emission



Band Edge NVNT 1-DH1 2480MHz Ant1 No-Hopping Ref




Band Edge NVNT 1-DH1 2480MHz Ant1 No-Hopping Emission



Band Edge NVNT 2-DH1 2402MHz Ant1 No-Hopping Ref




Band Edge NVNT 2-DH1 2402MHz Ant1 No-Hopping Emission




Band Edge NVNT 2-DH1 2480MHz Ant1 No-Hopping Ref




Band Edge NVNT 2-DH1 2480MHz Ant1 No-Hopping Emission



Band Edge NVNT 3-DH1 2402MHz Ant1 No-Hopping Ref




Band Edge NVNT 3-DH1 2402MHz Ant1 No-Hopping Emission



Band Edge NVNT 3-DH1 2480MHz Ant1 No-Hopping Ref



Band Edge NVNT 3-DH1 2480MHz Ant1 No-Hopping Emission



5. Band Edge(Hopping)


Condition	Mode	Frequency (MHz)	Antenna	Hopping Mode	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	1-DH1	2402	Ant1	Hopping	-63.28	-20	Pass
NVNT	1-DH1	2480	Ant1	Hopping	-61.27	-20	Pass
NVNT	2-DH1	2402	Ant1	Hopping	-63.55	-20	Pass
NVNT	2-DH1	2480	Ant1	Hopping	-56.72	-20	Pass
NVNT	3-DH1	2402	Ant1	Hopping	-63.5	-20	Pass
NVNT	3-DH1	2480	Ant1	Hopping	-58.34	-20	Pass

Test Graphs

Band Edge(Hopping) NVNT 1-DH1 2402MHz Ant1 Hopping Ref




Band Edge(Hopping) NVNT 1-DH1 2402MHz Ant1 Hopping Emission



Band Edge(Hopping) NVNT 1-DH1 2480MHz Ant1 Hopping Ref




Band Edge(Hopping) NVNT 1-DH1 2480MHz Ant1 Hopping Emission



Band Edge(Hopping) NVNT 2-DH1 2402MHz Ant1 Hopping Ref




Band Edge(Hopping) NVNT 2-DH1 2402MHz Ant1 Hopping Emission



Band Edge(Hopping) NVNT 2-DH1 2480MHz Ant1 Hopping Ref




Band Edge(Hopping) NVNT 2-DH1 2480MHz Ant1 Hopping Emission



Band Edge(Hopping) NVNT 3-DH1 2402MHz Ant1 Hopping Ref




Band Edge(Hopping) NVNT 3-DH1 2402MHz Ant1 Hopping Emission



Band Edge(Hopping) NVNT 3-DH1 2480MHz Ant1 Hopping Ref



Band Edge(Hopping) NVNT 3-DH1 2480MHz Ant1 Hopping Emission



6. Conducted RF Spurious Emission


Condition	Mode	Frequency (MHz)	Antenna	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	1-DH1	2402	Ant1	-54.93	-20	Pass
NVNT	1-DH1	2441	Ant1	-50.69	-20	Pass
NVNT	1-DH1	2480	Ant1	-52.56	-20	Pass
NVNT	2-DH1	2402	Ant1	-52.45	-20	Pass
NVNT	2-DH1	2441	Ant1	-52.08	-20	Pass
NVNT	2-DH1	2480	Ant1	-53.1	-20	Pass
NVNT	3-DH1	2402	Ant1	-55.35	-20	Pass
NVNT	3-DH1	2441	Ant1	-54.91	-20	Pass
NVNT	3-DH1	2480	Ant1	-54.15	-20	Pass

Test Graphs

Tx. Spurious NVNT 1-DH1 2402MHz Ant1 Ref




Tx. Spurious NVNT 1-DH1 2402MHz Ant1 Emission



Tx. Spurious NVNT 1-DH1 2441MHz Ant1 Ref




Tx. Spurious NVNT 1-DH1 2441MHz Ant1 Emission



Tx. Spurious NVNT 1-DH1 2480MHz Ant1 Ref




Tx. Spurious NVNT 1-DH1 2480MHz Ant1 Emission



Tx. Spurious NVNT 2-DH1 2402MHz Ant1 Ref




Tx. Spurious NVNT 2-DH1 2402MHz Ant1 Emission



Tx. Spurious NVNT 2-DH1 2441MHz Ant1 Ref




Tx. Spurious NVNT 2-DH1 2441MHz Ant1 Emission



Tx. Spurious NVNT 2-DH1 2480MHz Ant1 Ref




Tx. Spurious NVNT 2-DH1 2480MHz Ant1 Emission




Tx. Spurious NVNT 3-DH1 2402MHz Ant1 Ref




Tx. Spurious NVNT 3-DH1 2402MHz Ant1 Emission



Tx. Spurious NVNT 3-DH1 2441MHz Ant1 Ref




Tx. Spurious NVNT 3-DH1 2441MHz Ant1 Emission



Tx. Spurious NVNT 3-DH1 2480MHz Ant1 Ref



Tx. Spurious NVNT 3-DH1 2480MHz Ant1 Emission




7. Restrict Band


Condition	Mode	Frequency (MHz)	Antenna	Hopping Mode	Spur Freq (MHz)	Power (dBm)	Gain (dBi)	E (dBuV/m)	Detector	Limit (dBuV/m)	Verdict
NVNT	1-DH1	2402	Ant1	No-Hopping	2310	-46.92	2	50.34	Peak	74	Pass
NVNT	1-DH1	2402	Ant1	No-Hopping	2310	-56.31	2	40.95	Average	54	Pass
NVNT	1-DH1	2402	Ant1	No-Hopping	2369.808	-43.49	2	53.77	Peak	74	Pass
NVNT	1-DH1	2402	Ant1	No-Hopping	2388.816	-55.76	2	41.5	Average	54	Pass
NVNT	1-DH1	2402	Ant1	No-Hopping	2390	-46.88	2	50.38	Peak	74	Pass
NVNT	1-DH1	2402	Ant1	No-Hopping	2390	-56.02	2	41.24	Average	54	Pass
NVNT	1-DH1	2480	Ant1	No-Hopping	2483.5	-45.75	2	51.51	Peak	74	Pass
NVNT	1-DH1	2480	Ant1	No-Hopping	2483.5	-55.01	2	42.25	Average	54	Pass
NVNT	1-DH1	2480	Ant1	No-Hopping	2486.344	-42.53	2	54.73	Peak	74	Pass
NVNT	1-DH1	2480	Ant1	No-Hopping	2486.152	-53.94	2	43.32	Average	54	Pass
NVNT	1-DH1	2480	Ant1	No-Hopping	2500	-45.14	2	52.12	Peak	74	Pass
NVNT	1-DH1	2480	Ant1	No-Hopping	2500	-55.87	2	41.39	Average	54	Pass
NVNT	2-DH1	2402	Ant1	No-Hopping	2310	-47.42	2	49.84	Peak	74	Pass
NVNT	2-DH1	2402	Ant1	No-Hopping	2310	-56.4	2	40.86	Average	54	Pass
NVNT	2-DH1	2402	Ant1	No-Hopping	2383.056	-43.4	2	53.86	Peak	74	Pass
NVNT	2-DH1	2402	Ant1	No-Hopping	2389.776	-55.75	2	41.51	Average	54	Pass
NVNT	2-DH1	2402	Ant1	No-Hopping	2390	-44.66	2	52.6	Peak	74	Pass
NVNT	2-DH1	2402	Ant1	No-Hopping	2390	-55.93	2	41.33	Average	54	Pass
NVNT	2-DH1	2480	Ant1	No-Hopping	2483.5	-45.17	2	52.09	Peak	74	Pass
NVNT	2-DH1	2480	Ant1	No-Hopping	2483.5	-55.22	2	42.04	Average	54	Pass
NVNT	2-DH1	2480	Ant1	No-Hopping	2486.416	-42.21	2	55.05	Peak	74	Pass
NVNT	2-DH1	2480	Ant1	No-Hopping	2486.344	-54.64	2	42.62	Average	54	Pass
NVNT	2-DH1	2480	Ant1	No-Hopping	2500	-46.62	2	50.64	Peak	74	Pass
NVNT	2-DH1	2480	Ant1	No-Hopping	2500	-55.71	2	41.55	Average	54	Pass
NVNT	3-DH1	2402	Ant1	No-Hopping	2310	-46.6	2	50.66	Peak	74	Pass
NVNT	3-DH1	2402	Ant1	No-Hopping	2310	-56.15	2	41.11	Average	54	Pass
NVNT	3-DH1	2402	Ant1	No-Hopping	2325.264	-43.28	2	53.98	Peak	74	Pass
NVNT	3-DH1	2402	Ant1	No-Hopping	2389.488	-55.71	2	41.55	Average	54	Pass
NVNT	3-DH1	2402	Ant1	No-Hopping	2390	-46.39	2	50.87	Peak	74	Pass
NVNT	3-DH1	2402	Ant1	No-Hopping	2390	-55.72	2	41.54	Average	54	Pass
NVNT	3-DH1	2480	Ant1	No-Hopping	2483.5	-44.32	2	52.94	Peak	74	Pass
NVNT	3-DH1	2480	Ant1	No-Hopping	2483.5	-55.27	2	41.99	Average	54	Pass
NVNT	3-DH1	2480	Ant1	No-Hopping	2498.2	-42	2	55.26	Peak	74	Pass
NVNT	3-DH1	2480	Ant1	No-Hopping	2486.296	-54.59	2	42.67	Average	54	Pass
NVNT	3-DH1	2480	Ant1	No-Hopping	2500	-47.47	2	49.79	Peak	74	Pass
NVNT	3-DH1	2480	Ant1	No-Hopping	2500	-55.92	2	41.34	Average	54	Pass

Test Graphs


Restrict Band NVNT 1-DH1 2402MHz Ant1 No-Hopping Peak



Restrict Band NVNT 1-DH1 2402MHz Ant1 No-Hopping Average




Restrict Band NVNT 1-DH1 2480MHz Ant1 No-Hopping Peak




Restrict Band NVNT 1-DH1 2480MHz Ant1 No-Hopping Average




Restrict Band NVNT 2-DH1 2402MHz Ant1 No-Hopping Peak




Restrict Band NVNT 2-DH1 2402MHz Ant1 No-Hopping Average




Restrict Band NVNT 2-DH1 2480MHz Ant1 No-Hopping Peak




Restrict Band NVNT 2-DH1 2480MHz Ant1 No-Hopping Average




Restrict Band NVNT 3-DH1 2402MHz Ant1 No-Hopping Peak



Restrict Band NVNT 3-DH1 2402MHz Ant1 No-Hopping Average



Restrict Band NVNT 3-DH1 2480MHz Ant1 No-Hopping Peak



Restrict Band NVNT 3-DH1 2480MHz Ant1 No-Hopping Average



8. Carrier Frequencies Separation


Condition	Mode	Antenna	Hopping Freq1 (MHz)	Hopping Freq2 (MHz)	HFS (MHz)	Limit (MHz)	Verdict
NVNT	1-DH1	Ant1	2440.984	2441.941	0.957	0.613	Pass
NVNT	2-DH1	Ant1	2440.819	2442.151	1.332	0.813	Pass
NVNT	3-DH1	Ant1	2440.819	2441.983	1.164	0.807	Pass


Test Graphs

CFS NVNT 1-DH1 2441MHz Ant1



CFS NVNT 2-DH1 2441MHz Ant1






9. Number of Hopping Channel


Condition	Mode	Antenna	Hopping Number	Limit	Verdict
NVNT	1-DH1	Ant1	79	15	Pass
NVNT	2-DH1	Ant1	79	15	Pass
NVNT	3-DH1	Ant1	79	15	Pass


Test Graphs

Hopping No. NVNT 1-DH1 2441MHz Ant1



Hopping No. NVNT 2-DH1 2441MHz Ant1





10. Dwell Time


Condition	Mode	Frequency (MHz)	Antenna	Pulse Time (ms)	Total Dwell Time (ms)	Period Time (ms)	Limit (ms)	Verdict
NVNT	1-DH1	2441	Ant1	0.383	122.56	31600	400	Pass
NVNT	1-DH3	2441	Ant1	1.639	262.24	31600	400	Pass
NVNT	1-DH5	2441	Ant1	2.887	307.947	31600	400	Pass
NVNT	2-DH1	2441	Ant1	0.391	125.12	31600	400	Pass
NVNT	2-DH3	2441	Ant1	1.643	262.88	31600	400	Pass
NVNT	2-DH5	2441	Ant1	2.891	308.373	31600	400	Pass
NVNT	3-DH1	2441	Ant1	0.391	125.12	31600	400	Pass
NVNT	3-DH3	2441	Ant1	1.642	262.72	31600	400	Pass
NVNT	3-DH5	2441	Ant1	2.893	308.587	31600	400	Pass

Test Graphs


Dwell NVNT 1-DH1 2441MHz Ant1




Dwell NVNT 1-DH3 2441MHz Ant1




Dwell NVNT 1-DH5 2441MHz Ant1




Dwell NVNT 2-DH1 2441MHz Ant1




Dwell NVNT 2-DH3 2441MHz Ant1




Dwell NVNT 2-DH5 2441MHz Ant1



Dwell NVNT 3-DH1 2441MHz Ant1



Dwell NVNT 3-DH3 2441MHz Ant1





-----END OF THE REPORT-----