






11AC20MIMO Ant1 5500




11AC20MIMO Ant2 5500




11AC20MIMO Ant1 5580









11AC20MIMO Ant1 5720






11AC20MIMO Ant2 5720






11AC20MIMO Ant1 5745









11AC20MIMO Ant2 5785














11AC40MIMO Ant2 5230



















11AC80MIMO Ant2 5210






11AC80MIMO Ant1 5290






11AC80MIMO Ant2 5290




11AC80MIMO Ant1 5530




11AC80MIMO Ant2 5610






11AC80MIMO Ant2 5775



7. Duty Cycle

7.1. Block diagram of test setup



7.2. Limit

Just for Report.

7.3. Test procedure

- (1) Connected the EUT's antenna port to the Spectrum Analyzer by suitable attenuator, The cable loss and attenuator loss have been put into spectrum analyzer as amplitude offset. set the Spectrum Analyzer as below:
 - Centre Frequency: The centre frequency of the middle hopping channel.
 - Resolution BW: 10 MHz.
 - Video BW: 10 MHz.
 - Span: Zero span.
 - Detector: Peak.
 - Trace Mode: Clear Write.
 - Sweep: Video Trigger
- (2) When the trace is complete, measure the sending time of 1 burst and the duty cycle of 1 burst cycle.
- (3) Calculate dwell time follow below formula:
 Duty cycle= Pulse's on time / Burst cycle

7.4. Test result

Test Engineer:	Zhongyao	Test Site:	RF Measurement System 3#
Ambient Condition:	23.3~25.4℃,50.0~56.2%RH	Test Date:	2024.01.16-2024.01.17
Test Power Supply:	DC 5V	EUT:	Dynalink 4K Streaming Box
Sample Number:	S23041927-02	Model No.:	DL-GT36

Test Mode	Antenna	Frequency[MHz]	Transmission Duration [ms]	Transmission Period [ms]	Duty Cycle [%]	
11A	Ant1	5180	2.07	2.30	90.00	
	Ant2	5180	2.07	2.27	91.19	
	Ant1	5200	2.07	2.24	92.41	
	Ant2	5200	2.07	2.23	92.83	
	Ant1	5240	2.07	2.29	90.39	
	Ant2	5240	2.07	2.24	92.41	
	Ant1	5260	2.07	2.23	92.83	
	Ant2	5260	2.07	2.23	92.83	
	Ant1	5280	2.07	2.27	91.19	
	Ant2	5280	2.06	2.17	94.93	
	Ant1	5320	2.06	2.29	89.96	
	Ant2	5320	2.07	2.19	94.52	
	Ant1	5500	2.07	2.25	92.00	
	Ant2	5500	2.06	2.23	92.38	
	Ant1	5580	2.07	2.29	90.39	
	Ant2	5580	2.07	2.29	90.39	
	Ant1	5700	2.07	2.29	90.39	
	Ant2	5700	2.06	2.22	92.79	
	Ant1	5720	2.07	2.19	94.52	
	Ant2	5720	2.06	2.21	93.21	
	Ant1	5745	2.06	2.20	93.64	
	Ant2	5745	2.07	2.28	90.79	
	Ant1	5785	2.07	2.25	92.00	
	Ant2	5785	2.07	2.26	91.59	
	Ant1	5825	2.07	2.23	92.83	
	Ant2	5825	2.07	2.21	93.67	
	11N20MIMO	Ant1	5180	0.99	1.21	81.82
		Ant2	5180	0.99	1.12	88.39
Ant1		5200	0.99	1.21	81.82	
Ant2		5200	0.99	1.18	83.90	
Ant1		5240	0.99	1.13	87.61	
Ant2		5240	0.99	1.19	83.19	
Ant1		5260	0.98	1.19	82.35	
Ant2		5260	0.99	1.12	88.39	
Ant1		5280	0.99	1.21	81.82	
Ant2		5280	0.98	1.14	85.96	
Ant1		5320	0.99	1.18	83.90	
Ant2		5320	0.98	1.20	81.67	
Ant1		5500	0.99	1.20	82.50	
Ant2		5500	0.99	1.13	87.61	
Ant1		5580	0.99	1.22	81.15	
Ant2		5580	0.99	1.20	82.50	
Ant1		5700	0.98	1.19	82.35	
Ant2		5700	0.98	1.20	81.67	
Ant1		5720	0.99	1.12	88.39	
Ant2		5720	0.99	1.18	83.90	
Ant1		5745	0.98	1.19	82.35	
Ant2		5745	0.99	1.21	81.82	
Ant1		5785	0.99	1.22	81.15	
Ant2		5785	0.99	1.21	81.82	
Ant1		5825	0.99	1.21	81.82	
Ant2		5825	0.98	1.21	80.99	
11N40MIMO		Ant1	5190	0.49	0.70	70.00
		Ant2	5190	0.50	0.73	68.49

	Ant1	5230	0.49	0.70	70.00	
	Ant2	5230	0.50	0.72	69.44	
	Ant1	5270	0.49	0.71	69.01	
	Ant2	5270	0.50	0.69	72.46	
	Ant1	5310	0.50	0.70	71.43	
	Ant2	5310	0.50	0.70	71.43	
	Ant1	5510	0.50	0.72	69.44	
	Ant2	5510	0.50	0.73	68.49	
	Ant1	5550	0.50	0.72	69.44	
	Ant2	5550	0.50	0.72	69.44	
	Ant1	5670	0.50	0.71	70.42	
	Ant2	5670	0.49	0.72	68.06	
	Ant1	5710	0.49	0.72	68.06	
	Ant2	5710	0.49	0.73	67.12	
	Ant1	5755	0.49	0.71	69.01	
	Ant2	5755	0.50	0.72	69.44	
	Ant1	5795	0.50	0.73	68.49	
	Ant2	5795	0.50	0.72	69.44	
	11AC20MIMO	Ant1	5180	0.99	1.24	79.84
		Ant2	5180	0.99	1.16	85.34
Ant1		5200	1.00	1.25	80.00	
Ant2		5200	1.00	1.39	71.94	
Ant1		5240	0.99	1.25	79.20	
Ant2		5240	1.00	1.22	81.97	
Ant1		5260	1.00	1.25	80.00	
Ant2		5260	0.99	1.21	81.82	
Ant1		5280	0.99	1.25	79.20	
Ant2		5280	1.00	1.21	82.64	
Ant1		5320	1.00	1.20	83.33	
Ant2		5320	0.99	1.24	79.84	
Ant1		5500	1.00	1.23	81.30	
Ant2		5500	1.00	1.22	81.97	
Ant1		5580	1.00	1.25	80.00	
Ant2		5580	0.99	1.22	81.15	
Ant1		5700	0.99	1.25	79.20	
Ant2		5700	0.99	1.20	82.50	
Ant1		5720	0.99	1.20	82.50	
Ant2		5720	0.99	1.18	83.90	
Ant1		5745	0.99	1.22	81.15	
Ant2		5745	0.99	1.22	81.15	
Ant1		5785	0.99	1.23	80.49	
Ant2		5785	0.99	1.21	81.82	
Ant1		5825	1.00	1.25	80.00	
Ant2		5825	1.00	1.25	80.00	
11AC40MIMO		Ant1	5190	0.50	0.70	71.43
		Ant2	5190	0.51	0.71	71.83
	Ant1	5230	0.50	0.75	66.67	
	Ant2	5230	0.50	0.75	66.67	
	Ant1	5270	0.50	0.75	66.67	
	Ant2	5270	0.50	0.75	66.67	
	Ant1	5310	0.50	0.71	70.42	
	Ant2	5310	0.50	0.75	66.67	
	Ant1	5510	0.50	0.75	66.67	
	Ant2	5510	0.50	0.74	67.57	
	Ant1	5550	0.50	0.74	67.57	
	Ant2	5550	0.50	0.72	69.44	
	Ant1	5670	0.50	0.75	66.67	
	Ant2	5670	0.50	0.73	68.49	
	Ant1	5710	0.50	0.75	66.67	
	Ant2	5710	0.50	0.75	66.67	
	Ant1	5755	0.50	0.76	65.79	
	Ant2	5755	0.51	0.72	70.83	
	Ant1	5795	0.50	0.72	69.44	
	Ant2	5795	0.50	0.75	66.67	

11AC80MIMO	Ant1	5210	0.26	0.51	50.98
	Ant2	5210	0.26	0.50	52.00
	Ant1	5290	0.25	0.50	50.00
	Ant2	5290	0.26	0.49	53.06
	Ant1	5530	0.25	0.49	51.02
	Ant2	5530	0.26	0.51	50.98
	Ant1	5610	0.25	0.51	49.02
	Ant2	5610	0.25	0.48	52.08
	Ant1	5690	0.26	0.51	50.98
	Ant2	5690	0.26	0.50	52.00
	Ant1	5775	0.26	0.51	50.98
	Ant2	5775	0.26	0.51	50.98

7.5. Test graphs

