


# miroir

Ultra Pro Smart Projector


Quick Start Guide

# Your Miroir Projector

Package contents and product specifications



## Remote Control



1. **Indicator**
2. **Power Off** - Turn on and off
3. **Projector settings** - View the projector settings
4. **Direction buttons** - Move the focal point up/down/left/right. During video playback, hold down the left/right direction buttons to rewind/fast-forward the video
5. **Play/pause/confirm button** - Confirm focal point; on the video playback interface, short press to play/pause the video.
6. **Return button** - Return to previous interface
7. **Home screen button** - Return to home screen
8. **Menu/air mouse button** - Short press: Display menu, Long press: Air mouse
9. **Volume +/- button** - Adjust the volume



### Pairing the Remote Control

If the remote control disconnects from the projector, bring the remote control to within 6 feet of the projector and press the “Confirm” and “Return” buttons simultaneously until the indicator starts to flash, indicating that the remote control is connected to the projector.

Images are provided for reference only and may differ from the actual product.

## Product Overview and Powering on/off

1. **TOSLINK interface**
2. **USB 2.0 interface**
3. **USB 2.0 interface**
4. **HDMI interface**
5. **LAN interface**
6. **Power-in socket**
7. **On/Off Button**



### Bluetooth speaker mode

1. To enable Bluetooth speaker mode, press the power button on the remote control.

### Bluetooth speaker controls on remote control:

Volume +/- button: Adjusts the volume.

Speaker button: Returns to projector mode.

The other buttons on the remote control have no function.

**Important** After enabling Bluetooth speaker mode, keep the connected Bluetooth device within 8 m of the projector and ensure that there are no obstructions.

## Getting Started

1. Place the product in a suitable location with the lens pointing at the projection surface.
2. Connect the power adapter to the mains. Press the power button on the main unit or remote control to turn on the projector. The indicator will turn on and the system will load.
3. Follow the startup wizard or go to “System settings—Networks” and connect to your wireless network.

## Learn More

To learn more about your Miroir Projector and its operations, to review specs, and find answers to frequently asked questions, please visit: [www.miroirusa.com/M1200S](http://www.miroirusa.com/M1200S)

# miroir

© 2020 Miroir USA, LLC. All rights reserved. Miroir and the Miroir logo are owned by Miroir USA, LLC. All other trademarks are the property of their respective owners. Miroir USA, LLC assumes no responsibility for any errors that may appear in this manual. Information contained herein is subject to change without notice.

[www.miroirusa.com](http://www.miroirusa.com)

MICRO1200S.11.25.2020

**FCC Statement:**

This device complies with Part 15 of the FCC rules. Operation is subject to the following two conditions: 1) this device may not cause harmful interference, and 2) this device must accept any interference received, including interference that may cause undesired operation.

This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to Part 15 of the FCC rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates, uses and can radiate radio frequency energy and if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try correct the interference by one or more of the following measures:

- Reorient the receiving antenna.
- Increase the separation between the equipment and receiver.
- Connect the equipment into and outlet on a circuit different from that to which the receiver is connected.
- Consult the dealer or an experienced radio/TV technician for help.

Changes or modifications not expressly approved by the party responsible for compliance could void your authority to operate the equipment.

The distance between user and products should be no less than 20cm

The EUT is In door use only

