

Report No.: FYCR220400011402

Page: 1 of 34

TEST REPORT

Application No.: FYCR2204000114AT **Applicant:** Mavenir Systems Inc

Address of Applicant: 1700 International Pkwy Ste 200, Richardson Texas 75081 United States

Manufacturer: Mavenir Systems Inc

Address of Manufacturer: 1700 International Pkwy Ste 200, Richardson Texas 75081 United States

Factory: Kunshan luxshare RF Techonology Co., Ltd.

Address of Factory: No.99 Xubang Road, Wuzhong District, Suzhou City 215324 Jiangsu P.R.

China

Equipment Under Test (EUT):

EUT Name: Remote Radio Unit

Model No.: MU44UA

Trademark: Mavenir Systems, Inc.
FCC ID: 2AWAS-MU44UA
Standard(s): 47 CFR Part 2

47 CFR Part 96

Date of Receipt: 2022-04-27

Date of Test: 2022-05-04 to 2022-09-14

Date of Issue: 2022-09-15

Test Result: Pass

Winkey Wang EMC Technical Manager

WinkeyWang



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.gay and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is a drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or faisification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: The procedure of the sample(s) tested and such sample(s) are retained for 30 days only.

^{*} In the configuration tested, the EUT complied with the standards specified above.



Report No.: FYCR220400011402

Page: 2 of 34

	Revision Record							
Version	Chapter	Date	Modifier	Remark				
01		2020-09-15		Original				

Authorized for issue by:		
	Tree Zhan	
	Tree Zhan/Project Engineer	
	WinkeyWang	
	Winkey Wang/Reviewer	



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN. Doccheck@sss.com



Report No.: FYCR220400011402

Page: 3 of 34

2 Test Summary

Test Item	FCC Rule No.	Requirements	Verdict
Effective (Isotropic) Radiated Power Output Data	§2.1046, §96.41	EIRP≤ 47dBm/10MHz PSD≤ 37dBm/MHz (LTE Band 48)	PASS
Peak-to-average power ratio	§96.41	≤13dB	PASS
Bandwidth	§96.41	OBW: No limit EBW: No limit	PASS
Band Edge Compliance	§2.1051, §96.41	0-10 MHz: -13 dBm; 10-operating band edge MHz: -25 dBm; other: -40 dBm	PASS
Spurious emissions at antenna terminals	§2.1051, §96.41	≤ -40dBm (LTE Band 48)	PASS
Field strength of spurious radiation	§2.1051, §96.41	≤ -40dBm (LTE Band 48)	PASS
Frequency stability	§2.1055,	Fundamental emission stays within authorized frequency block	PASS



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN. Doccheck@sss.com



Report No.: FYCR220400011402

Page: 4 of 34

3 Contents

1	COVF	R PAGE	Page 1
2		SUMMARY	
3		ENTS	
4		RAL INFORMATION	
	4.1	Details of E.U.T.	
	4. 1 4.2	Test Frequency	
	4.2 4.3	Test Environment	
	4.3 4.4	Description of Support Units	
	4.5	Measurement Uncertainty	
	4.6	Test Location	
	4.7	Test Facility	
	4.8	Deviation from Standards	
	4.9	Abnormalities from Standard Conditions	
_		PMENT LIST	
5	EQUIF	-MENI LISI	11
6	RADIO	O SPECTRUM MATTER TEST RESULTS	14
	6.1	Effective (Isotropic) Radiated Power Output Data	
	6.1.1	E.U.T. Operation	14
	6.1.2	Test Setup Diagram	14
	6.1.3	Measurement Data	14
	6.2	Peak-to-average power ratio	
	6.2.1	E.U.T. Operation	
	6.2.2	Test Setup Diagram	
	6.2.3	Measurement Data	15
	6.3	Bandwidth	10
	6.3.1	E.U.T. Operation	10
	6.3.2	Test Setup Diagram	10
	6.3.3	Measurement Data	17
	6.4	Band Edge Compliance	23
	6.4.1	E.U.T. Operation	23
	6.4.2	Test Setup Diagram	24
	6.4.3	Measurement Data	
	6.5	Spurious emissions at antenna terminals	
	6.5.1	E.U.T. Operation	
	6.5.2	Test Setup Diagram	
	6.5.3	Measurement Data	
	6.6	Field strength of spurious radiation	27



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are tested for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CND.Doccheck@gs.com



Report No.: FYCR220400011402

Page: 5 of 34

(6.6.1	E.U.T. Operation	27
(6.6.2	E.U.T. Operation Test Setup Diagram	27
	6.6.3	Measurement Procedure and Data	28
(Frequency stability	
(E.U.T. Operation	
(6.7.3	Test Setup Diagram Measurement Data	3
7 I	РНОТО	GRAPHS	32
	7.1	Setup photo	32
	7.2	EUT Constructional Details (EUT Photos)	32
8	APPEN	DIX D	33
ě	8.1	Frequency stability	3



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sold responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CND Doccheck@sss.com



Report No.: FYCR220400011402

Page: 6 of 34

4 General Information

4.1 Details of E.U.T.

Power supply:	Rated Input Voltage of -48V DC, Power Consumption<=140W
Test voltage:	DC -48V
Sample Type:	Remote Radio Unit
LTE Operation Frequency Band:	B48
Frequency range:	3550-3700 MHz
Modulation Type:	QPSK/16QAM/64QAM/256QAM/1024QAM
LTE Max Radiated Power:	37dBm/MHz
LTE Radio Output Power:	Maximum 37dBm (5W) per port
CA Capability MIMO:	DL 6CC 4X4 MIMO
	DL 5CC 4X4 MIMO
	DL 4CC 4X4 MIMO
	DL 3CC 4X4 MIMO
	DL 2CC 4X4 MIMO
	DL 1CC 4X4 MIMO
	UL 2CC 4X4 MIMO
	UL 1CC 4X4 MIMO
	Support Intra-band contiguous/non-contiguous CA and support UL MIMO
	Sector Antenna
	Ant 4: TX & RX
Antenna Type:	Ant 3: TX & RX
	Ant 2: TX & RX
	Ant 1: TX & RX
Antenna Gain:	Range 4dBi ~ 18dBi



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) later eland such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CND Doccheck@ss.com



Report No.: FYCR220400011402

Page: 7 of 34

4.2 Test Frequency

4.2 Test Frequency								
Configura	Carrier	rier Carrier Bandwidth	Modulation	Carrier Frequency Configuration (MHz)				
tion			Woodlation	Bottom	Middle	Тор		
	1C	10MHz	QPSK	3555	3625	3695		
	1C	20MHz	QPSK	3560	3625	3690		
	2C	10MHz	QPSK	3555+3565	3620+3630	3685+3695		
	2C	20MHz	QPSK	3560+3580	3615+3635	3670+3690		
	2C	10MHz	QPSK		3555+3695			
	2C	20MHz	QPSK	3560+3690				
	3C	10MHz	QPSK	3555+3565+3695				
	3C	20MHz	QPSK	3560+3580+3690				
	3C	10MHz	QPSK	3555+3685+3695				
LTE single	3C	20MHz	QPSK	3560+3670+3690				
	3C	10MHz	QPSK	3595+3625+3665				
	3C	20MHz	QPSK	3590+3630+3690				
	4C	10MHz	QPSK		3595+3615+3635+365	55		
	4C	20MHz	QPSK		3560+3580+3620+368	30		
	_			3555+3565+	3605+3615+	3655+3665		
	5C	10MHz	QPSK	3575+3585+3595	3625+3635+3645	+3675+3685+3695		
			0.701/	3560+3580+	3585+3605+	3610+3630+		
	5C	20MHz	QPSK	3600+3620+3640	3625+3645+3665	3650+3670+3690		
	6C	10MHz	QPSK	3555+	-3565+3575+3585+359	95+3695		
	6C	20MHz	QPSK	3560+3580+3600+3620+3640+3690				
	Remark: All modulation had been tested, only show the worst case modulation QPSK in this report.							



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN. Doccheck@sss.com



Report No.: FYCR220400011402

Page: 8 of 34

4.3 Test Environment

Environment Parameter	Selected Values During Tests				
Relative Humidity		52%			
Atmospheric Pressure:	1015Pa				
	TL	-30 °C			
Temperature:	TN	+20 °C			
	TH	+50°C			
	VL	-36 V			
Voltage:	VN	-48.0 V			
	VH	-58.5 V			

NOTE: VL= lower extreme test voltage

VN= nominal voltage

VH= upper extreme test voltage TL= lower extreme test temperature

TN= normal temperature

TH= upper extreme test temperature

4.4 Description of Support Units

Description	Description Manufacturer		Serial No.
Laptop	Lenovo	3420	00330-80000-00000-AA562
Mouse	Mouse Lenovo		REF. No.:SEA24A00
Optical fiber	Optical fiber Supported by customer		N/A
DC cable	Supported by customer	N/A	N/A



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-and-Co



Report No.: FYCR220400011402

Page: 9 of 34

4.5 Measurement Uncertainty

No.	Item	Measurement Uncertainty
1	Radio Frequency	± 7.25 x 10 ⁻⁸
2	Duty cycle	± 0.37%
3	Occupied Bandwidth	± 3%
4	RF conducted power	± 0.75dB
5	RF power density	± 2.84dB
6	Conducted Spurious emissions	± 0.75dB
7	DE Dadiated naver	± 4.5dB (below 1GHz)
/	RF Radiated power	± 4.8dB (above 1GHz)
8	Padiated Spurious emission test	± 4.5dB (Below 1GHz)
0	Radiated Spurious emission test	± 4.8dB (Above 1GHz)
9	Temperature test	± 1°C
10	Humidity test	± 3%
11	Supply voltages	± 1.5%
12	Time	± 3%



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN. Doccheck@sss.com



Report No.: FYCR220400011402

Page: 10 of 34

4.6 Test Location

All tests were performed at:

Compliance Certification Services (Kunshan) Inc. Shenzhen branch.

Fuyong lab. Xinlong TechnoPark,Fengtang Road, Fuyong Subdistrict, Bao'an, Shenzhen, China

Tel: +86 755 8866 3988 Fax: +86 755 2671 0594

No tests were sub-contracted.

4.7 Test Facility

The test facility is recognized, certified, or accredited by the following organizations:

A2LA (Certificate No. 6606.01)

Compliance Certification Services (Kunshan) Inc. Shenzhen branch is accredited by the American Association for Laboratory Accreditation(A2LA). Certificate No. 6606.01.

• FCC -Designation Number: CN1322

Compliance Certification Services (Kunshan) Inc. Shenzhen branch has been recognized as an accredited testing laboratory.

Designation Number: CN1322. Test Firm Registration Number: 718073

• Innovation, Science and Economic Development Canada

Compliance Certification Services (Kunshan) Inc. Shenzhen branch has been recognized by ISED as an accredited testing laboratory.

CAB identifier: CN0129.

IC#: 28189.

4.8 Deviation from Standards

None

4.9 Abnormalities from Standard Conditions

None



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printer overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic Format documents subject to Terms and Conditions for Electronic Documents at https://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx advised that come the contaction of labelity indemnifications are furliabled to include the contact of the



Report No.: FYCR220400011402

Page: 11 of 34

5 Equipment List

RF test system					
Test Equipment	Manufacturer	Model No.	Inventory No.	Cal. Date	Cal. Due date
Shielding Room	SAEMC	MSR733	SEM001-09	2019-06-13	2022-06-12
Spectrum Analyzer(10Hz- 26.5GHz)	Agilent	N9020A	SEM004-17	2022-04-07	2023-04-06
MXA Signal Analyzer (10Hz-50GHz)	KEYSIGHT	N9020B	SEM004-24	2022-04-24	2023-04-23
Spectrum Analyzer(10Hz-44GHz)	Agilent	N9010A	SEM004-12	2022-04-07	2023-04-06
DC Power Supply	Chroma	62012P-80-60	SEM011-11	2021-10-21	2022-10-20
Humidity/ Temperature Indicator	Anymetre	TH101B	SEM002-09	2021-09-14	2022-09-13
Coaxial Cable	SGS	N/A	SEM033-02	2022-05-16	2023-05-15

Radiated Emissions (30MHz-1GHz)						
Equipment	Manufacturer	Model No	Inventory No	Cal Date	Cal Due Date	
3m Anechoic Chamber	CRT	N/A	SEM001-13	2021-07-13	2024-07-12	
Trilog-Broadband Antenna(25MHz-2GHz)	Schwarzbeck	VULB9168	SEM003-33	2021-09-25	2024-09-24	
MXE EMI receiver(20Hz- 8.4GHz)	Agilent	N9038A	SEM004-05	2021-07-13	2022-07-12	
MXE EMI receiver(20Hz- 8.4GHz)	Agilent	N9038A	SEM004-05	2022-07-12	2023-07-11	
Pre-amplifier (0.1- 1.3GHz)	HP	8447D	SEM005-02	2021-07-13	2022-07-12	
Pre-amplifier (0.1- 1.3GHz)	HP	8447D	SEM005-02	2022-07-12	2023-07-11	
Spectrum Analyzer(20Hz-43GHz)	Rohde & Schwarz	101288	SEM004-08	2021-07-13	2022-07-12	
Spectrum Analyzer(20Hz-43GHz)	Rohde & Schwarz	101288	SEM004-08	2022-07-12	2023-07-11	
Low Noise Amplifier(100MHz- 18GHz)	CLAVIIO	BDLNA-0118- 352810	SEM005-05	2021-07-13	2022-07-12	
Low Noise Amplifier(100MHz- 18GHz)	CLAVIIO	BDLNA-0118- 352810	SEM005-05	2022-07-12	2023-07-11	
Coaxial Cable	SGS	N/A	SEM033-02	2022-05-16	2023-05-15	



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sold responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CND Doccheck@sss.com



Report No.: FYCR220400011402

Page: 12 of 34

Measurement Software	AUDIX	e3 V8.2014-6-27	N/A	N/A	N/A
MXG Analog Signal Generator(100kHz- 6GHz)	Agilent	N5181A	SEM006-16	2021-09-15	2022-09-14
Substitution Antenna	Schwarzbeck	VULB9168	SEM003-18	2021-10-28	2024-10-27

Radiated Emissions (Ab	ove 1GHz)				
Equipment	Manufacturer	Model No	Inventory No	Cal Date	Cal Due Date
3m Anechoic Chamber	CRT	N/A	SEM001-13	2021-07-13	2024-07-12
MXE EMI receiver(20Hz- 8.4GHz)	Agilent	N9038A	SEM004-05	2021-7-13	2022-7-12
MXE EMI receiver(20Hz- 8.4GHz)	Agilent	N9038A	SEM004-05	2022-07-12	2023-07-11
Broad-Band Horn Antenna (15-40GHz)	Schwarzbeck	BBHA 9170	SEM003-15	2021-7-11	2024-7-10
Broad-Band Horn Antenna (1-18GHz)	Schwarzbeck	BBHA 9120D	SEM003-32	2021-9-26	2024-9-25
Spectrum Analyzer(20Hz-43GHz)	Rohde & Schwarz	101288	SEM004-08	2021-7-13	2022-7-12
Spectrum Analyzer(20Hz-43GHz)	Rohde & Schwarz	101288	SEM004-08	2022-07-12	2023-07-11
Low Noise Amplifier(100MHz- 18GHz)	CLAVIIO	BDLNA-0118- 352810	SEM005-05	2021-7-13	2022-7-12
Low Noise Amplifier(100MHz- 18GHz)	CLAVIIO	BDLNA-0118- 352810	SEM005-05	2022-07-12	2023-07-11
Pre-amplifier(26GHz- 40GHz)	Compliance Directions Systems Inc.	PAP-2640-50	SEM005-08	2021-7-13	2022-7-12
Pre-amplifier(26GHz- 40GHz)	Compliance Directions Systems Inc.	PAP-2640-50	SEM005-08	2022-07-12	2023-07-11
Pre-amplifier(18GHz- 26GHz)	Rohde & Schwarz	CH14-H052	SEM005-17	2021-7-13	2022-7-12
Pre-amplifier(18GHz- 26GHz)	Rohde & Schwarz	CH14-H052	SEM005-17	2022-07-12	2023-07-11
Coaxial Cable	SGS	N/A	SEM033-02	2022-05-16	2023-05-15
Measurement Software	AUDIX	e3 V8.2014-6-27	N/A	N/A	N/A
MXG Analog Signal Generator(100kHz- 6GHz)	Agilent	N5181A	SEM006-16	2021-09-15	2022-09-14



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN. Doccheck@sss.com



Report No.: FYCR220400011402

Page: 13 of 34

Substitution Antenna	ETS-Lindgren	3142C	SEM003-01	2021-09-17	2024-09-16
Substitution Antenna	Rohde&Schwarz	HF907	SEM003-06	2022-08-07	2025-08-06

General used equipmen	General used equipment												
Equipment	Manufacturer	Model No	Inventory No	Cal Date	Cal Due Date								
Humidity/ Temperature Indicator	Mingle	TH607	SEM002-22	2021-09-14	2022-09-13								
Humidity/ Temperature Indicator	Mingle	TH607	SEM002-23	2021-09-14	2022-09-13								
Barometer	DUMAI	DYM3	SEM002-24	2021-09-14	2022-09-13								



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN. Doccheck@sss.com



Report No.: FYCR220400011402

Page: 14 of 34

6 Radio Spectrum Matter Test Results

6.1 Effective (Isotropic) Radiated Power Output Data

Test Requirement: §2.1046, §96.41

Test Method: ANSI C63.26-2015, KDB 971168 D01 v03r01


Limit: EIRP≤ 47dBm/10MHz, PSD≤ 37dBm/MHz (LTE Band 48)

6.1.1 E.U.T. Operation

Operating Environment:

Temperature: 22.5 °C Humidity: 68.1 % RH Atmospheric Pressure: 1020 mbar

6.1.2 Test Setup Diagram



Ground Reference Plane

6.1.3 Measurement Data

Please refer to Appendix A- Output power & PSD_LTE.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined herein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are stated for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@ses.com



Report No.: FYCR220400011402

Page: 15 of 34

6.2 Peak-to-average power ratio

Test Requirement: §96.41

Test Method: ANSI C63.26-2015, KDB 971168 D01 v03r01


Limit: ≤13dB

6.2.1 E.U.T. Operation

Operating Environment:

Temperature: 22.5 °C Humidity: 68.1 % RH Atmospheric Pressure: 1020 mbar

6.2.2 Test Setup Diagram



Ground Reference Plane

6.2.3 Measurement Data

Please refer to Appendix B-Peak-Average Ratio_LTE.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printe overleaf, available on request or accessible at http://www.ags.com/en/Terms-and-Conditions.agpy and, for electronic format documents subject to Terms and Conditions for Electronic Documents at <a href="http://www.ags.com/en/Terms-and-Conditions/Terms-en-Document.aspy Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined dreein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduce except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or faisification of the content of appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

**Attention: To check the authenticity of testing (inspection report & certificate, please contact us at telephone: (86-75) 8307 1443 and 18-18-18.



Report No.: FYCR220400011402

Page: 16 of 34

6.3 Bandwidth

Test Requirement: §2.1049(h)

Test Method: ANSI C63.26-2015, KDB 971168 D01 v03r01

Limit: OBW: No limit

EBW: No limit


6.3.1 E.U.T. Operation

Operating Environment:

Temperature: 22.5 °C Humidity: 68.1 % RH Atmospheric Pressure: 1020 mbar

6.3.2 Test Setup Diagram

Spectrum Analyzer



Ground Reference Plane




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-documents, and the service of the servic



Report No.: FYCR220400011402

Page: 17 of 34

6.3.3 Measurement Data






Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is dorawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document its advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forger or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443.



Report No.: FYCR220400011402

Page: 18 of 34






Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's Instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, frogery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are tested for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, **Certificate**.



Report No.: FYCR220400011402

Page: 19 of 34






Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document its advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's Instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forger or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are tested for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, **Certificate**.



Report No.: FYCR220400011402

Page: 20 of 34






Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document its advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's Instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forger or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are tested for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, **Certificate**.



Report No.: FYCR220400011402

Page: 21 of 34






Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's Instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forger or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are tested for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or small: CND Doccheck@mas.com



Report No.: FYCR220400011402

Page: 22 of 34





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document its advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's Instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forger or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are tested for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, **Certificate**.



Report No.: FYCR220400011402

Page: 23 of 34

6.4 Band Edge Compliance

Test Requirement: §2.1051, §96.41

Test Method: ANSI C63.26-2015, KDB 971168 D01 v03r01

Limit: Except as otherwise specified in paragraph (e)(2) of this section, for channel

and frequency assignments made by the SAS to CBSDs, the conducted power of any CBSD emission outside the fundamental emission bandwidth as specified in paragraph (e)(3) of this section (whether the emission is inside or outside of the authorized band) shall not exceed -13 dBm/MHz within 0-10 megahertz above the upper SAS-assigned channel edge and within 0-10 megahertz below the lower SAS-assigned channel edge. At all frequencies greater than 10 megahertz above the upper SAS assigned channel edge and less than 10 MHz below the lower SAS assigned channel edge, the conducted power of any CBSD emission shall not exceed -25 dBm/MHz. The upper and lower SAS assigned channel edges are the upper and lower limits of any channel assigned to a CBSD by an SAS, or in the case of multiple contiguous channels, the upper and lower limits of the

Additional protection levels. Notwithstanding paragraph (e)(1) of this section, for CBSDs and End User Devices, the conducted power of emissions below 3540 MHz or above 3710 MHz shall not exceed -25 dBm/MHz, and the conducted power of emissions below 3530 MHz or above 3720 MHz shall

not exceed -40dBm/MHz.

combined contiguous channels.

6.4.1 E.U.T. Operation

Operating Environment:

Temperature: 22.5 °C Humidity: 68.1 % RH Atmospheric Pressure: 1020 mbar



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are refailed for 30 days only.


Attention: To check the authenticity of testing (inspection report & certificate, please contact us at telephone: (86-755) 83071443, remails: CARD Descheck (2002).



Report No.: FYCR220400011402

Page: 24 of 34

6.4.2 Test Setup Diagram



Ground Reference Plane

6.4.3 Measurement Data

Please refer to Appendix C- Spurious emissions at antenna terminals & Band Edge_LTE.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falisfication of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are tested for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sss.com



Report No.: FYCR220400011402

Page: 25 of 34

6.5 Spurious emissions at antenna terminals

Test Requirement: §2.1051, §96.41

Test Method: ANSI C63.26-2015, KDB 971168 D01 v03r01

Limit: Except as otherwise specified in paragraph (e)(2) of this section, for channel

and frequency assignments made by the SAS to CBSDs, the conducted power of any CBSD emission outside the fundamental emission bandwidth as specified in paragraph (e)(3) of this section (whether the emission is inside or outside of the authorized band) shall not exceed -13 dBm/MHz within 0-10 megahertz above the upper SAS-assigned channel edge and within 0-10 megahertz below the lower SAS-assigned channel edge. At all frequencies greater than 10 megahertz above the upper SAS assigned channel edge and less than 10 MHz below the lower SAS assigned channel edge, the conducted power of any CBSD emission shall not exceed -25 dBm/MHz. The upper and lower SAS assigned channel edges are the upper and lower limits of any channel assigned to a CBSD by an SAS, or in the case of multiple contiguous channels, the upper and lower limits of the

Additional protection levels. Notwithstanding paragraph (e)(1) of this section, for CBSDs and End User Devices, the conducted power of emissions below 3540 MHz or above 3710 MHz shall not exceed -25 dBm/MHz, and the

conducted power of emissions below 3530 MHz or above 3720 MHz shall

not exceed -40dBm/MHz.

combined contiguous channels.

6.5.1 E.U.T. Operation

Operating Environment:

Temperature: 22.5 °C Humidity: 68.1 % RH Atmospheric Pressure: 1020 mbar



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are refailed for 30 days only.


Attention: To check the authenticity of testing (inspection report & certificate, please contact us at telephone: (86-755) 83071443, remails: CARD Descheck (2002).



Report No.: FYCR220400011402

Page: 26 of 34

6.5.2 Test Setup Diagram



Ground Reference Plane

6.5.3 Measurement Data

Please refer to Appendix C- Spurious emissions at antenna terminals & Band Edge_LTE.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined herein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are stated for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@ses.com



Report No.: FYCR220400011402

Page: 27 of 34

6.6 Field strength of spurious radiation

Test Requirement: §2.1051, §96.41

Test Method: ANSI C63.26-2015, KDB 971168 D01 v03r01

Limit: Except as otherwise specified in paragraph (e)(2) of this section, for channel

and frequency assignments made by the SAS to CBSDs, the conducted power of any CBSD emission outside the fundamental emission bandwidth as specified in paragraph (e)(3) of this section (whether the emission is inside or outside of the authorized band) shall not exceed -13 dBm/MHz within 0-10 megahertz above the upper SAS-assigned channel edge and within 0-10 megahertz below the lower SAS-assigned channel edge. At all frequencies greater than 10 megahertz above the upper SAS assigned channel edge and less than 10 MHz below the lower SAS assigned channel edge, the conducted power of any CBSD emission shall not exceed -25 dBm/MHz. The upper and lower SAS assigned channel edges are the upper and lower limits of any channel assigned to a CBSD by an SAS, or in the case of multiple contiguous channels, the upper and lower limits of the

Additional protection levels. Notwithstanding paragraph (e)(1) of this section, for CBSDs and End User Devices, the conducted power of emissions below 3540 MHz or above 3710 MHz shall not exceed -25 dBm/MHz, and the conducted power of emissions below 3530 MHz or above 3720 MHz shall

not exceed -40dBm/MHz.


combined contiguous channels.


6.6.1 E.U.T. Operation

Operating Environment:

Temperature: 23.5 C Humidity: 68.5 % RH Atmospheric Pressure: 1020 mbar

6.6.2 Test Setup Diagram





Substiute Antenna+Signal Generator



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sps.com/en/Terms-and-Conditions,aspx and, for electronic format documents subject to Terms and Conditions for Electronic Documents at http://www.sps.com/en/Terms-and-Conditions/Terms-a-Document.spx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document contained here reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing finspection report & certificate, please contact us at telephone: (86-755) 8307 1443



Report No.: FYCR220400011402

Page: 28 of 34

6.6.3 Measurement Procedure and Data

Test Procedure:

- (1)On a test site, the EUT shall be placed on a turntable and in the position closest to the normal use as declared by the user.
- (2) The test antenna shall be oriented initially for vertical polarization located 3m from the EUT to correspond to the transmitter.
- (3) The output of the antenna shall be connected to the measuring receiver and either a peak or quasi-peak detector was used for the measurement as indicated on the report. The detector selection is based on how close the emission level was approaching the limit.
- (4) The transmitter shall be switched on; if possible, without the modulation and the measurement receiver shall be tuned to the frequency of the transmitter under test.
- (5) The test antenna shall be raised and lowered through the specified range of height until the measuring receiver detects a maximum signal level.
- (6)The transmitter shall than be rotated through 360 in the horizontal plane, until the maximum signal level is detected by the measuring receiver.
- (7)The test antenna shall be raised and lowered again through the specified range of height until the measuring receiver detects a maximum signal level.
- (8) The maximum signal level detected by the measuring receiver shall be noted.
- (9) The measurement shall be repeated with the test antenna set to horizontal polarization.
- (10) Replace the antenna with a proper Antenna (substitution antenna).
- (11) The substitution antenna shall be oriented for vertical polarization and, if necessary, the length of the substitution antenna shall be adjusted to correspond to the frequency of transmitting.
- (12) The substitution antenna shall be connected to a calibrated signal generator.
- (13)If necessary, the input attenuator setting of the measuring receiver shall be adjusted in order to increase the sensitivity of the measuring receiver.
- (14)The test antenna shall be raised and lowered through the specified range of the height to ensure that the maximum signal is received.
- (15)The input signal to substitution antenna shall be adjusted to the level that produces a level detected by the measuring receiver, that is equal to the level noted while the transmitter radiated power was measured, corrected for the change of input attenuation setting of the measuring receiver.
- (16)The input level to the substitution antenna shall be recorded as power level in dBm, corrected for any change of input attenuator setting of the measuring receiver.
- (17)The measurement shall be repeated with the test antenna and the substitution antenna oriented for horizontal polarization.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are reflected for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, remail: CARD Descheck@ass.com.



Report No.: FYCR220400011402

Page: 29 of 34

MIMO:

	EIRP Test data: B48_10MHz_Low Channel												
Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	S.G. Power (dBm)	Cable loss(dB)	Antenna Gain(dBi)	Polarization (H/V)	Result					
2077.705	-50.28	-40	-10.28	-55.55	0.53	5.8	Horizontal	Pass					
10215.02	-54.37	-40	-14.37	-65.81	1.26	12.7	Horizontal	Pass					
18000	-59.05	-40	-19.05	-69.5	1.65	12.1	Horizontal	Pass					
2041.984	-49.85	-40	-9.85	-52.97	0.53	5.8	Vertical	Pass					
7717.518 -51.99 -40			-11.99	-64.2	0.99	13.2	Vertical	Pass					
17896.25	-57.47	-40	-17.47	-68.35	1.52	12.4	Vertical	Pass					

	EIRP Test data: B48_10MHz_Middle Channel												
Frequency (MHz)			Over Limit (dB)	S.G. Power (dBm)	Cable loss(dB)	Antenna Gain(dBi)	Polarization (H/V)	Result					
2077.705	-50.19	-40	-10.19	-55.46	0.53	5.8	Horizontal	Pass					
6432.732	-51.69	-40	-11.69	-62.17	0.92	11.4	Horizontal	Pass					
15177.89	-53.98	-40	-13.98	-65.84	1.44	13.3	Horizontal	Pass					
2036.09	-49.24	-40	-9.24	-52.36	0.53	5.8	Vertical	Pass					
8036.214	-50.91	-40	-10.91	-62.8	1.01	12.9	Vertical	Pass					
17844.59	-57.21	-40	-17.21	-68.09	1.52	12.4	Vertical	Pass					

	EIRP Test data: B48_10MHz_High Channel												
Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	S.G. Power (dBm)	Cable loss(dB)	Antenna Gain(dBi)	Polarization (H/V)	Result					
2201.352	-49.96	-40	-9.96	-55.23	0.53	5.8	Horizontal	Pass					
10039.39	-53.93	-40	-13.93	-65.37	1.26	12.7	Horizontal	Pass					
17844.59	-57.87	-40	-17.87	-68.75	1.52	12.4	Horizontal	Pass					
2041.984	-50.5	-40	-10.5	-53.62	0.53	5.8	Vertical	Pass					
7454.429	-53.22	-40	-13.22	-65.12	1	12.9	Vertical	Pass					
17896.25	-57.55	-40	-17.55	-68.43	1.52	12.4	Vertical	Pass					



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN. Doccheck@sss.com



Report No.: FYCR220400011402

Page: 30 of 34

	EIRP Test data: B48_20MHz_Low Channel												
Frequency (MHz)			Over Limit (dB)	S.G. Power (dBm)	Cable loss(dB)	Antenna Gain(dBi)	Polarization (H/V)	Result					
2036.09	-49.62	-40	-9.62	-54.89	0.53	5.8	Horizontal	Pass					
6698.373	-51.68	-40	-11.68	-62.53	0.95	11.8	Horizontal	Pass					
17948.05	-57.81	-40	-17.81	-68.69	1.52	12.4	Horizontal	Pass					
2036.09	-49.96	-40	-9.96	-53.08	0.53	5.8	Vertical	Pass					
9981.525	9981.525 -53.58 -40		-13.58	-65.31	1.27	13	Vertical	Pass					
18000	-58.79	-40	-18.79	-69.24	1.65	12.1	Vertical	Pass					

	EIRP Test data: B48_20MHz_Middle Channel												
Frequency (MHz)			Over Limit (dB)	S.G. Power (dBm)	Cable loss(dB)	Antenna Gain(dBi)	Polarization (H/V)	Result					
2041.984	-49.27	-40	-9.27	-54.54	0.53	5.8	Horizontal	Pass					
9981.525	-53.35	-40	-13.35	-65.08	1.27	13	Horizontal	Pass					
17896.25	-58.12	-40	-18.12	-69	1.52	12.4	Horizontal	Pass					
1983.808	-50.11	-40	-10.11	-53.44	0.52	6	Vertical	Pass					
9981.525	-54.35	-40	-14.35	-66.08	1.27	13	Vertical	Pass					
17948.05	-57.92	-40	-17.92	-68.8	1.52	12.4	Vertical	Pass					

	EIRP Test data: B48_20MHz_High Channel												
Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	S.G. Power (dBm)	Cable loss(dB)	Antenna Gain(dBi)	Polarization (H/V)	Result					
2325.624	-49.01	-40	-9.01	-54.28	0.53	5.8	Horizontal	Pass					
8013.02	-51.54	-40	-11.54	-63.43	1.01	12.9	Horizontal	Pass					
17896.25	-58.03	-40	-18.03	-68.91	1.52	12.4	Horizontal	Pass					
2041.984	-49.88	-40	-9.88	-53	0.53	5.8	Vertical	Pass					
10822.92 -53.32 -40			-13.32	-65.33	1.49	13.5	Vertical	Pass					
17948.05	-58.05	-40	-18.05	-68.93	1.52	12.4	Vertical	Pass					

Remark:

1) Pretest with normal and extreme conditions, only the worst case data was showed in the test report.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-and-Co



Report No.: FYCR220400011402

Page: 31 of 34

6.7 Frequency stability

Test Requirement: §2.1055

Test Method: ANSI C63.26-2015, KDB 971168 D01 v03r01

Limit: Fundamental emission stays within authorized frequency block

6.7.1 E.U.T. Operation

Operating Environment:

Temperature: 22.5 °C Humidity: 68.1 % RH Atmospheric Pressure: 1020 mbar

6.7.2 Test Setup Diagram

Spectrum Analyzer E.U.T Non-Conducted Table

Ground Reference Plane

6.7.3 Measurement Data

Please refer to Appendix D in the end of this report.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printer overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents subject to Terms and Conditions of Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-and-Condit



Report No.: FYCR220400011402

Page: 32 of 34

7 Photographs

7.1 Setup photo

Please refer to setup photos.

7.2 EUT Constructional Details (EUT Photos)

Please Refer to external and internal photos for details.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) later eland such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CND Doccheck@ss.com



Report No.: FYCR220400011402

Page: 33 of 34

8 Appendix D

8.1 Frequency stability

Remark: only worst case has been recorded.

Tromant. only we	TOT GOOD TIGG BO	011 10001	aoa.									
	Test B48 _ 10MHz Bandwidth (Frequency Error VS. Voltage)											
Toot Mode	Toot Tomp	Test	Freq. Error (Hz)	Freq. vs. rated (ppm)	Limit	Vordict						
Test Mode	Test Temp.	Volt.	MCH	MCH	(ppm)	Verdict						
	NT	LV	1.63	0.0005	2.50	PASS						
QPSK		NV	2.3	0.0006	2.50	PASS						
		HV	1.61	0.0004	2.50	PASS						

	Test B48	_ 10MHz	Bandwidth (Frequency E	Error VS. Temperature)		
Test Mode	Test Volt.	Test	Freq. Error (Hz)	Freq. vs. rated (ppm)	Limit	Verdict
rest Mode	rest voit.	Temp.	MCH	MCH	(ppm)	verdict
		-30.00	-2.5031	-0.0007	2.50	PASS
		-20.00	1.6693	0.0005	2.50	PASS
		-10.00	-1.0759	-0.0003	2.50	PASS
		0.00	1.0258	0.0003	2.50	PASS
QPSK	NV	10.00	-1.0624	-0.0003	2.50	PASS
		20.00	-2.1736	-0.0006	2.50	PASS
		30.00	1.231	0.0003	2.50	PASS
		40.00	-2.11	-0.0006	2.50	PASS
		50.00	1.0791	0.0003	2.50	PASS

Test B48 _ 20MHz Bandwidth (Frequency Error VS. Voltage)								
Test Mode	Test Temp.	Test	Freq. Error (Hz)	Freq. vs. rated (ppm)	Limit (ppm)	Verdict		
		Volt.	MCH	MCH				
QPSK	NT	LV	-1.64	-0.0005	2.50	PASS		
		NV	-1.02	-0.0003	2.50	PASS		
		HV	1.39	0.0004	2.50	PASS		

Test B48 _ 20MHz Bandwidth (Frequency Error VS. Temperature)								
Test Mode	Test Volt.	Test	Freq. Error (Hz)	Freq. vs. rated (ppm)	Limit (ppm)	Verdict		
		Temp.	MCH	MCH				
QPSK	NV	-30.00	-1.463	-0.0004	2.50	PASS		
		-20.00	-1.0234	-0.0003	2.50	PASS		
		-10.00	1.5776	0.0004	2.50	PASS		



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN. Doccheck@sss.com



Report No.: FYCR220400011402

Page: 34 of 34

0.00	1.0465	0.0003	2.50	PASS
10.00	1.6069	0.0004	2.50	PASS
20.00	1.3749	0.0004	2.50	PASS
30.00	1.734	0.0005	2.50	PASS
40.00	1.71	0.0005	2.50	PASS
50.00	1.7517	0.0005	2.50	PASS

- End of the Report -



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions. For electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's Instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN. Doccheck@ass.com