

## Table of Contents


1.	CO-LOCATED RADIATED SPURIOUS EMISSIONS .....	2
1.1	BLUETOOTH WITH GPRS/EGPRS, BLEOW 1GHZ .....	2
1.2	BLUETOOTH WITH GPRS/EGPRS, ABOVE 1GHZ .....	6
1.3	BLUETOOTH WITH EMTC, BELOW 1GHZ .....	14
1.4	BLUETOOTH WITH EMTC, ABOVE 1GHZ .....	28
1.5	BLUETOOTH WITH NB-IOT, BELOW 1GHZ .....	56
1.6	BLUETOOTH WITH NB-IOT, ABOVE 1GHZ.....	68

## 1. Co-located Radiated Spurious Emissions

### 1.1 Bluetooth with GPRS/EGPRS, blew 1GHz

#### EUT Information

EUT Name:	Amazon Locker
Model:	ZL-ODIN-V1
Test Mode:	BLE1M_CH 0+GSM850_GPRS_1Tx_CH190
Test Voltage::	DC 6V From DC Source
Remark:	Temp 22 Humi:50%
Test Standard:	FCC Part 90
Tested By:	Alano Qu
Reviewed By:	Terry Yin




#### Critical Freqs

Frequency (MHz)	MaxPeak (dBm)	DET 2 (dBm)	Limit (dBm)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
48.915000	-76.57	---	-13.00	63.57	100.0	H	327.0	-115.3
80.682500	-79.39	---	-13.00	66.39	100.0	H	159.0	-123.7
356.283750	-54.82	---	-13.00	41.82	100.0	H	276.0	-111.8
450.131250	-60.61	---	-13.00	47.61	100.0	H	222.0	-108.7
875.597500	-42.81	---	-13.00	29.81	100.0	H	98.0	-100.9

## EUT Information

EUT Name:	Amazon Locker
Model:	ZL-ODIN-V1
Test Mode:	BLE1M_CH 0+GSM850_GPRS_1Tx_CH190
Test Voltage::	DC 6V From DC Source
Remark:	Temp 22 Humi:50%
Test Standard:	FCC Part 90
Tested By:	Alano Qu
Reviewed By:	Terry Yin




## Critical Freqs

Frequency (MHz)	MaxPeak (dBm)	DET 2 (dBm)	Limit (dBm)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
93.777500	-67.03	---	-13.00	54.03	100.0	V	220.0	-100.5
349.493750	-61.99	---	-13.00	48.99	100.0	V	110.0	-110.9
875.718750	-41.95	---	-13.00	28.95	100.0	V	125.0	-101.0

## EUT Information

EUT Name:	Amazon Locker
Model:	ZL-ODIN-V1
Test Mode:	BLE 1M CH0 & GSM1900 GPRS 1Tx CH661
Test Voltage::	DC 6V From DC Source
Remark:	Temp 22 Humi:50%
Test Standard:	FCC Part 90
Tested By:	Alano Qu
Reviewed By:	Terry Yin




## Critical\_Freqs

Frequency (MHz)	MaxPeak (dBm)	DET 2 (dBm)	Limit (dBm)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
36.426250	-78.50	---	-13.00	65.50	100.0	H	341.0	-113.4
244.248750	-84.15	---	-13.00	71.15	100.0	H	35.0	-110.0
522.032500	-68.23	---	-13.00	55.23	100.0	H	285.0	-110.0

## EUT Information

EUT Name:	Amazon Locker
Model:	ZL-ODIN-V1
Test Mode:	BLE 1M CH0 & GSM1900 GPRS 1Tx CH661
Test Voltage::	DC 6V From DC Source
Remark:	Temp 22 Humi:50%
Test Standard:	FCC Part 90
Tested By:	Alano Qu
Reviewed By:	Terry Yin




## Critical\_Freqs

Frequency (MHz)	MaxPeak (dBm)	DET 2 (dBm)	Limit (dBm)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
35.577500	-90.11	---	-13.00	77.11	100.0	V	101.0	-126.4
95.232500	-72.68	---	-13.00	59.68	100.0	V	244.0	-99.9
522.032500	-59.44	---	-13.00	46.44	100.0	V	175.0	-107.9

## 1.2 Bluetooth with GPRS/EGPRS, above 1GHz

### EUT Information

EUT Name:	Amazon Locker
Model:	ZL-ODIN-V1
Test Mode:	BLE1M_CH 0+GSM850_GPRS_1Tx_CH190
Test Voltage::	DC 6V From DC Source
Remark:	Temp 22 Humi:50%
Test Standard:	FCC Part 15.247
Tested By:	Alano Qu
Reviewed By:	Terry Yin




### Critical\_Freqs

Frequency (MHz)	MaxPeak (dBm)	DET 2 (dBm)	Limit (dBm)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
1673.500000	-51.78	---	-13.00	38.78	100.0	H	111.0	-92.5
4804.000000	-40.78	---	-13.00	27.78	100.0	H	0.0	-83.9

## EUT Information

EUT Name:	Amazon Locker
Model:	ZL-ODIN-V1
Test Mode:	BLE1M_CH 0+GSM850_GPRS_1Tx_CH190
Test Voltage::	DC 6V From DC Source
Remark:	Temp 22 Humi:50%
Test Standard:	FCC Part 15.247
Tested By:	Alano Qu
Reviewed By:	Terry Yin




## Critical Freqs

Frequency (MHz)	MaxPeak (dBm)	DET 2 (dBm)	Limit (dBm)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
1673.000000	-48.11	---	-13.00	35.11	100.0	V	61.0	-92.2
4804.000000	-38.91	---	-13.00	25.91	100.0	V	121.0	-84.0

## EUT Information

EUT Name:	Amazon Locker
Model:	ZL-ODIN-V1
Test Mode:	BLE1M_CH 0+GSM850_GPRS_1Tx_CH190
Test Voltage::	DC 6V From DC Source
Remark:	Temp 24 Humi:47%
Test Standard:	FCC 15.247
Tested By:	Alano Qu
Reviewed By:	Terry Yin




## Critical Freqs

Frequency (MHz)	MaxPeak (dBm)	DET 2 (dBm)	Limit (dBm)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
8176.100000	-51.20	---	-13.00	38.20	100.0	H	78.0	-87.2



## EUT Information

EUT Name:	Amazon Locker
Model:	ZL-ODIN-V1
Test Mode:	BLE1M_CH 0+GSM850_GPRS_1Tx_CH190
Test Voltage::	DC 6V From DC Source
Remark:	Temp 24 Humi:47%
Test Standard:	FCC 15.247
Tested By:	Alano Qu
Reviewed By:	Terry Yin




## Critical Freqs

Frequency (MHz)	MaxPeak (dBm)	DET 2 (dBm)	Limit (dBm)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
7205.666667	-50.88	---	-13.00	37.88	100.0	V	120.0	-87.3

## EUT Information

EUT Name:	Amazon Locker
Model:	ZL-ODIN-V1
Test Mode:	BLE 1M CH0 & GSM1900 GPRS 1Tx CH661
Test Voltage::	DC 6V From DC Source
Remark:	Temp 22 Humi:50%
Test Standard:	FCC Part 15.247
Tested By:	Alano Qu
Reviewed By:	Terry Yin




## Critical Freqs

Frequency (MHz)	MaxPeak (dBm)	DET 2 (dBm)	Limit (dBm)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
2924.000000	-23.88	---	-13.00	10.88	100.0	H	7.0	-87.0
3760.000000	-42.22	---	-13.00	29.22	100.0	H	277.0	-86.6
4802.500000	-48.48	---	-13.00	35.48	100.0	H	146.0	-85.8

### EUT Information

EUT Name:	Amazon Locker
Model:	ZL-ODIN-V1
Test Mode:	BLE 1M CH0 & GSM1900 GPRS 1Tx CH661
Test Voltage::	DC 6V From DC Source
Remark:	Temp 22 Humi:50%
Test Standard:	FCC Part 15.247
Tested By:	Alano Qu
Reviewed By:	Terry Yin




### Critical Freqs

Frequency (MHz)	MaxPeak (dBm)	DET 2 (dBm)	Limit (dBm)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
2924.000000	-23.51	---	-13.00	10.51	100.0	V	178.0	-87.0
3760.000000	-40.29	---	-13.00	27.29	100.0	V	163.0	-87.0
7206.000000	-40.25	---	-13.00	27.25	100.0	V	226.0	-79.9

### EUT Information

EUT Name:	Amazon Locker
Model:	ZL-ODIN-V1
Test Mode:	BLE 1M CH0 & GSM1900 GPRS 1Tx CH661
Test Voltage::	DC 6V From DC Source
Remark:	Temp 24 Humi:47%
Test Standard:	FCC 15.247
Tested By:	Alano Qu
Reviewed By:	Terry Yin




### Critical Freqs

Frequency (MHz)	MaxPeak (dBm)	DET 2 (dBm)	Limit (dBm)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
13251.000000	-45.47	---	-13.00	32.47	100.0	H	202.0	-79.3

## EUT Information

EUT Name:	Amazon Locker
Model:	ZL-ODIN-V1
Test Mode:	BLE 1M CH0 & GSM1900 GPRS 1Tx CH661
Test Voltage::	DC 6V From DC Source
Remark:	Temp 24 Humi:47%
Test Standard:	FCC 15.247
Tested By:	Alano Qu
Reviewed By:	Terry Yin




## Critical Freqs

Frequency (MHz)	MaxPeak (dBm)	DET 2 (dBm)	Limit (dBm)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
9608.500000	-46.68	---	-13.00	33.68	100.0	V	167.0	-84.2

### 1.3 Bluetooth with eMTC, below 1GHz

#### EUT Information

EUT Name:	Amazon Locker
Model:	ZL-ODIN-V1
Test Mode:	BLE1M_CH0+Band 2_20M_QPSK_1RB_CH18900
Test Voltage::	DC 6V From DC Source
Remark:	Temp 22 Humi:50%
Test Standard:	FCC Part 24 and RSS-133 Issue 6
Tested By:	Alano Qu
Reviewed By:	Terry Yin




#### Critical\_Freqs

Frequency (MHz)	MaxPeak (dBm)	DET 2 (dBm)	Limit (dBm)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
37.638750	-77.95	---	-13.00	64.95	100.0	H	229.0	-114.0
68.800000	-90.62	---	-13.00	77.62	100.0	H	268.0	-121.7
244.491250	-84.37	---	-13.00	71.37	100.0	H	153.0	-110.0
419.455000	-83.09	---	-13.00	70.09	100.0	H	21.0	-109.4
821.762500	-73.56	---	-13.00	60.56	100.0	H	324.0	-100.5

## EUT Information

EUT Name:	Amazon Locker
Model:	ZL-ODIN-V1
Test Mode:	BLE1M_CH0+Band 2_20M_QPSK_1RB_CH18900
Test Voltage::	DC 6V From DC Source
Remark:	Temp 22 Humi:50%
Test Standard:	FCC Part 24 and RSS-133 Issue 6
Tested By:	Alano Qu
Reviewed By:	Terry Yin




## Critical Freqs

Frequency (MHz)	MaxPeak (dBm)	DET 2 (dBm)	Limit (dBm)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
40.427500	-90.01	---	-13.00	77.01	100.0	V	349.0	-124.3
94.747500	-73.81	---	-13.00	60.81	100.0	V	212.0	-99.8
382.231250	-83.59	---	-13.00	70.59	100.0	V	0.0	-110.9
875.597500	-74.39	---	-13.00	61.39	100.0	V	85.0	-101.0

## EUT Information

EUT Name:	Amazon Locker
Model:	ZL-ODIN-V1
Test Mode:	BLE1M_CH0+Band 4_5M_QPSK_1RB_CH20375
Test Voltage::	DC 6V From DC Source
Remark:	Temp 22 Humi:50%
Test Standard:	FCC Part 27 and RSS-139 Issue 3 and RSS-130 Issue 2
Tested By:	Alano Qu
Reviewed By:	Terry Yin




## Critical Freqs

Frequency (MHz)	MaxPeak (dBm)	DET 2 (dBm)	Limit (dBm)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
37.275000	-77.20	---	-13.00	64.20	100.0	H	108.0	-113.7
45.883750	-81.67	---	-13.00	68.67	100.0	H	255.0	-114.8
237.216250	-83.06	---	-13.00	70.06	100.0	H	0.0	-111.0
420.546250	-83.33	---	-13.00	70.33	100.0	H	78.0	-109.6
839.828750	-73.69	---	-13.00	60.69	100.0	H	294.0	-100.6



## EUT Information

EUT Name:	Amazon Locker
Model:	ZL-ODIN-V1
Test Mode:	BLE1M_CH0+Band 4_5M_QPSK_1RB_CH20375
Test Voltage::	DC 6V From DC Source
Remark:	Temp 22 Humi:50%
Test Standard:	FCC Part 27 and RSS-139 Issue 3 and RSS-130 Issue 2
Tested By:	Alano Qu
Reviewed By:	Terry Yin




## Critical Freqs

Frequency (MHz)	MaxPeak (dBm)	DET 2 (dBm)	Limit (dBm)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
36.062500	-88.45	---	-13.00	75.45	100.0	V	154.0	-125.8
94.626250	-71.91	---	-13.00	58.91	100.0	V	82.0	-99.7
105.417500	-81.43	---	-13.00	68.43	100.0	V	337.0	-105.6
579.505000	-80.12	---	-13.00	67.12	100.0	V	162.0	-106.7

## EUT Information

EUT Name:	Amazon Locker
Model:	ZL-ODIN-V1
Test Mode:	BLE1M_CH0+Band 5_5M_QPSK_1RB_CH20625
Test Voltage::	DC 6V From DC Source
Remark:	Temp 22 Humi:50%
Test Standard:	FCC Part 22 and RSS-132 Issue 3
Tested By:	Alano Qu
Reviewed By:	Terry Yin




## Critical Freqs

Frequency (MHz)	MaxPeak (dBm)	DET 2 (dBm)	Limit (dBm)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
224.606250	-63.75	---	-13.00	50.75	100.0	H	316.0	-113.6
349.615000	-43.60	---	-13.00	30.60	100.0	H	294.0	-111.4
463.105000	-52.47	---	-13.00	39.47	100.0	H	202.0	-108.5
891.723750	-45.80	---	-13.00	32.80	100.0	H	287.0	-101.6

## EUT Information

EUT Name:	Amazon Locker
Model:	ZL-ODIN-V1
Test Mode:	BLE1M_CH0+Band 5_5M_QPSK_1RB_CH20625
Test Voltage::	DC 6V From DC Source
Remark:	Temp 22 Humi:50%
Test Standard:	FCC Part 22 and RSS-132 Issue 3
Tested By:	Alano Qu
Reviewed By:	Terry Yin




## Critical Freqs

Frequency (MHz)	MaxPeak (dBm)	DET 2 (dBm)	Limit (dBm)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
55.583750	-68.21	---	-13.00	55.21	100.0	V	258.0	-122.8
101.901250	-63.14	---	-13.00	50.14	100.0	V	159.0	-107.3
350.463750	-47.76	---	-13.00	34.76	100.0	V	174.0	-110.8
893.057500	-39.84	---	-13.00	26.84	100.0	V	336.0	-102.1

## EUT Information

EUT Name:	Amazon Locker
Model:	ZL-ODIN-V1
Test Mode:	BLE1M_CH0+Band 12_10M_QPSK_1RB_CH23060
Test Voltage::	DC 6V From DC Source
Remark:	Temp 22 Humi:50%
Test Standard:	FCC Part 27 and RSS-139 Issue 3 and RSS-130 Issue 2
Tested By:	Alano Qu
Reviewed By:	Terry Yin




## Critical Freqs

Frequency (MHz)	MaxPeak (dBm)	DET 2 (dBm)	Limit (dBm)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
35.941250	-75.59	---	-13.00	62.59	100.0	H	67.0	-113.6
223.272500	-64.58	---	-13.00	51.58	100.0	H	295.0	-113.8
349.736250	-46.72	---	-13.00	33.72	100.0	H	90.0	-111.4
457.163750	-55.46	---	-13.00	42.46	100.0	H	235.0	-108.5

## EUT Information

EUT Name:	Amazon Locker
Model:	ZL-ODIN-V1
Test Mode:	BLE1M_CH0+Band 12_10M_QPSK_1RB_CH23060
Test Voltage::	DC 6V From DC Source
Remark:	Temp 22 Humi:50%
Test Standard:	FCC Part 27 and RSS-139 Issue 3 and RSS-130 Issue 2
Tested By:	Alano Qu
Reviewed By:	Terry Yin




## Critical Freqs

Frequency (MHz)	MaxPeak (dBm)	DET 2 (dBm)	Limit (dBm)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
86.017500	-64.58	---	-13.00	51.58	100.0	V	222.0	-116.3
104.811250	-66.00	---	-13.00	53.00	100.0	V	166.0	-105.8
348.645000	-49.93	---	-13.00	36.93	100.0	V	120.0	-110.9

## EUT Information

EUT Name:	Amazon Locker
Model:	ZL-ODIN-V1
Test Mode:	BLE1M_CH0+Band 13_5M_QPSK_1RB_CH23230
Test Voltage::	DC 6V From DC Source
Remark:	Temp 22 Humi:50%
Test Standard:	FCC Part 27 and RSS-139 Issue 3 and RSS-130 Issue 2
Tested By:	Alano Qu
Reviewed By:	Terry Yin




## Critical Freqs

Frequency (MHz)	MaxPeak (dBm)	DET 2 (dBm)	Limit (dBm)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
35.941250	-73.78	---	-13.00	60.78	100.0	H	51.0	-113.6
81.652500	-75.37	---	-13.00	62.37	100.0	H	19.0	-123.5
347.796250	-45.59	---	-13.00	32.59	100.0	H	291.0	-111.7
466.500000	-57.46	---	-13.00	44.46	100.0	H	252.0	-108.6

## EUT Information

EUT Name:	Amazon Locker
Model:	ZL-ODIN-V1
Test Mode:	BLE1M_CH0+Band 13_5M_QPSK_1RB_CH23230
Test Voltage::	DC 6V From DC Source
Remark:	Temp 22 Humi:50%
Test Standard:	FCC Part 27 and RSS-139 Issue 3 and RSS-130 Issue 2
Tested By:	Alano Qu
Reviewed By:	Terry Yin




## Critical Freqs

Frequency (MHz)	MaxPeak (dBm)	DET 2 (dBm)	Limit (dBm)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
81.652500	-66.93	---	-13.00	53.93	100.0	V	209.0	-118.5
102.143750	-65.05	---	-13.00	52.05	100.0	V	194.0	-107.5
348.766250	-52.28	---	-13.00	39.28	100.0	V	165.0	-110.9
455.466250	-64.74	---	-13.00	51.74	100.0	V	165.0	-109.6

## EUT Information

EUT Name:	Amazon Locker
Model:	ZL-ODIN-V1
Test Mode:	BLE1M_CH0+Band 26A_1.4M_QPSK_1RB_CH26697
Test Voltage::	DC 6V From DC Source
Remark:	Temp 22 Humi:50%
Test Standard:	FCC Part 90
Tested By:	Alano Qu
Reviewed By:	Terry Yin




## Critical Freqs

Frequency (MHz)	MaxPeak (dBm)	DET 2 (dBm)	Limit (dBm)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
48.793750	-71.22	---	-13.00	58.22	100.0	H	2.0	-115.2
223.151250	-63.16	---	-13.00	50.16	100.0	H	157.0	-113.8
349.978750	-44.01	---	-13.00	31.01	100.0	H	291.0	-111.3
859.835000	-42.49	---	-13.00	29.49	100.0	H	2.0	-99.5



## EUT Information

EUT Name:	Amazon Locker
Model:	ZL-ODIN-V1
Test Mode:	BLE1M_CH0+Band 26A_1.4M_QPSK_1RB_CH26697
Test Voltage::	DC 6V From DC Source
Remark:	Temp 22 Humi:50%
Test Standard:	FCC Part 90
Tested By:	Alano Qu
Reviewed By:	Terry Yin




## Critical Freqs

Frequency (MHz)	MaxPeak (dBm)	DET 2 (dBm)	Limit (dBm)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
55.583750	-69.54	---	-13.00	56.54	100.0	V	283.0	-122.8
83.350000	-64.74	---	-13.00	51.74	100.0	V	139.0	-117.7
102.265000	-62.33	---	-13.00	49.33	100.0	V	139.0	-107.5
353.495000	-50.69	---	-13.00	37.69	100.0	V	162.0	-111.3
859.471250	-37.95	---	-13.00	24.95	100.0	V	269.0	-100.0

## EUT Information

EUT Name:	Amazon Locker
Model:	ZL-ODIN-V1
Test Mode:	BLE1M_CH0+Band 26B_1.4M_QPSK_1RB_CH26797
Test Voltage::	DC 6V From DC Source
Remark:	Temp 22 Humi:50%
Test Standard:	FCC Part 22 and RSS-132 Issue 3
Tested By:	Alano Qu
Reviewed By:	Terry Yin




## Critical Freqs

Frequency (MHz)	MaxPeak (dBm)	DET 2 (dBm)	Limit (dBm)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
81.773750	-75.78	---	-13.00	62.78	100.0	H	6.0	-123.5
350.463750	-47.93	---	-13.00	34.93	100.0	H	142.0	-111.3
466.985000	-55.01	---	-13.00	42.01	100.0	H	202.0	-108.6
869.777500	-39.47	---	-13.00	26.47	100.0	H	271.0	-100.4

## EUT Information

EUT Name:	Amazon Locker
Model:	ZL-ODIN-V1
Test Mode:	BLE1M_CH0+Band 26B_1.4M_QPSK_1RB_CH26797
Test Voltage::	DC 6V From DC Source
Remark:	Temp 22 Humi:50%
Test Standard:	FCC Part 22 and RSS-132 Issue 3
Tested By:	Alano Qu
Reviewed By:	Terry Yin




## Critical Freqs

Frequency (MHz)	MaxPeak (dBm)	DET 2 (dBm)	Limit (dBm)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
34.365000	-78.23	---	-13.00	65.23	100.0	V	98.0	-128.4
81.652500	-65.27	---	-13.00	52.27	100.0	V	192.0	-118.5
352.646250	-50.34	---	-13.00	37.34	100.0	V	299.0	-111.2
869.898750	-38.02	---	-13.00	25.02	100.0	V	314.0	-100.0

## 1.4 Bluetooth with eMTC, above 1GHz

### EUT Information

EUT Name:	Amazon Locker
Model:	ZL-ODIN-V1
Test Mode:	BLE1M_CH0+Band 2_20M_QPSK_1RB_CH18900
Test Voltage::	DC 6V From DC Source
Remark:	Temp 22 Humi:52%
Test Standard:	FCC Part 24 and RSS-133 Issue 6
Tested By:	Alano Qu
Reviewed By:	Terry Yin




### Critical\_Freqs

Frequency (MHz)	MaxPeak (dBm)	DET 2 (dBm)	Limit (dBm)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
2933.000000	-31.77	---	-13.00	18.77	100.0	H	15.0	-86.9
3742.000000	-42.22	---	-13.00	29.22	100.0	H	264.0	-86.6
4800.500000	-48.57	---	-13.00	35.57	100.0	H	138.0	-85.8

## EUT Information

EUT Name:	Amazon Locker
Model:	ZL-ODIN-V1
Test Mode:	BLE1M_CH0+Band 2_20M_QPSK_1RB_CH18900
Test Voltage::	DC 6V From DC Source
Remark:	Temp 22 Humi:52%
Test Standard:	FCC Part 24 and RSS-133 Issue 6
Tested By:	Alano Qu
Reviewed By:	Terry Yin




## Critical Freqs

Frequency (MHz)	MaxPeak (dBm)	DET 2 (dBm)	Limit (dBm)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
1341.000000	-43.76	---	-13.00	30.76	100.0	V	17.0	-92.7
2932.000000	-22.16	---	-13.00	9.16	100.0	V	172.0	-86.9
3742.500000	-42.97	---	-13.00	29.97	100.0	V	1.0	-86.8
4802.500000	-49.25	---	-13.00	36.25	100.0	V	104.0	-85.9

## EUT Information

EUT Name:	Amazon Locker
Model:	ZL-ODIN-V1
Test Mode:	BLE1M_CH0+Band 2_20M_QPSK_1RB_CH18900
Test Voltage::	DC 6V From DC Source
Remark:	Temp 24 Humi:47%
Test Standard:	FCC Part 24 and RSS-133 Issue 6
Tested By:	Alano Qu
Reviewed By:	Terry Yin




## Critical Freqs

Frequency (MHz)	MaxPeak (dBm)	DET 2 (dBm)	Limit (dBm)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
11767.000000	-46.23	---	-13.00	33.23	100.0	H	118.0	-82.0

### EUT Information

EUT Name:	Amazon Locker
Model:	ZL-ODIN-V1
Test Mode:	BLE1M_CH0+Band 2_20M_QPSK_1RB_CH18900
Test Voltage::	DC 6V From DC Source
Remark:	Temp 24 Humi:47%
Test Standard:	FCC Part 24 and RSS-133 Issue 6
Tested By:	Alano Qu
Reviewed By:	Terry Yin




### Critical Freqs

Frequency (MHz)	MaxPeak (dBm)	DET 2 (dBm)	Limit (dBm)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
9609.000000	-46.04	---	-13.00	33.04	100.0	V	315.0	-84.1

## EUT Information

EUT Name:	Amazon Locker
Model:	ZL-ODIN-V1
Test Mode:	BLE1M_CH0+Band 4_5M_QPSK_1RB_CH20375
Test Voltage::	DC 6V From DC Source
Remark:	Temp 22 Humi:52%
Test Standard:	FCC Part 27 and RSS-139 Issue 3 and RSS-130 Issue 2
Tested By:	Alano Qu
Reviewed By:	Terry Yin




## Critical Freqs

Frequency (MHz)	MaxPeak (dBm)	DET 2 (dBm)	Limit (dBm)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
1350.500000	-42.50	---	-13.00	29.50	100.0	H	264.0	-92.8
2928.500000	-27.07	---	-13.00	14.07	100.0	H	310.0	-87.0
3752.000000	-43.24	---	-13.00	30.24	100.0	H	220.0	-86.6
4807.500000	-48.32	---	-13.00	35.32	100.0	H	293.0	-85.9



## EUT Information

EUT Name:	Amazon Locker
Model:	ZL-ODIN-V1
Test Mode:	BLE1M_CH0+Band 4_5M_QPSK_1RB_CH20375
Test Voltage::	DC 6V From DC Source
Remark:	Temp 22 Humi:52%
Test Standard:	FCC Part 27 and RSS-139 Issue 3 and RSS-130 Issue 2
Tested By:	Alano Qu
Reviewed By:	Terry Yin




## Critical Freqs

Frequency (MHz)	MaxPeak (dBm)	DET 2 (dBm)	Limit (dBm)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
1349.500000	-42.81	---	-13.00	29.81	100.0	V	243.0	-92.5
2928.000000	-23.98	---	-13.00	10.98	100.0	V	176.0	-86.9
3752.000000	-43.99	---	-13.00	30.99	100.0	V	1.0	-86.9
7206.000000	-39.52	---	-13.00	26.52	100.0	V	60.0	-79.9

## EUT Information

EUT Name:	Amazon Locker
Model:	ZL-ODIN-V1
Test Mode:	BLE1M_CH0+Band 4_5M_QPSK_1RB_CH20375
Test Voltage::	DC 6V From DC Source
Remark:	Temp 24 Humi:47%
Test Standard:	FCC Part 27 and RSS-139 Issue 3 and RSS-130 Issue 2
Tested By:	Alano Qu
Reviewed By:	Terry Yin




## Critical Freqs

Frequency (MHz)	MaxPeak (dBm)	DET 2 (dBm)	Limit (dBm)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
13325.500000	-45.73	---	-13.00	32.73	100.0	H	93.0	-80.0

### EUT Information

EUT Name: Amazon Locker  
 Model: ZL-ODIN-V1  
 Test Mode: BLE1M\_CH0+Band 4\_5M\_QPSK\_1RB\_CH20375  
 Test Voltage:: DC 6V From DC Source  
 Remark: Temp 24 Humi:47%  
 Test Standard: FCC Part 27 and RSS-139 Issue 3 and RSS-130 Issue 2  
 Tested By: Alano Qu  
 Reviewed By: Terry Yin




### Critical Freqs

Frequency (MHz)	MaxPeak (dBm)	DET 2 (dBm)	Limit (dBm)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
9607.000000	-47.00	---	-13.00	34.00	100.0	V	161.0	-84.2

## EUT Information

EUT Name:	Amazon Locker
Model:	ZL-ODIN-V1
Test Mode:	BLE1M_CH0+Band 5_5M_QPSK_1RB_CH20625
Test Voltage::	DC 6V From DC Source
Remark:	Temp 22 Humi:52%
Test Standard:	FCC Part 22 and RSS-132 Issue 3
Tested By:	Alano Qu
Reviewed By:	Terry Yin




## Critical Freqs

Frequency (MHz)	MaxPeak (dBm)	DET 2 (dBm)	Limit (dBm)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
1693.500000	-52.44	---	-13.00	39.44	100.0	H	4.0	-92.4
3377.500000	-43.61	---	-13.00	30.61	100.0	H	4.0	-87.4
4804.500000	-42.15	---	-13.00	29.15	100.0	H	0.0	-83.9

## EUT Information

EUT Name:	Amazon Locker
Model:	ZL-ODIN-V1
Test Mode:	BLE1M_CH0+Band 5_5M_QPSK_1RB_CH20625
Test Voltage::	DC 6V From DC Source
Remark:	Temp 22 Humi:52%
Test Standard:	FCC Part 22 and RSS-132 Issue 3
Tested By:	Alano Qu
Reviewed By:	Terry Yin




## Critical Freqs

Frequency (MHz)	MaxPeak (dBm)	DET 2 (dBm)	Limit (dBm)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
1198.500000	-44.06	---	-13.00	31.06	100.0	V	302.0	-92.5
1695.500000	-53.86	---	-13.00	40.86	100.0	V	153.0	-92.1
2517.500000	-41.33	---	-13.00	28.33	100.0	V	282.0	-88.3
4803.500000	-37.35	---	-13.00	24.35	100.0	V	153.0	-84.0

## EUT Information

EUT Name:	Amazon Locker
Model:	ZL-ODIN-V1
Test Mode:	BLE1M_CH0+Band 5_5M_QPSK_1RB_CH20625
Test Voltage::	DC 6V From DC Source
Remark:	Temp 24 Humi:47%
Test Standard:	FCC Part 22 and RSS-132 Issue 3
Tested By:	Alano Qu
Reviewed By:	Terry Yin




## Critical Freqs

Frequency (MHz)	MaxPeak (dBm)	DET 2 (dBm)	Limit (dBm)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
6655.466667	-50.05	---	-13.00	37.05	100.0	H	220.0	-87.6

## EUT Information

EUT Name:	Amazon Locker
Model:	ZL-ODIN-V1
Test Mode:	BLE1M_CH0+Band 5_5M_QPSK_1RB_CH20625
Test Voltage::	DC 6V From DC Source
Remark:	Temp 22 Humi:52%
Test Standard:	FCC Part 22 and RSS-132 Issue 3
Tested By:	Alano Qu
Reviewed By:	Terry Yin




## Critical Freqs

Frequency (MHz)	MaxPeak (dBm)	DET 2 (dBm)	Limit (dBm)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
8097.116667	-50.37	---	-13.00	37.37	100.0	V	229.0	-86.7

## EUT Information

EUT Name:	Amazon Locker
Model:	ZL-ODIN-V1
Test Mode:	BLE1M_CH0+Band 12_10M_QPSK_1RB_CH23060
Test Voltage::	DC 6V From DC Source
Remark:	Temp 22 Humi:52%
Test Standard:	FCC Part 27 and RSS-139 Issue 3 and RSS-130 Issue 2
Tested By:	Alano Qu
Reviewed By:	Terry Yin




## Critical Freqs

Frequency (MHz)	MaxPeak (dBm)	DET 2 (dBm)	Limit (dBm)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
1403.000000	-52.84	---	-13.00	39.84	100.0	H	223.0	-92.9
2100.500000	-44.59	---	-13.00	31.59	100.0	H	11.0	-88.9
4804.500000	-42.51	---	-13.00	29.51	100.0	H	28.0	-83.9



## EUT Information

EUT Name:	Amazon Locker
Model:	ZL-ODIN-V1
Test Mode:	BLE1M_CH0+Band 12_10M_QPSK_1RB_CH23060
Test Voltage::	DC 6V From DC Source
Remark:	Temp 22 Humi:52%
Test Standard:	FCC Part 27 and RSS-139 Issue 3 and RSS-130 Issue 2
Tested By:	Alano Qu
Reviewed By:	Terry Yin




## Critical Freqs

Frequency (MHz)	MaxPeak (dBm)	DET 2 (dBm)	Limit (dBm)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
1400.000000	-51.52	---	-13.00	38.52	100.0	V	6.0	-92.8
2120.000000	-47.54	---	-13.00	34.54	100.0	V	324.0	-88.1
4804.500000	-42.89	---	-13.00	29.89	100.0	V	88.0	-84.0

### EUT Information

EUT Name:	Amazon Locker
Model:	ZL-ODIN-V1
Test Mode:	BLE1M_CH0+Band 12_10M_QPSK_1RB_CH23060
Test Voltage::	DC 6V From DC Source
Remark:	Temp 24 Humi:47%
Test Standard:	FCC Part 27 and RSS-139 Issue 3 and RSS-130 Issue 2
Tested By:	Alano Qu
Reviewed By:	Terry Yin




### Critical Freqs

Frequency (MHz)	MaxPeak (dBm)	DET 2 (dBm)	Limit (dBm)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
6582.550000	-49.66	---	-13.00	36.66	100.0	H	290.0	-87.6

### EUT Information

EUT Name:	Amazon Locker
Model:	ZL-ODIN-V1
Test Mode:	BLE1M_CH0+Band 12_10M_QPSK_1RB_CH23060
Test Voltage::	DC 6V From DC Source
Remark:	Temp 24 Humi:47%
Test Standard:	FCC Part 27 and RSS-139 Issue 3 and RSS-130 Issue 2
Tested By:	Alano Qu
Reviewed By:	Terry Yin




### Critical Freqs

Frequency (MHz)	MaxPeak (dBm)	DET 2 (dBm)	Limit (dBm)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
7421.616667	-51.03	---	-13.00	38.03	100.0	V	0.0	-87.7

## EUT Information

EUT Name:	Amazon Locker
Model:	ZL-ODIN-V1
Test Mode:	BLE1M_CH0+Band 12_10M_QPSK_1RB_CH23060
Test Voltage::	DC 6V From DC Source
Remark:	Temp 22 Humi:52%
Test Standard:	FCC Part 27 and RSS-139 Issue 3 and RSS-130 Issue 2
Tested By:	Alano Qu
Reviewed By:	Terry Yin




## Critical Freqs

Frequency (MHz)	MaxPeak (dBm)	DET 2 (dBm)	Limit (dBm)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
2339.000000	-38.55	---	-13.00	25.55	100.0	H	212.0	-87.6
4804.500000	-43.31	---	-13.00	30.31	100.0	H	327.0	-83.9

## EUT Information

EUT Name:	Amazon Locker
Model:	ZL-ODIN-V1
Test Mode:	BLE1M_CH0+Band 12_10M_QPSK_1RB_CH23060
Test Voltage::	DC 6V From DC Source
Remark:	Temp 22 Humi:52%
Test Standard:	FCC Part 27 and RSS-139 Issue 3 and RSS-130 Issue 2
Tested By:	Alano Qu
Reviewed By:	Terry Yin




## Critical Freqs

Frequency (MHz)	MaxPeak (dBm)	DET 2 (dBm)	Limit (dBm)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
2339.000000	-34.08	---	-13.00	21.08	100.0	V	6.0	-87.9
4804.500000	-40.57	---	-13.00	27.57	100.0	V	129.0	-84.0

## EUT Information

EUT Name:	Amazon Locker
Model:	ZL-ODIN-V1
Test Mode:	BLE1M_CH0+Band 13_5M_QPSK_1RB_CH23230
Test Voltage::	DC 6V From DC Source
Remark:	Temp 24 Humi:47%
Test Standard:	FCC Part 27 and RSS-139 Issue 3 and RSS-130 Issue 2
Tested By:	Alano Qu
Reviewed By:	Terry Yin



## Critical Freqs

Frequency (MHz)	MaxPeak (dBm)	DET 2 (dBm)	Limit (dBm)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
6513.833333	-49.60	---	-13.00	36.60	100.0	H	354.0	-87.6

## EUT Information

EUT Name:	Amazon Locker
Model:	ZL-ODIN-V1
Test Mode:	BLE1M_CH0+Band 13_5M_QPSK_1RB_CH23230
Test Voltage::	DC 6V From DC Source
Remark:	Temp 24 Humi:47%
Test Standard:	FCC Part 27 and RSS-139 Issue 3 and RSS-130 Issue 2
Tested By:	Alano Qu
Reviewed By:	Terry Yin




## Critical Freqs

Frequency (MHz)	MaxPeak (dBm)	DET 2 (dBm)	Limit (dBm)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
6221.000000	-47.72	---	-13.00	34.72	100.0	V	293.0	-87.0

## EUT Information

EUT Name:	Amazon Locker
Model:	ZL-ODIN-V1
Test Mode:	BLE1M_CH0+Band 26A_1.4M_QPSK_1RB_CH26697
Test Voltage::	DC 6V From DC Source
Remark:	Temp 22 Humi:52%
Test Standard:	FCC Part 90
Tested By:	Alano Qu
Reviewed By:	Terry Yin




## Critical Freqs

Frequency (MHz)	MaxPeak (dBm)	DET 2 (dBm)	Limit (dBm)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
1628.500000	-54.46	---	-13.00	41.46	100.0	H	129.0	-92.9
2442.500000	-43.80	---	-13.00	30.80	100.0	H	329.0	-87.7
3257.000000	-41.28	---	-13.00	28.28	100.0	H	97.0	-87.0
4805.000000	-43.43	---	-13.00	30.43	100.0	H	107.0	-83.9



## EUT Information

EUT Name:	Amazon Locker
Model:	ZL-ODIN-V1
Test Mode:	BLE1M_CH0+Band 26A_1.4M_QPSK_1RB_CH26697
Test Voltage::	DC 6V From DC Source
Remark:	Temp 22 Humi:52%
Test Standard:	FCC Part 90
Tested By:	Alano Qu
Reviewed By:	Terry Yin




## Critical Freqs

Frequency (MHz)	MaxPeak (dBm)	DET 2 (dBm)	Limit (dBm)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
2442.500000	-42.30	---	-13.00	29.30	100.0	V	51.0	-88.1
3257.000000	-41.91	---	-13.00	28.91	100.0	V	161.0	-86.8
4803.500000	-39.43	---	-13.00	26.43	100.0	V	145.0	-84.0

### EUT Information

EUT Name:	Amazon Locker
Model:	ZL-ODIN-V1
Test Mode:	BLE1M_CH0+Band 26A_1.4M_QPSK_1RB_CH26697
Test Voltage::	DC 6V From DC Source
Remark:	Temp 24 Humi:47%
Test Standard:	FCC Part 90
Tested By:	Alano Qu
Reviewed By:	Terry Yin




### Critical Freqs

Frequency (MHz)	MaxPeak (dBm)	DET 2 (dBm)	Limit (dBm)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
6642.750000	-50.20	---	-13.00	37.20	100.0	H	256.0	-87.6

### EUT Information

EUT Name:	Amazon Locker
Model:	ZL-ODIN-V1
Test Mode:	BLE1M_CH0+Band 26A_1.4M_QPSK_1RB_CH26697
Test Voltage::	DC 6V From DC Source
Remark:	Temp 24 Humi:47%
Test Standard:	FCC Part 90
Tested By:	Alano Qu
Reviewed By:	Terry Yin




### Critical Freqs

Frequency (MHz)	MaxPeak (dBm)	DET 2 (dBm)	Limit (dBm)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
6661.533333	-49.67	---	-13.00	36.67	100.0	V	46.0	-87.9

## EUT Information

EUT Name:	Amazon Locker
Model:	ZL-ODIN-V1
Test Mode:	BLE1M_CH0+Band 26B_1.4M_QPSK_1RB_CH26797
Test Voltage::	DC 6V From DC Source
Remark:	Temp 22 Humi:52%
Test Standard:	FCC Part 22 and RSS-132 Issue 3
Tested By:	Alano Qu
Reviewed By:	Terry Yin




## Critical Freqs

Frequency (MHz)	MaxPeak (dBm)	DET 2 (dBm)	Limit (dBm)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
2472.500000	-48.95	---	-13.00	35.95	100.0	H	167.0	-87.9
3297.500000	-46.58	---	-13.00	33.58	100.0	H	279.0	-87.2
4804.000000	-42.24	---	-13.00	29.24	100.0	H	174.0	-83.9

## EUT Information

EUT Name:	Amazon Locker
Model:	ZL-ODIN-V1
Test Mode:	BLE1M_CH0+Band 26B_1.4M_QPSK_1RB_CH26797
Test Voltage::	DC 6V From DC Source
Remark:	Temp 22 Humi:52%
Test Standard:	FCC Part 22 and RSS-132 Issue 3
Tested By:	Alano Qu
Reviewed By:	Terry Yin




## Critical Freqs

Frequency (MHz)	MaxPeak (dBm)	DET 2 (dBm)	Limit (dBm)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
3297.000000	-43.97	---	-13.00	30.97	100.0	V	76.0	-87.3
4803.500000	-42.46	---	-13.00	29.46	100.0	V	118.0	-84.0

## EUT Information

EUT Name:	Amazon Locker
Model:	ZL-ODIN-V1
Test Mode:	BLE1M_CH0+Band 26B_1.4M_QPSK_1RB_CH26797
Test Voltage::	DC 6V From DC Source
Remark:	Temp 24 Humi:47%
Test Standard:	FCC Part 22 and RSS-132 Issue 3
Tested By:	Alano Qu
Reviewed By:	Terry Yin



## Critical Freqs

Frequency (MHz)	MaxPeak (dBm)	DET 2 (dBm)	Limit (dBm)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
7206.833333	-50.47	---	-13.00	37.47	100.0	H	4.0	-87.1

### EUT Information

EUT Name:	Amazon Locker
Model:	ZL-ODIN-V1
Test Mode:	BLE1M_CH0+Band 26B_1.4M_QPSK_1RB_CH26797
Test Voltage::	DC 6V From DC Source
Remark:	Temp 24 Humi:47%
Test Standard:	FCC Part 22 and RSS-132 Issue 3
Tested By:	Alano Qu
Reviewed By:	Terry Yin




### Critical Freqs

Frequency (MHz)	MaxPeak (dBm)	DET 2 (dBm)	Limit (dBm)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
6569.016667	-49.39	---	-13.00	36.39	100.0	V	190.0	-87.5

## 1.5 Bluetooth with NB-IoT, below 1GHz

### EUT Information

EUT Name:	Amazon Locker
Model:	ZL-ODIN-V1
Test Mode:	BLE1M_CH0+Band 2_QPSK_1RB_15K_CH18601
Test Voltage::	DC 6V From DC Source
Remark:	Temp 22 Humi:50%
Test Standard:	FCC Part 24 and RSS-133 Issue 6
Tested By:	Alano Qu
Reviewed By:	Terry Yin




### Critical\_Freqs

Frequency (MHz)	MaxPeak (dBm)	DET 2 (dBm)	Limit (dBm)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
37.275000	-78.24	---	-13.00	65.24	100.0	H	116.0	-113.7
64.071250	-90.80	---	-13.00	77.80	100.0	H	358.0	-118.8
244.248750	-84.23	---	-13.00	71.23	100.0	H	53.0	-110.0
836.676250	-74.52	---	-13.00	61.52	100.0	H	303.0	-101.0



## EUT Information

EUT Name:	Amazon Locker
Model:	ZL-ODIN-V1
Test Mode:	BLE1M_CH0+Band 2_QPSK_1RB_15K_CH18601
Test Voltage::	DC 6V From DC Source
Remark:	Temp 22 Humi:50%
Test Standard:	FCC Part 24 and RSS-133 Issue 6
Tested By:	Alano Qu
Reviewed By:	Terry Yin




## Critical Freqs

Frequency (MHz)	MaxPeak (dBm)	DET 2 (dBm)	Limit (dBm)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
41.033750	-89.43	---	-13.00	76.43	100.0	V	348.0	-123.7
94.747500	-71.77	---	-13.00	58.77	100.0	V	158.0	-99.8
302.085000	-85.61	---	-13.00	72.61	100.0	V	10.0	-111.0
522.032500	-69.48	---	-13.00	56.48	100.0	V	187.0	-107.9

## EUT Information

EUT Name:	Amazon Locker
Model:	ZL-ODIN-V1
Test Mode:	BLE1M_CH0+Band 5_QPSK_1RB_15K_CH20649
Test Voltage::	DC 6V From DC Source
Remark:	Temp 22 Humi:50%
Test Standard:	FCC Part 27 and RSS-139 Issue 3 and RSS-130 Issue 2
Tested By:	Alano Qu
Reviewed By:	Terry Yin




## Critical\_Freqs

Frequency (MHz)	MaxPeak (dBm)	DET 2 (dBm)	Limit (dBm)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
35.820000	-77.21	---	-13.00	64.21	100.0	H	272.0	-113.7
228.001250	-71.44	---	-13.00	58.44	100.0	H	204.0	-113.2
349.372500	-69.81	---	-13.00	56.81	100.0	H	197.0	-111.4
893.906250	-48.53	---	-13.00	35.53	100.0	H	28.0	-101.5

## EUT Information

EUT Name:	Amazon Locker
Model:	ZL-ODIN-V1
Test Mode:	BLE1M_CH0+Band 5_QPSK_1RB_15K_CH20649
Test Voltage::	DC 6V From DC Source
Remark:	Temp 22 Humi:50%
Test Standard:	FCC Part 27 and RSS-139 Issue 3 and RSS-130 Issue 2
Tested By:	Alano Qu
Reviewed By:	Terry Yin




## Critical Freqs

Frequency (MHz)	MaxPeak (dBm)	DET 2 (dBm)	Limit (dBm)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
49.885000	-76.72	---	-13.00	63.72	100.0	V	262.0	-124.6
106.145000	-70.25	---	-13.00	57.25	100.0	V	348.0	-106.0
348.523750	-66.01	---	-13.00	53.01	100.0	V	326.0	-110.9
894.027500	-48.41	---	-13.00	35.41	100.0	V	5.0	-102.1

## EUT Information

EUT Name:	Amazon Locker
Model:	ZL-ODIN-V1
Test Mode:	BLE1M_CH0+Band 12_QPSK_1RB_15K_CH23011
Test Voltage::	DC 6V From DC Source
Remark:	Temp 22 Humi:50%
Test Standard:	FCC Part 27 and RSS-139 Issue 3 and RSS-130 Issue 2
Tested By:	Alano Qu
Reviewed By:	Terry Yin




## Critical Freqs

Frequency (MHz)	MaxPeak (dBm)	DET 2 (dBm)	Limit (dBm)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
49.885000	-75.76	---	-13.00	62.76	100.0	H	5.0	-116.5
228.001250	-70.45	---	-13.00	57.45	100.0	H	353.0	-113.2
349.008750	-62.71	---	-13.00	49.71	100.0	H	61.0	-111.5

## EUT Information

EUT Name:	Amazon Locker
Model:	ZL-ODIN-V1
Test Mode:	BLE1M_CH0+Band 12_QPSK_1RB_15K_CH23011
Test Voltage::	DC 6V From DC Source
Remark:	Temp 22 Humi:50%
Test Standard:	FCC Part 27 and RSS-139 Issue 3 and RSS-130 Issue 2
Tested By:	Alano Qu
Reviewed By:	Terry Yin




## Critical Freqs

Frequency (MHz)	MaxPeak (dBm)	DET 2 (dBm)	Limit (dBm)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
34.365000	-77.66	---	-13.00	64.66	100.0	V	354.0	-128.4
50.006250	-74.50	---	-13.00	61.50	100.0	V	310.0	-124.6
94.262500	-70.15	---	-13.00	57.15	100.0	V	173.0	-99.7
350.342500	-72.35	---	-13.00	59.35	100.0	V	107.0	-110.8
527.973750	-70.96	---	-13.00	57.96	100.0	V	107.0	-107.8

## EUT Information

EUT Name:	Amazon Locker
Model:	ZL-ODIN-V1
Test Mode:	BLE1M_CH0+Band 13_QPSK_1RB_15K_CH23230
Test Voltage::	DC 6V From DC Source
Remark:	Temp 22 Humi:50%
Test Standard:	FCC Part 27 and RSS-139 Issue 3 and RSS-130 Issue 2
Tested By:	Alano Qu
Reviewed By:	Terry Yin




## Critical Freqs

Frequency (MHz)	MaxPeak (dBm)	DET 2 (dBm)	Limit (dBm)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
48.430000	-74.22	---	-13.00	61.22	100.0	H	348.0	-114.8
228.001250	-68.80	---	-13.00	55.80	100.0	H	0.0	-113.2
348.766250	-63.33	---	-13.00	50.33	100.0	H	130.0	-111.5
851.590000	-68.61	---	-13.00	55.61	100.0	H	0.0	-99.1

## EUT Information

EUT Name:	Amazon Locker
Model:	ZL-ODIN-V1
Test Mode:	BLE1M_CH0+Band 13_QPSK_1RB_15K_CH23230
Test Voltage::	DC 6V From DC Source
Remark:	Temp 22 Humi:50%
Test Standard:	FCC Part 27 and RSS-139 Issue 3 and RSS-130 Issue 2
Tested By:	Alano Qu
Reviewed By:	Terry Yin




## Critical\_Freqs

Frequency (MHz)	MaxPeak (dBm)	DET 2 (dBm)	Limit (dBm)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
34.365000	-78.63	---	-13.00	65.63	100.0	V	243.0	-128.4
83.350000	-70.15	---	-13.00	57.15	100.0	V	178.0	-117.7
95.232500	-67.54	---	-13.00	54.54	100.0	V	228.0	-99.9
349.008750	-67.18	---	-13.00	54.18	100.0	V	74.0	-110.9

## EUT Information

EUT Name:	Amazon Locker
Model:	ZL-ODIN-V1
Test Mode:	BLE1M_CH0+Band 26_QPSK_1RB_15K_CH26691
Test Voltage::	DC 6V From DC Source
Remark:	Temp 22 Humi:50%
Test Standard:	FCC Part 90
Tested By:	Alano Qu
Reviewed By:	Terry Yin




## Critical Freqs

Frequency (MHz)	MaxPeak (dBm)	DET 2 (dBm)	Limit (dBm)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
40.306250	-74.97	---	-13.00	61.97	100.0	H	225.0	-113.1
80.682500	-73.97	---	-13.00	60.97	100.0	H	217.0	-123.7
228.001250	-69.19	---	-13.00	56.19	100.0	H	192.0	-113.2
349.372500	-66.05	---	-13.00	53.05	100.0	H	288.0	-111.4
859.107500	-47.05	---	-13.00	34.05	100.0	H	278.0	-99.5



## EUT Information

EUT Name:	Amazon Locker
Model:	ZL-ODIN-V1
Test Mode:	BLE1M_CH0+Band 26_QPSK_1RB_15K_CH26691
Test Voltage::	DC 6V From DC Source
Remark:	Temp 22 Humi:50%
Test Standard:	FCC Part 90
Tested By:	Alano Qu
Reviewed By:	Terry Yin




## Critical Freqs

Frequency (MHz)	MaxPeak (dBm)	DET 2 (dBm)	Limit (dBm)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
34.365000	-76.99	---	-13.00	63.99	100.0	V	275.0	-128.4
60.555000	-78.31	---	-13.00	65.31	100.0	V	32.0	-120.5
106.751250	-65.49	---	-13.00	52.49	100.0	V	155.0	-107.0
361.012500	-70.26	---	-13.00	57.26	100.0	V	166.0	-111.4
859.107500	-45.54	---	-13.00	32.54	100.0	V	354.0	-100.0

## EUT Information

EUT Name:	Amazon Locker
Model:	ZL-ODIN-V1
Test Mode:	BLE1M_CH0+Band 26_QPSK_1RB_15K_CH26791
Test Voltage::	DC 6V From DC Source
Remark:	Temp 22 Humi:50%
Test Standard:	FCC Part 22 and RSS-132 Issue 3
Tested By:	Alano Qu
Reviewed By:	Terry Yin




## Critical\_Freqs

Frequency (MHz)	MaxPeak (dBm)	DET 2 (dBm)	Limit (dBm)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
48.430000	-73.40	---	-13.00	60.40	100.0	H	0.0	-114.8
228.001250	-71.00	---	-13.00	58.00	100.0	H	0.0	-113.2
348.766250	-64.41	---	-13.00	51.41	100.0	H	282.0	-111.5
869.171250	-51.71	---	-13.00	38.71	100.0	H	36.0	-100.4

## EUT Information

EUT Name:	Amazon Locker
Model:	ZL-ODIN-V1
Test Mode:	BLE1M_CH0+Band 26_QPSK_1RB_15K_CH26791
Test Voltage::	DC 6V From DC Source
Remark:	Temp 22 Humi:50%
Test Standard:	FCC Part 22 and RSS-132 Issue 3
Tested By:	Alano Qu
Reviewed By:	Terry Yin




## Critical Freqs

Frequency (MHz)	MaxPeak (dBm)	DET 2 (dBm)	Limit (dBm)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
49.400000	-76.71	---	-13.00	63.71	100.0	V	273.0	-124.4
106.145000	-71.61	---	-13.00	58.61	100.0	V	0.0	-106.0
349.251250	-69.90	---	-13.00	56.90	100.0	V	296.0	-110.9
869.050000	-43.20	---	-13.00	30.20	100.0	V	288.0	-99.9

## 1.6 Bluetooth with NB-IoT, above 1GHz

### EUT Information

EUT Name:	Amazon Locker
Model:	ZL-ODIN-V1
Test Mode:	BLE1M_CH0+Band 2_QPSK_1RB_15K_CH18601
Test Voltage::	DC 6V From DC Source
Remark:	Temp 22 Humi:52%
Test Standard:	FCC Part 24 and RSS-133 Issue 6
Tested By:	Alano Qu
Reviewed By:	Terry Yin




### Critical\_Freqs

Frequency (MHz)	MaxPeak (dBm)	DET 2 (dBm)	Limit (dBm)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
2954.000000	-39.22	---	-13.00	26.22	100.0	H	67.0	-86.8
3699.500000	-48.52	---	-13.00	35.52	100.0	H	248.0	-86.7
4802.000000	-48.01	---	-13.00	35.01	100.0	H	134.0	-85.8

## EUT Information

EUT Name:	Amazon Locker
Model:	ZL-ODIN-V1
Test Mode:	BLE1M_CH0+Band 2_QPSK_1RB_15K_CH18601
Test Voltage::	DC 6V From DC Source
Remark:	Temp 22 Humi:52%
Test Standard:	FCC Part 24 and RSS-133 Issue 6
Tested By:	Alano Qu
Reviewed By:	Terry Yin




## Critical Freqs

Frequency (MHz)	MaxPeak (dBm)	DET 2 (dBm)	Limit (dBm)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
2954.000000	-41.09	---	-13.00	28.09	100.0	V	70.0	-86.7
3700.000000	-48.46	---	-13.00	35.46	100.0	V	304.0	-86.7
7206.500000	-40.21	---	-13.00	27.21	100.0	V	221.0	-79.9

## EUT Information

EUT Name:	Amazon Locker
Model:	ZL-ODIN-V1
Test Mode:	BLE1M_CH0+Band 2_QPSK_1RB_15K_CH18601
Test Voltage::	DC 6V From DC Source
Remark:	Temp 22 Humi:52%
Test Standard:	FCC Part 24 and RSS-133 Issue 6
Tested By:	Alano Qu
Reviewed By:	Terry Yin




## Critical Freqs

Frequency (MHz)	MaxPeak (dBm)	DET 2 (dBm)	Limit (dBm)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
15323.000000	-41.37	---	-13.00	28.37	100.0	H	181.0	-77.8

### EUT Information

EUT Name:	Amazon Locker
Model:	ZL-ODIN-V1
Test Mode:	BLE1M_CH0+Band 2_QPSK_1RB_15K_CH18601
Test Voltage::	DC 6V From DC Source
Remark:	Temp 22 Humi:52%
Test Standard:	FCC Part 24 and RSS-133 Issue 6
Tested By:	Alano Qu
Reviewed By:	Terry Yin




### Critical Freqs

Frequency (MHz)	MaxPeak (dBm)	DET 2 (dBm)	Limit (dBm)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
12893.000000	-43.76	---	-13.00	30.76	100.0	V	123.0	-78.4

## EUT Information

EUT Name:	Amazon Locker
Model:	ZL-ODIN-V1
Test Mode:	BLE1M_CH0+Band 5_QPSK_1RB_15K_CH20649
Test Voltage::	DC 6V From DC Source
Remark:	Temp 22 Humi:52%
Test Standard:	FCC Part 27 and RSS-139 Issue 3 and RSS-130 Issue 2
Tested By:	Alano Qu
Reviewed By:	Terry Yin




## Critical Freqs

Frequency (MHz)	MaxPeak (dBm)	DET 2 (dBm)	Limit (dBm)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
1697.500000	-54.69	---	-13.00	41.69	100.0	H	347.0	-92.4
4803.500000	-43.39	---	-13.00	30.39	100.0	H	284.0	-83.9



### EUT Information

EUT Name:	Amazon Locker
Model:	ZL-ODIN-V1
Test Mode:	BLE1M_CH0+Band 5_QPSK_1RB_15K_CH20649
Test Voltage::	DC 6V From DC Source
Remark:	Temp 22 Humi:52%
Test Standard:	FCC Part 27 and RSS-139 Issue 3 and RSS-130 Issue 2
Tested By:	Alano Qu
Reviewed By:	Terry Yin




### Critical Freqs

Frequency (MHz)	MaxPeak (dBm)	DET 2 (dBm)	Limit (dBm)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
1692.500000	-54.34	---	-13.00	41.34	100.0	V	220.0	-92.1
4803.500000	-41.49	---	-13.00	28.49	100.0	V	132.0	-84.0

### EUT Information

EUT Name:	Amazon Locker
Model:	ZL-ODIN-V1
Test Mode:	BLE1M_CH0+Band 5_QPSK_1RB_15K_CH20649
Test Voltage::	DC 6V From DC Source
Remark:	Temp 22 Humi:52%
Test Standard:	FCC Part 27 and RSS-139 Issue 3 and RSS-130 Issue 2
Tested By:	Alano Qu
Reviewed By:	Terry Yin




### Critical Freqs

Frequency (MHz)	MaxPeak (dBm)	DET 2 (dBm)	Limit (dBm)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
7205.316667	-48.03	---	-13.00	35.03	100.0	H	88.0	-87.2

## EUT Information

EUT Name:	Amazon Locker
Model:	ZL-ODIN-V1
Test Mode:	BLE1M_CH0+Band 5_QPSK_1RB_15K_CH20649
Test Voltage::	DC 6V From DC Source
Remark:	Temp 22 Humi:52%
Test Standard:	FCC Part 27 and RSS-139 Issue 3 and RSS-130 Issue 2
Tested By:	Alano Qu
Reviewed By:	Terry Yin




## Critical Freqs

Frequency (MHz)	MaxPeak (dBm)	DET 2 (dBm)	Limit (dBm)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
7205.200000	-43.39	---	-13.00	30.39	100.0	V	229.0	-87.3

## EUT Information

EUT Name:	Amazon Locker
Model:	ZL-ODIN-V1
Test Mode:	BLE1M_CH0+Band 12_QPSK_1RB_15K_CH23011
Test Voltage::	DC 6V From DC Source
Remark:	Temp 22 Humi:52%
Test Standard:	FCC Part 27 and RSS-139 Issue 3 and RSS-130 Issue 2
Tested By:	Alano Qu
Reviewed By:	Terry Yin




## Critical Freqs

Frequency (MHz)	MaxPeak (dBm)	DET 2 (dBm)	Limit (dBm)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
1398.000000	-50.78	---	-13.00	37.78	100.0	H	135.0	-93.0
2097.000000	-49.21	---	-13.00	36.21	100.0	H	135.0	-88.8
4803.500000	-44.76	---	-13.00	31.76	100.0	H	105.0	-83.9

## EUT Information

EUT Name:	Amazon Locker
Model:	ZL-ODIN-V1
Test Mode:	BLE1M_CH0+Band 12_QPSK_1RB_15K_CH23011
Test Voltage::	DC 6V From DC Source
Remark:	Temp 22 Humi:52%
Test Standard:	FCC Part 27 and RSS-139 Issue 3 and RSS-130 Issue 2
Tested By:	Alano Qu
Reviewed By:	Terry Yin




## Critical Freqs

Frequency (MHz)	MaxPeak (dBm)	DET 2 (dBm)	Limit (dBm)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
1398.000000	-51.11	---	-13.00	38.11	100.0	V	72.0	-92.9
2097.000000	-45.68	---	-13.00	32.68	100.0	V	2.0	-88.6
4803.500000	-39.45	---	-13.00	26.45	100.0	V	246.0	-84.0

## EUT Information

EUT Name:	Amazon Locker
Model:	ZL-ODIN-V1
Test Mode:	BLE1M_CH0+Band 12_QPSK_1RB_15K_CH23011
Test Voltage::	DC 6V From DC Source
Remark:	Temp 22 Humi:52%
Test Standard:	FCC Part 27 and RSS-139 Issue 3 and RSS-130 Issue 2
Tested By:	Alano Qu
Reviewed By:	Terry Yin




## Critical Freqs

Frequency (MHz)	MaxPeak (dBm)	DET 2 (dBm)	Limit (dBm)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
7205.083333	-48.82	---	-13.00	35.82	100.0	H	168.0	-87.2

## EUT Information

EUT Name:	Amazon Locker
Model:	ZL-ODIN-V1
Test Mode:	BLE1M_CH0+Band 12_QPSK_1RB_15K_CH23011
Test Voltage::	DC 6V From DC Source
Remark:	Temp 22 Humi:52%
Test Standard:	FCC Part 27 and RSS-139 Issue 3 and RSS-130 Issue 2
Tested By:	Alano Qu
Reviewed By:	Terry Yin




## Critical Freqs

Frequency (MHz)	MaxPeak (dBm)	DET 2 (dBm)	Limit (dBm)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
7205.083333	-43.36	---	-13.00	30.36	100.0	V	221.0	-87.3

## EUT Information

EUT Name:	Amazon Locker
Model:	ZL-ODIN-V1
Test Mode:	BLE1M_CH0+Band 13_QPSK_1RB_15K_CH23230
Test Voltage::	DC 6V From DC Source
Remark:	Temp 22 Humi:52%
Test Standard:	FCC Part 27 and RSS-139 Issue 3 and RSS-130 Issue 2
Tested By:	Alano Qu
Reviewed By:	Terry Yin




## Critical Freqs

Frequency (MHz)	MaxPeak (dBm)	DET 2 (dBm)	Limit (dBm)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
2345.500000	-44.57	---	-13.00	31.57	100.0	H	340.0	-87.5
4804.500000	-43.31	---	-13.00	30.31	100.0	H	109.0	-83.9



## EUT Information

EUT Name:	Amazon Locker
Model:	ZL-ODIN-V1
Test Mode:	BLE1M_CH0+Band 13_QPSK_1RB_15K_CH23230
Test Voltage::	DC 6V From DC Source
Remark:	Temp 22 Humi:52%
Test Standard:	FCC Part 27 and RSS-139 Issue 3 and RSS-130 Issue 2
Tested By:	Alano Qu
Reviewed By:	Terry Yin




## Critical Freqs

Frequency (MHz)	MaxPeak (dBm)	DET 2 (dBm)	Limit (dBm)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
2345.500000	-39.66	---	-13.00	26.66	100.0	V	73.0	-87.8
4804.500000	-41.86	---	-13.00	28.86	100.0	V	217.0	-84.0

### EUT Information

EUT Name:	Amazon Locker
Model:	ZL-ODIN-V1
Test Mode:	BLE1M_CH0+Band 13_QPSK_1RB_15K_CH23230
Test Voltage::	DC 6V From DC Source
Remark:	Temp 22 Humi:52%
Test Standard:	FCC Part 27 and RSS-139 Issue 3 and RSS-130 Issue 2
Tested By:	Alano Qu
Reviewed By:	Terry Yin




### Critical Freqs

Frequency (MHz)	MaxPeak (dBm)	DET 2 (dBm)	Limit (dBm)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
7205.083333	-48.09	---	-13.00	35.09	100.0	H	15.0	-87.2

## EUT Information

EUT Name:	Amazon Locker
Model:	ZL-ODIN-V1
Test Mode:	BLE1M_CH0+Band 13_QPSK_1RB_15K_CH23230
Test Voltage::	DC 6V From DC Source
Remark:	Temp 22 Humi:52%
Test Standard:	FCC Part 27 and RSS-139 Issue 3 and RSS-130 Issue 2
Tested By:	Alano Qu
Reviewed By:	Terry Yin




## Critical Freqs

Frequency (MHz)	MaxPeak (dBm)	DET 2 (dBm)	Limit (dBm)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
7207.066667	-44.26	---	-13.00	31.26	100.0	V	226.0	-87.3

## EUT Information

EUT Name:	Amazon Locker
Model:	ZL-ODIN-V1
Test Mode:	BLE1M_CH0+Band 26_QPSK_1RB_15K_CH26691
Test Voltage::	DC 6V From DC Source
Remark:	Temp 22 Humi:52%
Test Standard:	FCC Part 90
Tested By:	Alano Qu
Reviewed By:	Terry Yin




## Critical Freqs

Frequency (MHz)	MaxPeak (dBm)	DET 2 (dBm)	Limit (dBm)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
3256.000000	-45.24	---	-13.00	32.24	100.0	H	196.0	-87.0
4804.000000	-41.17	---	-13.00	28.17	100.0	H	69.0	-83.9

## EUT Information

EUT Name:	Amazon Locker
Model:	ZL-ODIN-V1
Test Mode:	BLE1M_CH0+Band 26_QPSK_1RB_15K_CH26691
Test Voltage::	DC 6V From DC Source
Remark:	Temp 22 Humi:52%
Test Standard:	FCC Part 90
Tested By:	Alano Qu
Reviewed By:	Terry Yin




## Critical Freqs

Frequency (MHz)	MaxPeak (dBm)	DET 2 (dBm)	Limit (dBm)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
2442.000000	-45.26	---	-13.00	32.26	100.0	V	129.0	-88.1
3256.000000	-45.77	---	-13.00	32.77	100.0	V	181.0	-86.8
4804.500000	-43.28	---	-13.00	30.28	100.0	V	222.0	-84.0

### EUT Information

EUT Name:	Amazon Locker
Model:	ZL-ODIN-V1
Test Mode:	BLE1M_CH0+Band 26_QPSK_1RB_15K_CH26691
Test Voltage::	DC 6V From DC Source
Remark:	Temp 22 Humi:52%
Test Standard:	FCC Part 90
Tested By:	Alano Qu
Reviewed By:	Terry Yin



### Critical Freqs

Frequency (MHz)	MaxPeak (dBm)	DET 2 (dBm)	Limit (dBm)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
7206.016667	-48.75	---	-13.00	35.75	100.0	H	162.0	-87.2

### EUT Information

EUT Name: Amazon Locker  
Model: ZL-ODIN-V1  
Test Mode: BLE1M\_CH0+Band 26\_QPSK\_1RB\_15K\_CH26691  
Test Voltage:: DC 6V From DC Source  
Remark: Temp 22 Humi:52%  
Test Standard: FCC Part 90  
Tested By: Alano Qu  
Reviewed By: Terry Yin




### Critical Freqs

Frequency (MHz)	MaxPeak (dBm)	DET 2 (dBm)	Limit (dBm)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
7205.200000	-43.64	---	-13.00	30.64	100.0	V	227.0	-87.3

## EUT Information

EUT Name:	Amazon Locker
Model:	ZL-ODIN-V1
Test Mode:	BLE1M_CH0+Band 26_QPSK_1RB_15K_CH26791
Test Voltage::	DC 6V From DC Source
Remark:	Temp 22 Humi:52%
Test Standard:	FCC Part 22 and RSS-132 Issue 3
Tested By:	Alano Qu
Reviewed By:	Terry Yin




## Critical Freqs

Frequency (MHz)	MaxPeak (dBm)	DET 2 (dBm)	Limit (dBm)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
1637.000000	-53.17	---	-13.00	40.17	100.0	H	1.0	-92.6
4803.500000	-41.35	---	-13.00	28.35	100.0	H	109.0	-83.9



## EUT Information

EUT Name:	Amazon Locker
Model:	ZL-ODIN-V1
Test Mode:	BLE1M_CH0+Band 26_QPSK_1RB_15K_CH26791
Test Voltage::	DC 6V From DC Source
Remark:	Temp 22 Humi:52%
Test Standard:	FCC Part 22 and RSS-132 Issue 3
Tested By:	Alano Qu
Reviewed By:	Terry Yin




## Critical Freqs

Frequency (MHz)	MaxPeak (dBm)	DET 2 (dBm)	Limit (dBm)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
1646.000000	-55.39	---	-13.00	42.39	100.0	V	37.0	-92.4
4804.000000	-41.63	---	-13.00	28.63	100.0	V	146.0	-84.0

### EUT Information

EUT Name:	Amazon Locker
Model:	ZL-ODIN-V1
Test Mode:	BLE1M_CH0+Band 26_QPSK_1RB_15K_CH26791
Test Voltage::	DC 6V From DC Source
Remark:	Temp 22 Humi:52%
Test Standard:	FCC Part 22 and RSS-132 Issue 3
Tested By:	Alano Qu
Reviewed By:	Terry Yin




### Critical Freqs

Frequency (MHz)	MaxPeak (dBm)	DET 2 (dBm)	Limit (dBm)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
7206.716667	-43.39	---	-13.00	30.39	100.0	V	241.0	-87.3

### EUT Information

EUT Name:	Amazon Locker
Model:	ZL-ODIN-V1
Test Mode:	BLE1M_CH0+Band 26_QPSK_1RB_15K_CH26791
Test Voltage::	DC 6V From DC Source
Remark:	Temp 22 Humi:52%
Test Standard:	FCC Part 22 and RSS-132 Issue 3
Tested By:	Alano Qu
Reviewed By:	Terry Yin



### Critical Freqs

Frequency (MHz)	MaxPeak (dBm)	DET 2 (dBm)	Limit (dBm)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
7206.833333	-48.89	---	-13.00	35.89	100.0	H	166.0	-87.1