

Table of Contents


1.	RADIATED SPURIOUS EMISSIONS	2
1.1	GPRS/EGPRS, BLEOW 1GHZ	2
1.2	GPRS/EGPRS, ABOVE 1GHZ	6
1.3	EMTC, BLEOW 1GHZ	14
1.4	EMTC, ABOVE 1GHZ.....	28
1.5	NB-IOT, BLEOW 1GHZ	56
1.6	NB-IOT, ABOVE 1GHZ.....	68

1. Radiated Spurious Emissions

1.1 GPRS/EGPRS, below 1GHz

EUT Information

EUT Name:	Amazon Locker
Model:	ZL-ODIN-V1
Test Mode:	GSM850_GPRS_1Tx_CH190
Test Voltage::	DC 6V From DC Source
Remark:	Temp 24 Humi:47%
Test Standard:	FCC 15.247
Tested By:	Alano Qu
Reviewed By:	Terry Yin




Critical Freqs

Frequency (MHz)	MaxPeak (dBm)	DET 2 (dBm)	Limit (dBm)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
36.183750	-78.32	---	-13.00	65.32	100.0	H	74.0	-113.5
244.612500	-83.97	---	-13.00	70.97	100.0	H	240.0	-110.0
855.106250	-74.03	---	-13.00	61.03	100.0	H	330.0	-99.2

EUT Information

EUT Name:	Amazon Locker
Model:	ZL-ODIN-V1
Test Mode:	GSM850_GPRS_1Tx_CH190
Test Voltage::	DC 6V From DC Source
Remark:	Temp 24 Humi:47%
Test Standard:	FCC 15.247
Tested By:	Alano Qu
Reviewed By:	Terry Yin




Critical Freqs

Frequency (MHz)	MaxPeak (dBm)	DET 2 (dBm)	Limit (dBm)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
41.155000	-89.51	---	-13.00	76.51	100.0	V	184.0	-123.6
94.868750	-72.74	---	-13.00	59.74	100.0	V	82.0	-99.8
342.340000	-85.10	---	-13.00	72.10	100.0	V	216.0	-111.0
739.676250	-75.96	---	-13.00	62.96	100.0	V	66.0	-101.7

EUT Information

EUT Name:	Amazon Locker
Model:	ZL-ODIN-V1
Test Mode:	GSM850_GPRS_1Tx_CH251
Test Voltage::	DC 6V From DC Source
Remark:	Temp 24 Humi:47%
Test Standard:	FCC 15.247
Tested By:	Alano Qu
Reviewed By:	Terry Yin




Critical Freqs

Frequency (MHz)	MaxPeak (dBm)	DET 2 (dBm)	Limit (dBm)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
36.547500	-76.63	---	-13.00	63.63	100.0	H	280.0	-113.3
242.430000	-84.40	---	-13.00	71.40	100.0	H	47.0	-109.9
624.246250	-78.83	---	-13.00	65.83	100.0	H	32.0	-105.4

EUT Information

EUT Name:	Amazon Locker
Model:	ZL-ODIN-V1
Test Mode:	GSM1900_GPRS_1Tx_CH661
Test Voltage::	DC 6V From DC Source
Remark:	Temp 24 Humi:47%
Test Standard:	FCC 15.247
Tested By:	Alano Qu
Reviewed By:	Terry Yin




Critical Freqs

Frequency (MHz)	MaxPeak (dBm)	DET 2 (dBm)	Limit (dBm)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
67.708750	-90.17	---	-13.00	77.17	100.0	V	74.0	-122.7
94.626250	-73.48	---	-13.00	60.48	100.0	V	249.0	-99.7
323.425000	-85.56	---	-13.00	72.56	100.0	V	0.0	-112.0
528.337500	-81.51	---	-13.00	68.51	100.0	V	249.0	-107.8

1.2 GPRS/EGPRS, above 1GHz

EUT Information

EUT Name:	Amazon Locker
Model:	ZL-ODIN-V1
Test Mode:	GSM850_GPRS_1Tx_CH190
Test Voltage::	DC 6V From DC Source
Remark:	Temp 24 Humi:47%
Test Standard:	FCC 15.247
Tested By:	Alano Qu
Reviewed By:	Terry Yin




Critical_Freqs

Frequency (MHz)	MaxPeak (dBm)	DET 2 (dBm)	Limit (dBm)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
1673.500000	-50.46	---	-13.00	37.46	100.0	H	60.0	-92.5

EUT Information

EUT Name:	Amazon Locker
Model:	ZL-ODIN-V1
Test Mode:	GSM850_GPRS_1Tx_CH190
Test Voltage::	DC 6V From DC Source
Remark:	Temp 24 Humi:47%
Test Standard:	FCC 15.247
Tested By:	Alano Qu
Reviewed By:	Terry Yin




Critical Freqs

Frequency (MHz)	MaxPeak (dBm)	DET 2 (dBm)	Limit (dBm)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
1673.000000	-50.12	---	-13.00	37.12	100.0	V	329.0	-92.2

EUT Information

EUT Name:	Amazon Locker
Model:	ZL-ODIN-V1
Test Mode:	GSM850_GPRS_1Tx_CH190
Test Voltage::	DC 6V From DC Source
Remark:	Temp 24 Humi:47%
Test Standard:	FCC 15.247
Tested By:	Alano Qu
Reviewed By:	Terry Yin



Critical Freqs

Frequency (MHz)	MaxPeak (dBm)	DET 2 (dBm)	Limit (dBm)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
7981.850000	-51.17	---	-13.00	38.17	100.0	H	8.0	-87.8

EUT Information

EUT Name:	Amazon Locker
Model:	ZL-ODIN-V1
Test Mode:	GSM850_GPRS_1Tx_CH190
Test Voltage::	DC 6V From DC Source
Remark:	Temp 24 Humi:47%
Test Standard:	FCC 15.247
Tested By:	Alano Qu
Reviewed By:	Terry Yin




Critical Freqs

Frequency (MHz)	MaxPeak (dBm)	DET 2 (dBm)	Limit (dBm)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
8052.433333	-51.10	---	-13.00	38.10	100.0	V	39.0	-86.8

EUT Information

EUT Name:	Amazon Locker
Model:	ZL-ODIN-V1
Test Mode:	GSM1900_GPRS_1Tx_CH661
Test Voltage::	DC 6V From DC Source
Remark:	Temp 24 Humi:47%
Test Standard:	FCC 15.247
Tested By:	Alano Qu
Reviewed By:	Terry Yin




Critical Freqs

Frequency (MHz)	MaxPeak (dBm)	DET 2 (dBm)	Limit (dBm)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
3763.000000	-48.42	---	-13.00	35.42	100.0	H	165.0	-86.6

EUT Information

EUT Name:	Amazon Locker
Model:	ZL-ODIN-V1
Test Mode:	GSM1900_GPRS_1Tx_CH661
Test Voltage::	DC 6V From DC Source
Remark:	Temp 24 Humi:47%
Test Standard:	FCC 15.247
Tested By:	Alano Qu
Reviewed By:	Terry Yin




Critical Freqs

Frequency (MHz)	MaxPeak (dBm)	DET 2 (dBm)	Limit (dBm)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
3760.000000	-46.20	---	-13.00	33.20	100.0	V	0.0	-87.0

EUT Information

EUT Name:	Amazon Locker
Model:	ZL-ODIN-V1
Test Mode:	GSM1900_GPRS_1Tx_CH661
Test Voltage::	DC 6V From DC Source
Remark:	Temp 24 Humi:47%
Test Standard:	FCC 15.247
Tested By:	Alano Qu
Reviewed By:	Terry Yin




Critical Freqs

Frequency (MHz)	MaxPeak (dBm)	DET 2 (dBm)	Limit (dBm)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
14296.500000	-42.91	---	-13.00	29.91	100.0	H	37.0	-78.0

EUT Information

EUT Name: Amazon Locker
 Model: ZL-ODIN-V1
 Test Mode: GSM1900_GPRS_1Tx_CH661
 Test Voltage:: DC 6V From DC Source
 Remark: Temp 24 Humi:47%
 Test Standard: FCC 15.247
 Tested By: Alano Qu
 Reviewed By: Terry Yin




Critical Freqs

Frequency (MHz)	MaxPeak (dBm)	DET 2 (dBm)	Limit (dBm)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
15951.500000	-39.64	---	-13.00	26.64	100.0	V	204.0	-76.5

1.3 eMTC, bleow 1GHz

EUT Information

EUT Name:	Amazon Locker
Model:	ZL-ODIN-V1
Test Mode:	Band 2_20M_QPSK_1RB_CH18900
Test Voltage::	DC 6V From DC Source
Remark:	Temp 23 Humi:47%
Test Standard:	FCC Part 24 and RSS-133 Issue 6
Tested By:	Alano Qu
Reviewed By:	Terry Yin




Critical_Freqs

Frequency (MHz)	MaxPeak (dBm)	DET 2 (dBm)	Limit (dBm)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
37.517500	-72.47	---	-13.00	59.47	100.0	H	81.0	-113.9
86.017500	-79.89	---	-13.00	66.89	100.0	H	112.0	-123.9
350.585000	-46.98	---	-13.00	33.98	100.0	H	204.0	-111.3
495.115000	-61.21	---	-13.00	48.21	100.0	H	289.0	-110.2
852.560000	-63.23	---	-13.00	50.23	100.0	H	49.0	-99.1

EUT Information

EUT Name:	Amazon Locker
Model:	ZL-ODIN-V1
Test Mode:	Band 2_20M_QPSK_1RB_CH18900
Test Voltage::	DC 6V From DC Source
Remark:	Temp 23 Humi:47%
Test Standard:	FCC Part 24 and RSS-133 Issue 6
Tested By:	Alano Qu
Reviewed By:	Terry Yin




Critical Freqs

Frequency (MHz)	MaxPeak (dBm)	DET 2 (dBm)	Limit (dBm)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
83.471250	-63.32	---	-13.00	50.32	100.0	V	213.0	-117.7
342.825000	-49.85	---	-13.00	36.85	100.0	V	221.0	-110.9
458.861250	-59.27	---	-13.00	46.27	100.0	V	221.0	-109.8

EUT Information

EUT Name:	Amazon Locker
Model:	ZL-ODIN-V1
Test Mode:	Band 4_5M_QPSK_1RB_CH20375
Test Voltage::	DC 6V From DC Source
Remark:	Temp 23 Humi:47%
Test Standard:	FCC Part 27 and RSS-139 Issue 3 and RSS-130 Issue 2
Tested By:	Alano Qu
Reviewed By:	Terry Yin




Critical Freqs

Frequency (MHz)	MaxPeak (dBm)	DET 2 (dBm)	Limit (dBm)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
37.396250	-72.66	---	-13.00	59.66	100.0	H	329.0	-113.8
83.592500	-77.40	---	-13.00	64.40	100.0	H	215.0	-123.9
252.978750	-64.91	---	-13.00	51.91	100.0	H	230.0	-110.6
345.371250	-48.33	---	-13.00	35.33	100.0	H	184.0	-111.9
852.681250	-63.35	---	-13.00	50.35	100.0	H	130.0	-99.1

EUT Information

EUT Name:	Amazon Locker
Model:	ZL-ODIN-V1
Test Mode:	Band 4_5M_QPSK_1RB_CH20375
Test Voltage::	DC 6V From DC Source
Remark:	Temp 23 Humi:47%
Test Standard:	FCC Part 27 and RSS-139 Issue 3 and RSS-130 Issue 2
Tested By:	Alano Qu
Reviewed By:	Terry Yin




Critical Freqs

Frequency (MHz)	MaxPeak (dBm)	DET 2 (dBm)	Limit (dBm)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
48.430000	-74.58	---	-13.00	61.58	100.0	V	158.0	-123.8
85.775000	-64.38	---	-13.00	51.38	100.0	V	9.0	-116.6
352.161250	-47.27	---	-13.00	34.27	100.0	V	150.0	-111.1
486.748750	-63.46	---	-13.00	50.46	100.0	V	173.0	-110.0

EUT Information

EUT Name:	Amazon Locker
Model:	ZL-ODIN-V1
Test Mode:	Band 5_5M_QPSK_1RB_CH20625
Test Voltage::	DC 6V From DC Source
Remark:	Temp 23 Humi:47%
Test Standard:	FCC Part 22 and RSS-132 Issue 3
Tested By:	Alano Qu
Reviewed By:	Terry Yin




Critical Freqs

Frequency (MHz)	MaxPeak (dBm)	DET 2 (dBm)	Limit (dBm)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
37.396250	-71.63	---	-13.00	58.63	100.0	H	358.0	-113.8
83.350000	-71.85	---	-13.00	58.85	100.0	H	206.0	-123.8
340.642500	-47.78	---	-13.00	34.78	100.0	H	190.0	-112.6
892.936250	-48.53	---	-13.00	35.53	100.0	H	144.0	-101.6

EUT Information

EUT Name:	Amazon Locker
Model:	ZL-ODIN-V1
Test Mode:	Band 5_5M_QPSK_1RB_CH20625
Test Voltage::	DC 6V From DC Source
Remark:	Temp 23 Humi:47%
Test Standard:	FCC Part 22 and RSS-132 Issue 3
Tested By:	Alano Qu
Reviewed By:	Terry Yin




Critical Freqs

Frequency (MHz)	MaxPeak (dBm)	DET 2 (dBm)	Limit (dBm)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
55.583750	-74.71	---	-13.00	61.71	100.0	V	47.0	-122.8
83.350000	-56.02	---	-13.00	43.02	100.0	V	149.0	-117.7
342.946250	-44.95	---	-13.00	31.95	100.0	V	164.0	-110.9
893.542500	-47.17	---	-13.00	34.17	100.0	V	95.0	-102.1

EUT Information

EUT Name:	Amazon Locker
Model:	ZL-ODIN-V1
Test Mode:	Band 12_10M_QPSK_1RB_CH23060
Test Voltage::	DC 6V From DC Source
Remark:	Temp 23 Humi:47%
Test Standard:	FCC Part 27 and RSS-139 Issue 3 and RSS-130 Issue 2
Tested By:	Alano Qu
Reviewed By:	Terry Yin




Critical Freqs

Frequency (MHz)	MaxPeak (dBm)	DET 2 (dBm)	Limit (dBm)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
37.517500	-72.22	---	-13.00	59.22	100.0	H	103.0	-113.9
81.046250	-76.94	---	-13.00	63.94	100.0	H	217.0	-123.5
247.886250	-64.58	---	-13.00	51.58	100.0	H	225.0	-109.9
340.642500	-46.15	---	-13.00	33.15	100.0	H	192.0	-112.6
699.785000	-67.17	---	-13.00	54.17	100.0	H	0.0	-106.3

EUT Information

EUT Name:	Amazon Locker
Model:	ZL-ODIN-V1
Test Mode:	Band 12_10M_QPSK_1RB_CH23060
Test Voltage::	DC 6V From DC Source
Remark:	Temp 23 Humi:47%
Test Standard:	FCC Part 27 and RSS-139 Issue 3 and RSS-130 Issue 2
Tested By:	Alano Qu
Reviewed By:	Terry Yin




Critical Freqs

Frequency (MHz)	MaxPeak (dBm)	DET 2 (dBm)	Limit (dBm)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
60.191250	-74.08	---	-13.00	61.08	100.0	V	216.0	-120.4
83.350000	-60.01	---	-13.00	47.01	100.0	V	110.0	-117.7
345.371250	-46.70	---	-13.00	33.70	100.0	V	156.0	-111.0
699.785000	-71.48	---	-13.00	58.48	100.0	V	43.0	-104.9

EUT Information

EUT Name:	Amazon Locker
Model:	ZL-ODIN-V1
Test Mode:	Band 13_5M_QPSK_1RB_CH23230
Test Voltage::	DC 6V From DC Source
Remark:	Temp 23 Humi:47%
Test Standard:	FCC Part 27 and RSS-139 Issue 3 and RSS-130 Issue 2
Tested By:	Alano Qu
Reviewed By:	Terry Yin




Critical Freqs

Frequency (MHz)	MaxPeak (dBm)	DET 2 (dBm)	Limit (dBm)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
37.396250	-72.52	---	-13.00	59.52	100.0	H	241.0	-113.8
252.857500	-61.97	---	-13.00	48.97	100.0	H	256.0	-110.5
345.735000	-48.98	---	-13.00	35.98	100.0	H	207.0	-111.9
463.347500	-57.66	---	-13.00	44.66	100.0	H	122.0	-108.5

EUT Information

EUT Name:	Amazon Locker
Model:	ZL-ODIN-V1
Test Mode:	Band 13_5M_QPSK_1RB_CH23230
Test Voltage::	DC 6V From DC Source
Remark:	Temp 23 Humi:47%
Test Standard:	FCC Part 27 and RSS-139 Issue 3 and RSS-130 Issue 2
Tested By:	Alano Qu
Reviewed By:	Terry Yin




Critical Freqs

Frequency (MHz)	MaxPeak (dBm)	DET 2 (dBm)	Limit (dBm)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
37.032500	-76.17	---	-13.00	63.17	100.0	V	168.0	-125.7
97.415000	-65.09	---	-13.00	52.09	100.0	V	0.0	-102.6
349.978750	-44.09	---	-13.00	31.09	100.0	V	237.0	-110.8
455.345000	-64.16	---	-13.00	51.16	100.0	V	176.0	-109.6

EUT Information

EUT Name:	Amazon Locker
Model:	ZL-ODIN-V1
Test Mode:	Band 26_1.4M_QPSK_1RB_CH26697
Test Voltage::	DC 6V From DC Source
Remark:	Temp 23 Humi:47%
Test Standard:	FCC Part 90
Tested By:	Alano Qu
Reviewed By:	Terry Yin




Critical Freqs

Frequency (MHz)	MaxPeak (dBm)	DET 2 (dBm)	Limit (dBm)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
37.396250	-71.60	---	-13.00	58.60	100.0	H	316.0	-113.8
333.125000	-58.46	---	-13.00	45.46	100.0	H	197.0	-113.7
455.951250	-65.86	---	-13.00	52.86	100.0	H	132.0	-108.5
859.956250	-47.51	---	-13.00	34.51	100.0	H	359.0	-99.6

EUT Information

EUT Name:	Amazon Locker
Model:	ZL-ODIN-V1
Test Mode:	Band 26_1.4M_QPSK_1RB_CH26697
Test Voltage::	DC 6V From DC Source
Remark:	Temp 23 Humi:47%
Test Standard:	FCC Part 90
Tested By:	Alano Qu
Reviewed By:	Terry Yin




Critical Freqs

Frequency (MHz)	MaxPeak (dBm)	DET 2 (dBm)	Limit (dBm)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
60.676250	-74.42	---	-13.00	61.42	100.0	V	209.0	-120.5
86.623750	-69.94	---	-13.00	56.94	100.0	V	324.0	-115.5
349.493750	-59.52	---	-13.00	46.52	100.0	V	120.0	-110.9
860.198750	-37.46	---	-13.00	24.46	100.0	V	348.0	-99.9

EUT Information

EUT Name:	Amazon Locker
Model:	ZL-ODIN-V1
Test Mode:	Band 26_1.4M_QPSK_1RB_CH26797
Test Voltage::	DC 6V From DC Source
Remark:	Temp 23 Humi:47%
Test Standard:	FCC Part 22 and RSS-132 Issue 3
Tested By:	Alano Qu
Reviewed By:	Terry Yin




Critical Freqs

Frequency (MHz)	MaxPeak (dBm)	DET 2 (dBm)	Limit (dBm)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
37.396250	-72.06	---	-13.00	59.06	100.0	H	336.0	-113.8
347.432500	-56.33	---	-13.00	43.33	100.0	H	78.0	-111.7
869.898750	-39.45	---	-13.00	26.45	100.0	H	162.0	-100.4

EUT Information

EUT Name:	Amazon Locker
Model:	ZL-ODIN-V1
Test Mode:	Band 26_1.4M_QPSK_1RB_CH26797
Test Voltage::	DC 6V From DC Source
Remark:	Temp 23 Humi:47%
Test Standard:	FCC Part 22 and RSS-132 Issue 3
Tested By:	Alano Qu
Reviewed By:	Terry Yin




Critical Freqs

Frequency (MHz)	MaxPeak (dBm)	DET 2 (dBm)	Limit (dBm)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
49.885000	-75.01	---	-13.00	62.01	100.0	V	330.0	-124.6
95.111250	-69.43	---	-13.00	56.43	100.0	V	0.0	-99.8
347.432500	-61.54	---	-13.00	48.54	100.0	V	315.0	-111.0
869.292500	-47.07	---	-13.00	34.07	100.0	V	0.0	-99.9

1.4 eMTC, above 1GHz

EUT Information

EUT Name:	Amazon Locker
Model:	ZL-ODIN-V1
Test Mode:	Band 2_20M_QPSK_1RB_CH18900
Test Voltage::	DC 6V From DC Source
Remark:	Temp 23 Humi:47%
Test Standard:	FCC Part 24 and RSS-133 Issue 6
Tested By:	Alano Qu
Reviewed By:	Terry Yin




Critical_Freqs

Frequency (MHz)	MaxPeak (dBm)	DET 2 (dBm)	Limit (dBm)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
3742.500000	-40.45	---	-13.00	27.45	100.0	H	278.0	-86.6

EUT Information

EUT Name:	Amazon Locker
Model:	ZL-ODIN-V1
Test Mode:	Band 2_20M_QPSK_1RB_CH18900
Test Voltage::	DC 6V From DC Source
Remark:	Temp 23 Humi:47%
Test Standard:	FCC Part 24 and RSS-133 Issue 6
Tested By:	Alano Qu
Reviewed By:	Terry Yin




Critical Freqs

Frequency (MHz)	MaxPeak (dBm)	DET 2 (dBm)	Limit (dBm)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
3742.500000	-42.32	---	-13.00	29.32	100.0	V	178.0	-86.8

EUT Information

EUT Name:	Amazon Locker
Model:	ZL-ODIN-V1
Test Mode:	Band 2 20M QPSK 1RB CH18900
Test Voltage::	DC 6V From DC Source
Remark:	Temp 23 Humi:47%
Test Standard:	FCC Part 24 and RSS-133 Issue 6
Tested By:	Alano Qu
Reviewed By:	Terry Yin




Critical Freqs

Frequency (MHz)	MaxPeak (dBm)	DET 2 (dBm)	Limit (dBm)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
11281.500000	-51.66	---	-13.00	38.66	100.0	H	26.0	-82.6

EUT Information

EUT Name:	Amazon Locker
Model:	ZL-ODIN-V1
Test Mode:	Band 2 20M QPSK 1RB CH18900
Test Voltage::	DC 6V From DC Source
Remark:	Temp 23 Humi:47%
Test Standard:	FCC Part 24 and RSS-133 Issue 6
Tested By:	Alano Qu
Reviewed By:	Terry Yin




Critical Freqs

Frequency (MHz)	MaxPeak (dBm)	DET 2 (dBm)	Limit (dBm)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
11277.500000	-50.15	---	-13.00	37.15	100.0	V	76.0	-82.5

EUT Information

EUT Name:	Amazon Locker
Model:	ZL-ODIN-V1
Test Mode:	Band 4_5M_QPSK_1RB_CH20375
Test Voltage::	DC 6V From DC Source
Remark:	Temp 23 Humi:47%
Test Standard:	FCC Part 27 and RSS-139 Issue 3 and RSS-130 Issue 2
Tested By:	Alano Qu
Reviewed By:	Terry Yin




Critical Freqs

Frequency (MHz)	MaxPeak (dBm)	DET 2 (dBm)	Limit (dBm)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
2153.500000	-34.18	---	-13.00	21.18	100.0	H	305.0	-88.6
3502.000000	-35.85	---	-13.00	22.85	100.0	H	291.0	-87.4

EUT Information

EUT Name:	Amazon Locker
Model:	ZL-ODIN-V1
Test Mode:	Band 4_5M_QPSK_1RB_CH20375
Test Voltage::	DC 6V From DC Source
Remark:	Temp 23 Humi:47%
Test Standard:	FCC Part 27 and RSS-139 Issue 3 and RSS-130 Issue 2
Tested By:	Alano Qu
Reviewed By:	Terry Yin




Critical Freqs

Frequency (MHz)	MaxPeak (dBm)	DET 2 (dBm)	Limit (dBm)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
2154.000000	-33.64	---	-13.00	20.64	100.0	V	316.0	-88.1
3502.500000	-40.65	---	-13.00	27.65	100.0	V	243.0	-87.6

EUT Information

EUT Name:	Amazon Locker
Model:	ZL-ODIN-V1
Test Mode:	Band 4_5M_QPSK_1RB_CH20375
Test Voltage::	DC 6V From DC Source
Remark:	Temp 23 Humi:47%
Test Standard:	FCC Part 27 and RSS-139 Issue 3 and RSS-130 Issue 2
Tested By:	Alano Qu
Reviewed By:	Terry Yin




Critical Freqs

Frequency (MHz)	MaxPeak (dBm)	DET 2 (dBm)	Limit (dBm)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
10510.500000	-51.13	---	-13.00	38.13	100.0	H	287.0	-82.7

EUT Information

EUT Name:	Amazon Locker
Model:	ZL-ODIN-V1
Test Mode:	Band 4_5M_QPSK_1RB_CH20375
Test Voltage::	DC 6V From DC Source
Remark:	Temp 23 Humi:47%
Test Standard:	FCC Part 27 and RSS-139 Issue 3 and RSS-130 Issue 2
Tested By:	Alano Qu
Reviewed By:	Terry Yin




Critical Freqs

Frequency (MHz)	MaxPeak (dBm)	DET 2 (dBm)	Limit (dBm)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
10512.500000	-51.41	---	-13.00	38.41	100.0	V	354.0	-82.8

EUT Information

EUT Name:	Amazon Locker
Model:	ZL-ODIN-V1
Test Mode:	Band 5_5M_QPSK_1RB_CH20625
Test Voltage::	DC 6V From DC Source
Remark:	Temp 23 Humi:47%
Test Standard:	FCC Part 22 and RSS-132 Issue 3
Tested By:	Alano Qu
Reviewed By:	Terry Yin




Critical Freqs

Frequency (MHz)	MaxPeak (dBm)	DET 2 (dBm)	Limit (dBm)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
1689.500000	-54.26	---	-13.00	41.26	100.0	H	70.0	-92.4
3380.500000	-47.09	---	-13.00	34.09	100.0	H	162.0	-87.3

EUT Information

EUT Name:	Amazon Locker
Model:	ZL-ODIN-V1
Test Mode:	Band 5_5M_QPSK_1RB_CH20625
Test Voltage::	DC 6V From DC Source
Remark:	Temp 23 Humi:47%
Test Standard:	FCC Part 22 and RSS-132 Issue 3
Tested By:	Alano Qu
Reviewed By:	Terry Yin




Critical Freqs

Frequency (MHz)	MaxPeak (dBm)	DET 2 (dBm)	Limit (dBm)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
2536.000000	-48.58	---	-13.00	35.58	100.0	V	4.0	-88.4
3381.000000	-45.56	---	-13.00	32.56	100.0	V	144.0	-87.2

EUT Information

EUT Name:	Amazon Locker
Model:	ZL-ODIN-V1
Test Mode:	Band 5_5M_QPSK_1RB_CH20625
Test Voltage::	DC 6V From DC Source
Remark:	Temp 23 Humi:47%
Test Standard:	FCC Part 22 and RSS-132 Issue 3
Tested By:	Alano Qu
Reviewed By:	Terry Yin




Critical Freqs

Frequency (MHz)	MaxPeak (dBm)	DET 2 (dBm)	Limit (dBm)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
6771.900000	-55.29	---	-13.00	42.29	100.0	H	286.0	-88.6

EUT Information

EUT Name:	Amazon Locker
Model:	ZL-ODIN-V1
Test Mode:	Band 5_5M_QPSK_1RB_CH20625
Test Voltage::	DC 6V From DC Source
Remark:	Temp 23 Humi:47%
Test Standard:	FCC Part 22 and RSS-132 Issue 3
Tested By:	Alano Qu
Reviewed By:	Terry Yin




Critical Freqs

Frequency (MHz)	MaxPeak (dBm)	DET 2 (dBm)	Limit (dBm)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
6772.250000	-54.06	---	-13.00	41.06	100.0	V	356.0	-88.7

EUT Information

EUT Name:	Amazon Locker
Model:	ZL-ODIN-V1
Test Mode:	Band 12_10M_QPSK_1RB_CH23060
Test Voltage::	DC 6V From DC Source
Remark:	Temp 23 Humi:47%
Test Standard:	FCC Part 27 and RSS-139 Issue 3 and RSS-130 Issue 2
Tested By:	Alano Qu
Reviewed By:	Terry Yin




Critical Freqs

Frequency (MHz)	MaxPeak (dBm)	DET 2 (dBm)	Limit (dBm)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
2099.000000	-44.71	---	-13.00	31.71	100.0	H	174.0	-88.8

EUT Information

EUT Name:	Amazon Locker
Model:	ZL-ODIN-V1
Test Mode:	Band 12_10M_QPSK_1RB_CH23060
Test Voltage::	DC 6V From DC Source
Remark:	Temp 23 Humi:47%
Test Standard:	FCC Part 27 and RSS-139 Issue 3 and RSS-130 Issue 2
Tested By:	Alano Qu
Reviewed By:	Terry Yin




Critical Freqs

Frequency (MHz)	MaxPeak (dBm)	DET 2 (dBm)	Limit (dBm)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
1399.000000	-52.82	---	-13.00	39.82	100.0	V	344.0	-92.8
2099.000000	-46.34	---	-13.00	33.34	100.0	V	6.0	-88.6

EUT Information

EUT Name:	Amazon Locker
Model:	ZL-ODIN-V1
Test Mode:	Band 12_10M_QPSK_1RB_CH23060
Test Voltage::	DC 6V From DC Source
Remark:	Temp 23 Humi:47%
Test Standard:	FCC Part 27 and RSS-139 Issue 3 and RSS-130 Issue 2
Tested By:	Alano Qu
Reviewed By:	Terry Yin




Critical Freqs

Frequency (MHz)	MaxPeak (dBm)	DET 2 (dBm)	Limit (dBm)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
7041.283333	-56.57	---	-13.00	43.57	100.0	H	92.0	-88.1

EUT Information

EUT Name:	Amazon Locker
Model:	ZL-ODIN-V1
Test Mode:	Band 12_10M_QPSK_1RB_CH23060
Test Voltage::	DC 6V From DC Source
Remark:	Temp 23 Humi:47%
Test Standard:	FCC Part 27 and RSS-139 Issue 3 and RSS-130 Issue 2
Tested By:	Alano Qu
Reviewed By:	Terry Yin




Critical Freqs

Frequency (MHz)	MaxPeak (dBm)	DET 2 (dBm)	Limit (dBm)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
7039.766667	-55.78	---	-13.00	42.78	100.0	V	204.0	-88.0

EUT Information

EUT Name:	Amazon Locker
Model:	ZL-ODIN-V1
Test Mode:	Band 13_5M_QPSK_1RB_CH23230
Test Voltage::	DC 6V From DC Source
Remark:	Temp 23 Humi:47%
Test Standard:	FCC Part 27 and RSS-139 Issue 3 and RSS-130 Issue 2
Tested By:	Alano Qu
Reviewed By:	Terry Yin




Critical Freqs

Frequency (MHz)	MaxPeak (dBm)	DET 2 (dBm)	Limit (dBm)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
2342.500000	-42.07	---	-13.00	29.07	100.0	H	317.0	-87.6

EUT Information

EUT Name:	Amazon Locker
Model:	ZL-ODIN-V1
Test Mode:	Band 13_5M_QPSK_1RB_CH23230
Test Voltage::	DC 6V From DC Source
Remark:	Temp 23 Humi:47%
Test Standard:	FCC Part 27 and RSS-139 Issue 3 and RSS-130 Issue 2
Tested By:	Alano Qu
Reviewed By:	Terry Yin




Critical Freqs

Frequency (MHz)	MaxPeak (dBm)	DET 2 (dBm)	Limit (dBm)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
2342.000000	-34.19	---	-13.00	21.19	100.0	V	6.0	-87.9
3122.500000	-45.09	---	-13.00	32.09	100.0	V	193.0	-86.2

EUT Information

EUT Name:	Amazon Locker
Model:	ZL-ODIN-V1
Test Mode:	Band 13_5M_QPSK_1RB_CH23230
Test Voltage::	DC 6V From DC Source
Remark:	Temp 23 Humi:47%
Test Standard:	FCC Part 27 and RSS-139 Issue 3 and RSS-130 Issue 2
Tested By:	Alano Qu
Reviewed By:	Terry Yin




Critical Freqs

Frequency (MHz)	MaxPeak (dBm)	DET 2 (dBm)	Limit (dBm)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
8594.233333	-55.25	---	-13.00	42.25	100.0	H	327.0	-87.2

EUT Information

EUT Name:	Amazon Locker
Model:	ZL-ODIN-V1
Test Mode:	Band 13_5M_QPSK_1RB_CH23230
Test Voltage::	DC 6V From DC Source
Remark:	Temp 23 Humi:47%
Test Standard:	FCC Part 27 and RSS-139 Issue 3 and RSS-130 Issue 2
Tested By:	Alano Qu
Reviewed By:	Terry Yin




Critical Freqs

Frequency (MHz)	MaxPeak (dBm)	DET 2 (dBm)	Limit (dBm)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
8068.416667	-53.59	---	-13.00	40.59	100.0	V	357.0	-86.7

EUT Information

EUT Name:	Amazon Locker
Model:	ZL-ODIN-V1
Test Mode:	Band 26_1.4M_QPSK_1RB_CH26697
Test Voltage::	DC 6V From DC Source
Remark:	Temp 23 Humi:47%
Test Standard:	FCC Part 90
Tested By:	Alano Qu
Reviewed By:	Terry Yin




Critical Freqs

Frequency (MHz)	MaxPeak (dBm)	DET 2 (dBm)	Limit (dBm)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
2443.000000	-42.87	---	-13.00	29.87	100.0	H	156.0	-87.7
3257.500000	-44.00	---	-13.00	31.00	100.0	H	135.0	-87.0

EUT Information

EUT Name:	Amazon Locker
Model:	ZL-ODIN-V1
Test Mode:	Band 26_1.4M_QPSK_1RB_CH26697
Test Voltage::	DC 6V From DC Source
Remark:	Temp 23 Humi:47%
Test Standard:	FCC Part 90
Tested By:	Alano Qu
Reviewed By:	Terry Yin




Critical Freqs

Frequency (MHz)	MaxPeak (dBm)	DET 2 (dBm)	Limit (dBm)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
2442.500000	-40.27	---	-13.00	27.27	100.0	V	95.0	-88.1
3257.000000	-41.20	---	-13.00	28.20	100.0	V	244.0	-86.8

EUT Information

EUT Name:	Amazon Locker
Model:	ZL-ODIN-V1
Test Mode:	Band 26_1.4M_QPSK_1RB_CH26697
Test Voltage::	DC 6V From DC Source
Remark:	Temp 23 Humi:47%
Test Standard:	FCC Part 90
Tested By:	Alano Qu
Reviewed By:	Terry Yin




Critical Freqs

Frequency (MHz)	MaxPeak (dBm)	DET 2 (dBm)	Limit (dBm)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
8072.500000	-54.43	---	-13.00	41.43	100.0	H	190.0	-86.7

EUT Information

EUT Name:	Amazon Locker
Model:	ZL-ODIN-V1
Test Mode:	Band 26_1.4M_QPSK_1RB_CH26697
Test Voltage::	DC 6V From DC Source
Remark:	Temp 23 Humi:47%
Test Standard:	FCC Part 90
Tested By:	Alano Qu
Reviewed By:	Terry Yin




Critical Freqs

Frequency (MHz)	MaxPeak (dBm)	DET 2 (dBm)	Limit (dBm)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
8100.850000	-54.18	---	-13.00	41.18	100.0	V	157.0	-86.8

EUT Information

EUT Name:	Amazon Locker
Model:	ZL-ODIN-V1
Test Mode:	Band 26_1.4M_QPSK_1RB_CH26797
Test Voltage::	DC 6V From DC Source
Remark:	Temp 23 Humi:47%
Test Standard:	FCC Part 22 and RSS-132 Issue 3
Tested By:	Alano Qu
Reviewed By:	Terry Yin




Critical Freqs

Frequency (MHz)	MaxPeak (dBm)	DET 2 (dBm)	Limit (dBm)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
3297.000000	-46.09	---	-13.00	33.09	100.0	H	27.0	-87.2

EUT Information

EUT Name:	Amazon Locker
Model:	ZL-ODIN-V1
Test Mode:	Band 26_1.4M_QPSK_1RB_CH26797
Test Voltage::	DC 6V From DC Source
Remark:	Temp 23 Humi:47%
Test Standard:	FCC Part 22 and RSS-132 Issue 3
Tested By:	Alano Qu
Reviewed By:	Terry Yin




Critical Freqs

Frequency (MHz)	MaxPeak (dBm)	DET 2 (dBm)	Limit (dBm)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
2472.500000	-48.75	---	-13.00	35.75	100.0	V	137.0	-88.0
3296.500000	-43.01	---	-13.00	30.01	100.0	V	359.0	-87.2

EUT Information

EUT Name:	Amazon Locker
Model:	ZL-ODIN-V1
Test Mode:	Band 26_1.4M_QPSK_1RB_CH26797
Test Voltage::	DC 6V From DC Source
Remark:	Temp 23 Humi:47%
Test Standard:	FCC Part 22 and RSS-132 Issue 3
Tested By:	Alano Qu
Reviewed By:	Terry Yin




Critical Freqs

Frequency (MHz)	MaxPeak (dBm)	DET 2 (dBm)	Limit (dBm)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
8072.616667	-53.17	---	-13.00	40.17	100.0	H	65.0	-86.7

EUT Information

EUT Name:	Amazon Locker
Model:	ZL-ODIN-V1
Test Mode:	Band 26_1.4M_QPSK_1RB_CH26797
Test Voltage::	DC 6V From DC Source
Remark:	Temp 23 Humi:47%
Test Standard:	FCC Part 22 and RSS-132 Issue 3
Tested By:	Alano Qu
Reviewed By:	Terry Yin




Critical Freqs

Frequency (MHz)	MaxPeak (dBm)	DET 2 (dBm)	Limit (dBm)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
8042.283333	-54.01	---	-13.00	41.01	100.0	V	75.0	-86.9

1.5 NB-IoT, bleow 1GHz

EUT Information

EUT Name:	Amazon Locker
Model:	ZL-ODIN-V1
Test Mode:	Band 2_QPSK_1RB_15K_CH18601
Test Voltage::	DC 6V From DC Source
Remark:	Temp 24 Humi:47%
Test Standard:	FCC Part 24 and RSS-133 Issue 6
Tested By:	Alano Qu
Reviewed By:	Terry Yin




Critical_Freqs

Frequency (MHz)	MaxPeak (dBm)	DET 2 (dBm)	Limit (dBm)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
37.396250	-70.92	---	-13.00	57.92	100.0	H	79.0	-113.8
74.256250	-78.11	---	-13.00	65.11	100.0	H	0.0	-123.6
350.100000	-49.26	---	-13.00	36.26	100.0	H	108.0	-111.3
852.560000	-63.24	---	-13.00	50.24	100.0	H	268.0	-99.1

EUT Information

EUT Name:	Amazon Locker
Model:	ZL-ODIN-V1
Test Mode:	Band 2_QPSK_1RB_15K_CH18601
Test Voltage::	DC 6V From DC Source
Remark:	Temp 24 Humi:47%
Test Standard:	FCC Part 24 and RSS-133 Issue 6
Tested By:	Alano Qu
Reviewed By:	Terry Yin




Critical Freqs

Frequency (MHz)	MaxPeak (dBm)	DET 2 (dBm)	Limit (dBm)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
60.797500	-75.12	---	-13.00	62.12	100.0	V	358.0	-120.6
95.353750	-63.97	---	-13.00	50.97	100.0	V	190.0	-100.2
352.646250	-54.86	---	-13.00	41.86	100.0	V	153.0	-111.2

EUT Information

EUT Name:	Amazon Locker
Model:	ZL-ODIN-V1
Test Mode:	Band 5_QPSK_1RB_15K_CH20649
Test Voltage::	DC 6V From DC Source
Remark:	Temp 24 Humi:47%
Test Standard:	FCC Part 22 and RSS-132 Issue 3
Tested By:	Alano Qu
Reviewed By:	Terry Yin




Critical Freqs

Frequency (MHz)	MaxPeak (dBm)	DET 2 (dBm)	Limit (dBm)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
37.396250	-71.04	---	-13.00	58.04	100.0	H	84.0	-113.8
334.216250	-47.50	---	-13.00	34.50	100.0	H	217.0	-113.6
893.906250	-34.70	---	-13.00	21.70	100.0	H	262.0	-101.5

EUT Information

EUT Name:	Amazon Locker
Model:	ZL-ODIN-V1
Test Mode:	Band 5_QPSK_1RB_15K_CH20649
Test Voltage::	DC 6V From DC Source
Remark:	Temp 24 Humi:47%
Test Standard:	FCC Part 22 and RSS-132 Issue 3
Tested By:	Alano Qu
Reviewed By:	Terry Yin




Critical Freqs

Frequency (MHz)	MaxPeak (dBm)	DET 2 (dBm)	Limit (dBm)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
94.990000	-60.70	---	-13.00	47.70	100.0	V	0.0	-99.8
347.796250	-47.63	---	-13.00	34.63	100.0	V	138.0	-111.0
893.906250	-33.05	---	-13.00	20.05	100.0	V	184.0	-102.1

EUT Information

EUT Name:	Amazon Locker
Model:	ZL-ODIN-V1
Test Mode:	Band 12_QPSK_1RB_15K_CH23011
Test Voltage::	DC 6V From DC Source
Remark:	Temp 24 Humi:47%
Test Standard:	FCC Part 27 and RSS-139 Issue 3 and RSS-130 Issue 2
Tested By:	Alano Qu
Reviewed By:	Terry Yin




Critical Freqs

Frequency (MHz)	MaxPeak (dBm)	DET 2 (dBm)	Limit (dBm)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
37.396250	-70.82	---	-13.00	57.82	100.0	H	6.0	-113.8
326.820000	-56.30	---	-13.00	43.30	100.0	H	0.0	-114.0
391.810000	-58.43	---	-13.00	45.43	100.0	H	0.0	-110.9

EUT Information

EUT Name:	Amazon Locker
Model:	ZL-ODIN-V1
Test Mode:	Band 12_QPSK_1RB_15K_CH23011
Test Voltage::	DC 6V From DC Source
Remark:	Temp 24 Humi:47%
Test Standard:	FCC Part 27 and RSS-139 Issue 3 and RSS-130 Issue 2
Tested By:	Alano Qu
Reviewed By:	Terry Yin




Critical Freqs

Frequency (MHz)	MaxPeak (dBm)	DET 2 (dBm)	Limit (dBm)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
53.765000	-73.41	---	-13.00	60.41	100.0	V	272.0	-122.6
95.353750	-56.68	---	-13.00	43.68	100.0	V	280.0	-100.2
343.916250	-53.78	---	-13.00	40.78	100.0	V	225.0	-110.9

EUT Information

EUT Name:	Amazon Locker
Model:	ZL-ODIN-V1
Test Mode:	Band 13_QPSK_1RB_15K_CH23230
Test Voltage::	DC 6V From DC Source
Remark:	Temp 24 Humi:47%
Test Standard:	FCC Part 27 and RSS-139 Issue 3 and RSS-130 Issue 2
Tested By:	Alano Qu
Reviewed By:	Terry Yin




Critical Freqs

Frequency (MHz)	MaxPeak (dBm)	DET 2 (dBm)	Limit (dBm)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
53.401250	-55.98	---	-13.00	42.98	100.0	H	0.0	-115.9
74.256250	-59.72	---	-13.00	46.72	100.0	H	0.0	-123.6
153.311250	-59.72	---	-13.00	46.72	100.0	H	0.0	-123.2
348.038750	-47.17	---	-13.00	34.17	100.0	H	240.0	-111.6

EUT Information

EUT Name:	Amazon Locker
Model:	ZL-ODIN-V1
Test Mode:	Band 13_QPSK_1RB_15K_CH23230
Test Voltage::	DC 6V From DC Source
Remark:	Temp 24 Humi:47%
Test Standard:	FCC Part 27 and RSS-139 Issue 3 and RSS-130 Issue 2
Tested By:	Alano Qu
Reviewed By:	Terry Yin




Critical Freqs

Frequency (MHz)	MaxPeak (dBm)	DET 2 (dBm)	Limit (dBm)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
53.401250	-48.69	---	-13.00	35.69	100.0	V	355.0	-122.6
95.232500	-34.25	---	-13.00	21.25	100.0	V	349.0	-99.9
104.568750	-48.34	---	-13.00	35.34	100.0	V	349.0	-106.0
339.066250	-52.82	---	-13.00	39.82	100.0	V	234.0	-111.4

EUT Information

EUT Name:	Amazon Locker
Model:	ZL-ODIN-V1
Test Mode:	Band 26_QPSK_1RB_15K_CH26691
Test Voltage::	DC 6V From DC Source
Remark:	Temp 24 Humi:47%
Test Standard:	FCC Part 90
Tested By:	Alano Qu
Reviewed By:	Terry Yin




Critical Freqs

Frequency (MHz)	MaxPeak (dBm)	DET 2 (dBm)	Limit (dBm)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
37.396250	-67.96	---	-13.00	54.96	100.0	H	216.0	-113.8
345.856250	-59.08	---	-13.00	46.08	100.0	H	126.0	-111.9
859.107500	-24.23	---	-13.00	11.23	100.0	H	351.0	-99.5

EUT Information

EUT Name:	Amazon Locker
Model:	ZL-ODIN-V1
Test Mode:	Band 26_QPSK_1RB_15K_CH26691
Test Voltage::	DC 6V From DC Source
Remark:	Temp 24 Humi:47%
Test Standard:	FCC Part 90
Tested By:	Alano Qu
Reviewed By:	Terry Yin




Critical Freqs

Frequency (MHz)	MaxPeak (dBm)	DET 2 (dBm)	Limit (dBm)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
37.396250	-79.01	---	-13.00	66.01	100.0	V	220.0	-125.9
95.232500	-70.59	---	-13.00	57.59	100.0	V	67.0	-99.9
348.645000	-59.94	---	-13.00	46.94	100.0	V	213.0	-110.9
859.107500	-27.54	---	-13.00	14.54	100.0	V	260.0	-100.0

EUT Information

EUT Name:	Amazon Locker
Model:	ZL-ODIN-V1
Test Mode:	NB-IoT Band 26_QPSK_1RB_15K_CH26791
Test Voltage::	DC 6V From DC Source
Remark:	Temp 23 Humi:45%
Test Standard:	FCC Part 22 and RSS-132 Issue 3
Tested By:	Alano Qu
Reviewed By:	Terry Yin




Critical Freqs

Frequency (MHz)	MaxPeak (dBm)	DET 2 (dBm)	Limit (dBm)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
37.396250	-70.64	---	-13.00	57.64	100.0	H	63.0	-113.8
348.523750	-61.84	---	-13.00	48.84	100.0	H	92.0	-111.5
869.171250	-24.59	---	-13.00	11.59	100.0	H	121.0	-100.4

EUT Information

EUT Name:	Amazon Locker
Model:	ZL-ODIN-V1
Test Mode:	NBIOT Band 26_QPSK_1RB_15K_CH26791
Test Voltage::	DC 6V From DC Source
Remark:	Temp 23 Humi:45%
Test Standard:	FCC Part 22 and RSS-132 Issue 3
Tested By:	Alano Qu
Reviewed By:	Terry Yin




Critical Freqs

Frequency (MHz)	MaxPeak (dBm)	DET 2 (dBm)	Limit (dBm)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
50.006250	-75.08	---	-13.00	62.08	100.0	V	359.0	-124.6
94.990000	-69.81	---	-13.00	56.81	100.0	V	199.0	-99.8
324.395000	-61.87	---	-13.00	48.87	100.0	V	117.0	-112.1
869.171250	-28.48	---	-13.00	15.48	100.0	V	109.0	-99.9

1.6 NB-IoT, above 1GHz

EUT Information

EUT Name:	Amazon Locker
Model:	ZL-ODIN-V1
Test Mode:	NBIOT Band 2_QPSK_1RB_15K_CH18601
Test Voltage::	DC 6V From DC Source
Remark:	Temp 23 Humi:45%
Test Standard:	FCC Part 24 and RSS-133 Issue 6
Tested By:	Alano Qu
Reviewed By:	Terry Yin




Critical_Freqs

Frequency (MHz)	MaxPeak (dBm)	DET 2 (dBm)	Limit (dBm)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
3700.000000	-42.37	---	-13.00	29.37	100.0	H	122.0	-86.7

EUT Information

EUT Name:	Amazon Locker
Model:	ZL-ODIN-V1
Test Mode:	NBIOT Band 2_QPSK_1RB_15K_CH18601
Test Voltage::	DC 6V From DC Source
Remark:	Temp 23 Humi:45%
Test Standard:	FCC Part 24 and RSS-133 Issue 6
Tested By:	Alano Qu
Reviewed By:	Terry Yin




Critical Freqs

Frequency (MHz)	MaxPeak (dBm)	DET 2 (dBm)	Limit (dBm)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
3700.000000	-44.05	---	-13.00	31.05	100.0	V	167.0	-86.7

EUT Information

EUT Name: Amazon Locker
 Model: ZL-ODIN-V1
 Test Mode: NBIOT Band 2_QPSK_1RB_15K_CH18601
 Test Voltage:: DC 6V From DC Source
 Remark: Temp 23 Humi:45%
 Test Standard: FCC Part 24 and RSS-133 Issue 6
 Tested By: Alano Qu
 Reviewed By: Terry Yin




Critical Freqs

Frequency (MHz)	MaxPeak (dBm)	DET 2 (dBm)	Limit (dBm)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
9250.000000	-51.80	---	-13.00	38.80	100.0	H	289.0	-84.0

EUT Information

EUT Name: Amazon Locker
 Model: ZL-ODIN-V1
 Test Mode: NBIOT Band 2_QPSK_1RB_15K_CH18601
 Test Voltage:: DC 6V From DC Source
 Remark: Temp 23 Humi:45%
 Test Standard: FCC Part 24 and RSS-133 Issue 6
 Tested By: Alano Qu
 Reviewed By: Terry Yin




Critical Freqs

Frequency (MHz)	MaxPeak (dBm)	DET 2 (dBm)	Limit (dBm)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
9250.500000	-52.60	---	-13.00	39.60	100.0	V	353.0	-83.9

EUT Information

EUT Name:	Amazon Locker
Model:	ZL-ODIN-V1
Test Mode:	NBIOT Band 5_QPSK_1RB_15K_CH20649
Test Voltage::	DC 6V From DC Source
Remark:	Temp 23 Humi:45%
Test Standard:	FCC Part 22 and RSS-132 Issue 3
Tested By:	Alano Qu
Reviewed By:	Terry Yin




Critical Freqs

Frequency (MHz)	MaxPeak (dBm)	DET 2 (dBm)	Limit (dBm)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
1697.000000	-53.05	---	-13.00	40.05	100.0	H	354.0	-92.4
2546.500000	-44.40	---	-13.00	31.40	100.0	H	244.0	-88.3
3395.000000	-45.68	---	-13.00	32.68	100.0	H	11.0	-87.2

EUT Information

EUT Name: Amazon Locker
 Model: ZL-ODIN-V1
 Test Mode: NBIOT Band 5_QPSK_1RB_15K_CH20649
 Test Voltage:: DC 6V From DC Source
 Remark: Temp 23 Humi:45%
 Test Standard: FCC Part 22 and RSS-132 Issue 3
 Tested By: Alano Qu
 Reviewed By: Terry Yin




Critical Freqs

Frequency (MHz)	MaxPeak (dBm)	DET 2 (dBm)	Limit (dBm)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
1697.500000	-51.75	---	-13.00	38.75	100.0	V	134.0	-92.1

EUT Information

EUT Name:	Amazon Locker
Model:	ZL-ODIN-V1
Test Mode:	NBIOT Band 5_QPSK_1RB_15K_CH20649
Test Voltage::	DC 6V From DC Source
Remark:	Temp 23 Humi:45%
Test Standard:	FCC Part 22 and RSS-132 Issue 3
Tested By:	Alano Qu
Reviewed By:	Terry Yin




Critical Freqs

Frequency (MHz)	MaxPeak (dBm)	DET 2 (dBm)	Limit (dBm)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
8488.183333	-55.04	---	-13.00	42.04	100.0	H	42.0	-87.5

EUT Information

EUT Name:	Amazon Locker
Model:	ZL-ODIN-V1
Test Mode:	NBIOT Band 5_QPSK_1RB_15K_CH20649
Test Voltage::	DC 6V From DC Source
Remark:	Temp 23 Humi:45%
Test Standard:	FCC Part 22 and RSS-132 Issue 3
Tested By:	Alano Qu
Reviewed By:	Terry Yin




Critical Freqs

Frequency (MHz)	MaxPeak (dBm)	DET 2 (dBm)	Limit (dBm)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
8489.000000	-55.75	---	-13.00	42.75	100.0	V	0.0	-87.5

EUT Information

EUT Name:	Amazon Locker
Model:	ZL-ODIN-V1
Test Mode:	NBIOT Band 12_QPSK_1RB_15K_CH23011
Test Voltage::	DC 6V From DC Source
Remark:	Temp 23 Humi:45%
Test Standard:	FCC Part 27 and RSS-139 Issue 3 and RSS-130 Issue 2
Tested By:	Alano Qu
Reviewed By:	Terry Yin




Critical Freqs

Frequency (MHz)	MaxPeak (dBm)	DET 2 (dBm)	Limit (dBm)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
1397.500000	-50.88	---	-13.00	37.88	100.0	H	67.0	-93.1
2096.500000	-47.56	---	-13.00	34.56	100.0	H	43.0	-88.8

EUT Information

EUT Name:	Amazon Locker
Model:	ZL-ODIN-V1
Test Mode:	NBIOT Band 12_QPSK_1RB_15K_CH23011
Test Voltage::	DC 6V From DC Source
Remark:	Temp 23 Humi:45%
Test Standard:	FCC Part 27 and RSS-139 Issue 3 and RSS-130 Issue 2
Tested By:	Alano Qu
Reviewed By:	Terry Yin




Critical Freqs

Frequency (MHz)	MaxPeak (dBm)	DET 2 (dBm)	Limit (dBm)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
1886.000000	-38.38	---	-13.00	25.38	100.0	V	21.0	-90.3
2519.500000	-28.78	---	-13.00	15.78	100.0	V	204.0	-88.3

EUT Information

EUT Name:	Amazon Locker
Model:	ZL-ODIN-V1
Test Mode:	NBIOT Band 12_QPSK_1RB_15K_CH23011
Test Voltage::	DC 6V From DC Source
Remark:	Temp 23 Humi:45%
Test Standard:	FCC Part 27 and RSS-139 Issue 3 and RSS-130 Issue 2
Tested By:	Alano Qu
Reviewed By:	Terry Yin




Critical Freqs

Frequency (MHz)	MaxPeak (dBm)	DET 2 (dBm)	Limit (dBm)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
6991.583333	-52.93	---	-13.00	39.93	100.0	H	131.0	-88.2

EUT Information

EUT Name:	Amazon Locker
Model:	ZL-ODIN-V1
Test Mode:	NBIOT Band 12_QPSK_1RB_15K_CH23011
Test Voltage::	DC 6V From DC Source
Remark:	Temp 23 Humi:45%
Test Standard:	FCC Part 27 and RSS-139 Issue 3 and RSS-130 Issue 2
Tested By:	Alano Qu
Reviewed By:	Terry Yin




Critical Freqs

Frequency (MHz)	MaxPeak (dBm)	DET 2 (dBm)	Limit (dBm)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
6991.466667	-52.33	---	-13.00	39.33	100.0	V	179.0	-88.3

EUT Information

EUT Name:	Amazon Locker
Model:	ZL-ODIN-V1
Test Mode:	NBIOT Band 13_QPSK_1RB_15K_CH23230
Test Voltage::	DC 6V From DC Source
Remark:	Temp 23 Humi:45%
Test Standard:	FCC Part 27 and RSS-139 Issue 3 and RSS-130 Issue 2
Tested By:	Alano Qu
Reviewed By:	Terry Yin




Critical Freqs

Frequency (MHz)	MaxPeak (dBm)	DET 2 (dBm)	Limit (dBm)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
1887.500000	-42.62	---	-13.00	29.62	100.0	H	118.0	-90.2
2346.000000	-39.58	---	-13.00	26.58	100.0	H	145.0	-87.5

EUT Information

EUT Name:	Amazon Locker
Model:	ZL-ODIN-V1
Test Mode:	NBIOT Band 13_QPSK_1RB_15K_CH23230
Test Voltage::	DC 6V From DC Source
Remark:	Temp 23 Humi:45%
Test Standard:	FCC Part 27 and RSS-139 Issue 3 and RSS-130 Issue 2
Tested By:	Alano Qu
Reviewed By:	Terry Yin




Critical Freqs

Frequency (MHz)	MaxPeak (dBm)	DET 2 (dBm)	Limit (dBm)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
1895.000000	-33.17	---	-13.00	20.17	100.0	V	290.0	-90.3
2345.500000	-38.25	---	-13.00	25.25	100.0	V	194.0	-87.8

EUT Information

EUT Name:	Amazon Locker
Model:	ZL-ODIN-V1
Test Mode:	NBIOT Band 13_QPSK_1RB_15K_CH23230
Test Voltage::	DC 6V From DC Source
Remark:	Temp 23 Humi:45%
Test Standard:	FCC Part 27 and RSS-139 Issue 3 and RSS-130 Issue 2
Tested By:	Alano Qu
Reviewed By:	Terry Yin



Critical Freqs

Frequency (MHz)	MaxPeak (dBm)	DET 2 (dBm)	Limit (dBm)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
7038.133333	-53.91	---	-13.00	40.91	100.0	H	74.0	-88.1

EUT Information

EUT Name:	Amazon Locker
Model:	ZL-ODIN-V1
Test Mode:	NBIOT Band 13_QPSK_1RB_15K_CH23230
Test Voltage::	DC 6V From DC Source
Remark:	Temp 23 Humi:45%
Test Standard:	FCC Part 27 and RSS-139 Issue 3 and RSS-130 Issue 2
Tested By:	Alano Qu
Reviewed By:	Terry Yin




Critical Freqs

Frequency (MHz)	MaxPeak (dBm)	DET 2 (dBm)	Limit (dBm)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
7038.016667	-52.40	---	-13.00	39.40	100.0	V	356.0	-88.0

EUT Information

EUT Name:	Amazon Locker
Model:	ZL-ODIN-V1
Test Mode:	NBIOT Band 26_QPSK_1RB_15K_CH26691
Test Voltage::	DC 6V From DC Source
Remark:	Temp 23 Humi:45%
Test Standard:	FCC Part 90
Tested By:	Alano Qu
Reviewed By:	Terry Yin




Critical Freqs

Frequency (MHz)	MaxPeak (dBm)	DET 2 (dBm)	Limit (dBm)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
2441.500000	-46.06	---	-13.00	33.06	100.0	H	163.0	-87.7
3255.500000	-46.77	---	-13.00	33.77	100.0	H	140.0	-87.0

EUT Information

EUT Name:	Amazon Locker
Model:	ZL-ODIN-V1
Test Mode:	NBIOT Band 26_QPSK_1RB_15K_CH26691
Test Voltage::	DC 6V From DC Source
Remark:	Temp 23 Humi:45%
Test Standard:	FCC Part 90
Tested By:	Alano Qu
Reviewed By:	Terry Yin




Critical Freqs

Frequency (MHz)	MaxPeak (dBm)	DET 2 (dBm)	Limit (dBm)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
1627.500000	-53.18	---	-13.00	40.18	100.0	V	213.0	-92.6
2441.500000	-42.78	---	-13.00	29.78	100.0	V	41.0	-88.1
3255.500000	-44.82	---	-13.00	31.82	100.0	V	306.0	-86.8

EUT Information

EUT Name:	Amazon Locker
Model:	ZL-ODIN-V1
Test Mode:	NBIOT Band 26_QPSK_1RB_15K_CH26691
Test Voltage::	DC 6V From DC Source
Remark:	Temp 23 Humi:45%
Test Standard:	FCC Part 90
Tested By:	Alano Qu
Reviewed By:	Terry Yin




Critical Freqs

Frequency (MHz)	MaxPeak (dBm)	DET 2 (dBm)	Limit (dBm)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
6511.966667	-52.30	---	-13.00	39.30	100.0	H	65.0	-87.6

EUT Information

EUT Name:	Amazon Locker
Model:	ZL-ODIN-V1
Test Mode:	NBIOT Band 26_QPSK_1RB_15K_CH26691
Test Voltage::	DC 6V From DC Source
Remark:	Temp 23 Humi:45%
Test Standard:	FCC Part 90
Tested By:	Alano Qu
Reviewed By:	Terry Yin




Critical Freqs

Frequency (MHz)	MaxPeak (dBm)	DET 2 (dBm)	Limit (dBm)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
6512.550000	-52.89	---	-13.00	39.89	100.0	V	263.0	-87.6

EUT Information

EUT Name:	Amazon Locker
Model:	ZL-ODIN-V1
Test Mode:	NBIOT Band 26_QPSK_1RB_15K_CH26791
Test Voltage::	DC 6V From DC Source
Remark:	Temp 23 Humi:45%
Test Standard:	FCC Part 22 and RSS-132 Issue 3
Tested By:	Alano Qu
Reviewed By:	Terry Yin




Critical Freqs

Frequency (MHz)	MaxPeak (dBm)	DET 2 (dBm)	Limit (dBm)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
2472.000000	-50.94	---	-13.00	37.94	100.0	H	290.0	-87.9

EUT Information

EUT Name: Amazon Locker
 Model: ZL-ODIN-V1
 Test Mode: NBIOT Band 26_QPSK_1RB_15K_CH26791
 Test Voltage:: DC 6V From DC Source
 Remark: Temp 23 Humi:45%
 Test Standard: FCC Part 22 and RSS-132 Issue 3
 Tested By: Alano Qu
 Reviewed By: Terry Yin




Critical Freqs

Frequency (MHz)	MaxPeak (dBm)	DET 2 (dBm)	Limit (dBm)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
2472.000000	-50.52	---	-13.00	37.52	100.0	V	27.0	-88.0

EUT Information

EUT Name:	Amazon Locker
Model:	ZL-ODIN-V1
Test Mode:	NBIOT Band 26_QPSK_1RB_15K_CH26791
Test Voltage::	DC 6V From DC Source
Remark:	Temp 23 Humi:45%
Test Standard:	FCC Part 22 and RSS-132 Issue 3
Tested By:	Alano Qu
Reviewed By:	Terry Yin




Critical Freqs

Frequency (MHz)	MaxPeak (dBm)	DET 2 (dBm)	Limit (dBm)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
6592.700000	-51.31	---	-13.00	38.31	100.0	H	90.0	-87.7

EUT Information

EUT Name:	Amazon Locker
Model:	ZL-ODIN-V1
Test Mode:	NBIOT Band 26_QPSK_1RB_15K_CH26791
Test Voltage::	DC 6V From DC Source
Remark:	Temp 23 Humi:45%
Test Standard:	FCC Part 22 and RSS-132 Issue 3
Tested By:	Alano Qu
Reviewed By:	Terry Yin



Critical Freqs

Frequency (MHz)	MaxPeak (dBm)	DET 2 (dBm)	Limit (dBm)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
6591.416667	-51.65	---	-13.00	38.65	100.0	V	354.0	-87.9