

Table of Contents


1.	RADIATED SPURIOUS EMISSIONS.....	2
1.1	GPRS/EGPRS, BLEOW 1GHZ	2
1.2	GPRS/EGPRS, ABOVE 1GHZ	6
1.3	EMTC, BLEOW 1GHZ.....	22
1.4	EMTC, ABOVE 1GHZ	42
1.5	NB-IOT, BLEOW 1GHZ.....	154
1.6	NB-IOT, ABOVE 1GHZ	172

1. Radiated Spurious Emissions

1.1 GPRS/EGPRS, below 1GHz

EUT Information

EUT Name:	Amazon Locker
Model:	ZL-ODIN-V1
Test Mode:	GSM850_EGPRS_Mid channel
Test Voltage:	DC 6V
Remark:	Temp 23 Humi:45%
Test Standard:	FCC Part 22
Tested By:	Kei Zhang
Reviewed By:	Terry Yin




Critical Freqs

Frequency (MHz)	MaxPeak (dBm)	Limit (dBm)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
37.517500	-78.90	-13.00	65.90	100.0	H	129.0	-113.9
244.733750	-84.46	-13.00	71.46	100.0	H	218.0	-110.0
426.851250	-84.68	-13.00	71.68	100.0	H	348.0	-110.3
826.370000	-75.05	-13.00	62.05	100.0	H	98.0	-100.8

EUT Information

EUT Name:	Amazon Locker
Model:	ZL-ODIN-V1
Test Mode:	GSM850_EGPRS_Mid channel
Test Voltage::	DC 6V
Remark:	Temp 23 Humi:45%
Test Standard:	FCC Part 22
Tested By:	Kei Zhang
Reviewed By:	Terry Yin




Critical_Freqs

Frequency (MHz)	MaxPeak (dBm)	Limit (dBm)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
93.898750	-72.66	-13.00	59.66	100.0	V	226.0	-100.3
326.698750	-84.65	-13.00	71.65	100.0	V	137.0	-112.1
823.945000	-75.22	-13.00	62.22	100.0	V	137.0	-102.0

EUT Information

EUT Name:	Amazon Locker
Model:	ZL-ODIN-V1
Test Mode:	GSM1900_EGPRS_Mid channel
Test Voltage::	DC 6V
Remark:	Temp 23 Humi:45%
Test Standard:	FCC Part 24
Tested By:	Kei Zhang
Reviewed By:	Terry Yin




Critical_Freqs

Frequency (MHz)	MaxPeak (dBm)	Limit (dBm)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
36.547500	-77.93	-13.00	64.93	100.0	H	303.0	-113.3
242.551250	-85.01	-13.00	72.01	100.0	H	296.0	-109.9
470.622500	-82.65	-13.00	69.65	100.0	H	214.0	-109.1
823.702500	-74.08	-13.00	61.08	100.0	H	359.0	-100.6

EUT Information

EUT Name:	Amazon Locker
Model:	ZL-ODIN-V1
Test Mode:	GSM1900_EGPRS_Mid channel
Test Voltage::	DC 6V
Remark:	Temp 23 Humi:45%
Test Standard:	FCC Part 24
Tested By:	Kei Zhang
Reviewed By:	Terry Yin




Critical_Freqs

Frequency (MHz)	MaxPeak (dBm)	Limit (dBm)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
94.141250	-73.49	-13.00	60.49	100.0	V	352.0	-99.8
341.491250	-86.32	-13.00	73.32	100.0	V	237.0	-111.1
579.383750	-81.38	-13.00	68.38	100.0	V	305.0	-106.7
867.958750	-74.17	-13.00	61.17	100.0	V	2.0	-99.7

1.2 GPRS/EGPRS, above 1GHz

EUT Information

EUT Name:	Amazon Locker
Model:	ZL-ODIN-V1
Test Mode:	GSM850_EGPRS_Mid channel
Test Voltage::	DC 6V
Remark:	Temp 23 Humi:45%
Test Standard:	FCC Part 22
Tested By:	Kei Zhang
Reviewed By:	Terry Yin




Critical_Freqs

Frequency (MHz)	MaxPeak (dBm)	Limit (dBm)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
1197.000000	-44.18	-13.00	31.18	100.0	H	202.0	-93.1
1673.500000	-51.38	-13.00	38.38	100.0	H	196.0	-92.5
2509.500000	-44.78	-13.00	31.78	100.0	H	134.0	-88.3

EUT Information

EUT Name:	Amazon Locker
Model:	ZL-ODIN-V1
Test Mode:	GSM850_EGPRS_Mid channel
Test Voltage::	DC 6V
Remark:	Temp 23 Humi:45%
Test Standard:	FCC Part 22
Tested By:	Kei Zhang
Reviewed By:	Terry Yin




Critical_Freqs

Frequency (MHz)	MaxPeak (dBm)	Limit (dBm)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
1673.000000	-46.83	-13.00	33.83	100.0	V	197.0	-92.2
2509.500000	-42.15	-13.00	29.15	100.0	V	77.0	-88.2

EUT Information

EUT Name:	Amazon Locker
Model:	ZL-ODIN-V1
Test Mode:	GSM850_EGPRS_Mid channel
Test Voltage::	DC 6V
Remark:	Temp 23 Humi:45%
Test Standard:	FCC Part 22
Tested By:	Kei Zhang
Reviewed By:	Terry Yin




Critical_Freqs

Frequency (MHz)	MaxPeak (dBm)	Limit (dBm)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
6638.316667	-52.53	-13.00	39.53	100.0	H	102.0	-87.6

EUT Information

EUT Name:	Amazon Locker
Model:	ZL-ODIN-V1
Test Mode:	GSM850_EGPRS_Mid channel
Test Voltage::	DC 6V
Remark:	Temp 23 Humi:45%
Test Standard:	FCC Part 22
Tested By:	Kei Zhang
Reviewed By:	Terry Yin




Critical_Freqs

Frequency (MHz)	MaxPeak (dBm)	Limit (dBm)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
6677.050000	-52.81	-13.00	39.81	100.0	V	71.0	-87.9

EUT Information

EUT Name:	Amazon Locker
Model:	ZL-ODIN-V1
Test Mode:	GSM850_GPRS_Mid channel
Test Voltage::	DC 6V
Remark:	Temp 23 Humi:45%
Test Standard:	FCC Part 22
Tested By:	Kei Zhang
Reviewed By:	Terry Yin




Critical_Freqs

Frequency (MHz)	MaxPeak (dBm)	Limit (dBm)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
1196.000000	-43.51	-13.00	30.51	100.0	H	158.0	-93.1
1673.000000	-50.12	-13.00	37.12	100.0	H	192.0	-92.5
2510.000000	-48.02	-13.00	35.02	100.0	H	47.0	-88.3

EUT Information

EUT Name:	Amazon Locker
Model:	ZL-ODIN-V1
Test Mode:	GSM850_GPRS_Mid channel
Test Voltage::	DC 6V
Remark:	Temp 23 Humi:45%
Test Standard:	FCC Part 22
Tested By:	Kei Zhang
Reviewed By:	Terry Yin




Critical_Freqs

Frequency (MHz)	MaxPeak (dBm)	Limit (dBm)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
1673.000000	-49.62	-13.00	36.62	100.0	V	353.0	-92.2
2509.000000	-45.19	-13.00	32.19	100.0	V	77.0	-88.2

EUT Information

EUT Name:	Amazon Locker
Model:	ZL-ODIN-V1
Test Mode:	GSM850_GPRS_Mid channel
Test Voltage::	DC 6V
Remark:	Temp 23 Humi:45%
Test Standard:	FCC Part 22
Tested By:	Kei Zhang
Reviewed By:	Terry Yin




Critical_Freqs

Frequency (MHz)	MaxPeak (dBm)	Limit (dBm)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
6588.150000	-51.69	-13.00	38.69	100.0	H	92.0	-87.6

EUT Information

EUT Name:	Amazon Locker
Model:	ZL-ODIN-V1
Test Mode:	GSM850_GPRS_Mid channel
Test Voltage::	DC 6V
Remark:	Temp 23 Humi:45%
Test Standard:	FCC Part 22
Tested By:	Kei Zhang
Reviewed By:	Terry Yin




Critical_Freqs

Frequency (MHz)	MaxPeak (dBm)	Limit (dBm)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
6882.733333	-53.74	-13.00	40.74	100.0	V	0.0	-88.7

EUT Information

EUT Name:	Amazon Locker
Model:	ZL-ODIN-V1
Test Mode:	GSM1900_EGPRS_Mid channel
Test Voltage::	DC 6V
Remark:	Temp 23 Humi:45%
Test Standard:	FCC Part 24
Tested By:	Kei Zhang
Reviewed By:	Terry Yin




Critical_Freqs

Frequency (MHz)	MaxPeak (dBm)	Limit (dBm)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
1193.500000	-50.86	-13.00	37.86	100.0	H	155.0	-93.2
1597.500000	-51.08	-13.00	38.08	100.0	H	230.0	-92.7
5640.000000	-35.60	-13.00	22.60	100.0	H	188.0	-83.8

EUT Information

EUT Name:	Amazon Locker
Model:	ZL-ODIN-V1
Test Mode:	GSM1900_EGPRS_Mid channel
Test Voltage::	DC 6V
Remark:	Temp 23 Humi:45%
Test Standard:	FCC Part 24
Tested By:	Kei Zhang
Reviewed By:	Terry Yin




Critical_Freqs

Frequency (MHz)	MaxPeak (dBm)	Limit (dBm)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
1199.500000	-48.85	-13.00	35.85	100.0	V	335.0	-92.6
5640.000000	-37.67	-13.00	24.67	100.0	V	197.0	-83.8

EUT Information

EUT Name:	Amazon Locker
Model:	ZL-ODIN-V1
Test Mode:	GSM1900_EGPRS_Mid channel
Test Voltage::	DC 6V
Remark:	Temp 23 Humi:45%
Test Standard:	FCC Part 24
Tested By:	Kei Zhang
Reviewed By:	Terry Yin




Critical_Freqs

Frequency (MHz)	MaxPeak (dBm)	Limit (dBm)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
13277.500000	-46.36	-13.00	33.36	100.0	H	58.0	-79.6

EUT Information

EUT Name:	Amazon Locker
Model:	ZL-ODIN-V1
Test Mode:	GSM1900_EGPRS_Mid channel
Test Voltage::	DC 6V
Remark:	Temp 23 Humi:45%
Test Standard:	FCC Part 24
Tested By:	Kei Zhang
Reviewed By:	Terry Yin




Critical_Freqs

Frequency (MHz)	MaxPeak (dBm)	Limit (dBm)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
12899.000000	-45.63	-13.00	32.63	100.0	V	0.0	-78.3

EUT Information

EUT Name:	Amazon Locker
Model:	ZL-ODIN-V1
Test Mode:	GSM1900_GPRS_Mid channel
Test Voltage::	DC 6V
Remark:	Temp 23 Humi:45%
Test Standard:	FCC Part 24
Tested By:	Kei Zhang
Reviewed By:	Terry Yin




Critical_Freqs

Frequency (MHz)	MaxPeak (dBm)	Limit (dBm)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
1196.500000	-45.72	-13.00	32.72	100.0	H	154.0	-93.1
5640.000000	-37.88	-13.00	24.88	100.0	H	141.0	-83.8

EUT Information

EUT Name: Amazon Locker
 Model: ZL-ODIN-V1
 Test Mode: GSM1900_GPRS_Mid channel
 Test Voltage:: DC 6V
 Remark: Temp 23 Humi:45%
 Test Standard: FCC Part 24
 Tested By: Kei Zhang
 Reviewed By: Terry Yin




Critical_Freqs

Frequency (MHz)	MaxPeak (dBm)	Limit (dBm)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
5640.000000	-32.84	-13.00	19.84	100.0	V	271.0	-83.8

EUT Information

EUT Name:	Amazon Locker
Model:	ZL-ODIN-V1
Test Mode:	GSM1900_GPRS_Mid channel
Test Voltage::	DC 6V
Remark:	Temp 23 Humi:45%
Test Standard:	FCC Part 24
Tested By:	Kei Zhang
Reviewed By:	Terry Yin




Critical_Freqs

Frequency (MHz)	MaxPeak (dBm)	Limit (dBm)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
12900.000000	-45.68	-13.00	32.68	100.0	H	78.0	-78.3

EUT Information

EUT Name:	Amazon Locker
Model:	ZL-ODIN-V1
Test Mode:	GSM1900_GPRS_Mid channel
Test Voltage::	DC 6V
Remark:	Temp 23 Humi:45%
Test Standard:	FCC Part 24
Tested By:	Kei Zhang
Reviewed By:	Terry Yin




Critical_Freqs

Frequency (MHz)	MaxPeak (dBm)	Limit (dBm)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
12917.500000	-45.85	-13.00	32.85	100.0	V	243.0	-78.5

1.3 eMTC, bleow 1GHz

EUT Information

EUT Name:	Amazon Locker
Model:	ZL-ODIN-V1
Test Mode:	eMTC_LTE Band 2_QPSK_1.4M_Mid channel_1RB
Test Voltage::	DC 6V
Remark:	Temp 23 Humi:45%
Test Standard:	FCC Part 24
Tested By:	Kei Zhang
Reviewed By:	Terry Yin




Critical_Freqs

Frequency (MHz)	MaxPeak (dBm)	Limit (dBm)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
36.668750	-78.03	-13.00	65.03	100.0	H	178.0	-113.4
244.491250	-85.50	-13.00	72.50	100.0	H	170.0	-110.0
624.973750	-80.05	-13.00	67.05	100.0	H	346.0	-105.3
821.035000	-75.16	-13.00	62.16	100.0	H	233.0	-100.5

EUT Information

EUT Name:	Amazon Locker
Model:	ZL-ODIN-V1
Test Mode:	eMTC_LTE Band 2_QPSK_1.4M_Mid channel_1RB
Test Voltage::	DC 6V
Remark:	Temp 23 Humi:45%
Test Standard:	FCC Part 24
Tested By:	Kei Zhang
Reviewed By:	Terry Yin




Critical_Freqs

Frequency (MHz)	MaxPeak (dBm)	Limit (dBm)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
36.668750	-90.13	-13.00	77.13	100.0	V	84.0	-125.6
93.898750	-73.61	-13.00	60.61	100.0	V	31.0	-100.3
375.198750	-84.49	-13.00	71.49	100.0	V	131.0	-110.9
869.535000	-74.77	-13.00	61.77	100.0	V	69.0	-99.9

EUT Information

EUT Name:	Amazon Locker
Model:	ZL-ODIN-V1
Test Mode:	eMTC_LTE Band 4_QPSK_1.4M_Mid channel_1RB
Test Voltage::	DC 6V
Remark:	Temp 23 Humi:45%
Test Standard:	FCC Part 27
Tested By:	Kei Zhang
Reviewed By:	Terry Yin




Critical_Freqs

Frequency (MHz)	MaxPeak (dBm)	Limit (dBm)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
35.941250	-78.58	-13.00	65.58	100.0	H	165.0	-113.6
242.308750	-83.63	-13.00	70.63	100.0	H	20.0	-110.0
637.947500	-79.58	-13.00	66.58	100.0	H	180.0	-104.6
853.408750	-74.11	-13.00	61.11	100.0	H	141.0	-99.2

EUT Information

EUT Name:	Amazon Locker
Model:	ZL-ODIN-V1
Test Mode:	eMTC_LTE Band 4_QPSK_1.4M_Mid channel_1RB
Test Voltage::	DC 6V
Remark:	Temp 23 Humi:45%
Test Standard:	FCC Part 27
Tested By:	Kei Zhang
Reviewed By:	Terry Yin




Critical_Freqs

Frequency (MHz)	MaxPeak (dBm)	Limit (dBm)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
94.262500	-72.90	-13.00	59.90	100.0	V	101.0	-99.7
376.775000	-83.61	-13.00	70.61	100.0	V	350.0	-110.9
862.987500	-74.67	-13.00	61.67	100.0	V	93.0	-99.7

EUT Information

EUT Name:	Amazon Locker
Model:	ZL-ODIN-V1
Test Mode:	eMTC_LTE Band 5_QPSK_1.4M_Mid channel_1RB
Test Voltage::	DC 6V
Remark:	Temp 23 Humi:45%
Test Standard:	FCC Part 22
Tested By:	Kei Zhang
Reviewed By:	Terry Yin




Critical_Freqs

Frequency (MHz)	MaxPeak (dBm)	Limit (dBm)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
42.003750	-78.23	-13.00	65.23	100.0	H	339.0	-112.4
236.488750	-85.31	-13.00	72.31	100.0	H	91.0	-111.1
632.612500	-79.24	-13.00	66.24	100.0	H	143.0	-104.8
825.400000	-74.85	-13.00	61.85	100.0	H	234.0	-100.7

EUT Information

EUT Name:	Amazon Locker
Model:	ZL-ODIN-V1
Test Mode:	eMTC_LTE Band 5_QPSK_1.4M_Mid channel_1RB
Test Voltage::	DC 6V
Remark:	Temp 23 Humi:45%
Test Standard:	FCC Part 22
Tested By:	Kei Zhang
Reviewed By:	Terry Yin




Critical_Freqs

Frequency (MHz)	MaxPeak (dBm)	Limit (dBm)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
94.505000	-73.64	-13.00	60.64	100.0	V	43.0	-99.7
372.531250	-84.64	-13.00	71.64	100.0	V	61.0	-111.1
866.018750	-73.83	-13.00	60.83	100.0	V	221.0	-99.5

EUT Information

EUT Name:	Amazon Locker
Model:	ZL-ODIN-V1
Test Mode:	eMTC_LTE Band 12_QPSK_1.4M_Mid channel_1RB
Test Voltage::	DC 6V
Remark:	Temp 23 Humi:45%
Test Standard:	FCC Part 27
Tested By:	Kei Zhang
Reviewed By:	Terry Yin




Critical_Freqs

Frequency (MHz)	MaxPeak (dBm)	Limit (dBm)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
35.941250	-77.57	-13.00	64.57	100.0	H	175.0	-113.6
238.550000	-85.10	-13.00	72.10	100.0	H	76.0	-110.7
627.883750	-79.11	-13.00	66.11	100.0	H	229.0	-105.1
859.592500	-74.98	-13.00	61.98	100.0	H	343.0	-99.5

EUT Information

EUT Name:	Amazon Locker
Model:	ZL-ODIN-V1
Test Mode:	eMTC_LTE Band 12_QPSK_1.4M_Mid channel_1RB
Test Voltage::	DC 6V
Remark:	Temp 23 Humi:45%
Test Standard:	FCC Part 27
Tested By:	Kei Zhang
Reviewed By:	Terry Yin




Critical_Freqs

Frequency (MHz)	MaxPeak (dBm)	Limit (dBm)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
95.353750	-73.34	-13.00	60.34	100.0	V	292.0	-100.2
372.167500	-84.57	-13.00	71.57	100.0	V	307.0	-111.1
865.048750	-74.98	-13.00	61.98	100.0	V	277.0	-99.6

EUT Information

EUT Name:	Amazon Locker
Model:	ZL-ODIN-V1
Test Mode:	eMTC_LTE Band 13_QPSK_5M_Mid channel_1RB
Test Voltage::	DC 6V
Remark:	Temp 23 Humi:45%
Test Standard:	FCC Part 27
Tested By:	Kei Zhang
Reviewed By:	Terry Yin




Critical_Freqs

Frequency (MHz)	MaxPeak (dBm)	Limit (dBm)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
36.547500	-77.87	-13.00	64.87	100.0	H	250.0	-113.3
237.216250	-85.81	-13.00	72.81	100.0	H	89.0	-111.0
819.701250	-74.24	-13.00	61.24	100.0	H	352.0	-100.5

EUT Information

EUT Name:	Amazon Locker
Model:	ZL-ODIN-V1
Test Mode:	eMTC_LTE Band 13_QPSK_5M_Mid channel_1RB
Test Voltage::	DC 6V
Remark:	Temp 23 Humi:45%
Test Standard:	FCC Part 27
Tested By:	Kei Zhang
Reviewed By:	Terry Yin




Critical_Freqs

Frequency (MHz)	MaxPeak (dBm)	Limit (dBm)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
41.276250	-89.76	-13.00	76.76	100.0	V	139.0	-123.5
94.990000	-73.35	-13.00	60.35	100.0	V	16.0	-99.8
314.210000	-85.95	-13.00	72.95	100.0	V	181.0	-111.3
868.807500	-74.97	-13.00	61.97	100.0	V	255.0	-99.8

EUT Information

EUT Name:	Amazon Locker
Model:	ZL-ODIN-V1
Test Mode:	eMTC_LTE Band 25_QPSK_1.4M_Mid channel_1RB
Test Voltage::	DC 6V
Remark:	Temp 23 Humi:45%
Test Standard:	FCC Part 24
Tested By:	Kei Zhang
Reviewed By:	Terry Yin




Critical_Freqs

Frequency (MHz)	MaxPeak (dBm)	Limit (dBm)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
36.547500	-78.38	-13.00	65.38	100.0	H	71.0	-113.3
243.400000	-84.38	-13.00	71.38	100.0	H	354.0	-109.9
862.502500	-75.57	-13.00	62.57	100.0	H	223.0	-99.8

EUT Information

EUT Name:	Amazon Locker
Model:	ZL-ODIN-V1
Test Mode:	eMTC_LTE Band 25_QPSK_1.4M_Mid channel_1RB
Test Voltage::	DC 6V
Remark:	Temp 23 Humi:45%
Test Standard:	FCC Part 24
Tested By:	Kei Zhang
Reviewed By:	Terry Yin




Critical_Freqs

Frequency (MHz)	MaxPeak (dBm)	Limit (dBm)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
95.475000	-74.12	-13.00	61.12	100.0	V	251.0	-100.4
376.775000	-84.67	-13.00	71.67	100.0	V	0.0	-110.9
862.987500	-75.29	-13.00	62.29	100.0	V	295.0	-99.7

EUT Information

EUT Name:	Amazon Locker
Model:	ZL-ODIN-V1
Test Mode:	eMTC_LTE Band 26_QPSK_1.4M_Mid channel_1RB
Test Voltage::	DC 6V
Remark:	Temp 23 Humi:45%
Test Standard:	FCC Part 22
Tested By:	Kei Zhang
Reviewed By:	Terry Yin




Critical_Freqs

Frequency (MHz)	MaxPeak (dBm)	Limit (dBm)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
34.365000	-78.88	-13.00	65.88	100.0	H	283.0	-116.2
243.400000	-84.87	-13.00	71.87	100.0	H	245.0	-109.9
576.473750	-80.93	-13.00	67.93	100.0	H	191.0	-106.3
814.366250	-75.17	-13.00	62.17	100.0	H	276.0	-100.6

EUT Information

EUT Name:	Amazon Locker
Model:	ZL-ODIN-V1
Test Mode:	eMTC_LTE Band 26_QPSK_1.4M_Mid channel_1RB
Test Voltage::	DC 6V
Remark:	Temp 23 Humi:45%
Test Standard:	FCC Part 22
Tested By:	Kei Zhang
Reviewed By:	Terry Yin




Critical_Freqs

Frequency (MHz)	MaxPeak (dBm)	Limit (dBm)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
94.383750	-73.15	-13.00	60.15	100.0	V	348.0	-99.7
332.155000	-85.26	-13.00	72.26	100.0	V	96.0	-111.9
867.110000	-74.64	-13.00	61.64	100.0	V	141.0	-99.6

EUT Information

EUT Name:	Amazon Locker
Model:	ZL-ODIN-V1
Test Mode:	eMTC_LTE Band 26_QPSK_1.4M_Mid channel_1RB
Test Voltage::	DC 6V
Remark:	Temp 23 Humi:45%
Test Standard:	FCC Part 90
Tested By:	Kei Zhang
Reviewed By:	Terry Yin




Critical_Freqs

Frequency (MHz)	MaxPeak (dBm)	Limit (dBm)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
36.790000	-77.65	-13.00	64.65	100.0	H	351.0	-113.4
243.521250	-83.97	-13.00	70.97	100.0	H	24.0	-110.0
869.171250	-74.59	-13.00	61.59	100.0	H	0.0	-100.4

EUT Information

EUT Name:	Amazon Locker
Model:	ZL-ODIN-V1
Test Mode:	eMTC_LTE Band 26_QPSK_1.4M_Mid channel_1RB
Test Voltage::	DC 6V
Remark:	Temp 23 Humi:45%
Test Standard:	FCC Part 90
Tested By:	Kei Zhang
Reviewed By:	Terry Yin




Critical_Freqs

Frequency (MHz)	MaxPeak (dBm)	Limit (dBm)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
95.353750	-73.54	-13.00	60.54	100.0	V	17.0	-100.2
326.698750	-84.98	-13.00	71.98	100.0	V	290.0	-112.1
864.927500	-74.27	-13.00	61.27	100.0	V	336.0	-99.6

EUT Information

EUT Name:	Amazon Locker
Model:	ZL-ODIN-V1
Test Mode:	eMTC_LTE Band 66_QPSK_1.4M_Mid channel_1RB
Test Voltage::	DC 6V
Remark:	Temp 23 Humi:45%
Test Standard:	FCC Part 27
Tested By:	Kei Zhang
Reviewed By:	Terry Yin




Critical_Freqs

Frequency (MHz)	MaxPeak (dBm)	Limit (dBm)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
36.062500	-78.36	-13.00	65.36	100.0	H	91.0	-113.5
244.248750	-84.38	-13.00	71.39	100.0	H	270.0	-110.0
869.413750	-74.27	-13.00	61.27	100.0	H	225.0	-100.4

EUT Information

EUT Name:	Amazon Locker
Model:	ZL-ODIN-V1
Test Mode:	eMTC_LTE Band 66_QPSK_1.4M_Mid channel_1RB
Test Voltage::	DC 6V
Remark:	Temp 23 Humi:45%
Test Standard:	FCC Part 27
Tested By:	Kei Zhang
Reviewed By:	Terry Yin




Critical_Freqs

Frequency (MHz)	MaxPeak (dBm)	Limit (dBm)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
94.020000	-71.91	-13.00	58.91	100.0	V	76.0	-100.0
379.200000	-83.01	-13.00	70.01	100.0	V	51.0	-111.0
867.352500	-74.43	-13.00	61.43	100.0	V	231.0	-99.6

EUT Information

EUT Name:	Amazon Locker
Model:	ZL-ODIN-V1
Test Mode:	eMTC_LTE Band 85_QPSK_5M_Mid channel_1RB
Test Voltage::	DC 6V
Remark:	Temp 23 Humi:45%
Test Standard:	FCC Part 27
Tested By:	Kei Zhang
Reviewed By:	Terry Yin




Critical_Freqs

Frequency (MHz)	MaxPeak (dBm)	Limit (dBm)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
36.668750	-78.28	-13.00	65.28	100.0	H	226.0	-113.4
244.612500	-84.56	-13.00	71.56	100.0	H	42.0	-110.0
817.640000	-75.54	-13.00	62.54	100.0	H	42.0	-100.4

EUT Information

EUT Name:	Amazon Locker
Model:	ZL-ODIN-V1
Test Mode:	eMTC_LTE Band 85_QPSK_5M_Mid channel_1RB
Test Voltage::	DC 6V
Remark:	Temp 23 Humi:45%
Test Standard:	FCC Part 27
Tested By:	Kei Zhang
Reviewed By:	Terry Yin




Critical_Freqs

Frequency (MHz)	MaxPeak (dBm)	Limit (dBm)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
36.911250	-90.36	-13.00	77.36	100.0	V	322.0	-125.7
95.111250	-72.79	-13.00	59.79	100.0	V	158.0	-99.8
378.351250	-84.99	-13.00	71.99	100.0	V	141.0	-111.0
863.715000	-74.71	-13.00	61.71	100.0	V	272.0	-99.7

1.4 eMTC, above 1GHz

EUT Information

EUT Name:	Amazon Locker
Model:	ZL-ODIN-V1
Test Mode:	eMTC_LTE Band 2_QPSK_1.4M_Mid channel_1RB
Test Voltage::	DC 6V
Remark:	Temp 24 Humi:47%
Test Standard:	FCC Part 24
Tested By:	Kei Zhang
Reviewed By:	Terry Yin




Critical_Freqs

Frequency (MHz)	MaxPeak (dBm)	Limit (dBm)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
3755.000000	-49.24	-13.00	36.24	100.0	H	36.0	-86.6

EUT Information

EUT Name:	Amazon Locker
Model:	ZL-ODIN-V1
Test Mode:	eMTC_LTE Band 2_QPSK_1.4M_Mid channel_1RB
Test Voltage::	DC 6V
Remark:	Temp 24 Humi:47%
Test Standard:	FCC Part 24
Tested By:	Kei Zhang
Reviewed By:	Terry Yin




Critical_Freqs

Frequency (MHz)	MaxPeak (dBm)	Limit (dBm)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
1610.000000	-48.01	-13.00	35.01	100.0	V	165.0	-93.0
3759.000000	-49.75	-13.00	36.75	100.0	V	355.0	-86.9

EUT Information

EUT Name:	Amazon Locker
Model:	ZL-ODIN-V1
Test Mode:	eMTC_LTE Band 2_QPSK_1.4M_Mid channel_1RB
Test Voltage::	DC 6V
Remark:	Temp 23 Humi:45%
Test Standard:	FCC Part 24
Tested By:	Kei Zhang
Reviewed By:	Terry Yin




Critical_Freqs

Frequency (MHz)	MaxPeak (dBm)	Limit (dBm)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
12897.000000	-45.92	-13.00	32.92	100.0	H	108.0	-78.4

EUT Information

EUT Name:	Amazon Locker
Model:	ZL-ODIN-V1
Test Mode:	eMTC_LTE Band 2_QPSK_1.4M_Mid channel_1RB
Test Voltage::	DC 6V
Remark:	Temp 23 Humi:45%
Test Standard:	FCC Part 24
Tested By:	Kei Zhang
Reviewed By:	Terry Yin




Critical_Freqs

Frequency (MHz)	MaxPeak (dBm)	Limit (dBm)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
10549.000000	-49.33	-13.00	36.33	100.0	V	281.0	-82.3

EUT Information

EUT Name:	Amazon Locker
Model:	ZL-ODIN-V1
Test Mode:	eMTC_LTE Band 2_QPSK_5M_Mid channel_1RB
Test Voltage::	DC 6V
Remark:	Temp 24 Humi:47%
Test Standard:	FCC Part 24
Tested By:	Kei Zhang
Reviewed By:	Terry Yin




Critical_Freqs

Frequency (MHz)	MaxPeak (dBm)	Limit (dBm)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
1571.000000	-45.24	-13.00	32.24	100.0	H	156.0	-93.0
3766.000000	-48.62	-13.00	35.62	100.0	H	337.0	-86.6

EUT Information

EUT Name:	Amazon Locker
Model:	ZL-ODIN-V1
Test Mode:	eMTC_LTE Band 2_QPSK_5M_Mid channel_1RB
Test Voltage::	DC 6V
Remark:	Temp 24 Humi:47%
Test Standard:	FCC Part 24
Tested By:	Kei Zhang
Reviewed By:	Terry Yin




Critical_Freqs

Frequency (MHz)	MaxPeak (dBm)	Limit (dBm)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
1532.000000	-47.77	-13.00	34.77	100.0	V	191.0	-93.3
3763.500000	-49.49	-13.00	36.49	100.0	V	124.0	-87.0

EUT Information

EUT Name:	Amazon Locker
Model:	ZL-ODIN-V1
Test Mode:	eMTC_LTE Band 2_QPSK_5M_Mid channel_1RB
Test Voltage::	DC 6V
Remark:	Temp 23 Humi:45%
Test Standard:	FCC Part 24
Tested By:	Kei Zhang
Reviewed By:	Terry Yin




Critical_Freqs

Frequency (MHz)	MaxPeak (dBm)	Limit (dBm)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
12102.500000	-46.95	-13.00	33.95	100.0	H	76.0	-80.7

EUT Information

EUT Name:	Amazon Locker
Model:	ZL-ODIN-V1
Test Mode:	eMTC_LTE Band 2_QPSK_5M_Mid channel_1RB
Test Voltage::	DC 6V
Remark:	Temp 23 Humi:45%
Test Standard:	FCC Part 24
Tested By:	Kei Zhang
Reviewed By:	Terry Yin




Critical_Freqs

Frequency (MHz)	MaxPeak (dBm)	Limit (dBm)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
13271.000000	-45.72	-13.00	32.72	100.0	V	174.0	-79.6

EUT Information

EUT Name:	Amazon Locker
Model:	ZL-ODIN-V1
Test Mode:	eMTC_LTE Band 2_QPSK_20M_Mid channel_1RB
Test Voltage::	DC 6V
Remark:	Temp 24 Humi:47%
Test Standard:	FCC Part 24
Tested By:	Kei Zhang
Reviewed By:	Terry Yin




Critical_Freqs

Frequency (MHz)	MaxPeak (dBm)	Limit (dBm)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
1564.500000	-47.69	-13.00	34.69	100.0	H	123.0	-93.0
3768.500000	-48.61	-13.00	35.61	100.0	H	135.0	-86.6

EUT Information

EUT Name:	Amazon Locker
Model:	ZL-ODIN-V1
Test Mode:	eMTC_LTE Band 2_QPSK_20M_Mid channel_1RB
Test Voltage::	DC 6V
Remark:	Temp 24 Humi:47%
Test Standard:	FCC Part 24
Tested By:	Kei Zhang
Reviewed By:	Terry Yin




Critical_Freqs

Frequency (MHz)	MaxPeak (dBm)	Limit (dBm)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
3754.000000	-48.25	-13.00	35.25	100.0	V	146.0	-86.9

EUT Information

EUT Name:	Amazon Locker
Model:	ZL-ODIN-V1
Test Mode:	eMTC_LTE Band 2_QPSK_20M_Mid channel_1RB
Test Voltage::	DC 6V
Remark:	Temp 23 Humi:45%
Test Standard:	FCC Part 24
Tested By:	Kei Zhang
Reviewed By:	Terry Yin




Critical_Freqs

Frequency (MHz)	MaxPeak (dBm)	Limit (dBm)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
13256.000000	-45.21	-13.00	32.21	100.0	H	339.0	-79.4

EUT Information

EUT Name:	Amazon Locker
Model:	ZL-ODIN-V1
Test Mode:	eMTC_LTE Band 2_QPSK_20M_Mid channel_1RB
Test Voltage::	DC 6V
Remark:	Temp 23 Humi:45%
Test Standard:	FCC Part 24
Tested By:	Kei Zhang
Reviewed By:	Terry Yin




Critical_Freqs

Frequency (MHz)	MaxPeak (dBm)	Limit (dBm)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
12906.500000	-46.06	-13.00	33.06	100.0	V	165.0	-78.3

EUT Information

EUT Name:	Amazon Locker
Model:	ZL-ODIN-V1
Test Mode:	eMTC_LTE Band 4_QPSK_1.4M_Mid channel_1RB
Test Voltage::	DC 6V
Remark:	Temp 24 Humi:47%
Test Standard:	FCC Part 27
Tested By:	Kei Zhang
Reviewed By:	Terry Yin




Critical_Freqs

Frequency (MHz)	MaxPeak (dBm)	Limit (dBm)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
1425.000000	-42.54	-13.00	29.54	100.0	H	103.0	-93.1
1732.000000	-40.41	-13.00	27.41	100.0	H	182.0	-91.4
3463.500000	-47.67	-13.00	34.67	100.0	H	163.0	-88.1

EUT Information

EUT Name:	Amazon Locker
Model:	ZL-ODIN-V1
Test Mode:	eMTC_LTE Band 4_QPSK_1.4M_Mid channel_1RB
Test Voltage::	DC 6V
Remark:	Temp 24 Humi:47%
Test Standard:	FCC Part 27
Tested By:	Kei Zhang
Reviewed By:	Terry Yin




Critical_Freqs

Frequency (MHz)	MaxPeak (dBm)	Limit (dBm)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
1732.000000	-37.42	-13.00	24.42	100.0	V	169.0	-91.6
2132.500000	-40.42	-13.00	27.42	100.0	V	273.0	-87.7
3463.500000	-49.45	-13.00	36.45	100.0	V	44.0	-87.8

EUT Information

EUT Name:	Amazon Locker
Model:	ZL-ODIN-V1
Test Mode:	eMTC_LTE Band 4_QPSK_1.4M_Mid channel_1RB
Test Voltage::	DC 6V
Remark:	Temp 23 Humi:45%
Test Standard:	FCC Part 27
Tested By:	Kei Zhang
Reviewed By:	Terry Yin




Critical_Freqs

Frequency (MHz)	MaxPeak (dBm)	Limit (dBm)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
12934.000000	-46.51	-13.00	33.51	100.0	H	121.0	-78.7

EUT Information

EUT Name:	Amazon Locker
Model:	ZL-ODIN-V1
Test Mode:	eMTC_LTE Band 4_QPSK_1.4M_Mid channel_1RB
Test Voltage::	DC 6V
Remark:	Temp 23 Humi:45%
Test Standard:	FCC Part 27
Tested By:	Kei Zhang
Reviewed By:	Terry Yin




Critical_Freqs

Frequency (MHz)	MaxPeak (dBm)	Limit (dBm)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
12905.500000	-46.37	-13.00	33.37	100.0	V	79.0	-78.3

EUT Information

EUT Name:	Amazon Locker
Model:	ZL-ODIN-V1
Test Mode:	eMTC_LTE Band 4_QPSK_5M_Mid channel_1RB
Test Voltage::	DC 6V
Remark:	Temp 24 Humi:47%
Test Standard:	FCC Part 27
Tested By:	Kei Zhang
Reviewed By:	Terry Yin




Critical_Freqs

Frequency (MHz)	MaxPeak (dBm)	Limit (dBm)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
1462.000000	-44.45	-13.00	31.45	100.0	H	159.0	-93.2
1730.500000	-37.21	-13.00	24.21	100.0	H	138.0	-91.4
3455.500000	-50.03	-13.00	37.03	100.0	H	291.0	-88.0

EUT Information

EUT Name:	Amazon Locker
Model:	ZL-ODIN-V1
Test Mode:	eMTC_LTE Band 4_QPSK_5M_Mid channel_1RB
Test Voltage::	DC 6V
Remark:	Temp 24 Humi:47%
Test Standard:	FCC Part 27
Tested By:	Kei Zhang
Reviewed By:	Terry Yin




Critical_Freqs

Frequency (MHz)	MaxPeak (dBm)	Limit (dBm)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
1730.000000	-39.72	-13.00	26.72	100.0	V	150.0	-91.6
3460.000000	-50.41	-13.00	37.41	100.0	V	38.0	-87.7

EUT Information

EUT Name:	Amazon Locker
Model:	ZL-ODIN-V1
Test Mode:	eMTC_LTE Band 4_QPSK_5M_Mid channel_1RB
Test Voltage::	DC 6V
Remark:	Temp 23 Humi:45%
Test Standard:	FCC Part 27
Tested By:	Kei Zhang
Reviewed By:	Terry Yin




Critical_Freqs

Frequency (MHz)	MaxPeak (dBm)	Limit (dBm)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
12952.500000	-46.58	-13.00	33.58	100.0	H	5.0	-78.9

EUT Information

EUT Name:	Amazon Locker
Model:	ZL-ODIN-V1
Test Mode:	eMTC_LTE Band 4_QPSK_5M_Mid channel_1RB
Test Voltage::	DC 6V
Remark:	Temp 23 Humi:45%
Test Standard:	FCC Part 27
Tested By:	Kei Zhang
Reviewed By:	Terry Yin




Critical_Freqs

Frequency (MHz)	MaxPeak (dBm)	Limit (dBm)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
13249.500000	-45.44	-13.00	32.44	100.0	V	306.0	-79.5

EUT Information

EUT Name:	Amazon Locker
Model:	ZL-ODIN-V1
Test Mode:	eMTC_LTE Band 4_QPSK_20M_Mid channel_1RB
Test Voltage::	DC 6V
Remark:	Temp 24 Humi:47%
Test Standard:	FCC Part 27
Tested By:	Kei Zhang
Reviewed By:	Terry Yin




Critical_Freqs

Frequency (MHz)	MaxPeak (dBm)	Limit (dBm)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
1416.500000	-45.95	-13.00	32.95	100.0	H	247.0	-92.5
1723.500000	-34.35	-13.00	21.35	100.0	H	174.0	-91.6
3448.500000	-48.78	-13.00	35.78	100.0	H	128.0	-87.9

EUT Information

EUT Name:	Amazon Locker
Model:	ZL-ODIN-V1
Test Mode:	eMTC_LTE Band 4_QPSK_20M_Mid channel_1RB
Test Voltage::	DC 6V
Remark:	Temp 24 Humi:47%
Test Standard:	FCC Part 27
Tested By:	Kei Zhang
Reviewed By:	Terry Yin




Critical_Freqs

Frequency (MHz)	MaxPeak (dBm)	Limit (dBm)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
1724.000000	-36.64	-13.00	23.64	100.0	V	218.0	-91.7
3448.000000	-46.36	-13.00	33.36	100.0	V	54.0	-87.6

EUT Information

EUT Name:	Amazon Locker
Model:	ZL-ODIN-V1
Test Mode:	eMTC_LTE Band 4_QPSK_20M_Mid channel_1RB
Test Voltage::	DC 6V
Remark:	Temp 23 Humi:45%
Test Standard:	FCC Part 27
Tested By:	Kei Zhang
Reviewed By:	Terry Yin




Critical_Freqs

Frequency (MHz)	MaxPeak (dBm)	Limit (dBm)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
12893.000000	-46.41	-13.00	33.41	100.0	H	125.0	-78.5

EUT Information

EUT Name:	Amazon Locker
Model:	ZL-ODIN-V1
Test Mode:	eMTC_LTE Band 4_QPSK_20M_Mid channel_1RB
Test Voltage::	DC 6V
Remark:	Temp 23 Humi:45%
Test Standard:	FCC Part 27
Tested By:	Kei Zhang
Reviewed By:	Terry Yin




Critical_Freqs

Frequency (MHz)	MaxPeak (dBm)	Limit (dBm)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
12900.000000	-46.58	-13.00	33.58	100.0	V	0.0	-78.2

EUT Information

EUT Name:	Amazon Locker
Model:	ZL-ODIN-V1
Test Mode:	eMTC_LTE Band 5_QPSK_1.4M_Mid channel_1RB
Test Voltage::	DC 6V
Remark:	Temp 23 Humi:45%
Test Standard:	FCC Part 22
Tested By:	Kei Zhang
Reviewed By:	Terry Yin




Critical_Freqs

Frequency (MHz)	MaxPeak (dBm)	Limit (dBm)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
2508.000000	-44.71	-13.00	31.71	100.0	H	75.0	-88.3

EUT Information

EUT Name:	Amazon Locker
Model:	ZL-ODIN-V1
Test Mode:	eMTC_LTE Band 5_QPSK_1.4M_Mid channel_1RB
Test Voltage::	DC 6V
Remark:	Temp 23 Humi:45%
Test Standard:	FCC Part 22
Tested By:	Kei Zhang
Reviewed By:	Terry Yin




Critical_Freqs

Frequency (MHz)	MaxPeak (dBm)	Limit (dBm)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
1671.500000	-52.29	-13.00	39.29	100.0	V	335.0	-92.2
2508.000000	-45.46	-13.00	32.46	100.0	V	74.0	-88.2

EUT Information

EUT Name:	Amazon Locker
Model:	ZL-ODIN-V1
Test Mode:	eMTC_LTE Band 5_QPSK_1.4M_Mid channel_1RB
Test Voltage::	DC 6V
Remark:	Temp 23 Humi:45%
Test Standard:	FCC Part 22
Tested By:	Kei Zhang
Reviewed By:	Terry Yin




Critical_Freqs

Frequency (MHz)	MaxPeak (dBm)	Limit (dBm)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
6683.700000	-52.80	-13.00	39.80	100.0	H	250.0	-87.8

EUT Information

EUT Name:	Amazon Locker
Model:	ZL-ODIN-V1
Test Mode:	eMTC_LTE Band 5_QPSK_1.4M_Mid channel_1RB
Test Voltage::	DC 6V
Remark:	Temp 23 Humi:45%
Test Standard:	FCC Part 22
Tested By:	Kei Zhang
Reviewed By:	Terry Yin




Critical_Freqs

Frequency (MHz)	MaxPeak (dBm)	Limit (dBm)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
6689.066667	-53.45	-13.00	40.45	100.0	V	350.0	-88.0

EUT Information

EUT Name:	Amazon Locker
Model:	ZL-ODIN-V1
Test Mode:	eMTC_LTE Band 5_QPSK_5M_Mid channel_1RB
Test Voltage::	DC 6V
Remark:	Temp 23 Humi:45%
Test Standard:	FCC Part 22
Tested By:	Kei Zhang
Reviewed By:	Terry Yin




Critical_Freqs

Frequency (MHz)	MaxPeak (dBm)	Limit (dBm)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
2503.000000	-43.72	-13.00	30.72	100.0	H	61.0	-88.3

EUT Information

EUT Name:	Amazon Locker
Model:	ZL-ODIN-V1
Test Mode:	eMTC_LTE Band 5_QPSK_5M_Mid channel_1RB
Test Voltage::	DC 6V
Remark:	Temp 23 Humi:45%
Test Standard:	FCC Part 22
Tested By:	Kei Zhang
Reviewed By:	Terry Yin




Critical_Freqs

Frequency (MHz)	MaxPeak (dBm)	Limit (dBm)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
1723.500000	-47.81	-13.00	34.81	100.0	V	343.0	-91.7
2503.000000	-43.83	-13.00	30.83	100.0	V	359.0	-88.1

EUT Information

EUT Name:	Amazon Locker
Model:	ZL-ODIN-V1
Test Mode:	eMTC_LTE Band 5_QPSK_5M_Mid channel_1RB
Test Voltage::	DC 6V
Remark:	Temp 23 Humi:45%
Test Standard:	FCC Part 22
Tested By:	Kei Zhang
Reviewed By:	Terry Yin




Critical_Freqs

Frequency (MHz)	MaxPeak (dBm)	Limit (dBm)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
6690.350000	-53.80	-13.00	40.80	100.0	H	0.0	-87.8

EUT Information

EUT Name:	Amazon Locker
Model:	ZL-ODIN-V1
Test Mode:	eMTC_LTE Band 5_QPSK_5M_Mid channel_1RB
Test Voltage::	DC 6V
Remark:	Temp 23 Humi:45%
Test Standard:	FCC Part 22
Tested By:	Kei Zhang
Reviewed By:	Terry Yin




Critical_Freqs

Frequency (MHz)	MaxPeak (dBm)	Limit (dBm)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
6679.383333	-52.09	-13.00	39.09	100.0	V	170.0	-88.0

EUT Information

EUT Name:	Amazon Locker
Model:	ZL-ODIN-V1
Test Mode:	eMTC_LTE Band 5_QPSK_10M_Mid channel_1RB
Test Voltage::	DC 6V
Remark:	Temp 23 Humi:45%
Test Standard:	FCC Part 22
Tested By:	Kei Zhang
Reviewed By:	Terry Yin




Critical_Freqs

Frequency (MHz)	MaxPeak (dBm)	Limit (dBm)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
1714.000000	-46.13	-13.00	33.13	100.0	H	324.0	-92.0
2496.500000	-43.42	-13.00	30.42	100.0	H	13.0	-88.2

EUT Information

EUT Name:	Amazon Locker
Model:	ZL-ODIN-V1
Test Mode:	eMTC_LTE Band 5_QPSK_10M_Mid channel_1RB
Test Voltage::	DC 6V
Remark:	Temp 23 Humi:45%
Test Standard:	FCC Part 22
Tested By:	Kei Zhang
Reviewed By:	Terry Yin




Critical_Freqs

Frequency (MHz)	MaxPeak (dBm)	Limit (dBm)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
1664.000000	-52.51	-13.00	39.51	100.0	V	341.0	-92.2
2496.500000	-44.98	-13.00	31.98	100.0	V	0.0	-88.0

EUT Information

EUT Name:	Amazon Locker
Model:	ZL-ODIN-V1
Test Mode:	eMTC_LTE Band 5_QPSK_10M_Mid channel_1RB
Test Voltage::	DC 6V
Remark:	Temp 23 Humi:45%
Test Standard:	FCC Part 22
Tested By:	Kei Zhang
Reviewed By:	Terry Yin




Critical_Freqs

Frequency (MHz)	MaxPeak (dBm)	Limit (dBm)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
6697.000000	-53.92	-13.00	40.92	100.0	H	0.0	-87.9

EUT Information

EUT Name:	Amazon Locker
Model:	ZL-ODIN-V1
Test Mode:	eMTC_LTE Band 5_QPSK_10M_Mid channel_1RB
Test Voltage::	DC 6V
Remark:	Temp 23 Humi:45%
Test Standard:	FCC Part 22
Tested By:	Kei Zhang
Reviewed By:	Terry Yin




Critical_Freqs

Frequency (MHz)	MaxPeak (dBm)	Limit (dBm)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
6684.166667	-52.78	-13.00	39.78	100.0	V	330.0	-88.0

EUT Information

EUT Name:	Amazon Locker
Model:	ZL-ODIN-V1
Test Mode:	eMTC_LTE Band 12_QPSK_1.4M_Mid channel_1RB
Test Voltage::	DC 6V
Remark:	Temp 23 Humi:45%
Test Standard:	FCC Part 27
Tested By:	Kei Zhang
Reviewed By:	Terry Yin




Critical_Freqs

Frequency (MHz)	MaxPeak (dBm)	Limit (dBm)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
1413.500000	-52.23	-13.00	39.23	100.0	H	288.0	-92.5
2121.000000	-45.43	-13.00	32.43	100.0	H	55.0	-88.6

EUT Information

EUT Name:	Amazon Locker
Model:	ZL-ODIN-V1
Test Mode:	eMTC_LTE Band 12_QPSK_1.4M_Mid channel_1RB
Test Voltage::	DC 6V
Remark:	Temp 23 Humi:45%
Test Standard:	FCC Part 27
Tested By:	Kei Zhang
Reviewed By:	Terry Yin




Critical_Freqs

Frequency (MHz)	MaxPeak (dBm)	Limit (dBm)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
1413.500000	-53.67	-13.00	40.67	100.0	V	127.0	-92.9
2121.000000	-45.02	-13.00	32.02	100.0	V	31.0	-88.1

EUT Information

EUT Name:	Amazon Locker
Model:	ZL-ODIN-V1
Test Mode:	eMTC_LTE Band 12_QPSK_1.4M_Mid channel_1RB
Test Voltage::	DC 6V
Remark:	Temp 23 Humi:45%
Test Standard:	FCC Part 27
Tested By:	Kei Zhang
Reviewed By:	Terry Yin




Critical_Freqs

Frequency (MHz)	MaxPeak (dBm)	Limit (dBm)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
7082.700000	-52.90	-13.00	39.90	100.0	H	354.0	-87.8

EUT Information

EUT Name:	Amazon Locker
Model:	ZL-ODIN-V1
Test Mode:	eMTC_LTE Band 12_QPSK_1.4M_Mid channel_1RB
Test Voltage::	DC 6V
Remark:	Temp 23 Humi:45%
Test Standard:	FCC Part 27
Tested By:	Kei Zhang
Reviewed By:	Terry Yin




Critical_Freqs

Frequency (MHz)	MaxPeak (dBm)	Limit (dBm)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
7073.600000	-53.73	-13.00	40.73	100.0	V	327.0	-87.8

EUT Information

EUT Name:	Amazon Locker
Model:	ZL-ODIN-V1
Test Mode:	eMTC_LTE Band 12_QPSK_5M_Mid channel_1RB
Test Voltage::	DC 6V
Remark:	Temp 23 Humi:45%
Test Standard:	FCC Part 27
Tested By:	Kei Zhang
Reviewed By:	Terry Yin




Critical_Freqs

Frequency (MHz)	MaxPeak (dBm)	Limit (dBm)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
1410.000000	-49.43	-13.00	36.43	100.0	H	95.0	-92.6
2115.500000	-47.28	-13.00	34.28	100.0	H	81.0	-88.8

EUT Information

EUT Name:	Amazon Locker
Model:	ZL-ODIN-V1
Test Mode:	eMTC_LTE Band 12_QPSK_5M_Mid channel_1RB
Test Voltage::	DC 6V
Remark:	Temp 23 Humi:45%
Test Standard:	FCC Part 27
Tested By:	Kei Zhang
Reviewed By:	Terry Yin




Critical_Freqs

Frequency (MHz)	MaxPeak (dBm)	Limit (dBm)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
1410.500000	-49.47	-13.00	36.47	100.0	V	97.0	-92.8
1724.500000	-48.53	-13.00	35.53	100.0	V	137.0	-91.7
2115.500000	-45.81	-13.00	32.81	100.0	V	322.0	-88.3

EUT Information

EUT Name:	Amazon Locker
Model:	ZL-ODIN-V1
Test Mode:	eMTC_LTE Band 12_QPSK_5M_Mid channel_1RB
Test Voltage::	DC 6V
Remark:	Temp 23 Humi:45%
Test Standard:	FCC Part 27
Tested By:	Kei Zhang
Reviewed By:	Terry Yin




Critical_Freqs

Frequency (MHz)	MaxPeak (dBm)	Limit (dBm)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
7071.266667	-54.85	-13.00	41.85	100.0	H	293.0	-87.9

EUT Information

EUT Name:	Amazon Locker
Model:	ZL-ODIN-V1
Test Mode:	eMTC_LTE Band 12_QPSK_5M_Mid channel_1RB
Test Voltage::	DC 6V
Remark:	Temp 23 Humi:45%
Test Standard:	FCC Part 27
Tested By:	Kei Zhang
Reviewed By:	Terry Yin




Critical_Freqs

Frequency (MHz)	MaxPeak (dBm)	Limit (dBm)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
7075.233333	-54.30	-13.00	41.30	100.0	V	168.0	-87.8

EUT Information

EUT Name:	Amazon Locker
Model:	ZL-ODIN-V1
Test Mode:	eMTC_LTE Band 12_QPSK_10M_Mid channel_1RB
Test Voltage::	DC 6V
Remark:	Temp 23 Humi:45%
Test Standard:	FCC Part 27
Tested By:	Kei Zhang
Reviewed By:	Terry Yin




Critical_Freqs

Frequency (MHz)	MaxPeak (dBm)	Limit (dBm)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
1406.500000	-49.80	-13.00	36.80	100.0	H	114.0	-92.7
2110.000000	-48.28	-13.00	35.28	100.0	H	30.0	-89.0

EUT Information

EUT Name:	Amazon Locker
Model:	ZL-ODIN-V1
Test Mode:	eMTC_LTE Band 12_QPSK_10M_Mid channel_1RB
Test Voltage::	DC 6V
Remark:	Temp 23 Humi:45%
Test Standard:	FCC Part 27
Tested By:	Kei Zhang
Reviewed By:	Terry Yin




Critical_Freqs

Frequency (MHz)	MaxPeak (dBm)	Limit (dBm)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
1406.000000	-47.00	-13.00	34.00	100.0	V	83.0	-92.7
2109.500000	-45.51	-13.00	32.51	100.0	V	243.0	-88.6

EUT Information

EUT Name:	Amazon Locker
Model:	ZL-ODIN-V1
Test Mode:	eMTC_LTE Band 12_QPSK_10M_Mid channel_1RB
Test Voltage::	DC 6V
Remark:	Temp 23 Humi:45%
Test Standard:	FCC Part 27
Tested By:	Kei Zhang
Reviewed By:	Terry Yin




Critical_Freqs

Frequency (MHz)	MaxPeak (dBm)	Limit (dBm)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
7077.800000	-54.73	-13.00	41.73	100.0	H	194.0	-87.8

EUT Information

EUT Name:	Amazon Locker
Model:	ZL-ODIN-V1
Test Mode:	eMTC_LTE Band 12_QPSK_10M_Mid channel_1RB
Test Voltage::	DC 6V
Remark:	Temp 23 Humi:45%
Test Standard:	FCC Part 27
Tested By:	Kei Zhang
Reviewed By:	Terry Yin




Critical_Freqs

Frequency (MHz)	MaxPeak (dBm)	Limit (dBm)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
7071.733333	-54.70	-13.00	41.70	100.0	V	359.0	-87.8

EUT Information

EUT Name:	Amazon Locker
Model:	ZL-ODIN-V1
Test Mode:	eMTC_LTE Band 13_QPSK_5M_Mid channel_1RB
Test Voltage::	DC 6V
Remark:	Temp 23 Humi:45%
Test Standard:	FCC Part 27
Tested By:	Kei Zhang
Reviewed By:	Terry Yin




Critical_Freqs

Frequency (MHz)	MaxPeak (dBm)	Limit (dBm)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
2339.50000	-44.20	-13.00	31.20	100.0	H	96.0	-87.6

EUT Information

EUT Name:	Amazon Locker
Model:	ZL-ODIN-V1
Test Mode:	eMTC_LTE Band 13_QPSK_5M_Mid channel_1RB
Test Voltage::	DC 6V
Remark:	Temp 23 Humi:45%
Test Standard:	FCC Part 27
Tested By:	Kei Zhang
Reviewed By:	Terry Yin




Critical_Freqs

Frequency (MHz)	MaxPeak (dBm)	Limit (dBm)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
1559.500000	-52.04	-13.00	39.04	100.0	V	5.0	-92.9
2339.500000	-42.61	-13.00	29.61	100.0	V	30.0	-87.9

EUT Information

EUT Name:	Amazon Locker
Model:	ZL-ODIN-V1
Test Mode:	eMTC_LTE Band 13_QPSK_5M_Mid channel_1RB
Test Voltage::	DC 6V
Remark:	Temp 23 Humi:45%
Test Standard:	FCC Part 27
Tested By:	Kei Zhang
Reviewed By:	Terry Yin




Critical_Freqs

Frequency (MHz)	MaxPeak (dBm)	Limit (dBm)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
7818.400000	-54.66	-13.00	41.66	100.0	H	127.0	-87.6

EUT Information

EUT Name:	Amazon Locker
Model:	ZL-ODIN-V1
Test Mode:	eMTC_LTE Band 13_QPSK_5M_Mid channel_1RB
Test Voltage::	DC 6V
Remark:	Temp 23 Humi:45%
Test Standard:	FCC Part 27
Tested By:	Kei Zhang
Reviewed By:	Terry Yin




Critical_Freqs

Frequency (MHz)	MaxPeak (dBm)	Limit (dBm)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
7824.233333	-55.23	-13.00	42.23	100.0	V	296.0	-87.4

EUT Information

EUT Name:	Amazon Locker
Model:	ZL-ODIN-V1
Test Mode:	eMTC_LTE Band 13_QPSK_10M_Mid channel_1RB
Test Voltage::	DC 6V
Remark:	Temp 23 Humi:45%
Test Standard:	FCC Part 27
Tested By:	Kei Zhang
Reviewed By:	Terry Yin




Critical_Freqs

Frequency (MHz)	MaxPeak (dBm)	Limit (dBm)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
2333.500000	-47.10	-13.00	34.10	100.0	H	58.0	-87.7
2653.500000	-44.65	-13.00	31.65	100.0	H	109.0	-88.1

EUT Information

EUT Name:	Amazon Locker
Model:	ZL-ODIN-V1
Test Mode:	eMTC_LTE Band 13_QPSK_10M_Mid channel_1RB
Test Voltage::	DC 6V
Remark:	Temp 23 Humi:45%
Test Standard:	FCC Part 27
Tested By:	Kei Zhang
Reviewed By:	Terry Yin




Critical_Freqs

Frequency (MHz)	MaxPeak (dBm)	Limit (dBm)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
2333.500000	-42.24	-13.00	29.24	100.0	V	7.0	-88.0

EUT Information

EUT Name:	Amazon Locker
Model:	ZL-ODIN-V1
Test Mode:	eMTC_LTE Band 13_QPSK_10M_Mid channel_1RB
Test Voltage::	DC 6V
Remark:	Temp 23 Humi:45%
Test Standard:	FCC Part 27
Tested By:	Kei Zhang
Reviewed By:	Terry Yin




Critical_Freqs

Frequency (MHz)	MaxPeak (dBm)	Limit (dBm)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
7823.183333	-55.14	-13.00	42.14	100.0	H	69.0	-87.5

EUT Information

EUT Name:	Amazon Locker
Model:	ZL-ODIN-V1
Test Mode:	eMTC_LTE Band 13_QPSK_10M_Mid channel_1RB
Test Voltage::	DC 6V
Remark:	Temp 23 Humi:45%
Test Standard:	FCC Part 27
Tested By:	Kei Zhang
Reviewed By:	Terry Yin




Critical_Freqs

Frequency (MHz)	MaxPeak (dBm)	Limit (dBm)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
7820.150000	-55.50	-13.00	42.50	100.0	V	286.0	-87.4

EUT Information

EUT Name:	Amazon Locker
Model:	ZL-ODIN-V1
Test Mode:	eMTC_LTE Band 25_QPSK_1.4M_Mid channel_1RB
Test Voltage::	DC 6V
Remark:	Temp 24 Humi:47%
Test Standard:	FCC Part 24
Tested By:	Kei Zhang
Reviewed By:	Terry Yin




Critical_Freqs

Frequency (MHz)	MaxPeak (dBm)	Limit (dBm)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
1536.500000	-45.17	-13.00	32.17	100.0	H	66.0	-92.7
3777.500000	-48.75	-13.00	35.75	100.0	H	83.0	-86.6

EUT Information

EUT Name:	Amazon Locker
Model:	ZL-ODIN-V1
Test Mode:	eMTC_LTE Band 25_QPSK_1.4M_Mid channel_1RB
Test Voltage::	DC 6V
Remark:	Temp 24 Humi:47%
Test Standard:	FCC Part 24
Tested By:	Kei Zhang
Reviewed By:	Terry Yin




Critical_Freqs

Frequency (MHz)	MaxPeak (dBm)	Limit (dBm)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
1537.000000	-47.81	-13.00	34.81	100.0	V	160.0	-93.1
3756.500000	-49.10	-13.00	36.10	100.0	V	167.0	-86.9

EUT Information

EUT Name:	Amazon Locker
Model:	ZL-ODIN-V1
Test Mode:	eMTC_LTE Band 25_QPSK_1.4M_Mid channel_1RB
Test Voltage::	DC 6V
Remark:	Temp 23 Humi:45%
Test Standard:	FCC Part 24
Tested By:	Kei Zhang
Reviewed By:	Terry Yin




Critical_Freqs

Frequency (MHz)	MaxPeak (dBm)	Limit (dBm)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
12921.500000	-46.03	-13.00	33.03	100.0	H	184.0	-78.6

EUT Information

EUT Name:	Amazon Locker
Model:	ZL-ODIN-V1
Test Mode:	eMTC_LTE Band 25_QPSK_1.4M_Mid channel_1RB
Test Voltage::	DC 6V
Remark:	Temp 23 Humi:45%
Test Standard:	FCC Part 24
Tested By:	Kei Zhang
Reviewed By:	Terry Yin




Critical_Freqs

Frequency (MHz)	MaxPeak (dBm)	Limit (dBm)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
12970.500000	-46.33	-13.00	33.33	100.0	V	343.0	-79.1

EUT Information

EUT Name:	Amazon Locker
Model:	ZL-ODIN-V1
Test Mode:	eMTC_LTE Band 25_QPSK_5M_Mid channel_1RB
Test Voltage::	DC 6V
Remark:	Temp 24 Humi:47%
Test Standard:	FCC Part 24
Tested By:	Kei Zhang
Reviewed By:	Terry Yin




Critical_Freqs

Frequency (MHz)	MaxPeak (dBm)	Limit (dBm)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
1573.000000	-48.07	-13.00	35.07	100.0	H	37.0	-93.0
3753.000000	-48.47	-13.00	35.47	100.0	H	327.0	-86.6

EUT Information

EUT Name:	Amazon Locker
Model:	ZL-ODIN-V1
Test Mode:	eMTC_LTE Band 25_QPSK_5M_Mid channel_1RB
Test Voltage::	DC 6V
Remark:	Temp 24 Humi:47%
Test Standard:	FCC Part 24
Tested By:	Kei Zhang
Reviewed By:	Terry Yin




Critical_Freqs

Frequency (MHz)	MaxPeak (dBm)	Limit (dBm)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
1611.500000	-46.48	-13.00	33.48	100.0	V	147.0	-93.0
3783.000000	-49.65	-13.00	36.65	100.0	V	112.0	-87.1

EUT Information

EUT Name:	Amazon Locker
Model:	ZL-ODIN-V1
Test Mode:	eMTC_LTE Band 25_QPSK_5M_Mid channel_1RB
Test Voltage::	DC 6V
Remark:	Temp 23 Humi:45%
Test Standard:	FCC Part 24
Tested By:	Kei Zhang
Reviewed By:	Terry Yin




Critical_Freqs

Frequency (MHz)	MaxPeak (dBm)	Limit (dBm)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
12875.500000	-45.62	-13.00	32.62	100.0	H	264.0	-78.8

EUT Information

EUT Name:	Amazon Locker
Model:	ZL-ODIN-V1
Test Mode:	eMTC_LTE Band 25_QPSK_5M_Mid channel_1RB
Test Voltage::	DC 6V
Remark:	Temp 23 Humi:45%
Test Standard:	FCC Part 24
Tested By:	Kei Zhang
Reviewed By:	Terry Yin




Critical_Freqs

Frequency (MHz)	MaxPeak (dBm)	Limit (dBm)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
12902.500000	-46.03	-13.00	33.03	100.0	V	340.0	-78.3

EUT Information

EUT Name:	Amazon Locker
Model:	ZL-ODIN-V1
Test Mode:	eMTC_LTE Band 25_QPSK_20M_Mid channel_1RB
Test Voltage::	DC 6V
Remark:	Temp 24 Humi:47%
Test Standard:	FCC Part 24
Tested By:	Kei Zhang
Reviewed By:	Terry Yin




Critical_Freqs

Frequency (MHz)	MaxPeak (dBm)	Limit (dBm)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
1528.500000	-45.42	-13.00	32.42	100.0	H	139.0	-92.8
3772.500000	-48.98	-13.00	35.98	100.0	H	125.0	-86.6

EUT Information

EUT Name:	Amazon Locker
Model:	ZL-ODIN-V1
Test Mode:	eMTC_LTE Band 25_QPSK_20M_Mid channel_1RB
Test Voltage::	DC 6V
Remark:	Temp 24 Humi:47%
Test Standard:	FCC Part 24
Tested By:	Kei Zhang
Reviewed By:	Terry Yin




Critical_Freqs

Frequency (MHz)	MaxPeak (dBm)	Limit (dBm)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
3761.000000	-49.21	-13.00	36.21	100.0	V	58.0	-87.0

EUT Information

EUT Name:	Amazon Locker
Model:	ZL-ODIN-V1
Test Mode:	eMTC_LTE Band 25_QPSK_20M_Mid channel_1RB
Test Voltage::	DC 6V
Remark:	Temp 23 Humi:45%
Test Standard:	FCC Part 24
Tested By:	Kei Zhang
Reviewed By:	Terry Yin




Critical_Freqs

Frequency (MHz)	MaxPeak (dBm)	Limit (dBm)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
13240.000000	-46.34	-13.00	33.34	100.0	H	140.0	-79.5

EUT Information

EUT Name:	Amazon Locker
Model:	ZL-ODIN-V1
Test Mode:	eMTC_LTE Band 25_QPSK_20M_Mid channel_1RB
Test Voltage::	DC 6V
Remark:	Temp 23 Humi:45%
Test Standard:	FCC Part 24
Tested By:	Kei Zhang
Reviewed By:	Terry Yin




Critical_Freqs

Frequency (MHz)	MaxPeak (dBm)	Limit (dBm)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
12906.000000	-46.12	-13.00	33.12	100.0	V	279.0	-78.3

EUT Information

EUT Name:	Amazon Locker
Model:	ZL-ODIN-V1
Test Mode:	eMTC_LTE Band 26_QPSK_1.4M_Mid channel_1RB
Test Voltage::	DC 6V
Remark:	Temp 24 Humi:47%
Test Standard:	FCC Part 22
Tested By:	Kei Zhang
Reviewed By:	Terry Yin




Critical_Freqs

Frequency (MHz)	MaxPeak (dBm)	Limit (dBm)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
1656.500000	-51.78	-13.00	38.78	100.0	H	191.0	-92.6
2508.000000	-43.16	-13.00	30.16	100.0	H	225.0	-88.3

EUT Information

EUT Name: Amazon Locker
 Model: ZL-ODIN-V1
 Test Mode: eMTC_LTE Band 26_QPSK_1.4M_Mid channel_1RB
 Test Voltage:: DC 6V
 Remark: Temp 24 Humi:47%
 Test Standard: FCC Part 22
 Tested By: Kei Zhang
 Reviewed By: Terry Yin




Critical_Freqs

Frequency (MHz)	MaxPeak (dBm)	Limit (dBm)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
1666.500000	-49.21	-13.00	36.21	100.0	V	287.0	-92.2
2508.000000	-44.41	-13.00	31.41	100.0	V	167.0	-88.2

EUT Information

EUT Name:	Amazon Locker
Model:	ZL-ODIN-V1
Test Mode:	eMTC_LTE Band 26_QPSK_1.4M_Mid channel_1RB
Test Voltage::	DC 6V
Remark:	Temp 24 Humi:47%
Test Standard:	FCC Part 22
Tested By:	Kei Zhang
Reviewed By:	Terry Yin




Critical_Freqs

Frequency (MHz)	MaxPeak (dBm)	Limit (dBm)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
6674.483333	-52.09	-13.00	39.09	100.0	H	111.0	-87.7
8049.400000	-54.12	-13.00	41.12	100.0	H	316.0	-86.9

EUT Information

EUT Name:	Amazon Locker
Model:	ZL-ODIN-V1
Test Mode:	eMTC_LTE Band 26_QPSK_1.4M_Mid channel_1RB
Test Voltage::	DC 6V
Remark:	Temp 24 Humi:47%
Test Standard:	FCC Part 22
Tested By:	Kei Zhang
Reviewed By:	Terry Yin




Critical_Freqs

Frequency (MHz)	MaxPeak (dBm)	Limit (dBm)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
6680.550000	-52.05	-13.00	39.05	100.0	V	125.0	-88.0
8044.966667	-53.92	-13.00	40.92	100.0	V	144.0	-86.9

EUT Information

EUT Name:	Amazon Locker
Model:	ZL-ODIN-V1
Test Mode:	eMTC_LTE Band 26_QPSK_5M_Mid channel_1RB
Test Voltage::	DC 6V
Remark:	Temp 24 Humi:47%
Test Standard:	FCC Part 22
Tested By:	Kei Zhang
Reviewed By:	Terry Yin




Critical_Freqs

Frequency (MHz)	MaxPeak (dBm)	Limit (dBm)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
1668.500000	-51.52	-13.00	38.52	100.0	H	141.0	-92.6
2503.000000	-43.54	-13.00	30.54	100.0	H	224.0	-88.3

EUT Information

EUT Name: Amazon Locker
 Model: ZL-ODIN-V1
 Test Mode: eMTC_LTE Band 26_QPSK_5M_Mid channel_1RB
 Test Voltage:: DC 6V
 Remark: Temp 24 Humi:47%
 Test Standard: FCC Part 22
 Tested By: Kei Zhang
 Reviewed By: Terry Yin




Critical_Freqs

Frequency (MHz)	MaxPeak (dBm)	Limit (dBm)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
1668.000000	-51.12	-13.00	38.12	100.0	V	112.0	-92.2
2503.000000	-44.17	-13.00	31.17	100.0	V	165.0	-88.1

EUT Information

EUT Name:	Amazon Locker
Model:	ZL-ODIN-V1
Test Mode:	eMTC_LTE Band 26_QPSK_5M_Mid channel_1RB
Test Voltage::	DC 6V
Remark:	Temp 24 Humi:47%
Test Standard:	FCC Part 22
Tested By:	Kei Zhang
Reviewed By:	Terry Yin




Critical_Freqs

Frequency (MHz)	MaxPeak (dBm)	Limit (dBm)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
6648.350000	-52.28	-13.00	39.28	100.0	H	358.0	-87.6
8060.716667	-53.37	-13.00	40.37	100.0	H	36.0	-86.8

EUT Information

EUT Name:	Amazon Locker
Model:	ZL-ODIN-V1
Test Mode:	eMTC_LTE Band 26_QPSK_5M_Mid channel_1RB
Test Voltage::	DC 6V
Remark:	Temp 24 Humi:47%
Test Standard:	FCC Part 22
Tested By:	Kei Zhang
Reviewed By:	Terry Yin




Critical_Freqs

Frequency (MHz)	MaxPeak (dBm)	Limit (dBm)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
6614.166667	-52.77	-13.00	39.77	100.0	V	179.0	-88.1
8070.283333	-53.86	-13.00	40.86	100.0	V	29.0	-86.7

EUT Information

EUT Name:	Amazon Locker
Model:	ZL-ODIN-V1
Test Mode:	eMTC_LTE Band 26_QPSK_15M_Mid channel_1RB
Test Voltage::	DC 6V
Remark:	Temp 24 Humi:47%
Test Standard:	FCC Part 22
Tested By:	Kei Zhang
Reviewed By:	Terry Yin




Critical_Freqs

Frequency (MHz)	MaxPeak (dBm)	Limit (dBm)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
1682.000000	-45.68	-13.00	32.68	100.0	H	203.0	-92.4
2490.000000	-42.65	-13.00	29.65	100.0	H	195.0	-88.1

EUT Information

EUT Name:	Amazon Locker
Model:	ZL-ODIN-V1
Test Mode:	eMTC_LTE Band 26_QPSK_15M_Mid channel_1RB
Test Voltage::	DC 6V
Remark:	Temp 24 Humi:47%
Test Standard:	FCC Part 22
Tested By:	Kei Zhang
Reviewed By:	Terry Yin




Critical_Freqs

Frequency (MHz)	MaxPeak (dBm)	Limit (dBm)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
1660.000000	-48.51	-13.00	35.51	100.0	V	172.0	-92.3
2490.000000	-46.16	-13.00	33.16	100.0	V	207.0	-88.0

EUT Information

EUT Name:	Amazon Locker
Model:	ZL-ODIN-V1
Test Mode:	eMTC_LTE Band 26_QPSK_15M_Mid channel_1RB
Test Voltage::	DC 6V
Remark:	Temp 24 Humi:47%
Test Standard:	FCC Part 22
Tested By:	Kei Zhang
Reviewed By:	Terry Yin




Critical_Freqs

Frequency (MHz)	MaxPeak (dBm)	Limit (dBm)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
6510.450000	-51.79	-13.00	38.79	100.0	H	218.0	-87.6
8009.500000	-53.71	-13.00	40.71	100.0	H	324.0	-87.6

EUT Information

EUT Name:	Amazon Locker
Model:	ZL-ODIN-V1
Test Mode:	eMTC_LTE Band 26_QPSK_15M_Mid channel_1RB
Test Voltage::	DC 6V
Remark:	Temp 24 Humi:47%
Test Standard:	FCC Part 22
Tested By:	Kei Zhang
Reviewed By:	Terry Yin




Critical_Freqs

Frequency (MHz)	MaxPeak (dBm)	Limit (dBm)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
6565.633333	-52.28	-13.00	39.28	100.0	V	30.0	-87.4
8051.966667	-53.55	-13.00	40.55	100.0	V	264.0	-86.8

EUT Information

EUT Name:	Amazon Locker
Model:	ZL-ODIN-V1
Test Mode:	eMTC_LTE Band 26_QPSK_1.4M_Mid channel_1RB
Test Voltage::	DC 6V
Remark:	Temp 24 Humi:47%
Test Standard:	FCC Part 90
Tested By:	Kei Zhang
Reviewed By:	Terry Yin




Critical_Freqs

Frequency (MHz)	MaxPeak (dBm)	Limit (dBm)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
1636.500000	-50.25	-13.00	37.25	100.0	H	63.0	-92.6
2455.500000	-42.03	-13.00	29.03	100.0	H	198.0	-87.9

EUT Information

EUT Name: Amazon Locker
 Model: ZL-ODIN-V1
 Test Mode: eMTC_LTE Band 26_QPSK_1.4M_Mid channel_1RB
 Test Voltage:: DC 6V
 Remark: Temp 24 Humi:47%
 Test Standard: FCC Part 90
 Tested By: Kei Zhang
 Reviewed By: Terry Yin




Critical_Freqs

Frequency (MHz)	MaxPeak (dBm)	Limit (dBm)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
1665.500000	-48.16	-13.00	35.16	100.0	V	285.0	-92.2
2455.000000	-46.54	-13.00	33.54	100.0	V	143.0	-88.1

EUT Information

EUT Name:	Amazon Locker
Model:	ZL-ODIN-V1
Test Mode:	eMTC_LTE Band 26_QPSK_1.4M_Mid channel_1RB
Test Voltage::	DC 6V
Remark:	Temp 24 Humi:47%
Test Standard:	FCC Part 90
Tested By:	Kei Zhang
Reviewed By:	Terry Yin




Critical_Freqs

Frequency (MHz)	MaxPeak (dBm)	Limit (dBm)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
6639.833333	-51.94	-13.00	38.94	100.0	H	342.0	-87.6
8053.950000	-53.98	-13.00	40.98	100.0	H	315.0	-86.9

EUT Information

EUT Name:	Amazon Locker
Model:	ZL-ODIN-V1
Test Mode:	eMTC_LTE Band 26_QPSK_1.4M_Mid channel_1RB
Test Voltage::	DC 6V
Remark:	Temp 24 Humi:47%
Test Standard:	FCC Part 90
Tested By:	Kei Zhang
Reviewed By:	Terry Yin




Critical_Freqs

Frequency (MHz)	MaxPeak (dBm)	Limit (dBm)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
6576.483333	-52.76	-13.00	39.76	100.0	V	263.0	-87.6
8078.566667	-54.21	-13.00	41.21	100.0	V	307.0	-86.7

EUT Information

EUT Name: Amazon Locker
 Model: ZL-ODIN-V1
 Test Mode: eMTC_LTE Band 26_QPSK_5M_Mid channel_1RB
 Test Voltage:: DC 6V
 Remark: Temp 24 Humi:47%
 Test Standard: FCC Part 90
 Tested By: Kei Zhang
 Reviewed By: Terry Yin




Critical_Freqs

Frequency (MHz)	MaxPeak (dBm)	Limit (dBm)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
1633.000000	-49.60	-13.00	36.60	100.0	H	151.0	-92.7
2450.500000	-42.74	-13.00	29.74	100.0	H	212.0	-87.8

EUT Information

EUT Name: Amazon Locker
 Model: ZL-ODIN-V1
 Test Mode: eMTC_LTE Band 26_QPSK_5M_Mid channel_1RB
 Test Voltage:: DC 6V
 Remark: Temp 24 Humi:47%
 Test Standard: FCC Part 90
 Tested By: Kei Zhang
 Reviewed By: Terry Yin




Critical_Freqs

Frequency (MHz)	MaxPeak (dBm)	Limit (dBm)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
1664.000000	-48.53	-13.00	35.53	100.0	V	278.0	-92.2
2450.500000	-42.28	-13.00	29.28	100.0	V	193.0	-88.1

EUT Information

EUT Name:	Amazon Locker
Model:	ZL-ODIN-V1
Test Mode:	eMTC_LTE Band 26_QPSK_5M_Mid channel_1RB
Test Voltage::	DC 6V
Remark:	Temp 24 Humi:47%
Test Standard:	FCC Part 90
Tested By:	Kei Zhang
Reviewed By:	Terry Yin




Critical_Freqs

Frequency (MHz)	MaxPeak (dBm)	Limit (dBm)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
6543.350000	-52.31	-13.00	39.31	100.0	H	119.0	-87.4
8033.766667	-52.92	-13.00	39.92	100.0	H	236.0	-87.2

EUT Information

EUT Name:	Amazon Locker
Model:	ZL-ODIN-V1
Test Mode:	eMTC_LTE Band 26_QPSK_5M_Mid channel_1RB
Test Voltage::	DC 6V
Remark:	Temp 24 Humi:47%
Test Standard:	FCC Part 90
Tested By:	Kei Zhang
Reviewed By:	Terry Yin




Critical_Freqs

Frequency (MHz)	MaxPeak (dBm)	Limit (dBm)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
6528.533333	-51.74	-13.00	38.74	100.0	V	13.0	-87.5
8069.583333	-52.45	-13.00	39.45	100.0	V	76.0	-86.7

EUT Information

EUT Name:	Amazon Locker
Model:	ZL-ODIN-V1
Test Mode:	eMTC_LTE Band 26_QPSK_10M_Mid channel_1RB
Test Voltage::	DC 6V
Remark:	Temp 24 Humi:47%
Test Standard:	FCC Part 90
Tested By:	Kei Zhang
Reviewed By:	Terry Yin




Critical_Freqs

Frequency (MHz)	MaxPeak (dBm)	Limit (dBm)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
1629.500000	-49.98	-13.00	36.98	100.0	H	136.0	-92.9
2444.500000	-41.73	-13.00	28.73	100.0	H	189.0	-87.8

EUT Information

EUT Name:	Amazon Locker
Model:	ZL-ODIN-V1
Test Mode:	eMTC_LTE Band 26_QPSK_10M_Mid channel_1RB
Test Voltage::	DC 6V
Remark:	Temp 24 Humi:47%
Test Standard:	FCC Part 90
Tested By:	Kei Zhang
Reviewed By:	Terry Yin




Critical_Freqs

Frequency (MHz)	MaxPeak (dBm)	Limit (dBm)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
1630.000000	-50.15	-13.00	37.15	100.0	V	127.0	-92.6
2444.000000	-42.02	-13.00	29.02	100.0	V	194.0	-88.1

EUT Information

EUT Name:	Amazon Locker
Model:	ZL-ODIN-V1
Test Mode:	eMTC_LTE Band 26_QPSK_10M_Mid channel_1RB
Test Voltage::	DC 6V
Remark:	Temp 24 Humi:47%
Test Standard:	FCC Part 90
Tested By:	Kei Zhang
Reviewed By:	Terry Yin




Critical_Freqs

Frequency (MHz)	MaxPeak (dBm)	Limit (dBm)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
6538.683333	-52.49	-13.00	39.49	100.0	H	84.0	-87.4
8038.083333	-53.14	-13.00	40.14	100.0	H	0.0	-87.1

EUT Information

EUT Name:	Amazon Locker
Model:	ZL-ODIN-V1
Test Mode:	eMTC_LTE Band 26_QPSK_10M_Mid channel_1RB
Test Voltage::	DC 6V
Remark:	Temp 24 Humi:47%
Test Standard:	FCC Part 90
Tested By:	Kei Zhang
Reviewed By:	Terry Yin




Critical_Freqs

Frequency (MHz)	MaxPeak (dBm)	Limit (dBm)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
6902.450000	-51.83	-13.00	38.83	100.0	V	157.0	-88.6
8090.816667	-52.73	-13.00	39.73	100.0	V	230.0	-86.7

EUT Information

EUT Name:	Amazon Locker
Model:	ZL-ODIN-V1
Test Mode:	eMTC_LTE Band 66_QPSK_1.4M_Mid channel_1RB
Test Voltage::	DC 6V
Remark:	Temp 24 Humi:47%
Test Standard:	FCC Part 27
Tested By:	Kei Zhang
Reviewed By:	Terry Yin




Critical_Freqs

Frequency (MHz)	MaxPeak (dBm)	Limit (dBm)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
1437.500000	-45.63	-13.00	32.63	100.0	H	34.0	-93.6
1744.500000	-47.72	-13.00	34.72	100.0	H	132.0	-91.5
3481.500000	-48.81	-13.00	35.81	100.0	H	217.0	-87.8

EUT Information

EUT Name:	Amazon Locker
Model:	ZL-ODIN-V1
Test Mode:	eMTC_LTE Band 66_QPSK_1.4M_Mid channel_1RB
Test Voltage::	DC 6V
Remark:	Temp 24 Humi:47%
Test Standard:	FCC Part 27
Tested By:	Kei Zhang
Reviewed By:	Terry Yin




Critical_Freqs

Frequency (MHz)	MaxPeak (dBm)	Limit (dBm)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
1436.500000	-49.59	-13.00	36.59	100.0	V	133.0	-93.7
1744.500000	-48.51	-13.00	35.51	100.0	V	185.0	-91.6
3489.000000	-48.51	-13.00	35.51	100.0	V	172.0	-87.7

EUT Information

EUT Name:	Amazon Locker
Model:	ZL-ODIN-V1
Test Mode:	eMTC_LTE Band 66_QPSK_1.4M_Mid channel_1RB
Test Voltage::	DC 6V
Remark:	Temp 23 Humi:45%
Test Standard:	FCC Part 27
Tested By:	Kei Zhang
Reviewed By:	Terry Yin




Critical_Freqs

Frequency (MHz)	MaxPeak (dBm)	Limit (dBm)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
12890.000000	-45.09	-13.00	32.09	100.0	H	32.0	-78.5

EUT Information

EUT Name:	Amazon Locker
Model:	ZL-ODIN-V1
Test Mode:	eMTC_LTE Band 66_QPSK_1.4M_Mid channel_1RB
Test Voltage::	DC 6V
Remark:	Temp 23 Humi:45%
Test Standard:	FCC Part 27
Tested By:	Kei Zhang
Reviewed By:	Terry Yin




Critical_Freqs

Frequency (MHz)	MaxPeak (dBm)	Limit (dBm)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
12894.500000	-45.58	-13.00	32.58	100.0	V	201.0	-78.4

EUT Information

EUT Name:	Amazon Locker
Model:	ZL-ODIN-V1
Test Mode:	eMTC_LTE Band 66_QPSK_5M_Mid channel_1RB
Test Voltage::	DC 6V
Remark:	Temp 24 Humi:47%
Test Standard:	FCC Part 27
Tested By:	Kei Zhang
Reviewed By:	Terry Yin




Critical_Freqs

Frequency (MHz)	MaxPeak (dBm)	Limit (dBm)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
1591.000000	-47.01	-13.00	34.01	100.0	H	159.0	-92.7
1742.500000	-47.82	-13.00	34.82	100.0	H	243.0	-91.5
3485.000000	-48.68	-13.00	35.68	100.0	H	153.0	-87.8

EUT Information

EUT Name:	Amazon Locker
Model:	ZL-ODIN-V1
Test Mode:	eMTC_LTE Band 66_QPSK_5M_Mid channel_1RB
Test Voltage::	DC 6V
Remark:	Temp 24 Humi:47%
Test Standard:	FCC Part 27
Tested By:	Kei Zhang
Reviewed By:	Terry Yin




Critical_Freqs

Frequency (MHz)	MaxPeak (dBm)	Limit (dBm)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
3485.500000	-47.50	-13.00	34.50	100.0	V	183.0	-87.7

EUT Information

EUT Name: Amazon Locker
 Model: ZL-ODIN-V1
 Test Mode: eMTC_LTE Band 66_QPSK_5M_Mid channel_1RB
 Test Voltage:: DC 6V
 Remark: Temp 23 Humi:45%
 Test Standard: FCC Part 27
 Tested By: Kei Zhang
 Reviewed By: Terry Yin




Critical_Freqs

Frequency (MHz)	MaxPeak (dBm)	Limit (dBm)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
12918.500000	-45.79	-13.00	32.79	100.0	H	295.0	-78.5

EUT Information

EUT Name: Amazon Locker
 Model: ZL-ODIN-V1
 Test Mode: eMTC_LTE Band 66_QPSK_5M_Mid channel_1RB
 Test Voltage:: DC 6V
 Remark: Temp 23 Humi:45%
 Test Standard: FCC Part 27
 Tested By: Kei Zhang
 Reviewed By: Terry Yin




Critical_Freqs

Frequency (MHz)	MaxPeak (dBm)	Limit (dBm)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
13251.000000	-45.85	-13.00	32.85	100.0	V	281.0	-79.5

EUT Information

EUT Name: Amazon Locker
 Model: ZL-ODIN-V1
 Test Mode: eMTC_LTE Band 66_QPSK_20M_Mid channel_1RB
 Test Voltage:: DC 6V
 Remark: Temp 24 Humi:47%
 Test Standard: FCC Part 27
 Tested By: Kei Zhang
 Reviewed By: Terry Yin




Critical_Freqs

Frequency (MHz)	MaxPeak (dBm)	Limit (dBm)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
1429.000000	-44.70	-13.00	31.70	100.0	H	78.0	-93.4
1736.500000	-40.85	-13.00	27.85	100.0	H	132.0	-91.4
3490.500000	-50.30	-13.00	37.30	100.0	H	159.0	-87.6

EUT Information

EUT Name: Amazon Locker
 Model: ZL-ODIN-V1
 Test Mode: eMTC_LTE Band 66_QPSK_20M_Mid channel_1RB
 Test Voltage:: DC 6V
 Remark: Temp 24 Humi:47%
 Test Standard: FCC Part 27
 Tested By: Kei Zhang
 Reviewed By: Terry Yin




Critical_Freqs

Frequency (MHz)	MaxPeak (dBm)	Limit (dBm)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
1736.000000	-42.24	-13.00	29.24	100.0	V	177.0	-91.6
3501.000000	-48.55	-13.00	35.55	100.0	V	0.0	-87.6

EUT Information

EUT Name:	Amazon Locker
Model:	ZL-ODIN-V1
Test Mode:	eMTC_LTE Band 66_QPSK_20M_Mid channel_1RB
Test Voltage::	DC 6V
Remark:	Temp 23 Humi:45%
Test Standard:	FCC Part 27
Tested By:	Kei Zhang
Reviewed By:	Terry Yin




Critical_Freqs

Frequency (MHz)	MaxPeak (dBm)	Limit (dBm)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
12893.500000	-46.26	-13.00	33.26	100.0	H	26.0	-78.4

EUT Information

EUT Name:	Amazon Locker
Model:	ZL-ODIN-V1
Test Mode:	eMTC_LTE Band 66_QPSK_20M_Mid channel_1RB
Test Voltage::	DC 6V
Remark:	Temp 23 Humi:45%
Test Standard:	FCC Part 27
Tested By:	Kei Zhang
Reviewed By:	Terry Yin




Critical_Freqs

Frequency (MHz)	MaxPeak (dBm)	Limit (dBm)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
12854.500000	-46.29	-13.00	33.29	100.0	V	106.0	-79.3

EUT Information

EUT Name:	Amazon Locker
Model:	ZL-ODIN-V1
Test Mode:	eMTC_LTE Band 85_QPSK_5M_Mid channel_1RB
Test Voltage::	DC 6V
Remark:	Temp 23 Humi:45%
Test Standard:	FCC Part 27
Tested By:	Kei Zhang
Reviewed By:	Terry Yin




Critical_Freqs

Frequency (MHz)	MaxPeak (dBm)	Limit (dBm)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
1409.500000	-47.25	-13.00	34.25	100.0	H	23.0	-92.7
1714.500000	-47.48	-13.00	34.48	100.0	H	244.0	-92.0
2114.500000	-45.24	-13.00	32.24	100.0	H	49.0	-88.8

EUT Information

EUT Name:	Amazon Locker
Model:	ZL-ODIN-V1
Test Mode:	eMTC_LTE Band 85_QPSK_5M_Mid channel_1RB
Test Voltage::	DC 6V
Remark:	Temp 23 Humi:45%
Test Standard:	FCC Part 27
Tested By:	Kei Zhang
Reviewed By:	Terry Yin




Critical_Freqs

Frequency (MHz)	MaxPeak (dBm)	Limit (dBm)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
1409.500000	-48.71	-13.00	35.71	100.0	V	86.0	-92.8
2114.500000	-44.43	-13.00	31.43	100.0	V	346.0	-88.4

EUT Information

EUT Name:	Amazon Locker
Model:	ZL-ODIN-V1
Test Mode:	eMTC_LTE Band 85_QPSK_5M_Mid channel_1RB
Test Voltage::	DC 6V
Remark:	Temp 23 Humi:45%
Test Standard:	FCC Part 27
Tested By:	Kei Zhang
Reviewed By:	Terry Yin




Critical_Freqs

Frequency (MHz)	MaxPeak (dBm)	Limit (dBm)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
7073.366667	-53.07	-13.00	40.07	100.0	H	316.0	-87.9

EUT Information

EUT Name:	Amazon Locker
Model:	ZL-ODIN-V1
Test Mode:	eMTC_LTE Band 85_QPSK_5M_Mid channel_1RB
Test Voltage::	DC 6V
Remark:	Temp 23 Humi:45%
Test Standard:	FCC Part 27
Tested By:	Kei Zhang
Reviewed By:	Terry Yin




Critical_Freqs

Frequency (MHz)	MaxPeak (dBm)	Limit (dBm)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
7069.166667	-54.26	-13.00	41.26	100.0	V	275.0	-87.9

EUT Information

EUT Name:	Amazon Locker
Model:	ZL-ODIN-V1
Test Mode:	eMTC_LTE Band 85_QPSK_10M_Mid channel_1RB
Test Voltage::	DC 6V
Remark:	Temp 23 Humi:45%
Test Standard:	FCC Part 27
Tested By:	Kei Zhang
Reviewed By:	Terry Yin




Critical_Freqs

Frequency (MHz)	MaxPeak (dBm)	Limit (dBm)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
1405.000000	-49.66	-13.00	36.66	100.0	H	140.0	-92.8
2108.000000	-43.59	-13.00	30.59	100.0	H	47.0	-89.0

EUT Information

EUT Name:	Amazon Locker
Model:	ZL-ODIN-V1
Test Mode:	eMTC_LTE Band 85_QPSK_10M_Mid channel_1RB
Test Voltage::	DC 6V
Remark:	Temp 23 Humi:45%
Test Standard:	FCC Part 27
Tested By:	Kei Zhang
Reviewed By:	Terry Yin




Critical_Freqs

Frequency (MHz)	MaxPeak (dBm)	Limit (dBm)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
1405.000000	-51.89	-13.00	38.89	100.0	V	349.0	-92.7
2108.500000	-45.88	-13.00	32.88	100.0	V	23.0	-88.6

EUT Information

EUT Name:	Amazon Locker
Model:	ZL-ODIN-V1
Test Mode:	eMTC_LTE Band 85_QPSK_10M_Mid channel_1RB
Test Voltage::	DC 6V
Remark:	Temp 23 Humi:45%
Test Standard:	FCC Part 27
Tested By:	Kei Zhang
Reviewed By:	Terry Yin




Critical_Freqs

Frequency (MHz)	MaxPeak (dBm)	Limit (dBm)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
7071.966667	-53.90	-13.00	40.90	100.0	H	119.0	-87.9

EUT Information

EUT Name:	Amazon Locker
Model:	ZL-ODIN-V1
Test Mode:	eMTC_LTE Band 85_QPSK_10M_Mid channel_1RB
Test Voltage::	DC 6V
Remark:	Temp 23 Humi:45%
Test Standard:	FCC Part 27
Tested By:	Kei Zhang
Reviewed By:	Terry Yin




Critical_Freqs

Frequency (MHz)	MaxPeak (dBm)	Limit (dBm)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
7077.450000	-53.71	-13.00	40.71	100.0	V	326.0	-87.8

1.5 NB-IoT, bleow 1GHz

EUT Information

EUT Name:	Amazon Locker
Model:	ZL-ODIN-V1
Test Mode:	NB-IOT_Band 2_3.75k_BPSK_High channel
Test Voltage::	DC 6V
Remark:	Temp 23 Humi:45%
Test Standard:	FCC Part 24
Tested By:	Kei Zhang
Reviewed By:	Terry Yin




Critical_Freqs

Frequency (MHz)	MaxPeak (dBm)	Limit (dBm)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
41.640000	-77.18	-13.00	64.18	100.0	H	213.0	-112.3
244.491250	-84.63	-13.00	71.63	100.0	H	302.0	-110.0
426.366250	-84.11	-13.00	71.11	100.0	H	273.0	-110.3
847.225000	-75.38	-13.00	62.39	100.0	H	72.0	-99.4

EUT Information

EUT Name: Amazon Locker
 Model: ZL-ODIN-V1
 Test Mode: NB-IOT_Band 2_3.75k_BPSK_High channel
 Test Voltage:: DC 6V
 Remark: Temp 23 Humi:45%
 Test Standard: FCC Part 24
 Tested By: Kei Zhang
 Reviewed By: Terry Yin




Critical_Freqs

Frequency (MHz)	MaxPeak (dBm)	Limit (dBm)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
94.868750	-74.35	-13.00	61.35	100.0	V	190.0	-99.8
322.697500	-85.90	-13.00	72.90	100.0	V	84.0	-111.9
728.763750	-76.02	-13.00	63.02	100.0	V	226.0	-103.2

EUT Information

EUT Name:	Amazon Locker
Model:	ZL-ODIN-V1
Test Mode:	NB-IOT_Band 4_3.75k_BPSK_High channel
Test Voltage::	DC 6V
Remark:	Temp 23 Humi:45%
Test Standard:	FCC Part 27
Tested By:	Kei Zhang
Reviewed By:	Terry Yin




Critical_Freqs

Frequency (MHz)	MaxPeak (dBm)	Limit (dBm)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
35.941250	-79.31	-13.00	66.31	100.0	H	37.0	-113.6
244.491250	-84.89	-13.00	71.89	100.0	H	211.0	-110.0
857.531250	-74.30	-13.00	61.30	100.0	H	143.0	-99.3

EUT Information

EUT Name: Amazon Locker
 Model: ZL-ODIN-V1
 Test Mode: NB-IOT_Band 4_3.75k_BPSK_High channel
 Test Voltage:: DC 6V
 Remark: Temp 23 Humi:45%
 Test Standard: FCC Part 27
 Tested By: Kei Zhang
 Reviewed By: Terry Yin




Critical_Freqs

Frequency (MHz)	MaxPeak (dBm)	Limit (dBm)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
41.276250	-89.88	-13.00	76.88	100.0	V	342.0	-123.5
94.141250	-74.19	-13.00	61.19	100.0	V	103.0	-99.8
382.958750	-85.08	-13.00	72.08	100.0	V	0.0	-110.9
866.867500	-74.19	-13.00	61.19	100.0	V	71.0	-99.5

EUT Information

EUT Name: Amazon Locker
 Model: ZL-ODIN-V1
 Test Mode: NB-IOT_Band 5_3.75k_BPSK_High channel
 Test Voltage:: DC 6V
 Remark: Temp 23 Humi:45%
 Test Standard: FCC Part 22
 Tested By: Kei Zhang
 Reviewed By: Terry Yin




Critical_Freqs

Frequency (MHz)	MaxPeak (dBm)	Limit (dBm)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
36.426250	-79.66	-13.00	66.66	100.0	H	285.0	-113.4
236.367500	-84.52	-13.00	71.52	100.0	H	192.0	-111.2
634.188750	-79.11	-13.00	66.11	100.0	H	161.0	-104.7
823.945000	-75.39	-13.00	62.39	100.0	H	0.0	-100.6

EUT Information

EUT Name:	Amazon Locker
Model:	ZL-ODIN-V1
Test Mode:	NB-IOT_Band 5_3.75k_BPSK_High channel
Test Voltage::	DC 6V
Remark:	Temp 23 Humi:45%
Test Standard:	FCC Part 22
Tested By:	Kei Zhang
Reviewed By:	Terry Yin




Critical_Freqs

Frequency (MHz)	MaxPeak (dBm)	Limit (dBm)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
35.820000	-90.45	-13.00	77.45	100.0	V	102.0	-126.0
93.777500	-73.59	-13.00	60.59	100.0	V	102.0	-100.5
379.321250	-84.81	-13.00	71.81	100.0	V	18.0	-111.0
865.776250	-73.44	-13.00	60.44	100.0	V	79.0	-99.5

EUT Information

EUT Name:	Amazon Locker
Model:	ZL-ODIN-V1
Test Mode:	NB-IOT_Band 12_3.75k_BPSK_High channel
Test Voltage::	DC 6V
Remark:	Temp 23 Humi:45%
Test Standard:	FCC Part 27
Tested By:	Kei Zhang
Reviewed By:	Terry Yin




Critical_Freqs

Frequency (MHz)	MaxPeak (dBm)	Limit (dBm)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
42.003750	-78.84	-13.00	65.84	100.0	H	137.0	-112.4
243.521250	-84.24	-13.00	71.24	100.0	H	278.0	-110.0
635.158750	-79.25	-13.00	66.25	100.0	H	4.0	-104.7
817.518750	-74.50	-13.00	61.50	100.0	H	161.0	-100.4

EUT Information

EUT Name:	Amazon Locker
Model:	ZL-ODIN-V1
Test Mode:	NB-IOT_Band 12_3.75k_BPSK_High channel
Test Voltage::	DC 6V
Remark:	Temp 23 Humi:45%
Test Standard:	FCC Part 27
Tested By:	Kei Zhang
Reviewed By:	Terry Yin




Critical_Freqs

Frequency (MHz)	MaxPeak (dBm)	Limit (dBm)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
94.626250	-73.52	-13.00	60.52	100.0	V	0.0	-99.7
377.381250	-84.96	-13.00	71.96	100.0	V	185.0	-110.9
582.778750	-80.45	-13.00	67.45	100.0	V	0.0	-106.4
874.021250	-74.48	-13.00	61.48	100.0	V	170.0	-100.7

EUT Information

EUT Name: Amazon Locker
 Model: ZL-ODIN-V1
 Test Mode: NB-IOT_Band 13_3.75k_BPSK_High channel
 Test Voltage:: DC 6V
 Remark: Temp 23 Humi:45%
 Test Standard: FCC Part 27
 Tested By: Kei Zhang
 Reviewed By: Terry Yin




Critical_Freqs

Frequency (MHz)	MaxPeak (dBm)	Limit (dBm)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
35.941250	-77.80	-13.00	64.80	100.0	H	24.0	-113.6
243.521250	-83.68	-13.00	70.68	100.0	H	205.0	-110.0
821.156250	-75.05	-13.00	62.05	100.0	H	234.0	-100.5

EUT Information

EUT Name:	Amazon Locker
Model:	ZL-ODIN-V1
Test Mode:	NB-IOT_Band 13_3.75k_BPSK_High channel
Test Voltage::	DC 6V
Remark:	Temp 23 Humi:45%
Test Standard:	FCC Part 27
Tested By:	Kei Zhang
Reviewed By:	Terry Yin




Critical_Freqs

Frequency (MHz)	MaxPeak (dBm)	Limit (dBm)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
94.141250	-73.31	-13.00	60.31	100.0	V	207.0	-99.8
379.321250	-85.39	-13.00	72.39	100.0	V	81.0	-111.0
865.412500	-76.04	-13.00	63.04	100.0	V	270.0	-99.6

EUT Information

EUT Name:	Amazon Locker
Model:	ZL-ODIN-V1
Test Mode:	NB-IOT_Band 25_3.75k_BPSK_High channel
Test Voltage::	DC 6V
Remark:	Temp 23 Humi:45%
Test Standard:	FCC Part 24
Tested By:	Kei Zhang
Reviewed By:	Terry Yin




Critical_Freqs

Frequency (MHz)	MaxPeak (dBm)	Limit (dBm)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
42.003750	-77.82	-13.00	64.82	100.0	H	264.0	-112.4
243.400000	-84.83	-13.00	71.83	100.0	H	248.0	-109.9
583.506250	-79.92	-13.00	66.92	100.0	H	79.0	-106.0
872.566250	-75.39	-13.00	62.39	100.0	H	3.0	-100.6

EUT Information

EUT Name: Amazon Locker
 Model: ZL-ODIN-V1
 Test Mode: NB-IOT_Band 25_3.75k_BPSK_High channel
 Test Voltage:: DC 6V
 Remark: Temp 23 Humi:45%
 Test Standard: FCC Part 24
 Tested By: Kei Zhang
 Reviewed By: Terry Yin




Critical_Freqs

Frequency (MHz)	MaxPeak (dBm)	Limit (dBm)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
36.547500	-91.03	-13.00	78.03	100.0	V	42.0	-125.6
94.383750	-74.42	-13.00	61.42	100.0	V	317.0	-99.7
378.108750	-85.14	-13.00	72.14	100.0	V	301.0	-111.0
866.140000	-74.47	-13.00	61.47	100.0	V	10.0	-99.5

EUT Information

EUT Name:	Amazon Locker
Model:	ZL-ODIN-V1
Test Mode:	NB-IOT_Band 66_3.75k_BPSK_High channel
Test Voltage::	DC 6V
Remark:	Temp 23 Humi:45%
Test Standard:	FCC Part 27
Tested By:	Kei Zhang
Reviewed By:	Terry Yin




Critical_Freqs

Frequency (MHz)	MaxPeak (dBm)	Limit (dBm)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
35.456250	-78.10	-13.00	65.10	100.0	H	0.0	-114.1
239.641250	-85.41	-13.00	72.41	100.0	H	213.0	-110.5
818.367500	-75.57	-13.00	62.57	100.0	H	76.0	-100.4

EUT Information

EUT Name:	Amazon Locker
Model:	ZL-ODIN-V1
Test Mode:	NB-IOT_Band 66_3.75k_BPSK_High channel
Test Voltage::	DC 6V
Remark:	Temp 23 Humi:45%
Test Standard:	FCC Part 27
Tested By:	Kei Zhang
Reviewed By:	Terry Yin




Critical_Freqs

Frequency (MHz)	MaxPeak (dBm)	Limit (dBm)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
36.426250	-88.06	-13.00	75.06	100.0	V	286.0	-125.6
94.383750	-73.64	-13.00	60.64	100.0	V	0.0	-99.7
373.016250	-84.69	-13.00	71.69	100.0	V	298.0	-111.0
869.777500	-75.43	-13.00	62.43	100.0	V	45.0	-100.0

EUT Information

EUT Name: Amazon Locker
 Model: ZL-ODIN-V1
 Test Mode: NB-IOT_Band 71_3.75k_BPSK_High channel
 Test Voltage:: DC 6V
 Remark: Temp 23 Humi:45%
 Test Standard: FCC Part 27
 Tested By: Kei Zhang
 Reviewed By: Terry Yin




Critical_Freqs

Frequency (MHz)	MaxPeak (dBm)	Limit (dBm)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
35.941250	-78.36	-13.00	65.36	100.0	H	137.0	-113.6
243.400000	-85.12	-13.00	72.12	100.0	H	106.0	-109.9
633.946250	-78.32	-13.00	65.32	100.0	H	176.0	-104.7
864.321250	-74.05	-13.00	61.05	100.0	H	65.0	-100.0

EUT Information

EUT Name:	Amazon Locker
Model:	ZL-ODIN-V1
Test Mode:	NB-IOT_Band 71_3.75k_BPSK_High channel
Test Voltage::	DC 6V
Remark:	Temp 23 Humi:45%
Test Standard:	FCC Part 27
Tested By:	Kei Zhang
Reviewed By:	Terry Yin




Critical_Freqs

Frequency (MHz)	MaxPeak (dBm)	Limit (dBm)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
94.383750	-72.40	-13.00	59.40	100.0	V	257.0	-99.7
375.562500	-85.41	-13.00	72.41	100.0	V	348.0	-110.9
783.568750	-75.50	-13.00	62.50	100.0	V	100.0	-102.0

EUT Information

EUT Name:	Amazon Locker
Model:	ZL-ODIN-V1
Test Mode:	NB-IOT_Band 85_3.75k_BPSK_High channel
Test Voltage::	DC 6V
Remark:	Temp 23 Humi:45%
Test Standard:	FCC Part 27
Tested By:	Kei Zhang
Reviewed By:	Terry Yin




Critical_Freqs

Frequency (MHz)	MaxPeak (dBm)	Limit (dBm)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
35.698750	-77.86	-13.00	64.87	100.0	H	8.0	-113.8
243.036250	-86.16	-13.00	73.16	100.0	H	290.0	-109.9
626.792500	-80.03	-13.00	67.03	100.0	H	67.0	-105.1
817.640000	-75.65	-13.00	62.65	100.0	H	128.0	-100.4

EUT Information

EUT Name:	Amazon Locker
Model:	ZL-ODIN-V1
Test Mode:	NB-IOT_Band 85_3.75k_BPSK_High channel
Test Voltage::	DC 6V
Remark:	Temp 23 Humi:45%
Test Standard:	FCC Part 27
Tested By:	Kei Zhang
Reviewed By:	Terry Yin




Critical_Freqs

Frequency (MHz)	MaxPeak (dBm)	Limit (dBm)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
42.003750	-88.21	-13.00	75.21	100.0	V	332.0	-123.4
94.505000	-72.91	-13.00	59.91	100.0	V	101.0	-99.7
338.460000	-85.21	-13.00	72.21	100.0	V	5.0	-111.4
869.898750	-74.38	-13.00	61.38	100.0	V	347.0	-100.0

1.6 NB-IoT, above 1GHz

EUT Information

EUT Name:	Amazon Locker
Model:	ZL-ODIN-V1
Test Mode:	NB-IOT_Band 2_3.75k_BPSK_High channel
Test Voltage::	DC 6V
Remark:	Temp 24 Humi:47%
Test Standard:	FCC Part 24
Tested By:	Kei Zhang
Reviewed By:	Terry Yin




Critical_Freqs

Frequency (MHz)	MaxPeak (dBm)	Limit (dBm)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
1197.000000	-51.29	-13.00	38.29	100.0	H	148.0	-93.1
2092.000000	-44.61	-13.00	31.61	100.0	H	78.0	-88.7
3709.000000	-49.41	-13.00	36.41	100.0	H	305.0	-86.8

EUT Information

EUT Name:	Amazon Locker
Model:	ZL-ODIN-V1
Test Mode:	NB-IOT_Band 2_3.75k_BPSK_High channel
Test Voltage::	DC 6V
Remark:	Temp 24 Humi:47%
Test Standard:	FCC Part 24
Tested By:	Kei Zhang
Reviewed By:	Terry Yin




Critical_Freqs

Frequency (MHz)	MaxPeak (dBm)	Limit (dBm)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
1196.000000	-46.46	-13.00	33.46	100.0	V	319.0	-92.4
2020.500000	-44.04	-13.00	31.04	100.0	V	235.0	-88.9
3821.000000	-49.44	-13.00	36.44	100.0	V	259.0	-86.9

EUT Information

EUT Name: Amazon Locker
Model: ZL-ODIN-V1
Test Mode: NB-IOT_Band 2_3.75k_BPSK_High channel
Test Voltage:: DC 6V
Remark: Temp 23 Humi:45%
Test Standard: FCC Part 24
Tested By: Kei Zhang
Reviewed By: Terry Yin




Critical_Freqs

Frequency (MHz)	MaxPeak (dBm)	Limit (dBm)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
13249.000000	-45.44	-13.00	32.44	100.0	H	1.0	-79.3

EUT Information

EUT Name:	Amazon Locker
Model:	ZL-ODIN-V1
Test Mode:	NB-IOT_Band 2_3.75k_BPSK_High channel
Test Voltage::	DC 6V
Remark:	Temp 23 Humi:45%
Test Standard:	FCC Part 24
Tested By:	Kei Zhang
Reviewed By:	Terry Yin




Critical_Freqs

Frequency (MHz)	MaxPeak (dBm)	Limit (dBm)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
12888.500000	-45.78	-13.00	32.78	100.0	V	194.0	-78.5

EUT Information

EUT Name:	Amazon Locker
Model:	ZL-ODIN-V1
Test Mode:	NB-IOT_Band 2_3.75k_BPSK_Low channel
Test Voltage::	DC 6V
Remark:	Temp 24 Humi:47%
Test Standard:	FCC Part 24
Tested By:	Kei Zhang
Reviewed By:	Terry Yin




Critical_Freqs

Frequency (MHz)	MaxPeak (dBm)	Limit (dBm)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
1199.500000	-49.74	-13.00	36.74	100.0	H	167.0	-93.3
3712.000000	-49.45	-13.00	36.45	100.0	H	166.0	-86.8

EUT Information

EUT Name:	Amazon Locker
Model:	ZL-ODIN-V1
Test Mode:	NB-IOT_Band 2_3.75k_BPSK_Low channel
Test Voltage::	DC 6V
Remark:	Temp 24 Humi:47%
Test Standard:	FCC Part 24
Tested By:	Kei Zhang
Reviewed By:	Terry Yin




Critical_Freqs

Frequency (MHz)	MaxPeak (dBm)	Limit (dBm)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
1592.500000	-49.90	-13.00	36.90	100.0	V	281.0	-92.9
2014.500000	-39.31	-13.00	26.31	100.0	V	114.0	-89.1
3716.000000	-48.84	-13.00	35.84	100.0	V	325.0	-86.7

EUT Information

EUT Name:	Amazon Locker
Model:	ZL-ODIN-V1
Test Mode:	NB-IOT_Band 2_3.75k_BPSK_Low channel
Test Voltage::	DC 6V
Remark:	Temp 23 Humi:45%
Test Standard:	FCC Part 24
Tested By:	Kei Zhang
Reviewed By:	Terry Yin




Critical_Freqs

Frequency (MHz)	MaxPeak (dBm)	Limit (dBm)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
12875.500000	-45.63	-13.00	32.63	100.0	H	166.0	-78.8

EUT Information

EUT Name: Amazon Locker
 Model: ZL-ODIN-V1
 Test Mode: NB-IOT_Band 2_3.75k_BPSK_Low channel
 Test Voltage:: DC 6V
 Remark: Temp 23 Humi:45%
 Test Standard: FCC Part 24
 Tested By: Kei Zhang
 Reviewed By: Terry Yin




Critical_Freqs

Frequency (MHz)	MaxPeak (dBm)	Limit (dBm)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
12269.500000	-46.55	-13.00	33.55	100.0	V	347.0	-80.0

EUT Information

EUT Name: Amazon Locker
 Model: ZL-ODIN-V1
 Test Mode: NB-IOT_Band 2_3.75k_BPSK_Mid channel
 Test Voltage:: DC 6V
 Remark: Temp 24 Humi:47%
 Test Standard: FCC Part 24
 Tested By: Kei Zhang
 Reviewed By: Terry Yin




Critical_Freqs

Frequency (MHz)	MaxPeak (dBm)	Limit (dBm)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
1196.500000	-49.98	-13.00	36.98	100.0	H	150.0	-93.1
2059.500000	-46.43	-13.00	33.43	100.0	H	80.0	-88.4
3777.000000	-48.80	-13.00	35.80	100.0	H	47.0	-86.6

EUT Information

EUT Name:	Amazon Locker
Model:	ZL-ODIN-V1
Test Mode:	NB-IOT_Band 2_3.75k_BPSK_Mid channel
Test Voltage::	DC 6V
Remark:	Temp 24 Humi:47%
Test Standard:	FCC Part 24
Tested By:	Kei Zhang
Reviewed By:	Terry Yin




Critical_Freqs

Frequency (MHz)	MaxPeak (dBm)	Limit (dBm)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
1595.000000	-50.83	-13.00	37.83	100.0	V	284.0	-92.9
3768.500000	-50.18	-13.00	37.18	100.0	V	172.0	-87.0

EUT Information

EUT Name: Amazon Locker
 Model: ZL-ODIN-V1
 Test Mode: NB-IOT_Band 2_3.75k_BPSK_Mid channel
 Test Voltage:: DC 6V
 Remark: Temp 23 Humi:45%
 Test Standard: FCC Part 24
 Tested By: Kei Zhang
 Reviewed By: Terry Yin




Critical_Freqs

Frequency (MHz)	MaxPeak (dBm)	Limit (dBm)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
12888.500000	-46.28	-13.00	33.28	100.0	H	117.0	-78.6

EUT Information

EUT Name:	Amazon Locker
Model:	ZL-ODIN-V1
Test Mode:	NB-IOT_Band 2_3.75k_BPSK_Mid channel
Test Voltage::	DC 6V
Remark:	Temp 23 Humi:45%
Test Standard:	FCC Part 24
Tested By:	Kei Zhang
Reviewed By:	Terry Yin




Critical_Freqs

Frequency (MHz)	MaxPeak (dBm)	Limit (dBm)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
12897.500000	-46.41	-13.00	33.41	100.0	V	37.0	-78.3

EUT Information

EUT Name:	Amazon Locker
Model:	ZL-ODIN-V1
Test Mode:	NB-IOT_Band 2_15k_QPSK_High channel
Test Voltage::	DC 6V
Remark:	Temp 23 Humi:45%
Test Standard:	FCC Part 24
Tested By:	Kei Zhang
Reviewed By:	Terry Yin




Critical_Freqs

Frequency (MHz)	MaxPeak (dBm)	Limit (dBm)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
1602.500000	-41.51	-13.00	28.51	100.0	H	208.0	-92.8
2092.000000	-45.41	-13.00	32.41	100.0	H	86.0	-88.7
3816.500000	-48.55	-13.00	35.55	100.0	H	192.0	-86.8

EUT Information

EUT Name:	Amazon Locker
Model:	ZL-ODIN-V1
Test Mode:	NB-IOT_Band 2_15k_QPSK_High channel
Test Voltage::	DC 6V
Remark:	Temp 23 Humi:45%
Test Standard:	FCC Part 24
Tested By:	Kei Zhang
Reviewed By:	Terry Yin




Critical_Freqs

Frequency (MHz)	MaxPeak (dBm)	Limit (dBm)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
2092.000000	-42.77	-13.00	29.77	100.0	V	48.0	-88.7
3839.000000	-47.37	-13.00	34.37	100.0	V	224.0	-86.8

EUT Information

EUT Name:	Amazon Locker
Model:	ZL-ODIN-V1
Test Mode:	NB-IOT_Band 2_15k_QPSK_High channel
Test Voltage::	DC 6V
Remark:	Temp 23 Humi:45%
Test Standard:	FCC Part 24
Tested By:	Kei Zhang
Reviewed By:	Terry Yin




Critical_Freqs

Frequency (MHz)	MaxPeak (dBm)	Limit (dBm)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
13250.000000	-46.97	-13.00	33.97	100.0	H	177.0	-79.3

EUT Information

EUT Name: Amazon Locker
 Model: ZL-ODIN-V1
 Test Mode: NB-IOT_Band 2_15k_QPSK_High channel
 Test Voltage:: DC 6V
 Remark: Temp 23 Humi:45%
 Test Standard: FCC Part 24
 Tested By: Kei Zhang
 Reviewed By: Terry Yin




Critical_Freqs

Frequency (MHz)	MaxPeak (dBm)	Limit (dBm)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
12884.000000	-46.18	-13.00	33.18	100.0	V	114.0	-78.6

EUT Information

EUT Name:	Amazon Locker
Model:	ZL-ODIN-V1
Test Mode:	NB-IOT_Band 2_15k_QPSK_Low channel
Test Voltage::	DC 6V
Remark:	Temp 23 Humi:45%
Test Standard:	FCC Part 24
Tested By:	Kei Zhang
Reviewed By:	Terry Yin




Critical_Freqs

Frequency (MHz)	MaxPeak (dBm)	Limit (dBm)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
1199.000000	-46.59	-13.00	33.59	100.0	H	202.0	-93.2
1581.000000	-41.42	-13.00	28.42	100.0	H	202.0	-93.0
3709.500000	-49.13	-13.00	36.13	100.0	H	100.0	-86.8

EUT Information

EUT Name:	Amazon Locker
Model:	ZL-ODIN-V1
Test Mode:	NB-IOT_Band 2_15k_QPSK_Low channel
Test Voltage::	DC 6V
Remark:	Temp 23 Humi:45%
Test Standard:	FCC Part 24
Tested By:	Kei Zhang
Reviewed By:	Terry Yin




Critical_Freqs

Frequency (MHz)	MaxPeak (dBm)	Limit (dBm)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
1581.000000	-41.73	-13.00	28.73	100.0	V	260.0	-93.0
3710.500000	-48.57	-13.00	35.57	100.0	V	195.0	-86.7

EUT Information

EUT Name:	Amazon Locker
Model:	ZL-ODIN-V1
Test Mode:	NB-IOT_Band 2_15k_QPSK_Low channel
Test Voltage::	DC 6V
Remark:	Temp 23 Humi:45%
Test Standard:	FCC Part 24
Tested By:	Kei Zhang
Reviewed By:	Terry Yin




Critical_Freqs

Frequency (MHz)	MaxPeak (dBm)	Limit (dBm)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
12883.000000	-46.12	-13.00	33.12	100.0	H	96.0	-78.7

EUT Information

EUT Name: Amazon Locker
 Model: ZL-ODIN-V1
 Test Mode: NB-IOT_Band 2_15k_QPSK_Low channel
 Test Voltage:: DC 6V
 Remark: Temp 23 Humi:45%
 Test Standard: FCC Part 24
 Tested By: Kei Zhang
 Reviewed By: Terry Yin




Critical_Freqs

Frequency (MHz)	MaxPeak (dBm)	Limit (dBm)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
12914.500000	-45.36	-13.00	32.36	100.0	V	184.0	-78.4

EUT Information

EUT Name:	Amazon Locker
Model:	ZL-ODIN-V1
Test Mode:	NB-IOT_Band 2_15k_QPSK_Mid channel
Test Voltage::	DC 6V
Remark:	Temp 23 Humi:45%
Test Standard:	FCC Part 24
Tested By:	Kei Zhang
Reviewed By:	Terry Yin




Critical_Freqs

Frequency (MHz)	MaxPeak (dBm)	Limit (dBm)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
1200.000000	-48.74	-13.00	35.74	100.0	H	146.0	-93.3
1570.500000	-43.77	-13.00	30.77	100.0	H	0.0	-93.0
3756.500000	-49.20	-13.00	36.20	100.0	H	159.0	-86.6

EUT Information

EUT Name:	Amazon Locker
Model:	ZL-ODIN-V1
Test Mode:	NB-IOT_Band 2_15k_QPSK_Mid channel
Test Voltage::	DC 6V
Remark:	Temp 23 Humi:45%
Test Standard:	FCC Part 24
Tested By:	Kei Zhang
Reviewed By:	Terry Yin




Critical_Freqs

Frequency (MHz)	MaxPeak (dBm)	Limit (dBm)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
1608.000000	-41.12	-13.00	28.12	100.0	V	299.0	-93.0
2997.500000	-43.40	-13.00	30.40	100.0	V	257.0	-86.8
3752.500000	-50.24	-13.00	37.24	100.0	V	292.0	-86.9

EUT Information

EUT Name:	Amazon Locker
Model:	ZL-ODIN-V1
Test Mode:	NB-IOT_Band 2_15k_QPSK_Mid channel
Test Voltage::	DC 6V
Remark:	Temp 23 Humi:45%
Test Standard:	FCC Part 24
Tested By:	Kei Zhang
Reviewed By:	Terry Yin




Critical_Freqs

Frequency (MHz)	MaxPeak (dBm)	Limit (dBm)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
12885.000000	-45.99	-13.00	32.99	100.0	H	78.0	-78.6

EUT Information

EUT Name:	Amazon Locker
Model:	ZL-ODIN-V1
Test Mode:	NB-IOT_Band 2_15k_QPSK_Mid channel
Test Voltage::	DC 6V
Remark:	Temp 23 Humi:45%
Test Standard:	FCC Part 24
Tested By:	Kei Zhang
Reviewed By:	Terry Yin




Critical_Freqs

Frequency (MHz)	MaxPeak (dBm)	Limit (dBm)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
12903.000000	-46.60	-13.00	33.60	100.0	V	4.0	-78.3

EUT Information

EUT Name:	Amazon Locker
Model:	ZL-ODIN-V1
Test Mode:	NB-IOT_Band 4_3.75k_BPSK_High channel
Test Voltage::	DC 6V
Remark:	Temp 24 Humi:47%
Test Standard:	FCC Part 27
Tested By:	Kei Zhang
Reviewed By:	Terry Yin




Critical_Freqs

Frequency (MHz)	MaxPeak (dBm)	Limit (dBm)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
1610.500000	-42.58	-13.00	29.58	100.0	H	60.0	-93.1
3510.000000	-48.81	-13.00	35.81	100.0	H	156.0	-87.3

EUT Information

EUT Name:	Amazon Locker
Model:	ZL-ODIN-V1
Test Mode:	NB-IOT_Band 4_3.75k_BPSK_High channel
Test Voltage::	DC 6V
Remark:	Temp 24 Humi:47%
Test Standard:	FCC Part 27
Tested By:	Kei Zhang
Reviewed By:	Terry Yin




Critical_Freqs

Frequency (MHz)	MaxPeak (dBm)	Limit (dBm)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
1196.500000	-49.29	-13.00	36.29	100.0	V	297.0	-92.5
1585.500000	-45.07	-13.00	32.07	100.0	V	111.0	-93.0
3510.000000	-50.40	-13.00	37.40	100.0	V	338.0	-87.5

EUT Information

EUT Name:	Amazon Locker
Model:	ZL-ODIN-V1
Test Mode:	NB-IOT_Band 4_3.75k_BPSK_High channel
Test Voltage::	DC 6V
Remark:	Temp 23 Humi:45%
Test Standard:	FCC Part 27
Tested By:	Kei Zhang
Reviewed By:	Terry Yin




Critical_Freqs

Frequency (MHz)	MaxPeak (dBm)	Limit (dBm)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
13399.000000	-45.31	-13.00	32.31	100.0	H	0.0	-79.6

EUT Information

EUT Name:	Amazon Locker
Model:	ZL-ODIN-V1
Test Mode:	NB-IOT_Band 4_3.75k_BPSK_High channel
Test Voltage::	DC 6V
Remark:	Temp 23 Humi:45%
Test Standard:	FCC Part 27
Tested By:	Kei Zhang
Reviewed By:	Terry Yin




Critical_Freqs

Frequency (MHz)	MaxPeak (dBm)	Limit (dBm)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
13252.000000	-45.96	-13.00	32.96	100.0	V	247.0	-79.5

EUT Information

EUT Name:	Amazon Locker
Model:	ZL-ODIN-V1
Test Mode:	NB-IOT_Band 4_3.75k_BPSK_Low channel
Test Voltage::	DC 6V
Remark:	Temp 24 Humi:47%
Test Standard:	FCC Part 27
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical_Freqs

Frequency (MHz)	MaxPeak (dBm)	Limit (dBm)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
1606.500000	-38.55	-13.00	25.55	100.0	H	60.0	-93.0
1710.000000	-29.67	-13.00	16.67	100.0	H	53.0	-92.1
3419.500000	-47.40	-13.00	34.40	100.0	H	86.0	-87.9