


## EUT Information

EUT Name:	Amazon Locker
Model:	ZL-ODIN-V1
Test Mode:	NB-IOT_Band 4_3.75k_BPSK_Low channel
Test Voltage::	DC 6V
Remark:	Temp 24 Humi:47%
Test Standard:	FCC Part 27
Tested By:	Kei Zhang
Reviewed By:	Terry Yin




## Critical\_Freqs

Frequency (MHz)	MaxPeak (dBm)	Limit (dBm)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
1196.000000	-47.85	-13.00	34.85	100.0	V	296.0	-92.4
1580.500000	-42.17	-13.00	29.17	100.0	V	96.0	-93.1
1710.000000	-32.52	-13.00	19.52	100.0	V	96.0	-91.9
3419.500000	-46.19	-13.00	33.19	100.0	V	65.0	-87.7

## EUT Information

EUT Name:	Amazon Locker
Model:	ZL-ODIN-V1
Test Mode:	NB-IOT_Band 4_3.75k_BPSK_Low channel
Test Voltage::	DC 6V
Remark:	Temp 23 Humi:45%
Test Standard:	FCC Part 27
Tested By:	Kei Zhang
Reviewed By:	Terry Yin




## Critical\_Freqs

Frequency (MHz)	MaxPeak (dBm)	Limit (dBm)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
13642.500000	-45.33	-13.00	32.33	100.0	H	240.0	-79.9

### EUT Information

EUT Name: Amazon Locker  
 Model: ZL-ODIN-V1  
 Test Mode: NB-IOT\_Band 4\_3.75k\_BPSK\_Low channel  
 Test Voltage:: DC 6V  
 Remark: Temp 23 Humi:45%  
 Test Standard: FCC Part 27  
 Tested By: Kei Zhang  
 Reviewed By: Terry Yin




### Critical\_Freqs

Frequency (MHz)	MaxPeak (dBm)	Limit (dBm)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
12763.500000	-45.97	-13.00	32.97	100.0	V	58.0	-79.7

## EUT Information

EUT Name:	Amazon Locker
Model:	ZL-ODIN-V1
Test Mode:	NB-IOT_Band 4_3.75k_BPSK_Mid channel
Test Voltage::	DC 6V
Remark:	Temp 24 Humi:47%
Test Standard:	FCC Part 27
Tested By:	Kei Zhang
Reviewed By:	Terry Yin




## Critical\_Freqs

Frequency (MHz)	MaxPeak (dBm)	Limit (dBm)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
1194.500000	-45.39	-13.00	32.39	100.0	H	135.0	-93.1
1601.500000	-41.01	-13.00	28.01	100.0	H	62.0	-92.8
1732.000000	-38.24	-13.00	25.24	100.0	H	69.0	-91.4
3444.000000	-49.12	-13.00	36.12	100.0	H	51.0	-87.9

## EUT Information

EUT Name:	Amazon Locker
Model:	ZL-ODIN-V1
Test Mode:	NB-IOT_Band 4_3.75k_BPSK_Mid channel
Test Voltage::	DC 6V
Remark:	Temp 24 Humi:47%
Test Standard:	FCC Part 27
Tested By:	Kei Zhang
Reviewed By:	Terry Yin




## Critical\_Freqs

Frequency (MHz)	MaxPeak (dBm)	Limit (dBm)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
1200.000000	-47.06	-13.00	34.06	100.0	V	317.0	-92.6
1580.500000	-44.64	-13.00	31.64	100.0	V	75.0	-93.1
1732.000000	-40.05	-13.00	27.05	100.0	V	82.0	-91.6
3454.500000	-49.05	-13.00	36.05	100.0	V	111.0	-87.7

### EUT Information

EUT Name: Amazon Locker  
 Model: ZL-ODIN-V1  
 Test Mode: NB-IOT\_Band 4\_3.75k\_BPSK\_Mid channel  
 Test Voltage:: DC 6V  
 Remark: Temp 23 Humi:45%  
 Test Standard: FCC Part 27  
 Tested By: Kei Zhang  
 Reviewed By: Terry Yin




### Critical\_Freqs

Frequency (MHz)	MaxPeak (dBm)	Limit (dBm)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
12862.000000	-46.94	-13.00	33.94	100.0	H	215.0	-79.1

## EUT Information

EUT Name:	Amazon Locker
Model:	ZL-ODIN-V1
Test Mode:	NB-IOT_Band 4_3.75k_BPSK_Mid channel
Test Voltage::	DC 6V
Remark:	Temp 23 Humi:45%
Test Standard:	FCC Part 27
Tested By:	Kei Zhang
Reviewed By:	Terry Yin




## Critical\_Freqs

Frequency (MHz)	MaxPeak (dBm)	Limit (dBm)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
12860.000000	-46.10	-13.00	33.10	100.0	V	318.0	-79.1

## EUT Information

EUT Name:	Amazon Locker
Model:	ZL-ODIN-V1
Test Mode:	NB-IOT_Band 4_15k_QPSK_High channel
Test Voltage::	DC 6V
Remark:	Temp 23 Humi:45%
Test Standard:	FCC Part 27
Tested By:	Kei Zhang
Reviewed By:	Terry Yin




## Critical\_Freqs

Frequency (MHz)	MaxPeak (dBm)	Limit (dBm)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
1197.000000	-49.88	-13.00	36.88	100.0	H	205.0	-93.1
1447.500000	-41.70	-13.00	28.70	100.0	H	0.0	-93.7
3520.500000	-49.37	-13.00	36.37	100.0	H	356.0	-87.2



## EUT Information

EUT Name:	Amazon Locker
Model:	ZL-ODIN-V1
Test Mode:	NB-IOT_Band 4_15k_QPSK_High channel
Test Voltage::	DC 6V
Remark:	Temp 23 Humi:45%
Test Standard:	FCC Part 27
Tested By:	Kei Zhang
Reviewed By:	Terry Yin




## Critical\_Freqs

Frequency (MHz)	MaxPeak (dBm)	Limit (dBm)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
1194.500000	-48.17	-13.00	35.17	100.0	V	246.0	-92.5
1486.000000	-43.19	-13.00	30.19	100.0	V	267.0	-94.0
3522.500000	-49.47	-13.00	36.47	100.0	V	228.0	-87.3

### EUT Information

EUT Name: Amazon Locker  
 Model: ZL-ODIN-V1  
 Test Mode: NB-IOT\_Band 4\_15k\_QPSK\_High channel  
 Test Voltage:: DC 6V  
 Remark: Temp 23 Humi:45%  
 Test Standard: FCC Part 27  
 Tested By: Kei Zhang  
 Reviewed By: Terry Yin




### Critical\_Freqs

Frequency (MHz)	MaxPeak (dBm)	Limit (dBm)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
12770.000000	-45.25	-13.00	32.25	100.0	H	45.0	-79.5

### EUT Information

EUT Name: Amazon Locker  
 Model: ZL-ODIN-V1  
 Test Mode: NB-IOT\_Band 4\_15k\_QPSK\_High channel  
 Test Voltage:: DC 6V  
 Remark: Temp 23 Humi:45%  
 Test Standard: FCC Part 27  
 Tested By: Kei Zhang  
 Reviewed By: Terry Yin




### Critical\_Freqs

Frequency (MHz)	MaxPeak (dBm)	Limit (dBm)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
12896.500000	-45.99	-13.00	32.99	100.0	V	292.0	-78.3

### EUT Information

EUT Name:	Amazon Locker
Model:	ZL-ODIN-V1
Test Mode:	NB-IOT_Band 4_15k_QPSK_Low channel
Test Voltage::	DC 6V
Remark:	Temp 23 Humi:45%
Test Standard:	FCC Part 27
Tested By:	Kei Zhang
Reviewed By:	Terry Yin




### Critical\_Freqs

Frequency (MHz)	MaxPeak (dBm)	Limit (dBm)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
1196.500000	-44.43	-13.00	31.43	100.0	H	167.0	-93.1
1441.000000	-42.71	-13.00	29.71	100.0	H	247.0	-93.7
1710.000000	-30.93	-13.00	17.93	100.0	H	212.0	-92.1
3418.500000	-49.24	-13.00	36.24	100.0	H	248.0	-87.9

### EUT Information

EUT Name: Amazon Locker  
 Model: ZL-ODIN-V1  
 Test Mode: NB-IOT\_Band 4\_15k\_QPSK\_Low channel  
 Test Voltage:: DC 6V  
 Remark: Temp 23 Humi:45%  
 Test Standard: FCC Part 27  
 Tested By: Kei Zhang  
 Reviewed By: Terry Yin




### Critical\_Freqs

Frequency (MHz)	MaxPeak (dBm)	Limit (dBm)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
1364.000000	-44.56	-13.00	31.56	100.0	V	221.0	-92.0
1710.000000	-29.60	-13.00	16.60	100.0	V	327.0	-91.9
3419.500000	-47.36	-13.00	34.36	100.0	V	21.0	-87.7

### EUT Information

EUT Name: Amazon Locker  
 Model: ZL-ODIN-V1  
 Test Mode: NB-IOT\_Band 4\_15k\_QPSK\_Low channel  
 Test Voltage:: DC 6V  
 Remark: Temp 23 Humi:45%  
 Test Standard: FCC Part 27  
 Tested By: Kei Zhang  
 Reviewed By: Terry Yin




### Critical\_Freqs

Frequency (MHz)	MaxPeak (dBm)	Limit (dBm)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
12876.500000	-46.24	-13.00	33.24	100.0	H	5.0	-78.8

### EUT Information

EUT Name: Amazon Locker  
 Model: ZL-ODIN-V1  
 Test Mode: NB-IOT\_Band 4\_15k\_QPSK\_Low channel  
 Test Voltage:: DC 6V  
 Remark: Temp 23 Humi:45%  
 Test Standard: FCC Part 27  
 Tested By: Kei Zhang  
 Reviewed By: Terry Yin




### Critical\_Freqs

Frequency (MHz)	MaxPeak (dBm)	Limit (dBm)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
12893.000000	-45.36	-13.00	32.36	100.0	V	14.0	-78.4

## EUT Information

EUT Name:	Amazon Locker
Model:	ZL-ODIN-V1
Test Mode:	NB-IOT_Band 4_15k_QPSK_Mid channel
Test Voltage::	DC 6V
Remark:	Temp 23 Humi:45%
Test Standard:	FCC Part 27
Tested By:	Kei Zhang
Reviewed By:	Terry Yin




## Critical\_Freqs

Frequency (MHz)	MaxPeak (dBm)	Limit (dBm)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
1196.000000	-45.68	-13.00	32.68	100.0	H	156.0	-93.1
1387.000000	-45.45	-13.00	32.45	100.0	H	112.0	-93.3
1732.500000	-39.11	-13.00	26.11	100.0	H	127.0	-91.4
3470.500000	-50.79	-13.00	37.79	100.0	H	146.0	-88.1



## EUT Information

EUT Name:	Amazon Locker
Model:	ZL-ODIN-V1
Test Mode:	NB-IOT_Band 4_15k_QPSK_Mid channel
Test Voltage::	DC 6V
Remark:	Temp 23 Humi:45%
Test Standard:	FCC Part 27
Tested By:	Kei Zhang
Reviewed By:	Terry Yin




## Critical\_Freqs

Frequency (MHz)	MaxPeak (dBm)	Limit (dBm)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
1425.000000	-46.43	-13.00	33.43	100.0	V	229.0	-93.3
1732.500000	-39.74	-13.00	26.74	100.0	V	323.0	-91.6
3468.000000	-49.97	-13.00	36.97	100.0	V	59.0	-87.8

### EUT Information

EUT Name: Amazon Locker  
 Model: ZL-ODIN-V1  
 Test Mode: NB-IOT\_Band 4\_15k\_QPSK\_Mid channel  
 Test Voltage:: DC 6V  
 Remark: Temp 23 Humi:45%  
 Test Standard: FCC Part 27  
 Tested By: Kei Zhang  
 Reviewed By: Terry Yin




### Critical\_Freqs

Frequency (MHz)	MaxPeak (dBm)	Limit (dBm)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
12897.000000	-46.55	-13.00	33.55	100.0	H	111.0	-78.4

## EUT Information

EUT Name:	Amazon Locker
Model:	ZL-ODIN-V1
Test Mode:	NB-IOT_Band 4_15k_QPSK_Mid channel
Test Voltage::	DC 6V
Remark:	Temp 23 Humi:45%
Test Standard:	FCC Part 27
Tested By:	Kei Zhang
Reviewed By:	Terry Yin




## Critical\_Freqs

Frequency (MHz)	MaxPeak (dBm)	Limit (dBm)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
12909.000000	-46.22	-13.00	33.22	100.0	V	0.0	-78.3

## EUT Information

EUT Name:	Amazon Locker
Model:	ZL-ODIN-V1
Test Mode:	NB-IOT_Band 5_3.75k_BPSK_High channel
Test Voltage::	DC 6V
Remark:	Temp 23 Humi:45%
Test Standard:	FCC Part 22
Tested By:	Kei Zhang
Reviewed By:	Terry Yin




## Critical\_Freqs

Frequency (MHz)	MaxPeak (dBm)	Limit (dBm)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
2546.000000	-47.45	-13.00	34.45	100.0	H	55.0	-88.3

## EUT Information

EUT Name:	Amazon Locker
Model:	ZL-ODIN-V1
Test Mode:	NB-IOT_Band 5_3.75k_BPSK_High channel
Test Voltage::	DC 6V
Remark:	Temp 23 Humi:45%
Test Standard:	FCC Part 22
Tested By:	Kei Zhang
Reviewed By:	Terry Yin




## Critical\_Freqs

Frequency (MHz)	MaxPeak (dBm)	Limit (dBm)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
1729.000000	-49.86	-13.00	36.87	100.0	V	283.0	-91.6
2546.500000	-46.73	-13.00	33.73	100.0	V	6.0	-88.4

## EUT Information

EUT Name:	Amazon Locker
Model:	ZL-ODIN-V1
Test Mode:	NB-IOT_Band 5_3.75k_BPSK_High channel
Test Voltage::	DC 6V
Remark:	Temp 24 Humi:47%
Test Standard:	FCC Part 22
Tested By:	Kei Zhang
Reviewed By:	Terry Yin




## Critical\_Freqs

Frequency (MHz)	MaxPeak (dBm)	Limit (dBm)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
6667.600000	-53.83	-13.00	40.83	100.0	H	63.0	-87.7
8077.516667	-54.42	-13.00	41.42	100.0	H	0.0	-86.6

## EUT Information

EUT Name:	Amazon Locker
Model:	ZL-ODIN-V1
Test Mode:	NB-IOT_Band 5_3.75k_BPSK_High channel
Test Voltage::	DC 6V
Remark:	Temp 24 Humi:47%
Test Standard:	FCC Part 22
Tested By:	Kei Zhang
Reviewed By:	Terry Yin




## Critical\_Freqs

Frequency (MHz)	MaxPeak (dBm)	Limit (dBm)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
6654.066667	-53.67	-13.00	40.67	100.0	V	301.0	-87.9
8096.533333	-54.39	-13.00	41.39	100.0	V	74.0	-86.7

## EUT Information

EUT Name:	Amazon Locker
Model:	ZL-ODIN-V1
Test Mode:	NB-IOT_Band 5_3.75k_BPSK_Low channel
Test Voltage::	DC 6V
Remark:	Temp 23 Humi:45%
Test Standard:	FCC Part 22
Tested By:	Kei Zhang
Reviewed By:	Terry Yin




## Critical\_Freqs

Frequency (MHz)	MaxPeak (dBm)	Limit (dBm)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
2472.000000	-46.26	-13.00	33.26	100.0	H	61.0	-87.9



### EUT Information

EUT Name: Amazon Locker  
 Model: ZL-ODIN-V1  
 Test Mode: NB-IOT\_Band 5\_3.75k\_BPSK\_Low channel  
 Test Voltage:: DC 6V  
 Remark: Temp 23 Humi:45%  
 Test Standard: FCC Part 22  
 Tested By: Kei Zhang  
 Reviewed By: Terry Yin




### Critical\_Freqs

Frequency (MHz)	MaxPeak (dBm)	Limit (dBm)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
2472.000000	-45.84	-13.00	32.84	100.0	V	0.0	-88.0

## EUT Information

EUT Name:	Amazon Locker
Model:	ZL-ODIN-V1
Test Mode:	NB-IOT_Band 5_3.75k_BPSK_Low channel
Test Voltage::	DC 6V
Remark:	Temp 24 Humi:47%
Test Standard:	FCC Part 22
Tested By:	Kei Zhang
Reviewed By:	Terry Yin




## Critical\_Freqs

Frequency (MHz)	MaxPeak (dBm)	Limit (dBm)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
6656.633333	-53.14	-13.00	40.14	100.0	H	0.0	-87.6
8072.266667	-53.61	-13.00	40.61	100.0	H	92.0	-86.7

### EUT Information

EUT Name:	Amazon Locker
Model:	ZL-ODIN-V1
Test Mode:	NB-IOT_Band 5_3.75k_BPSK_Low channel
Test Voltage::	DC 6V
Remark:	Temp 24 Humi:47%
Test Standard:	FCC Part 22
Tested By:	Kei Zhang
Reviewed By:	Terry Yin




### Critical\_Freqs

Frequency (MHz)	MaxPeak (dBm)	Limit (dBm)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
6580.683333	-53.72	-13.00	40.72	100.0	V	71.0	-87.7
8044.616667	-53.99	-13.00	40.99	100.0	V	284.0	-86.9

## EUT Information

EUT Name:	Amazon Locker
Model:	ZL-ODIN-V1
Test Mode:	NB-IOT_Band 5_3.75k_BPSK_Mid channel
Test Voltage::	DC 6V
Remark:	Temp 23 Humi:45%
Test Standard:	FCC Part 22
Tested By:	Kei Zhang
Reviewed By:	Terry Yin




## Critical\_Freqs

Frequency (MHz)	MaxPeak (dBm)	Limit (dBm)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
1672.500000	-53.34	-13.00	40.34	100.0	H	344.0	-92.5
2509.000000	-46.59	-13.00	33.59	100.0	H	66.0	-88.3

### EUT Information

EUT Name: Amazon Locker  
 Model: ZL-ODIN-V1  
 Test Mode: NB-IOT\_Band 5\_3.75k\_BPSK\_Mid channel  
 Test Voltage:: DC 6V  
 Remark: Temp 23 Humi:45%  
 Test Standard: FCC Part 22  
 Tested By: Kei Zhang  
 Reviewed By: Terry Yin




### Critical\_Freqs

Frequency (MHz)	MaxPeak (dBm)	Limit (dBm)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
1672.500000	-52.22	-13.00	39.22	100.0	V	335.0	-92.2
2509.000000	-45.41	-13.00	32.41	100.0	V	355.0	-88.2

### EUT Information

EUT Name:	Amazon Locker
Model:	ZL-ODIN-V1
Test Mode:	NB-IOT_Band 5_3.75k_BPSK_Mid channel
Test Voltage::	DC 6V
Remark:	Temp 24 Humi:47%
Test Standard:	FCC Part 22
Tested By:	Kei Zhang
Reviewed By:	Terry Yin




### Critical\_Freqs

Frequency (MHz)	MaxPeak (dBm)	Limit (dBm)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
6623.850000	-53.14	-13.00	40.14	100.0	H	158.0	-87.7
8071.916667	-54.18	-13.00	41.18	100.0	H	268.0	-86.7

## EUT Information

EUT Name:	Amazon Locker
Model:	ZL-ODIN-V1
Test Mode:	NB-IOT_Band 5_3.75k_BPSK_Mid channel
Test Voltage::	DC 6V
Remark:	Temp 24 Humi:47%
Test Standard:	FCC Part 22
Tested By:	Kei Zhang
Reviewed By:	Terry Yin




## Critical\_Freqs

Frequency (MHz)	MaxPeak (dBm)	Limit (dBm)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
6628.516667	-53.16	-13.00	40.16	100.0	V	166.0	-88.1
8054.300000	-55.08	-13.00	42.08	100.0	V	266.0	-86.8

### EUT Information

EUT Name: Amazon Locker  
 Model: ZL-ODIN-V1  
 Test Mode: NB-IOT\_Band 5\_15k\_QPSK\_High channel  
 Test Voltage:: DC 6V  
 Remark: Temp 23 Humi:45%  
 Test Standard: FCC Part 22  
 Tested By: Kei Zhang  
 Reviewed By: Terry Yin




### Critical\_Freqs

Frequency (MHz)	MaxPeak (dBm)	Limit (dBm)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
2546.500000	-45.63	-13.00	32.63	100.0	H	58.0	-88.3



### EUT Information

EUT Name: Amazon Locker  
 Model: ZL-ODIN-V1  
 Test Mode: NB-IOT\_Band 5\_15k\_QPSK\_High channel  
 Test Voltage:: DC 6V  
 Remark: Temp 23 Humi:45%  
 Test Standard: FCC Part 22  
 Tested By: Kei Zhang  
 Reviewed By: Terry Yin




### Critical\_Freqs

Frequency (MHz)	MaxPeak (dBm)	Limit (dBm)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
1729.000000	-46.05	-13.00	33.05	100.0	V	46.0	-91.6
2546.500000	-46.60	-13.00	33.60	100.0	V	5.0	-88.4

### EUT Information

EUT Name:	Amazon Locker
Model:	ZL-ODIN-V1
Test Mode:	NB-IOT_Band 5_15k_QPSK_High channel
Test Voltage::	DC 6V
Remark:	Temp 24 Humi:47%
Test Standard:	FCC Part 22
Tested By:	Kei Zhang
Reviewed By:	Terry Yin




### Critical\_Freqs

Frequency (MHz)	MaxPeak (dBm)	Limit (dBm)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
6604.016667	-52.04	-13.00	39.04	100.0	H	69.0	-87.8
8050.333333	-53.28	-13.00	40.28	100.0	H	58.0	-86.9

### EUT Information

EUT Name:	Amazon Locker
Model:	ZL-ODIN-V1
Test Mode:	NB-IOT_Band 5_15k_QPSK_High channel
Test Voltage::	DC 6V
Remark:	Temp 24 Humi:47%
Test Standard:	FCC Part 22
Tested By:	Kei Zhang
Reviewed By:	Terry Yin




### Critical\_Freqs

Frequency (MHz)	MaxPeak (dBm)	Limit (dBm)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
6557.583333	-52.18	-13.00	39.18	100.0	V	263.0	-87.3
8080.083333	-53.07	-13.00	40.07	100.0	V	6.0	-86.7

## EUT Information

EUT Name:	Amazon Locker
Model:	ZL-ODIN-V1
Test Mode:	NB-IOT_Band 5_15k_QPSK_Low channel
Test Voltage::	DC 6V
Remark:	Temp 23 Humi:45%
Test Standard:	FCC Part 22
Tested By:	Kei Zhang
Reviewed By:	Terry Yin




## Critical\_Freqs

Frequency (MHz)	MaxPeak (dBm)	Limit (dBm)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
1721.500000	-45.85	-13.00	32.86	100.0	H	155.0	-91.7
2472.000000	-47.28	-13.00	34.28	100.0	H	47.0	-87.9

### EUT Information

EUT Name: Amazon Locker  
 Model: ZL-ODIN-V1  
 Test Mode: NB-IOT\_Band 5\_15k\_QPSK\_Low channel  
 Test Voltage:: DC 6V  
 Remark: Temp 23 Humi:45%  
 Test Standard: FCC Part 22  
 Tested By: Kei Zhang  
 Reviewed By: Terry Yin




### Critical\_Freqs

Frequency (MHz)	MaxPeak (dBm)	Limit (dBm)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
2471.500000	-45.98	-13.00	32.99	100.0	V	0.0	-88.0

### EUT Information

EUT Name: Amazon Locker  
 Model: ZL-ODIN-V1  
 Test Mode: NB-IOT\_Band 5\_15k\_QPSK\_Low channel  
 Test Voltage:: DC 6V  
 Remark: Temp 24 Humi:47%  
 Test Standard: FCC Part 22  
 Tested By: Kei Zhang  
 Reviewed By: Terry Yin




### Critical\_Freqs

Frequency (MHz)	MaxPeak (dBm)	Limit (dBm)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
8074.950000	-53.70	-13.00	40.70	100.0	H	212.0	-86.7

## EUT Information

EUT Name:	Amazon Locker
Model:	ZL-ODIN-V1
Test Mode:	NB-IOT_Band 5_15k_QPSK_Low channel
Test Voltage::	DC 6V
Remark:	Temp 24 Humi:47%
Test Standard:	FCC Part 22
Tested By:	Kei Zhang
Reviewed By:	Terry Yin




## Critical\_Freqs

Frequency (MHz)	MaxPeak (dBm)	Limit (dBm)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
7937.283333	-53.18	-13.00	40.18	100.0	V	6.0	-87.7

### EUT Information

EUT Name: Amazon Locker  
 Model: ZL-ODIN-V1  
 Test Mode: NB-IOT\_Band 5\_15k\_QPSK\_Mid channel  
 Test Voltage:: DC 6V  
 Remark: Temp 23 Humi:45%  
 Test Standard: FCC Part 22  
 Tested By: Kei Zhang  
 Reviewed By: Terry Yin




### Critical\_Freqs

Frequency (MHz)	MaxPeak (dBm)	Limit (dBm)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
1672.000000	-53.21	-13.00	40.21	100.0	H	100.0	-92.5
2509.000000	-49.51	-13.00	36.51	100.0	H	34.0	-88.3



## EUT Information

EUT Name:	Amazon Locker
Model:	ZL-ODIN-V1
Test Mode:	NB-IOT_Band 5_15k_QPSK_Mid channel
Test Voltage::	DC 6V
Remark:	Temp 23 Humi:45%
Test Standard:	FCC Part 22
Tested By:	Kei Zhang
Reviewed By:	Terry Yin




## Critical\_Freqs

Frequency (MHz)	MaxPeak (dBm)	Limit (dBm)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
1672.500000	-51.34	-13.00	38.34	100.0	V	15.0	-92.2
2509.500000	-45.14	-13.00	32.14	100.0	V	354.0	-88.2

### EUT Information

EUT Name: Amazon Locker  
 Model: ZL-ODIN-V1  
 Test Mode: NB-IOT\_Band 5\_15k\_QPSK\_Mid channel  
 Test Voltage:: DC 6V  
 Remark: Temp 24 Humi:47%  
 Test Standard: FCC Part 22  
 Tested By: Kei Zhang  
 Reviewed By: Terry Yin




### Critical\_Freqs

Frequency (MHz)	MaxPeak (dBm)	Limit (dBm)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
8093.266667	-53.78	-13.00	40.78	100.0	H	161.0	-86.7

### EUT Information

EUT Name: Amazon Locker  
 Model: ZL-ODIN-V1  
 Test Mode: NB-IOT\_Band 5\_15k\_QPSK\_Mid channel  
 Test Voltage:: DC 6V  
 Remark: Temp 24 Humi:47%  
 Test Standard: FCC Part 22  
 Tested By: Kei Zhang  
 Reviewed By: Terry Yin




### Critical\_Freqs

Frequency (MHz)	MaxPeak (dBm)	Limit (dBm)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
8084.283333	-52.22	-13.00	39.22	100.0	V	307.0	-86.7

## EUT Information

EUT Name:	Amazon Locker
Model:	ZL-ODIN-V1
Test Mode:	NB-IOT_Band 12_3.75k_BPSK_High channel
Test Voltage::	DC 6V
Remark:	Temp 23 Humi:45%
Test Standard:	FCC Part 27
Tested By:	Kei Zhang
Reviewed By:	Terry Yin




## Critical\_Freqs

Frequency (MHz)	MaxPeak (dBm)	Limit (dBm)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
1199.000000	-44.76	-13.00	31.76	100.0	H	149.0	-93.2
1600.000000	-52.51	-13.00	39.51	100.0	H	218.0	-92.8
2147.500000	-47.46	-13.00	34.46	100.0	H	41.0	-88.6

### EUT Information

EUT Name: Amazon Locker  
 Model: ZL-ODIN-V1  
 Test Mode: NB-IOT\_Band 12\_3.75k\_BPSK\_High channel  
 Test Voltage:: DC 6V  
 Remark: Temp 23 Humi:45%  
 Test Standard: FCC Part 27  
 Tested By: Kei Zhang  
 Reviewed By: Terry Yin




### Critical\_Freqs

Frequency (MHz)	MaxPeak (dBm)	Limit (dBm)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
1431.500000	-53.11	-13.00	40.11	100.0	V	68.0	-93.6
2147.500000	-47.56	-13.00	34.56	100.0	V	29.0	-88.0

## EUT Information

EUT Name:	Amazon Locker
Model:	ZL-ODIN-V1
Test Mode:	NB-IOT_Band 12_3.75k_BPSK_High channel
Test Voltage::	DC 6V
Remark:	Temp 24 Humi:47%
Test Standard:	FCC Part 27
Tested By:	Kei Zhang
Reviewed By:	Terry Yin




## Critical\_Freqs

Frequency (MHz)	MaxPeak (dBm)	Limit (dBm)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
6588.033333	-53.96	-13.00	40.96	100.0	H	57.0	-87.6
8072.616667	-53.99	-13.00	40.99	100.0	H	346.0	-86.7

### EUT Information

EUT Name:	Amazon Locker
Model:	ZL-ODIN-V1
Test Mode:	NB-IOT_Band 12_3.75k_BPSK_High channel
Test Voltage::	DC 6V
Remark:	Temp 24 Humi:47%
Test Standard:	FCC Part 27
Tested By:	Kei Zhang
Reviewed By:	Terry Yin




### Critical\_Freqs

Frequency (MHz)	MaxPeak (dBm)	Limit (dBm)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
6487.000000	-53.22	-13.00	40.22	100.0	V	292.0	-87.8
8056.516667	-54.75	-13.00	41.75	100.0	V	359.0	-86.8

## EUT Information

EUT Name:	Amazon Locker
Model:	ZL-ODIN-V1
Test Mode:	NB-IOT_Band 12_3.75k_BPSK_Low channel
Test Voltage::	DC 6V
Remark:	Temp 23 Humi:45%
Test Standard:	FCC Part 27
Tested By:	Kei Zhang
Reviewed By:	Terry Yin




## Critical\_Freqs

Frequency (MHz)	MaxPeak (dBm)	Limit (dBm)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
1397.500000	-51.93	-13.00	38.93	100.0	H	0.0	-93.1
2097.000000	-44.43	-13.00	31.43	100.0	H	44.0	-88.8



### EUT Information

EUT Name: Amazon Locker  
 Model: ZL-ODIN-V1  
 Test Mode: NB-IOT\_Band 12\_3.75k\_BPSK\_Low channel  
 Test Voltage:: DC 6V  
 Remark: Temp 23 Humi:45%  
 Test Standard: FCC Part 27  
 Tested By: Kei Zhang  
 Reviewed By: Terry Yin




### Critical\_Freqs

Frequency (MHz)	MaxPeak (dBm)	Limit (dBm)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
1398.000000	-49.86	-13.00	36.86	100.0	V	107.0	-92.9
2097.000000	-46.69	-13.00	33.69	100.0	V	38.0	-88.6

## EUT Information

EUT Name:	Amazon Locker
Model:	ZL-ODIN-V1
Test Mode:	NB-IOT_Band 12_3.75k_BPSK_Low channel
Test Voltage::	DC 6V
Remark:	Temp 24 Humi:47%
Test Standard:	FCC Part 27
Tested By:	Kei Zhang
Reviewed By:	Terry Yin




## Critical\_Freqs

Frequency (MHz)	MaxPeak (dBm)	Limit (dBm)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
6605.533333	-53.48	-13.00	40.48	100.0	H	324.0	-87.8
8074.366667	-53.44	-13.00	40.44	100.0	H	10.0	-86.7

### EUT Information

EUT Name:	Amazon Locker
Model:	ZL-ODIN-V1
Test Mode:	NB-IOT_Band 12_3.75k_BPSK_Low channel
Test Voltage::	DC 6V
Remark:	Temp 24 Humi:47%
Test Standard:	FCC Part 27
Tested By:	Kei Zhang
Reviewed By:	Terry Yin




### Critical\_Freqs

Frequency (MHz)	MaxPeak (dBm)	Limit (dBm)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
6561.550000	-54.01	-13.00	41.01	100.0	V	204.0	-87.4
8091.866667	-54.62	-13.00	41.62	100.0	V	0.0	-86.7

### EUT Information

EUT Name: Amazon Locker  
 Model: ZL-ODIN-V1  
 Test Mode: NB-IOT\_Band 12\_3.75k\_BPSK\_Mid channel  
 Test Voltage:: DC 6V  
 Remark: Temp 23 Humi:45%  
 Test Standard: FCC Part 27  
 Tested By: Kei Zhang  
 Reviewed By: Terry Yin




### Critical\_Freqs

Frequency (MHz)	MaxPeak (dBm)	Limit (dBm)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
1415.000000	-53.02	-13.00	40.02	100.0	H	6.0	-92.5
2122.000000	-45.74	-13.00	32.74	100.0	H	39.0	-88.5

## EUT Information

EUT Name:	Amazon Locker
Model:	ZL-ODIN-V1
Test Mode:	NB-IOT_Band 12_3.75k_BPSK_Mid channel
Test Voltage::	DC 6V
Remark:	Temp 23 Humi:45%
Test Standard:	FCC Part 27
Tested By:	Kei Zhang
Reviewed By:	Terry Yin




## Critical\_Freqs

Frequency (MHz)	MaxPeak (dBm)	Limit (dBm)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
2122.000000	-47.28	-13.00	34.28	100.0	V	350.0	-88.0

## EUT Information

EUT Name:	Amazon Locker
Model:	ZL-ODIN-V1
Test Mode:	NB-IOT_Band 12_3.75k_BPSK_Mid channel
Test Voltage::	DC 6V
Remark:	Temp 24 Humi:47%
Test Standard:	FCC Part 27
Tested By:	Kei Zhang
Reviewed By:	Terry Yin




## Critical\_Freqs

Frequency (MHz)	MaxPeak (dBm)	Limit (dBm)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
6645.783333	-53.20	-13.00	40.20	100.0	H	111.0	-87.6
8078.683333	-54.23	-13.00	41.23	100.0	H	263.0	-86.6

## EUT Information

EUT Name:	Amazon Locker
Model:	ZL-ODIN-V1
Test Mode:	NB-IOT_Band 12_3.75k_BPSK_Mid channel
Test Voltage::	DC 6V
Remark:	Temp 24 Humi:47%
Test Standard:	FCC Part 27
Tested By:	Kei Zhang
Reviewed By:	Terry Yin




## Critical\_Freqs

Frequency (MHz)	MaxPeak (dBm)	Limit (dBm)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
6520.600000	-53.44	-13.00	40.44	100.0	V	250.0	-87.5
8123.366667	-54.04	-13.00	41.04	100.0	V	182.0	-86.9

## EUT Information

EUT Name:	Amazon Locker
Model:	ZL-ODIN-V1
Test Mode:	NB-IOT_Band 12_15k_QPSK_High channel
Test Voltage::	DC 6V
Remark:	Temp 23 Humi:45%
Test Standard:	FCC Part 27
Tested By:	Kei Zhang
Reviewed By:	Terry Yin




## Critical\_Freqs

Frequency (MHz)	MaxPeak (dBm)	Limit (dBm)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
2147.000000	-48.21	-13.00	35.21	100.0	H	52.0	-88.6



### EUT Information

EUT Name:	Amazon Locker
Model:	ZL-ODIN-V1
Test Mode:	NB-IOT_Band 12_15k_QPSK_High channel
Test Voltage::	DC 6V
Remark:	Temp 23 Humi:45%
Test Standard:	FCC Part 27
Tested By:	Kei Zhang
Reviewed By:	Terry Yin




### Critical\_Freqs

Frequency (MHz)	MaxPeak (dBm)	Limit (dBm)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
1432.000000	-53.36	-13.00	40.36	100.0	V	107.0	-93.6
2147.000000	-47.91	-13.00	34.91	100.0	V	37.0	-88.0

## EUT Information

EUT Name:	Amazon Locker
Model:	ZL-ODIN-V1
Test Mode:	NB-IOT_Band 12_15k_QPSK_High channel
Test Voltage::	DC 6V
Remark:	Temp 24 Humi:47%
Test Standard:	FCC Part 27
Tested By:	Kei Zhang
Reviewed By:	Terry Yin




## Critical\_Freqs

Frequency (MHz)	MaxPeak (dBm)	Limit (dBm)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
6417.816667	-53.38	-13.00	40.38	100.0	H	72.0	-87.8
8053.950000	-54.80	-13.00	41.80	100.0	H	0.0	-86.9

### EUT Information

EUT Name: Amazon Locker  
 Model: ZL-ODIN-V1  
 Test Mode: NB-IOT\_Band 12\_15k\_QPSK\_High channel  
 Test Voltage:: DC 6V  
 Remark: Temp 24 Humi:47%  
 Test Standard: FCC Part 27  
 Tested By: Kei Zhang  
 Reviewed By: Terry Yin




### Critical\_Freqs

Frequency (MHz)	MaxPeak (dBm)	Limit (dBm)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
6650.916667	-53.90	-13.00	40.90	100.0	V	353.0	-87.9
8083.700000	-55.30	-13.00	42.30	100.0	V	147.0	-86.7

### EUT Information

EUT Name: Amazon Locker  
 Model: ZL-ODIN-V1  
 Test Mode: NB-IOT\_Band 12\_15k\_QPSK\_Low channel  
 Test Voltage:: DC 6V  
 Remark: Temp 23 Humi:45%  
 Test Standard: FCC Part 27  
 Tested By: Kei Zhang  
 Reviewed By: Terry Yin




### Critical\_Freqs

Frequency (MHz)	MaxPeak (dBm)	Limit (dBm)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
1397.500000	-51.81	-13.00	38.81	100.0	H	112.0	-93.1
2096.500000	-48.96	-13.00	35.96	100.0	H	347.0	-88.8

### EUT Information

EUT Name: Amazon Locker  
 Model: ZL-ODIN-V1  
 Test Mode: NB-IOT\_Band 12\_15k\_QPSK\_Low channel  
 Test Voltage:: DC 6V  
 Remark: Temp 23 Humi:45%  
 Test Standard: FCC Part 27  
 Tested By: Kei Zhang  
 Reviewed By: Terry Yin




### Critical\_Freqs

Frequency (MHz)	MaxPeak (dBm)	Limit (dBm)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
1398.000000	-50.85	-13.00	37.85	100.0	V	94.0	-92.9
2097.000000	-45.63	-13.00	32.63	100.0	V	42.0	-88.6

### EUT Information

EUT Name:	Amazon Locker
Model:	ZL-ODIN-V1
Test Mode:	NB-IOT_Band 12_15k_QPSK_Low channel
Test Voltage::	DC 6V
Remark:	Temp 24 Humi:47%
Test Standard:	FCC Part 27
Tested By:	Kei Zhang
Reviewed By:	Terry Yin




### Critical\_Freqs

Frequency (MHz)	MaxPeak (dBm)	Limit (dBm)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
6566.683333	-54.08	-13.00	41.08	100.0	H	49.0	-87.4
8107.733333	-54.34	-13.00	41.34	100.0	H	301.0	-86.8

## EUT Information

EUT Name:	Amazon Locker
Model:	ZL-ODIN-V1
Test Mode:	NB-IOT_Band 12_15k_QPSK_Low channel
Test Voltage::	DC 6V
Remark:	Temp 24 Humi:47%
Test Standard:	FCC Part 27
Tested By:	Kei Zhang
Reviewed By:	Terry Yin




## Critical\_Freqs

Frequency (MHz)	MaxPeak (dBm)	Limit (dBm)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
6546.616667	-53.93	-13.00	40.93	100.0	V	200.0	-87.3
8069.000000	-53.82	-13.00	40.82	100.0	V	25.0	-86.7

### EUT Information

EUT Name: Amazon Locker  
 Model: ZL-ODIN-V1  
 Test Mode: NB-IOT\_Band 12\_15k\_QPSK\_Mid channel  
 Test Voltage:: DC 6V  
 Remark: Temp 23 Humi:45%  
 Test Standard: FCC Part 27  
 Tested By: Kei Zhang  
 Reviewed By: Terry Yin




### Critical\_Freqs

Frequency (MHz)	MaxPeak (dBm)	Limit (dBm)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
1414.500000	-53.16	-13.00	40.16	100.0	H	117.0	-92.5
2122.000000	-44.80	-13.00	31.80	100.0	H	46.0	-88.5



### EUT Information

EUT Name: Amazon Locker  
 Model: ZL-ODIN-V1  
 Test Mode: NB-IOT\_Band 12\_15k\_QPSK\_Mid channel  
 Test Voltage:: DC 6V  
 Remark: Temp 23 Humi:45%  
 Test Standard: FCC Part 27  
 Tested By: Kei Zhang  
 Reviewed By: Terry Yin




### Critical\_Freqs

Frequency (MHz)	MaxPeak (dBm)	Limit (dBm)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
1415.000000	-53.04	-13.00	40.04	100.0	V	82.0	-92.9
2122.000000	-47.22	-13.00	34.22	100.0	V	28.0	-88.0

## EUT Information

EUT Name:	Amazon Locker
Model:	ZL-ODIN-V1
Test Mode:	NB-IOT_Band 12_15k_QPSK_Mid channel
Test Voltage::	DC 6V
Remark:	Temp 24 Humi:47%
Test Standard:	FCC Part 27
Tested By:	Kei Zhang
Reviewed By:	Terry Yin




## Critical\_Freqs

Frequency (MHz)	MaxPeak (dBm)	Limit (dBm)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
6657.216667	-52.49	-13.00	39.49	100.0	H	250.0	-87.6
8064.450000	-53.25	-13.00	40.25	100.0	H	63.0	-86.8

### EUT Information

EUT Name:	Amazon Locker
Model:	ZL-ODIN-V1
Test Mode:	NB-IOT_Band 12_15k_QPSK_Mid channel
Test Voltage::	DC 6V
Remark:	Temp 24 Humi:47%
Test Standard:	FCC Part 27
Tested By:	Kei Zhang
Reviewed By:	Terry Yin




### Critical\_Freqs

Frequency (MHz)	MaxPeak (dBm)	Limit (dBm)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
6638.783333	-52.04	-13.00	39.04	100.0	V	176.0	-88.0
8036.800000	-52.57	-13.00	39.57	100.0	V	301.0	-87.0

### EUT Information

EUT Name:	Amazon Locker
Model:	ZL-ODIN-V1
Test Mode:	NB-IOT_Band 13_3.75k_BPSK_High channel
Test Voltage::	DC 6V
Remark:	Temp 23 Humi:45%
Test Standard:	FCC Part 27
Tested By:	Kei Zhang
Reviewed By:	Terry Yin




### Critical\_Freqs

Frequency (MHz)	MaxPeak (dBm)	Limit (dBm)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
1573.500000	-51.54	-13.00	38.54	100.0	H	39.0	-93.0
2360.000000	-48.56	-13.00	35.56	100.0	H	60.0	-87.6

### EUT Information

EUT Name:	Amazon Locker
Model:	ZL-ODIN-V1
Test Mode:	NB-IOT_Band 13_3.75k_BPSK_High channel
Test Voltage::	DC 6V
Remark:	Temp 23 Humi:45%
Test Standard:	FCC Part 27
Tested By:	Kei Zhang
Reviewed By:	Terry Yin




### Critical\_Freqs

Frequency (MHz)	MaxPeak (dBm)	Limit (dBm)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
1573.500000	-52.70	-13.00	39.70	100.0	V	320.0	-93.0
2360.000000	-47.85	-13.00	34.85	100.0	V	38.0	-87.7

### EUT Information

EUT Name:	Amazon Locker
Model:	ZL-ODIN-V1
Test Mode:	NB-IOT_Band 13_3.75k_BPSK_High channel
Test Voltage::	DC 6V
Remark:	Temp 24 Humi:47%
Test Standard:	FCC Part 27
Tested By:	Kei Zhang
Reviewed By:	Terry Yin




### Critical\_Freqs

Frequency (MHz)	MaxPeak (dBm)	Limit (dBm)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
6608.450000	-52.84	-13.00	39.84	100.0	H	297.0	-87.8
8109.950000	-53.72	-13.00	40.72	100.0	H	13.0	-86.8

## EUT Information

EUT Name:	Amazon Locker
Model:	ZL-ODIN-V1
Test Mode:	NB-IOT_Band 13_3.75k_BPSK_High channel
Test Voltage::	DC 6V
Remark:	Temp 24 Humi:47%
Test Standard:	FCC Part 27
Tested By:	Kei Zhang
Reviewed By:	Terry Yin




## Critical\_Freqs

Frequency (MHz)	MaxPeak (dBm)	Limit (dBm)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
6561.783333	-53.27	-13.00	40.27	100.0	V	273.0	-87.4
8084.866667	-54.74	-13.00	41.74	100.0	V	151.0	-86.7

### EUT Information

EUT Name: Amazon Locker  
 Model: ZL-ODIN-V1  
 Test Mode: NB-IOT\_Band 13\_3.75k\_BPSK\_Low channel  
 Test Voltage:: DC 6V  
 Remark: Temp 23 Humi:45%  
 Test Standard: FCC Part 27  
 Tested By: Kei Zhang  
 Reviewed By: Terry Yin




### Critical\_Freqs

Frequency (MHz)	MaxPeak (dBm)	Limit (dBm)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
2331.000000	-48.10	-13.00	35.10	100.0	H	251.0	-87.7



### EUT Information

EUT Name: Amazon Locker  
 Model: ZL-ODIN-V1  
 Test Mode: NB-IOT\_Band 13\_3.75k\_BPSK\_Low channel  
 Test Voltage:: DC 6V  
 Remark: Temp 23 Humi:45%  
 Test Standard: FCC Part 27  
 Tested By: Kei Zhang  
 Reviewed By: Terry Yin




### Critical\_Freqs

Frequency (MHz)	MaxPeak (dBm)	Limit (dBm)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
2331.000000	-45.74	-13.00	32.74	100.0	V	39.0	-88.0

### EUT Information

EUT Name:	Amazon Locker
Model:	ZL-ODIN-V1
Test Mode:	NB-IOT_Band 13_3.75k_BPSK_Low channel
Test Voltage::	DC 6V
Remark:	Temp 24 Humi:47%
Test Standard:	FCC Part 27
Tested By:	Kei Zhang
Reviewed By:	Terry Yin




### Critical\_Freqs

Frequency (MHz)	MaxPeak (dBm)	Limit (dBm)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
6661.650000	-53.53	-13.00	40.53	100.0	H	173.0	-87.6
8086.500000	-54.58	-13.00	41.58	100.0	H	295.0	-86.6

### EUT Information

EUT Name:	Amazon Locker
Model:	ZL-ODIN-V1
Test Mode:	NB-IOT_Band 13_3.75k_BPSK_Low channel
Test Voltage::	DC 6V
Remark:	Temp 24 Humi:47%
Test Standard:	FCC Part 27
Tested By:	Kei Zhang
Reviewed By:	Terry Yin




### Critical\_Freqs

Frequency (MHz)	MaxPeak (dBm)	Limit (dBm)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
6608.683333	-53.90	-13.00	40.90	100.0	V	354.0	-88.1
7998.650000	-54.27	-13.00	41.27	100.0	V	0.0	-87.4

### EUT Information

EUT Name: Amazon Locker  
 Model: ZL-ODIN-V1  
 Test Mode: NB-IOT\_Band 13\_3.75k\_BPSK\_Mid channel  
 Test Voltage:: DC 6V  
 Remark: Temp 23 Humi:45%  
 Test Standard: FCC Part 27  
 Tested By: Kei Zhang  
 Reviewed By: Terry Yin




### Critical\_Freqs

Frequency (MHz)	MaxPeak (dBm)	Limit (dBm)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
2345.500000	-48.35	-13.00	35.35	100.0	H	254.0	-87.5

### EUT Information

EUT Name: Amazon Locker  
 Model: ZL-ODIN-V1  
 Test Mode: NB-IOT\_Band 13\_3.75k\_BPSK\_Mid channel  
 Test Voltage:: DC 6V  
 Remark: Temp 23 Humi:45%  
 Test Standard: FCC Part 27  
 Tested By: Kei Zhang  
 Reviewed By: Terry Yin




### Critical\_Freqs

Frequency (MHz)	MaxPeak (dBm)	Limit (dBm)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
2346.000000	-45.66	-13.00	32.66	100.0	V	16.0	-87.8

### EUT Information

EUT Name:	Amazon Locker
Model:	ZL-ODIN-V1
Test Mode:	NB-IOT_Band 13_3.75k_BPSK_Mid channel
Test Voltage::	DC 6V
Remark:	Temp 24 Humi:47%
Test Standard:	FCC Part 27
Tested By:	Kei Zhang
Reviewed By:	Terry Yin




### Critical\_Freqs

Frequency (MHz)	MaxPeak (dBm)	Limit (dBm)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
6530.516667	-54.01	-13.00	41.01	100.0	H	127.0	-87.5
8023.150000	-54.61	-13.00	41.61	100.0	H	117.0	-87.4

### EUT Information

EUT Name: Amazon Locker  
 Model: ZL-ODIN-V1  
 Test Mode: NB-IOT\_Band 13\_3.75k\_BPSK\_Mid channel  
 Test Voltage:: DC 6V  
 Remark: Temp 24 Humi:47%  
 Test Standard: FCC Part 27  
 Tested By: Kei Zhang  
 Reviewed By: Terry Yin




### Critical\_Freqs

Frequency (MHz)	MaxPeak (dBm)	Limit (dBm)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
6711.233333	-53.53	-13.00	40.53	100.0	V	270.0	-88.2
8099.566667	-54.04	-13.00	41.04	100.0	V	189.0	-86.8

## EUT Information

EUT Name:	Amazon Locker
Model:	ZL-ODIN-V1
Test Mode:	NB-IOT_Band 13_15k_QPSK_High channel
Test Voltage::	DC 6V
Remark:	Temp 23 Humi:45%
Test Standard:	FCC Part 27
Tested By:	Kei Zhang
Reviewed By:	Terry Yin




## Critical\_Freqs

Frequency (MHz)	MaxPeak (dBm)	Limit (dBm)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
1573.500000	-50.57	-13.00	37.57	100.0	H	33.0	-93.0
2360.000000	-48.56	-13.00	35.56	100.0	H	54.0	-87.6



### EUT Information

EUT Name: Amazon Locker  
 Model: ZL-ODIN-V1  
 Test Mode: NB-IOT\_Band 13\_15k\_QPSK\_High channel  
 Test Voltage:: DC 6V  
 Remark: Temp 23 Humi:45%  
 Test Standard: FCC Part 27  
 Tested By: Kei Zhang  
 Reviewed By: Terry Yin




### Critical\_Freqs

Frequency (MHz)	MaxPeak (dBm)	Limit (dBm)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
1573.500000	-52.23	-13.00	39.23	100.0	V	356.0	-93.0
2360.500000	-46.40	-13.00	33.40	100.0	V	12.0	-87.7

## EUT Information

EUT Name:	Amazon Locker
Model:	ZL-ODIN-V1
Test Mode:	NB-IOT_Band 13_15k_QPSK_High channel
Test Voltage::	DC 6V
Remark:	Temp 24 Humi:47%
Test Standard:	FCC Part 27
Tested By:	Kei Zhang
Reviewed By:	Terry Yin




## Critical\_Freqs

Frequency (MHz)	MaxPeak (dBm)	Limit (dBm)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
6605.766667	-53.27	-13.00	40.27	100.0	H	335.0	-87.8
8067.250000	-54.41	-13.00	41.41	100.0	H	78.0	-86.7

### EUT Information

EUT Name:	Amazon Locker
Model:	ZL-ODIN-V1
Test Mode:	NB-IOT_Band 13_15k_QPSK_High channel
Test Voltage::	DC 6V
Remark:	Temp 24 Humi:47%
Test Standard:	FCC Part 27
Tested By:	Kei Zhang
Reviewed By:	Terry Yin




### Critical\_Freqs

Frequency (MHz)	MaxPeak (dBm)	Limit (dBm)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
6656.983333	-52.37	-13.00	39.37	100.0	V	145.0	-87.9
8078.916667	-54.57	-13.00	41.57	100.0	V	5.0	-86.7

### EUT Information

EUT Name: Amazon Locker  
 Model: ZL-ODIN-V1  
 Test Mode: NB-IOT\_Band 13\_15k\_QPSK\_Low channel  
 Test Voltage:: DC 6V  
 Remark: Temp 23 Humi:45%  
 Test Standard: FCC Part 27  
 Tested By: Kei Zhang  
 Reviewed By: Terry Yin




### Critical\_Freqs

Frequency (MHz)	MaxPeak (dBm)	Limit (dBm)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
2331.000000	-47.37	-13.00	34.37	100.0	H	104.0	-87.7

### EUT Information

EUT Name:	Amazon Locker
Model:	ZL-ODIN-V1
Test Mode:	NB-IOT_Band 13_15k_QPSK_Low channel
Test Voltage::	DC 6V
Remark:	Temp 23 Humi:45%
Test Standard:	FCC Part 27
Tested By:	Kei Zhang
Reviewed By:	Terry Yin




### Critical\_Freqs

Frequency (MHz)	MaxPeak (dBm)	Limit (dBm)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
2331.000000	-45.51	-13.00	32.51	100.0	V	19.0	-88.0

### EUT Information

EUT Name:	Amazon Locker
Model:	ZL-ODIN-V1
Test Mode:	NB-IOT_Band 13_15k_QPSK_Low channel
Test Voltage::	DC 6V
Remark:	Temp 24 Humi:47%
Test Standard:	FCC Part 27
Tested By:	Kei Zhang
Reviewed By:	Terry Yin




### Critical\_Freqs

Frequency (MHz)	MaxPeak (dBm)	Limit (dBm)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
6639.366667	-53.35	-13.00	40.35	100.0	H	52.0	-87.6
8107.500000	-54.68	-13.00	41.68	100.0	H	286.0	-86.8

### EUT Information

EUT Name:	Amazon Locker
Model:	ZL-ODIN-V1
Test Mode:	NB-IOT_Band 13_15k_QPSK_Low channel
Test Voltage::	DC 6V
Remark:	Temp 24 Humi:47%
Test Standard:	FCC Part 27
Tested By:	Kei Zhang
Reviewed By:	Terry Yin




### Critical\_Freqs

Frequency (MHz)	MaxPeak (dBm)	Limit (dBm)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
6625.250000	-54.05	-13.00	41.05	100.0	V	347.0	-88.1
8049.983333	-55.30	-13.00	42.30	100.0	V	140.0	-86.8

### EUT Information

EUT Name: Amazon Locker  
 Model: ZL-ODIN-V1  
 Test Mode: NB-IOT\_Band 13\_15k\_QPSK\_Mid channel  
 Test Voltage:: DC 6V  
 Remark: Temp 23 Humi:45%  
 Test Standard: FCC Part 27  
 Tested By: Kei Zhang  
 Reviewed By: Terry Yin




### Critical\_Freqs

Frequency (MHz)	MaxPeak (dBm)	Limit (dBm)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
2346.000000	-47.73	-13.00	34.73	100.0	H	274.0	-87.5



### EUT Information

EUT Name: Amazon Locker  
 Model: ZL-ODIN-V1  
 Test Mode: NB-IOT\_Band 13\_15k\_QPSK\_Mid channel  
 Test Voltage:: DC 6V  
 Remark: Temp 23 Humi:45%  
 Test Standard: FCC Part 27  
 Tested By: Kei Zhang  
 Reviewed By: Terry Yin




### Critical\_Freqs

Frequency (MHz)	MaxPeak (dBm)	Limit (dBm)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
2345.500000	-45.93	-13.00	32.93	100.0	V	21.0	-87.8

### EUT Information

EUT Name:	Amazon Locker
Model:	ZL-ODIN-V1
Test Mode:	NB-IOT_Band 13_15k_QPSK_Mid channel
Test Voltage::	DC 6V
Remark:	Temp 24 Humi:47%
Test Standard:	FCC Part 27
Tested By:	Kei Zhang
Reviewed By:	Terry Yin




### Critical\_Freqs

Frequency (MHz)	MaxPeak (dBm)	Limit (dBm)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
6640.533333	-54.52	-13.00	41.52	100.0	H	307.0	-87.6
8076.466667	-54.83	-13.00	41.83	100.0	H	296.0	-86.6

## EUT Information

EUT Name:	Amazon Locker
Model:	ZL-ODIN-V1
Test Mode:	NB-IOT_Band 13_15k_QPSK_Mid channel
Test Voltage::	DC 6V
Remark:	Temp 24 Humi:47%
Test Standard:	FCC Part 27
Tested By:	Kei Zhang
Reviewed By:	Terry Yin




## Critical\_Freqs

Frequency (MHz)	MaxPeak (dBm)	Limit (dBm)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
6530.750000	-54.82	-13.00	41.82	100.0	V	0.0	-87.5
8089.066667	-54.24	-13.00	41.24	100.0	V	347.0	-86.7

## EUT Information

EUT Name:	Amazon Locker
Model:	ZL-ODIN-V1
Test Mode:	NB-IOT_Band 25_3.75k_BPSK_High channel
Test Voltage::	DC 6V
Remark:	Temp 24 Humi:47%
Test Standard:	FCC Part 24
Tested By:	Kei Zhang
Reviewed By:	Terry Yin




## Critical\_Freqs

Frequency (MHz)	MaxPeak (dBm)	Limit (dBm)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
1197.500000	-48.03	-13.00	35.03	100.0	H	164.0	-93.1
2097.000000	-45.91	-13.00	32.91	100.0	H	94.0	-88.8
3830.000000	-49.69	-13.00	36.69	100.0	H	62.0	-86.9

## EUT Information

EUT Name:	Amazon Locker
Model:	ZL-ODIN-V1
Test Mode:	NB-IOT_Band 25_3.75k_BPSK_High channel
Test Voltage::	DC 6V
Remark:	Temp 24 Humi:47%
Test Standard:	FCC Part 24
Tested By:	Kei Zhang
Reviewed By:	Terry Yin




## Critical\_Freqs

Frequency (MHz)	MaxPeak (dBm)	Limit (dBm)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
1194.000000	-48.85	-13.00	35.85	100.0	V	236.0	-92.5
2024.000000	-47.96	-13.00	34.96	100.0	V	150.0	-88.8
3825.000000	-49.15	-13.00	36.15	100.0	V	359.0	-86.9

## EUT Information

EUT Name:	Amazon Locker
Model:	ZL-ODIN-V1
Test Mode:	NB-IOT_Band 25_3.75k_BPSK_High channel
Test Voltage::	DC 6V
Remark:	Temp 23 Humi:45%
Test Standard:	FCC Part 24
Tested By:	Kei Zhang
Reviewed By:	Terry Yin




## Critical\_Freqs

Frequency (MHz)	MaxPeak (dBm)	Limit (dBm)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
13238.000000	-45.93	-13.00	32.93	100.0	H	160.0	-79.5

## EUT Information

EUT Name:	Amazon Locker
Model:	ZL-ODIN-V1
Test Mode:	NB-IOT_Band 25_3.75k_BPSK_High channel
Test Voltage::	DC 6V
Remark:	Temp 23 Humi:45%
Test Standard:	FCC Part 24
Tested By:	Kei Zhang
Reviewed By:	Terry Yin




## Critical\_Freqs

Frequency (MHz)	MaxPeak (dBm)	Limit (dBm)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
12893.500000	-46.29	-13.00	33.29	100.0	V	66.0	-78.4

### EUT Information

EUT Name: Amazon Locker  
 Model: ZL-ODIN-V1  
 Test Mode: NB-IOT\_Band 25\_3.75k\_BPSK\_Low channel  
 Test Voltage:: DC 6V  
 Remark: Temp 24 Humi:47%  
 Test Standard: FCC Part 24  
 Tested By: Kei Zhang  
 Reviewed By: Terry Yin




### Critical\_Freqs

Frequency (MHz)	MaxPeak (dBm)	Limit (dBm)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
1195.000000	-45.21	-13.00	32.21	100.0	H	129.0	-93.1
3705.000000	-49.16	-13.00	36.16	100.0	H	101.0	-86.8



### EUT Information

EUT Name: Amazon Locker  
 Model: ZL-ODIN-V1  
 Test Mode: NB-IOT\_Band 25\_3.75k\_BPSK\_Low channel  
 Test Voltage:: DC 6V  
 Remark: Temp 24 Humi:47%  
 Test Standard: FCC Part 24  
 Tested By: Kei Zhang  
 Reviewed By: Terry Yin




### Critical\_Freqs

Frequency (MHz)	MaxPeak (dBm)	Limit (dBm)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
1194.500000	-50.75	-13.00	37.75	100.0	V	185.0	-92.5
1596.000000	-50.84	-13.00	37.84	100.0	V	281.0	-92.9
3702.500000	-48.75	-13.00	35.75	100.0	V	67.0	-86.7

## EUT Information

EUT Name:	Amazon Locker
Model:	ZL-ODIN-V1
Test Mode:	NB-IOT_Band 25_3.75k_BPSK_Low channel
Test Voltage::	DC 6V
Remark:	Temp 23 Humi:45%
Test Standard:	FCC Part 24
Tested By:	Kei Zhang
Reviewed By:	Terry Yin




## Critical\_Freqs

Frequency (MHz)	MaxPeak (dBm)	Limit (dBm)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
12911.000000	-45.40	-13.00	32.40	100.0	H	271.0	-78.4

## EUT Information

EUT Name:	Amazon Locker
Model:	ZL-ODIN-V1
Test Mode:	NB-IOT_Band 25_3.75k_BPSK_Low channel
Test Voltage::	DC 6V
Remark:	Temp 23 Humi:45%
Test Standard:	FCC Part 24
Tested By:	Kei Zhang
Reviewed By:	Terry Yin




## Critical\_Freqs

Frequency (MHz)	MaxPeak (dBm)	Limit (dBm)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
12872.500000	-45.39	-13.00	32.39	100.0	V	170.0	-78.9

## EUT Information

EUT Name:	Amazon Locker
Model:	ZL-ODIN-V1
Test Mode:	NB-IOT_Band 25_3.75k_BPSK_Mid channel
Test Voltage::	DC 6V
Remark:	Temp 24 Humi:47%
Test Standard:	FCC Part 24
Tested By:	Kei Zhang
Reviewed By:	Terry Yin




## Critical\_Freqs

Frequency (MHz)	MaxPeak (dBm)	Limit (dBm)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
1193.500000	-48.38	-13.00	35.38	100.0	H	135.0	-93.2
2062.000000	-47.24	-13.00	34.24	100.0	H	53.0	-88.4
3758.500000	-49.28	-13.00	36.28	100.0	H	184.0	-86.6

### EUT Information

EUT Name:	Amazon Locker
Model:	ZL-ODIN-V1
Test Mode:	NB-IOT_Band 25_3.75k_BPSK_Mid channel
Test Voltage::	DC 6V
Remark:	Temp 24 Humi:47%
Test Standard:	FCC Part 24
Tested By:	Kei Zhang
Reviewed By:	Terry Yin




### Critical\_Freqs

Frequency (MHz)	MaxPeak (dBm)	Limit (dBm)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
1593.500000	-49.03	-13.00	36.03	100.0	V	327.0	-92.9
3776.500000	-49.46	-13.00	36.46	100.0	V	320.0	-87.0

## EUT Information

EUT Name:	Amazon Locker
Model:	ZL-ODIN-V1
Test Mode:	NB-IOT_Band 25_3.75k_BPSK_Mid channel
Test Voltage::	DC 6V
Remark:	Temp 23 Humi:45%
Test Standard:	FCC Part 24
Tested By:	Kei Zhang
Reviewed By:	Terry Yin




## Critical\_Freqs

Frequency (MHz)	MaxPeak (dBm)	Limit (dBm)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
12900.000000	-46.53	-13.00	33.53	100.0	H	260.0	-78.3

### EUT Information

EUT Name: Amazon Locker  
 Model: ZL-ODIN-V1  
 Test Mode: NB-IOT\_Band 25\_3.75k\_BPSK\_Mid channel  
 Test Voltage:: DC 6V  
 Remark: Temp 23 Humi:45%  
 Test Standard: FCC Part 24  
 Tested By: Kei Zhang  
 Reviewed By: Terry Yin




### Critical\_Freqs

Frequency (MHz)	MaxPeak (dBm)	Limit (dBm)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
12898.000000	-45.47	-13.00	32.47	100.0	V	257.0	-78.3

## EUT Information

EUT Name:	Amazon Locker
Model:	ZL-ODIN-V1
Test Mode:	NB-IOT_Band 25_15k_QPSK_High channel
Test Voltage::	DC 6V
Remark:	Temp 23 Humi:45%
Test Standard:	FCC Part 24
Tested By:	Kei Zhang
Reviewed By:	Terry Yin




## Critical\_Freqs

Frequency (MHz)	MaxPeak (dBm)	Limit (dBm)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
1197.000000	-49.45	-13.00	36.45	100.0	H	41.0	-93.1
1531.000000	-47.11	-13.00	34.11	100.0	H	300.0	-92.8
2097.000000	-44.31	-13.00	31.31	100.0	H	113.0	-88.8
3829.000000	-49.41	-13.00	36.41	100.0	H	247.0	-86.9



## EUT Information

EUT Name:	Amazon Locker
Model:	ZL-ODIN-V1
Test Mode:	NB-IOT_Band 25_15k_QPSK_High channel
Test Voltage::	DC 6V
Remark:	Temp 23 Humi:45%
Test Standard:	FCC Part 24
Tested By:	Kei Zhang
Reviewed By:	Terry Yin




## Critical\_Freqs

Frequency (MHz)	MaxPeak (dBm)	Limit (dBm)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
1600.500000	-48.99	-13.00	35.99	100.0	V	47.0	-92.9
3827.000000	-47.89	-13.00	34.89	100.0	V	338.0	-86.9

## EUT Information

EUT Name:	Amazon Locker
Model:	ZL-ODIN-V1
Test Mode:	NB-IOT_Band 25_15k_QPSK_High channel
Test Voltage::	DC 6V
Remark:	Temp 23 Humi:45%
Test Standard:	FCC Part 24
Tested By:	Kei Zhang
Reviewed By:	Terry Yin




## Critical\_Freqs

Frequency (MHz)	MaxPeak (dBm)	Limit (dBm)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
12699.000000	-46.30	-13.00	33.30	100.0	H	319.0	-80.2

## EUT Information

EUT Name:	Amazon Locker
Model:	ZL-ODIN-V1
Test Mode:	NB-IOT_Band 25_15k_QPSK_High channel
Test Voltage::	DC 6V
Remark:	Temp 23 Humi:45%
Test Standard:	FCC Part 24
Tested By:	Kei Zhang
Reviewed By:	Terry Yin




## Critical\_Freqs

Frequency (MHz)	MaxPeak (dBm)	Limit (dBm)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
12898.000000	-44.67	-13.00	31.67	100.0	V	37.0	-78.3

## EUT Information

EUT Name:	Amazon Locker
Model:	ZL-ODIN-V1
Test Mode:	NB-IOT_Band 25_15k_QPSK_Low channel
Test Voltage::	DC 6V
Remark:	Temp 23 Humi:45%
Test Standard:	FCC Part 24
Tested By:	Kei Zhang
Reviewed By:	Terry Yin




## Critical\_Freqs

Frequency (MHz)	MaxPeak (dBm)	Limit (dBm)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
1196.500000	-47.45	-13.00	34.45	100.0	H	191.0	-93.1
1542.500000	-43.88	-13.00	30.88	100.0	H	170.0	-92.8
3709.000000	-48.32	-13.00	35.32	100.0	H	24.0	-86.8

## EUT Information

EUT Name:	Amazon Locker
Model:	ZL-ODIN-V1
Test Mode:	NB-IOT_Band 25_15k_QPSK_Low channel
Test Voltage::	DC 6V
Remark:	Temp 23 Humi:45%
Test Standard:	FCC Part 24
Tested By:	Kei Zhang
Reviewed By:	Terry Yin




## Critical\_Freqs

Frequency (MHz)	MaxPeak (dBm)	Limit (dBm)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
1580.500000	-46.78	-13.00	33.78	100.0	V	326.0	-93.1
3712.500000	-49.11	-13.00	36.11	100.0	V	267.0	-86.7

### EUT Information

EUT Name: Amazon Locker  
 Model: ZL-ODIN-V1  
 Test Mode: NB-IOT\_Band 25\_15k\_QPSK\_Low channel  
 Test Voltage:: DC 6V  
 Remark: Temp 23 Humi:45%  
 Test Standard: FCC Part 24  
 Tested By: Kei Zhang  
 Reviewed By: Terry Yin




### Critical\_Freqs

Frequency (MHz)	MaxPeak (dBm)	Limit (dBm)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
12905.000000	-46.26	-13.00	33.26	100.0	H	113.0	-78.4

### EUT Information

EUT Name: Amazon Locker  
 Model: ZL-ODIN-V1  
 Test Mode: NB-IOT\_Band 25\_15k\_QPSK\_Low channel  
 Test Voltage:: DC 6V  
 Remark: Temp 23 Humi:45%  
 Test Standard: FCC Part 24  
 Tested By: Kei Zhang  
 Reviewed By: Terry Yin




### Critical\_Freqs

Frequency (MHz)	MaxPeak (dBm)	Limit (dBm)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
12944.500000	-46.33	-13.00	33.33	100.0	V	218.0	-78.8

## EUT Information

EUT Name:	Amazon Locker
Model:	ZL-ODIN-V1
Test Mode:	NB-IOT_Band 25_15k_QPSK_Mid channel
Test Voltage::	DC 6V
Remark:	Temp 23 Humi:45%
Test Standard:	FCC Part 24
Tested By:	Kei Zhang
Reviewed By:	Terry Yin




## Critical\_Freqs

Frequency (MHz)	MaxPeak (dBm)	Limit (dBm)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
1195.000000	-46.03	-13.00	33.03	100.0	H	187.0	-93.1
1613.000000	-44.90	-13.00	31.90	100.0	H	135.0	-93.2
3765.500000	-48.79	-13.00	35.79	100.0	H	89.0	-86.6



### EUT Information

EUT Name: Amazon Locker  
 Model: ZL-ODIN-V1  
 Test Mode: NB-IOT\_Band 25\_15k\_QPSK\_Mid channel  
 Test Voltage:: DC 6V  
 Remark: Temp 23 Humi:45%  
 Test Standard: FCC Part 24  
 Tested By: Kei Zhang  
 Reviewed By: Terry Yin




### Critical\_Freqs

Frequency (MHz)	MaxPeak (dBm)	Limit (dBm)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
1613.000000	-43.85	-13.00	30.85	100.0	V	333.0	-93.0
3759.000000	-49.04	-13.00	36.04	100.0	V	304.0	-86.9

## EUT Information

EUT Name:	Amazon Locker
Model:	ZL-ODIN-V1
Test Mode:	NB-IOT_Band 25_15k_QPSK_Mid channel
Test Voltage::	DC 6V
Remark:	Temp 23 Humi:45%
Test Standard:	FCC Part 24
Tested By:	Kei Zhang
Reviewed By:	Terry Yin




## Critical\_Freqs

Frequency (MHz)	MaxPeak (dBm)	Limit (dBm)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
13265.000000	-45.79	-13.00	32.79	100.0	H	216.0	-79.5

### EUT Information

EUT Name: Amazon Locker  
 Model: ZL-ODIN-V1  
 Test Mode: NB-IOT\_Band 25\_15k\_QPSK\_Mid channel  
 Test Voltage:: DC 6V  
 Remark: Temp 23 Humi:45%  
 Test Standard: FCC Part 24  
 Tested By: Kei Zhang  
 Reviewed By: Terry Yin




### Critical\_Freqs

Frequency (MHz)	MaxPeak (dBm)	Limit (dBm)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
12930.000000	-46.19	-13.00	33.19	100.0	V	299.0	-78.6

### EUT Information

EUT Name:	Amazon Locker
Model:	ZL-ODIN-V1
Test Mode:	NB-IOT_Band 66_3.75k_BPSK_High channel
Test Voltage::	DC 6V
Remark:	Temp 24 Humi:47%
Test Standard:	FCC Part 27
Tested By:	Kei Zhang
Reviewed By:	Terry Yin




### Critical\_Freqs

Frequency (MHz)	MaxPeak (dBm)	Limit (dBm)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
1196.500000	-47.12	-13.00	34.12	100.0	H	160.0	-93.1
1611.000000	-44.66	-13.00	31.66	100.0	H	43.0	-93.2
2179.500000	-46.10	-13.00	33.10	100.0	H	43.0	-88.0
3564.000000	-49.73	-13.00	36.73	100.0	H	153.0	-87.0

### EUT Information

EUT Name:	Amazon Locker
Model:	ZL-ODIN-V1
Test Mode:	NB-IOT_Band 66_3.75k_BPSK_High channel
Test Voltage::	DC 6V
Remark:	Temp 24 Humi:47%
Test Standard:	FCC Part 27
Tested By:	Kei Zhang
Reviewed By:	Terry Yin




### Critical\_Freqs

Frequency (MHz)	MaxPeak (dBm)	Limit (dBm)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
1197.000000	-50.18	-13.00	37.18	100.0	V	287.0	-92.5
1577.500000	-48.60	-13.00	35.60	100.0	V	0.0	-93.0
3531.000000	-49.45	-13.00	36.45	100.0	V	273.0	-87.2

## EUT Information

EUT Name:	Amazon Locker
Model:	ZL-ODIN-V1
Test Mode:	NB-IOT_Band 66_3.75k_BPSK_High channel
Test Voltage::	DC 6V
Remark:	Temp 23 Humi:45%
Test Standard:	FCC Part 27
Tested By:	Kei Zhang
Reviewed By:	Terry Yin




## Critical\_Freqs

Frequency (MHz)	MaxPeak (dBm)	Limit (dBm)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
12894.500000	-46.40	-13.00	33.40	100.0	H	117.0	-78.4

## EUT Information

EUT Name:	Amazon Locker
Model:	ZL-ODIN-V1
Test Mode:	NB-IOT_Band 66_3.75k_BPSK_High channel
Test Voltage::	DC 6V
Remark:	Temp 23 Humi:45%
Test Standard:	FCC Part 27
Tested By:	Kei Zhang
Reviewed By:	Terry Yin




## Critical\_Freqs

Frequency (MHz)	MaxPeak (dBm)	Limit (dBm)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
12887.000000	-45.77	-13.00	32.77	100.0	V	245.0	-78.5

## EUT Information

EUT Name:	Amazon Locker
Model:	ZL-ODIN-V1
Test Mode:	NB-IOT_Band 66_3.75k_BPSK_Low channel
Test Voltage::	DC 6V
Remark:	Temp 24 Humi:47%
Test Standard:	FCC Part 27
Tested By:	Kei Zhang
Reviewed By:	Terry Yin




## Critical\_Freqs

Frequency (MHz)	MaxPeak (dBm)	Limit (dBm)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
1196.000000	-46.07	-13.00	33.07	100.0	H	168.0	-93.1
1610.500000	-38.80	-13.00	25.80	100.0	H	58.0	-93.1
1710.000000	-29.65	-13.00	16.65	100.0	H	48.0	-92.1
3420.000000	-49.21	-13.00	36.21	100.0	H	136.0	-87.9



### EUT Information

EUT Name: Amazon Locker  
 Model: ZL-ODIN-V1  
 Test Mode: NB-IOT\_Band 66\_3.75k\_BPSK\_Low channel  
 Test Voltage:: DC 6V  
 Remark: Temp 24 Humi:47%  
 Test Standard: FCC Part 27  
 Tested By: Kei Zhang  
 Reviewed By: Terry Yin




### Critical\_Freqs

Frequency (MHz)	MaxPeak (dBm)	Limit (dBm)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
1196.000000	-48.03	-13.00	35.03	100.0	V	239.0	-92.4
1582.500000	-41.56	-13.00	28.56	100.0	V	97.0	-93.0
1710.000000	-32.06	-13.00	19.06	100.0	V	89.0	-91.9
3420.000000	-47.71	-13.00	34.71	100.0	V	70.0	-87.7

### EUT Information

EUT Name: Amazon Locker  
 Model: ZL-ODIN-V1  
 Test Mode: NB-IOT\_Band 66\_3.75k\_BPSK\_Low channel  
 Test Voltage:: DC 6V  
 Remark: Temp 23 Humi:45%  
 Test Standard: FCC Part 27  
 Tested By: Kei Zhang  
 Reviewed By: Terry Yin




### Critical\_Freqs

Frequency (MHz)	MaxPeak (dBm)	Limit (dBm)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
12851.000000	-45.74	-13.00	32.74	100.0	H	126.0	-79.3

## EUT Information

EUT Name:	Amazon Locker
Model:	ZL-ODIN-V1
Test Mode:	NB-IOT_Band 66_3.75k_BPSK_Low channel
Test Voltage::	DC 6V
Remark:	Temp 23 Humi:45%
Test Standard:	FCC Part 27
Tested By:	Kei Zhang
Reviewed By:	Terry Yin




## Critical\_Freqs

Frequency (MHz)	MaxPeak (dBm)	Limit (dBm)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
12916.000000	-46.16	-13.00	33.16	100.0	V	90.0	-78.4

## EUT Information

EUT Name:	Amazon Locker
Model:	ZL-ODIN-V1
Test Mode:	NB-IOT_Band 66_3.75k_BPSK_Mid channel
Test Voltage::	DC 6V
Remark:	Temp 24 Humi:47%
Test Standard:	FCC Part 27
Tested By:	Kei Zhang
Reviewed By:	Terry Yin




## Critical\_Freqs

Frequency (MHz)	MaxPeak (dBm)	Limit (dBm)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
1605.000000	-41.72	-13.00	28.72	100.0	H	62.0	-92.9
2145.000000	-45.84	-13.00	32.84	100.0	H	99.0	-88.5
3489.500000	-50.62	-13.00	37.62	100.0	H	0.0	-87.7

### EUT Information

EUT Name:	Amazon Locker
Model:	ZL-ODIN-V1
Test Mode:	NB-IOT_Band 66_3.75k_BPSK_Mid channel
Test Voltage::	DC 6V
Remark:	Temp 24 Humi:47%
Test Standard:	FCC Part 27
Tested By:	Kei Zhang
Reviewed By:	Terry Yin




### Critical\_Freqs

Frequency (MHz)	MaxPeak (dBm)	Limit (dBm)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
1196.500000	-46.11	-13.00	33.11	100.0	V	292.0	-92.5
1580.000000	-45.31	-13.00	32.31	100.0	V	89.0	-93.1
3489.000000	-49.73	-13.00	36.73	100.0	V	0.0	-87.7

## EUT Information

EUT Name:	Amazon Locker
Model:	ZL-ODIN-V1
Test Mode:	NB-IOT_Band 66_3.75k_BPSK_Mid channel
Test Voltage::	DC 6V
Remark:	Temp 23 Humi:45%
Test Standard:	FCC Part 27
Tested By:	Kei Zhang
Reviewed By:	Terry Yin




## Critical\_Freqs

Frequency (MHz)	MaxPeak (dBm)	Limit (dBm)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
12899.500000	-45.65	-13.00	32.65	100.0	H	26.0	-78.3

## EUT Information

EUT Name:	Amazon Locker
Model:	ZL-ODIN-V1
Test Mode:	NB-IOT_Band 66_3.75k_BPSK_Mid channel
Test Voltage::	DC 6V
Remark:	Temp 23 Humi:45%
Test Standard:	FCC Part 27
Tested By:	Kei Zhang
Reviewed By:	Terry Yin




## Critical\_Freqs

Frequency (MHz)	MaxPeak (dBm)	Limit (dBm)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
12903.500000	-45.41	-13.00	32.41	100.0	V	339.0	-78.3

### EUT Information

EUT Name: Amazon Locker  
 Model: ZL-ODIN-V1  
 Test Mode: NB-IOT\_Band 66\_15k\_QPSK\_High channel  
 Test Voltage:: DC 6V  
 Remark: Temp 23 Humi:45%  
 Test Standard: FCC Part 27  
 Tested By: Kei Zhang  
 Reviewed By: Terry Yin




### Critical\_Freqs

Frequency (MHz)	MaxPeak (dBm)	Limit (dBm)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
1511.500000	-46.82	-13.00	33.82	100.0	H	12.0	-93.3
2180.000000	-46.65	-13.00	33.65	100.0	H	156.0	-88.0
3545.000000	-49.19	-13.00	36.19	100.0	H	146.0	-87.0



## EUT Information

EUT Name:	Amazon Locker
Model:	ZL-ODIN-V1
Test Mode:	NB-IOT_Band 66_15k_QPSK_High channel
Test Voltage::	DC 6V
Remark:	Temp 23 Humi:45%
Test Standard:	FCC Part 27
Tested By:	Kei Zhang
Reviewed By:	Terry Yin




## Critical\_Freqs

Frequency (MHz)	MaxPeak (dBm)	Limit (dBm)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
1433.500000	-47.65	-13.00	34.65	100.0	V	205.0	-93.6
3548.000000	-48.91	-13.00	35.91	100.0	V	116.0	-87.1

### EUT Information

EUT Name: Amazon Locker  
 Model: ZL-ODIN-V1  
 Test Mode: NB-IOT\_Band 66\_15k\_QPSK\_High channel  
 Test Voltage:: DC 6V  
 Remark: Temp 23 Humi:45%  
 Test Standard: FCC Part 27  
 Tested By: Kei Zhang  
 Reviewed By: Terry Yin




### Critical\_Freqs

Frequency (MHz)	MaxPeak (dBm)	Limit (dBm)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
12899.500000	-46.10	-13.00	33.10	100.0	H	230.0	-78.3

### EUT Information

EUT Name: Amazon Locker  
 Model: ZL-ODIN-V1  
 Test Mode: NB-IOT\_Band 66\_15k\_QPSK\_High channel  
 Test Voltage:: DC 6V  
 Remark: Temp 23 Humi:45%  
 Test Standard: FCC Part 27  
 Tested By: Kei Zhang  
 Reviewed By: Terry Yin




### Critical\_Freqs

Frequency (MHz)	MaxPeak (dBm)	Limit (dBm)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
12918.000000	-45.73	-13.00	32.73	100.0	V	169.0	-78.5

### EUT Information

EUT Name:	Amazon Locker
Model:	ZL-ODIN-V1
Test Mode:	NB-IOT_Band 66_15k_QPSK_Low channel
Test Voltage::	DC 6V
Remark:	Temp 23 Humi:45%
Test Standard:	FCC Part 27
Tested By:	Kei Zhang
Reviewed By:	Terry Yin




### Critical\_Freqs

Frequency (MHz)	MaxPeak (dBm)	Limit (dBm)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
1196.500000	-46.40	-13.00	33.40	100.0	H	190.0	-93.1
1441.000000	-38.90	-13.00	25.90	100.0	H	190.0	-93.7
1710.000000	-30.87	-13.00	17.87	100.0	H	359.0	-92.1
3419.500000	-50.22	-13.00	37.22	100.0	H	179.0	-87.9

## EUT Information

EUT Name:	Amazon Locker
Model:	ZL-ODIN-V1
Test Mode:	NB-IOT_Band 66_15k_QPSK_Low channel
Test Voltage::	DC 6V
Remark:	Temp 23 Humi:45%
Test Standard:	FCC Part 27
Tested By:	Kei Zhang
Reviewed By:	Terry Yin




## Critical\_Freqs

Frequency (MHz)	MaxPeak (dBm)	Limit (dBm)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
1402.500000	-44.61	-13.00	31.61	100.0	V	312.0	-92.7
1710.000000	-30.77	-13.00	17.77	100.0	V	292.0	-91.9
3420.000000	-48.49	-13.00	35.49	100.0	V	96.0	-87.7

### EUT Information

EUT Name: Amazon Locker  
 Model: ZL-ODIN-V1  
 Test Mode: NB-IOT\_Band 66\_15k\_QPSK\_Low channel  
 Test Voltage:: DC 6V  
 Remark: Temp 23 Humi:45%  
 Test Standard: FCC Part 27  
 Tested By: Kei Zhang  
 Reviewed By: Terry Yin




### Critical\_Freqs

Frequency (MHz)	MaxPeak (dBm)	Limit (dBm)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
12921.000000	-46.33	-13.00	33.33	100.0	H	350.0	-78.6

## EUT Information

EUT Name:	Amazon Locker
Model:	ZL-ODIN-V1
Test Mode:	NB-IOT_Band 66_15k_QPSK_Low channel
Test Voltage::	DC 6V
Remark:	Temp 23 Humi:45%
Test Standard:	FCC Part 27
Tested By:	Kei Zhang
Reviewed By:	Terry Yin




## Critical\_Freqs

Frequency (MHz)	MaxPeak (dBm)	Limit (dBm)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
11813.000000	-47.77	-13.00	34.77	100.0	V	295.0	-81.7

## EUT Information

EUT Name:	Amazon Locker
Model:	ZL-ODIN-V1
Test Mode:	NB-IOT_Band 66_15k_QPSK_Mid channel
Test Voltage::	DC 6V
Remark:	Temp 23 Humi:45%
Test Standard:	FCC Part 27
Tested By:	Kei Zhang
Reviewed By:	Terry Yin




## Critical\_Freqs

Frequency (MHz)	MaxPeak (dBm)	Limit (dBm)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
1198.500000	-47.01	-13.00	34.01	100.0	H	179.0	-93.2
1437.000000	-43.86	-13.00	30.86	100.0	H	117.0	-93.6
3490.000000	-50.16	-13.00	37.16	100.0	H	91.0	-87.7



## EUT Information

EUT Name:	Amazon Locker
Model:	ZL-ODIN-V1
Test Mode:	NB-IOT_Band 66_15k_QPSK_Mid channel
Test Voltage::	DC 6V
Remark:	Temp 23 Humi:45%
Test Standard:	FCC Part 27
Tested By:	Kei Zhang
Reviewed By:	Terry Yin




## Critical\_Freqs

Frequency (MHz)	MaxPeak (dBm)	Limit (dBm)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
1399.000000	-46.03	-13.00	33.03	100.0	V	277.0	-92.8
1593.000000	-46.80	-13.00	33.80	100.0	V	277.0	-92.9
3489.500000	-49.13	-13.00	36.13	100.0	V	134.0	-87.7

### EUT Information

EUT Name: Amazon Locker  
 Model: ZL-ODIN-V1  
 Test Mode: NB-IOT\_Band 66\_15k\_QPSK\_Mid channel  
 Test Voltage:: DC 6V  
 Remark: Temp 23 Humi:45%  
 Test Standard: FCC Part 27  
 Tested By: Kei Zhang  
 Reviewed By: Terry Yin




### Critical\_Freqs

Frequency (MHz)	MaxPeak (dBm)	Limit (dBm)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
12911.500000	-45.80	-13.00	32.80	100.0	H	85.0	-78.5

## EUT Information

EUT Name:	Amazon Locker
Model:	ZL-ODIN-V1
Test Mode:	NB-IOT_Band 66_15k_QPSK_Mid channel
Test Voltage::	DC 6V
Remark:	Temp 23 Humi:45%
Test Standard:	FCC Part 27
Tested By:	Kei Zhang
Reviewed By:	Terry Yin




## Critical\_Freqs

Frequency (MHz)	MaxPeak (dBm)	Limit (dBm)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
13245.000000	-45.80	-13.00	32.80	100.0	V	291.0	-79.5

## EUT Information

EUT Name:	Amazon Locker
Model:	ZL-ODIN-V1
Test Mode:	NB-IOT_Band 71_3.75k_BPSK_High channel
Test Voltage::	DC 6V
Remark:	Temp 23 Humi:45%
Test Standard:	FCC Part 27
Tested By:	Kei Zhang
Reviewed By:	Terry Yin




## Critical\_Freqs

Frequency (MHz)	MaxPeak (dBm)	Limit (dBm)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
1395.000000	-52.60	-13.00	39.60	100.0	H	100.0	-93.2
2093.500000	-42.09	-13.00	29.09	100.0	H	48.0	-88.7

### EUT Information

EUT Name:	Amazon Locker
Model:	ZL-ODIN-V1
Test Mode:	NB-IOT_Band 71_3.75k_BPSK_High channel
Test Voltage::	DC 6V
Remark:	Temp 23 Humi:45%
Test Standard:	FCC Part 27
Tested By:	Kei Zhang
Reviewed By:	Terry Yin




### Critical\_Freqs

Frequency (MHz)	MaxPeak (dBm)	Limit (dBm)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
1395.500000	-50.83	-13.00	37.83	100.0	V	90.0	-93.0
2093.000000	-44.84	-13.00	31.84	100.0	V	34.0	-88.7

### EUT Information

EUT Name:	Amazon Locker
Model:	ZL-ODIN-V1
Test Mode:	NB-IOT_Band 71_3.75k_BPSK_High channel
Test Voltage::	DC 6V
Remark:	Temp 24 Humi:47%
Test Standard:	FCC Part 27
Tested By:	Kei Zhang
Reviewed By:	Terry Yin




### Critical\_Freqs

Frequency (MHz)	MaxPeak (dBm)	Limit (dBm)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
6615.450000	-53.65	-13.00	40.65	100.0	H	267.0	-87.8
8072.383333	-54.38	-13.00	41.38	100.0	H	287.0	-86.7

### EUT Information

EUT Name:	Amazon Locker
Model:	ZL-ODIN-V1
Test Mode:	NB-IOT_Band 71_3.75k_BPSK_High channel
Test Voltage::	DC 6V
Remark:	Temp 24 Humi:47%
Test Standard:	FCC Part 27
Tested By:	Kei Zhang
Reviewed By:	Terry Yin




### Critical\_Freqs

Frequency (MHz)	MaxPeak (dBm)	Limit (dBm)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
6611.250000	-53.68	-13.00	40.68	100.0	V	200.0	-88.1
8070.050000	-54.76	-13.00	41.76	100.0	V	175.0	-86.7

### EUT Information

EUT Name:	Amazon Locker
Model:	ZL-ODIN-V1
Test Mode:	NB-IOT_Band 71_3.75k_BPSK_Low channel
Test Voltage::	DC 6V
Remark:	Temp 23 Humi:45%
Test Standard:	FCC Part 27
Tested By:	Kei Zhang
Reviewed By:	Terry Yin




### Critical\_Freqs

Frequency (MHz)	MaxPeak (dBm)	Limit (dBm)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
1326.000000	-50.89	-13.00	37.89	100.0	H	302.0	-92.5
1989.000000	-41.76	-13.00	28.76	100.0	H	48.0	-89.3



### EUT Information

EUT Name: Amazon Locker  
 Model: ZL-ODIN-V1  
 Test Mode: NB-IOT\_Band 71\_3.75k\_BPSK\_Low channel  
 Test Voltage:: DC 6V  
 Remark: Temp 23 Humi:45%  
 Test Standard: FCC Part 27  
 Tested By: Kei Zhang  
 Reviewed By: Terry Yin




### Critical\_Freqs

Frequency (MHz)	MaxPeak (dBm)	Limit (dBm)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
1325.500000	-51.78	-13.00	38.78	100.0	V	139.0	-93.0
1988.500000	-45.98	-13.00	32.98	100.0	V	31.0	-89.7

### EUT Information

EUT Name:	Amazon Locker
Model:	ZL-ODIN-V1
Test Mode:	NB-IOT_Band 71_3.75k_BPSK_Low channel
Test Voltage::	DC 6V
Remark:	Temp 24 Humi:47%
Test Standard:	FCC Part 27
Tested By:	Kei Zhang
Reviewed By:	Terry Yin




### Critical\_Freqs

Frequency (MHz)	MaxPeak (dBm)	Limit (dBm)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
6645.316667	-53.63	-13.00	40.63	100.0	H	170.0	-87.6
8087.200000	-54.54	-13.00	41.54	100.0	H	134.0	-86.6

### EUT Information

EUT Name: Amazon Locker  
 Model: ZL-ODIN-V1  
 Test Mode: NB-IOT\_Band 71\_3.75k\_BPSK\_Low channel  
 Test Voltage:: DC 6V  
 Remark: Temp 24 Humi:47%  
 Test Standard: FCC Part 27  
 Tested By: Kei Zhang  
 Reviewed By: Terry Yin




### Critical\_Freqs

Frequency (MHz)	MaxPeak (dBm)	Limit (dBm)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
6612.766667	-53.58	-13.00	40.58	100.0	V	290.0	-88.1
8091.400000	-54.42	-13.00	41.42	100.0	V	253.0	-86.7

### EUT Information

EUT Name: Amazon Locker  
 Model: ZL-ODIN-V1  
 Test Mode: NB-IOT\_Band 71\_3.75k\_BPSK\_Mid channel  
 Test Voltage:: DC 6V  
 Remark: Temp 23 Humi:45%  
 Test Standard: FCC Part 27  
 Tested By: Kei Zhang  
 Reviewed By: Terry Yin




### Critical\_Freqs

Frequency (MHz)	MaxPeak (dBm)	Limit (dBm)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
2041.000000	-42.64	-13.00	29.64	100.0	H	50.0	-88.6

### EUT Information

EUT Name:	Amazon Locker
Model:	ZL-ODIN-V1
Test Mode:	NB-IOT_Band 71_3.75k_BPSK_Mid channel
Test Voltage::	DC 6V
Remark:	Temp 23 Humi:45%
Test Standard:	FCC Part 27
Tested By:	Kei Zhang
Reviewed By:	Terry Yin




### Critical\_Freqs

Frequency (MHz)	MaxPeak (dBm)	Limit (dBm)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
2041.000000	-47.54	-13.00	34.54	100.0	V	59.0	-88.8

### EUT Information

EUT Name:	Amazon Locker
Model:	ZL-ODIN-V1
Test Mode:	NB-IOT_Band 71_3.75k_BPSK_Mid channel
Test Voltage::	DC 6V
Remark:	Temp 24 Humi:47%
Test Standard:	FCC Part 27
Tested By:	Kei Zhang
Reviewed By:	Terry Yin




### Critical\_Freqs

Frequency (MHz)	MaxPeak (dBm)	Limit (dBm)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
6688.833333	-53.60	-13.00	40.60	100.0	H	180.0	-87.8
8062.816667	-54.09	-13.00	41.09	100.0	H	334.0	-86.8

## EUT Information

EUT Name:	Amazon Locker
Model:	ZL-ODIN-V1
Test Mode:	NB-IOT_Band 71_3.75k_BPSK_Mid channel
Test Voltage::	DC 6V
Remark:	Temp 24 Humi:47%
Test Standard:	FCC Part 27
Tested By:	Kei Zhang
Reviewed By:	Terry Yin




## Critical\_Freqs

Frequency (MHz)	MaxPeak (dBm)	Limit (dBm)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
6539.733333	-53.44	-13.00	40.44	100.0	V	48.0	-87.4
8159.883333	-54.52	-13.00	41.52	100.0	V	309.0	-87.1

### EUT Information

EUT Name:	Amazon Locker
Model:	ZL-ODIN-V1
Test Mode:	NB-IOT_Band 71_15k_QPSK_High channel
Test Voltage::	DC 6V
Remark:	Temp 23 Humi:45%
Test Standard:	FCC Part 27
Tested By:	Kei Zhang
Reviewed By:	Terry Yin




### Critical\_Freqs

Frequency (MHz)	MaxPeak (dBm)	Limit (dBm)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
1395.500000	-51.48	-13.00	38.48	100.0	H	115.0	-93.1
2093.500000	-41.14	-13.00	28.14	100.0	H	46.0	-88.7



### EUT Information

EUT Name: Amazon Locker  
 Model: ZL-ODIN-V1  
 Test Mode: NB-IOT\_Band 71\_15k\_QPSK\_High channel  
 Test Voltage:: DC 6V  
 Remark: Temp 23 Humi:45%  
 Test Standard: FCC Part 27  
 Tested By: Kei Zhang  
 Reviewed By: Terry Yin




### Critical\_Freqs

Frequency (MHz)	MaxPeak (dBm)	Limit (dBm)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
1395.500000	-52.51	-13.00	39.51	100.0	V	79.0	-93.0
2093.000000	-46.22	-13.00	33.22	100.0	V	251.0	-88.7

## EUT Information

EUT Name:	Amazon Locker
Model:	ZL-ODIN-V1
Test Mode:	NB-IOT_Band 71_15k_QPSK_High channel
Test Voltage::	DC 6V
Remark:	Temp 24 Humi:47%
Test Standard:	FCC Part 27
Tested By:	Kei Zhang
Reviewed By:	Terry Yin




## Critical\_Freqs

Frequency (MHz)	MaxPeak (dBm)	Limit (dBm)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
6672.266667	-53.53	-13.00	40.53	100.0	H	104.0	-87.7
8093.383333	-54.49	-13.00	41.49	100.0	H	326.0	-86.7

### EUT Information

EUT Name:	Amazon Locker
Model:	ZL-ODIN-V1
Test Mode:	NB-IOT_Band 71_15k_QPSK_High channel
Test Voltage::	DC 6V
Remark:	Temp 24 Humi:47%
Test Standard:	FCC Part 27
Tested By:	Kei Zhang
Reviewed By:	Terry Yin




### Critical\_Freqs

Frequency (MHz)	MaxPeak (dBm)	Limit (dBm)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
6559.450000	-53.00	-13.00	40.00	100.0	V	0.0	-87.3
8073.083333	-54.82	-13.00	41.82	100.0	V	242.0	-86.7

### EUT Information

EUT Name: Amazon Locker  
 Model: ZL-ODIN-V1  
 Test Mode: NB-IOT\_Band 71\_15k\_QPSK\_Low channel  
 Test Voltage:: DC 6V  
 Remark: Temp 23 Humi:45%  
 Test Standard: FCC Part 27  
 Tested By: Kei Zhang  
 Reviewed By: Terry Yin




### Critical\_Freqs

Frequency (MHz)	MaxPeak (dBm)	Limit (dBm)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
1326.000000	-50.98	-13.00	37.98	100.0	V	106.0	-93.0
1989.000000	-45.86	-13.00	32.86	100.0	V	54.0	-89.7
2652.000000	-48.12	-13.00	35.12	100.0	V	13.0	-88.1

### EUT Information

EUT Name: Amazon Locker  
 Model: ZL-ODIN-V1  
 Test Mode: NB-IOT\_Band 71\_15k\_QPSK\_Low channel  
 Test Voltage:: DC 6V  
 Remark: Temp 23 Humi:45%  
 Test Standard: FCC Part 27  
 Tested By: Kei Zhang  
 Reviewed By: Terry Yin




### Critical\_Freqs

Frequency (MHz)	MaxPeak (dBm)	Limit (dBm)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
1325.500000	-49.81	-13.00	36.81	100.0	H	304.0	-92.5
1989.000000	-43.31	-13.00	30.31	100.0	H	31.0	-89.3

### EUT Information

EUT Name:	Amazon Locker
Model:	ZL-ODIN-V1
Test Mode:	NB-IOT_Band 71_15k_QPSK_Low channel
Test Voltage::	DC 6V
Remark:	Temp 24 Humi:47%
Test Standard:	FCC Part 27
Tested By:	Kei Zhang
Reviewed By:	Terry Yin




### Critical\_Freqs

Frequency (MHz)	MaxPeak (dBm)	Limit (dBm)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
6587.333333	-54.15	-13.00	41.15	100.0	H	81.0	-87.6
8091.166667	-54.89	-13.00	41.89	100.0	H	158.0	-86.6

## EUT Information

EUT Name:	Amazon Locker
Model:	ZL-ODIN-V1
Test Mode:	NB-IOT_Band 71_15k_QPSK_Low channel
Test Voltage::	DC 6V
Remark:	Temp 24 Humi:47%
Test Standard:	FCC Part 27
Tested By:	Kei Zhang
Reviewed By:	Terry Yin




## Critical\_Freqs

Frequency (MHz)	MaxPeak (dBm)	Limit (dBm)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
6553.500000	-52.63	-13.00	39.63	100.0	V	306.0	-87.3
8040.300000	-54.33	-13.00	41.33	100.0	V	162.0	-86.9

### EUT Information

EUT Name: Amazon Locker  
 Model: ZL-ODIN-V1  
 Test Mode: NB-IOT\_Band 71\_15k\_QPSK\_Mid channel  
 Test Voltage:: DC 6V  
 Remark: Temp 23 Humi:45%  
 Test Standard: FCC Part 27  
 Tested By: Kei Zhang  
 Reviewed By: Terry Yin




### Critical\_Freqs

Frequency (MHz)	MaxPeak (dBm)	Limit (dBm)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
2041.000000	-45.91	-13.00	32.91	100.0	H	29.0	-88.6



### EUT Information

EUT Name: Amazon Locker  
 Model: ZL-ODIN-V1  
 Test Mode: NB-IOT\_Band 71\_15k\_QPSK\_Mid channel  
 Test Voltage:: DC 6V  
 Remark: Temp 23 Humi:45%  
 Test Standard: FCC Part 27  
 Tested By: Kei Zhang  
 Reviewed By: Terry Yin




### Critical\_Freqs

Frequency (MHz)	MaxPeak (dBm)	Limit (dBm)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
2041.000000	-46.22	-13.00	33.22	100.0	V	40.0	-88.8

## EUT Information

EUT Name:	Amazon Locker
Model:	ZL-ODIN-V1
Test Mode:	NB-IOT_Band 71_15k_QPSK_Mid channel
Test Voltage::	DC 6V
Remark:	Temp 24 Humi:47%
Test Standard:	FCC Part 27
Tested By:	Kei Zhang
Reviewed By:	Terry Yin




## Critical\_Freqs

Frequency (MHz)	MaxPeak (dBm)	Limit (dBm)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
6683.933333	-53.24	-13.00	40.24	100.0	H	297.0	-87.8
8100.966667	-54.50	-13.00	41.50	100.0	H	103.0	-86.7

### EUT Information

EUT Name:	Amazon Locker
Model:	ZL-ODIN-V1
Test Mode:	NB-IOT_Band 71_15k_QPSK_Mid channel
Test Voltage::	DC 6V
Remark:	Temp 24 Humi:47%
Test Standard:	FCC Part 27
Tested By:	Kei Zhang
Reviewed By:	Terry Yin




### Critical\_Freqs

Frequency (MHz)	MaxPeak (dBm)	Limit (dBm)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
6546.733333	-53.31	-13.00	40.31	100.0	V	357.0	-87.3
8051.266667	-54.72	-13.00	41.72	100.0	V	0.0	-86.8

### EUT Information

EUT Name:	Amazon Locker
Model:	ZL-ODIN-V1
Test Mode:	NB-IOT_Band 85_3.75k_BPSK_High channel
Test Voltage::	DC 6V
Remark:	Temp 23 Humi:45%
Test Standard:	FCC Part 27
Tested By:	Kei Zhang
Reviewed By:	Terry Yin




### Critical\_Freqs

Frequency (MHz)	MaxPeak (dBm)	Limit (dBm)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
1431.500000	-53.32	-13.00	40.32	100.0	H	1.0	-93.5
2146.500000	-49.66	-13.00	36.66	100.0	H	246.0	-88.6

### EUT Information

EUT Name: Amazon Locker  
 Model: ZL-ODIN-V1  
 Test Mode: NB-IOT\_Band 85\_3.75k\_BPSK\_High channel  
 Test Voltage:: DC 6V  
 Remark: Temp 23 Humi:45%  
 Test Standard: FCC Part 27  
 Tested By: Kei Zhang  
 Reviewed By: Terry Yin




### Critical\_Freqs

Frequency (MHz)	MaxPeak (dBm)	Limit (dBm)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
1431.000000	-54.33	-13.00	41.33	100.0	V	177.0	-93.6
2147.500000	-46.81	-13.00	33.81	100.0	V	320.0	-88.0

### EUT Information

EUT Name:	Amazon Locker
Model:	ZL-ODIN-V1
Test Mode:	NB-IOT_Band 85_3.75k_BPSK_High channel
Test Voltage::	DC 6V
Remark:	Temp 24 Humi:47%
Test Standard:	FCC Part 27
Tested By:	Kei Zhang
Reviewed By:	Terry Yin




### Critical\_Freqs

Frequency (MHz)	MaxPeak (dBm)	Limit (dBm)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
6676.700000	-53.28	-13.00	40.28	100.0	H	292.0	-87.7
8066.783333	-54.32	-13.00	41.32	100.0	H	0.0	-86.7

## EUT Information

EUT Name:	Amazon Locker
Model:	ZL-ODIN-V1
Test Mode:	NB-IOT_Band 85_3.75k_BPSK_High channel
Test Voltage::	DC 6V
Remark:	Temp 24 Humi:47%
Test Standard:	FCC Part 27
Tested By:	Kei Zhang
Reviewed By:	Terry Yin




## Critical\_Freqs

Frequency (MHz)	MaxPeak (dBm)	Limit (dBm)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
6620.000000	-53.48	-13.00	40.48	100.0	V	42.0	-88.2
8059.200000	-54.44	-13.00	41.44	100.0	V	33.0	-86.8

### EUT Information

EUT Name: Amazon Locker  
 Model: ZL-ODIN-V1  
 Test Mode: NB-IOT\_Band 85\_3.75k\_BPSK\_Low channel  
 Test Voltage:: DC 6V  
 Remark: Temp 23 Humi:45%  
 Test Standard: FCC Part 27  
 Tested By: Kei Zhang  
 Reviewed By: Terry Yin




### Critical\_Freqs

Frequency (MHz)	MaxPeak (dBm)	Limit (dBm)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
1396.000000	-52.24	-13.00	39.24	100.0	H	62.0	-93.1
2094.000000	-43.06	-13.00	30.06	100.0	H	47.0	-88.7



### EUT Information

EUT Name: Amazon Locker  
 Model: ZL-ODIN-V1  
 Test Mode: NB-IOT\_Band 85\_3.75k\_BPSK\_Low channel  
 Test Voltage:: DC 6V  
 Remark: Temp 23 Humi:45%  
 Test Standard: FCC Part 27  
 Tested By: Kei Zhang  
 Reviewed By: Terry Yin




### Critical\_Freqs

Frequency (MHz)	MaxPeak (dBm)	Limit (dBm)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
1396.000000	-51.81	-13.00	38.81	100.0	V	121.0	-92.9
2093.500000	-46.01	-13.00	33.01	100.0	V	45.0	-88.7

### EUT Information

EUT Name:	Amazon Locker
Model:	ZL-ODIN-V1
Test Mode:	NB-IOT_Band 85_3.75k_BPSK_Low channel
Test Voltage::	DC 6V
Remark:	Temp 24 Humi:47%
Test Standard:	FCC Part 27
Tested By:	Kei Zhang
Reviewed By:	Terry Yin




### Critical\_Freqs

Frequency (MHz)	MaxPeak (dBm)	Limit (dBm)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
6578.350000	-53.48	-13.00	40.48	100.0	H	4.0	-87.5
8062.700000	-55.47	-13.00	42.47	100.0	H	134.0	-86.8

### EUT Information

EUT Name:	Amazon Locker
Model:	ZL-ODIN-V1
Test Mode:	NB-IOT_Band 85_3.75k_BPSK_Low channel
Test Voltage::	DC 6V
Remark:	Temp 24 Humi:47%
Test Standard:	FCC Part 27
Tested By:	Kei Zhang
Reviewed By:	Terry Yin




### Critical\_Freqs

Frequency (MHz)	MaxPeak (dBm)	Limit (dBm)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
6610.783333	-53.94	-13.00	40.94	100.0	V	13.0	-88.1
8085.100000	-54.77	-13.00	41.77	100.0	V	29.0	-86.7

### EUT Information

EUT Name: Amazon Locker  
 Model: ZL-ODIN-V1  
 Test Mode: NB-IOT\_Band 85\_3.75k\_BPSK\_Mid channel  
 Test Voltage:: DC 6V  
 Remark: Temp 23 Humi:45%  
 Test Standard: FCC Part 27  
 Tested By: Kei Zhang  
 Reviewed By: Terry Yin




### Critical\_Freqs

Frequency (MHz)	MaxPeak (dBm)	Limit (dBm)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
2120.500000	-45.27	-13.00	32.27	100.0	H	44.0	-88.6

### EUT Information

EUT Name: Amazon Locker  
 Model: ZL-ODIN-V1  
 Test Mode: NB-IOT\_Band 85\_3.75k\_BPSK\_Mid channel  
 Test Voltage:: DC 6V  
 Remark: Temp 23 Humi:45%  
 Test Standard: FCC Part 27  
 Tested By: Kei Zhang  
 Reviewed By: Terry Yin




### Critical\_Freqs

Frequency (MHz)	MaxPeak (dBm)	Limit (dBm)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
1413.000000	-53.80	-13.00	40.80	100.0	V	108.0	-92.9
2120.500000	-46.73	-13.00	33.73	100.0	V	43.0	-88.1

### EUT Information

EUT Name:	Amazon Locker
Model:	ZL-ODIN-V1
Test Mode:	NB-IOT_Band 85_3.75k_BPSK_Mid channel
Test Voltage::	DC 6V
Remark:	Temp 24 Humi:47%
Test Standard:	FCC Part 27
Tested By:	Kei Zhang
Reviewed By:	Terry Yin




### Critical\_Freqs

Frequency (MHz)	MaxPeak (dBm)	Limit (dBm)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
6645.316667	-53.82	-13.00	40.82	100.0	H	88.0	-87.6
8086.966667	-53.82	-13.00	40.82	100.0	H	142.0	-86.6

### EUT Information

EUT Name:	Amazon Locker
Model:	ZL-ODIN-V1
Test Mode:	NB-IOT_Band 85_3.75k_BPSK_Mid channel
Test Voltage::	DC 6V
Remark:	Temp 24 Humi:47%
Test Standard:	FCC Part 27
Tested By:	Kei Zhang
Reviewed By:	Terry Yin




### Critical\_Freqs

Frequency (MHz)	MaxPeak (dBm)	Limit (dBm)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
6456.083333	-54.59	-13.00	41.59	100.0	V	283.0	-87.9
8061.300000	-54.91	-13.00	41.91	100.0	V	275.0	-86.8

### EUT Information

EUT Name: Amazon Locker  
 Model: ZL-ODIN-V1  
 Test Mode: NB-IOT\_Band 85\_15k\_QPSK\_High channel  
 Test Voltage:: DC 6V  
 Remark: Temp 23 Humi:45%  
 Test Standard: FCC Part 27  
 Tested By: Kei Zhang  
 Reviewed By: Terry Yin




### Critical\_Freqs

Frequency (MHz)	MaxPeak (dBm)	Limit (dBm)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
1431.000000	-54.01	-13.00	41.01	100.0	H	15.0	-93.5
2147.000000	-47.13	-13.00	34.13	100.0	H	51.0	-88.6



### EUT Information

EUT Name: Amazon Locker  
 Model: ZL-ODIN-V1  
 Test Mode: NB-IOT\_Band 85\_15k\_QPSK\_High channel  
 Test Voltage:: DC 6V  
 Remark: Temp 23 Humi:45%  
 Test Standard: FCC Part 27  
 Tested By: Kei Zhang  
 Reviewed By: Terry Yin




### Critical\_Freqs

Frequency (MHz)	MaxPeak (dBm)	Limit (dBm)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
1431.500000	-51.80	-13.00	38.80	100.0	V	85.0	-93.6
2147.000000	-46.44	-13.00	33.44	100.0	V	302.0	-88.0

### EUT Information

EUT Name:	Amazon Locker
Model:	ZL-ODIN-V1
Test Mode:	NB-IOT_Band 85_15k_QPSK_High channel
Test Voltage::	DC 6V
Remark:	Temp 24 Humi:47%
Test Standard:	FCC Part 27
Tested By:	Kei Zhang
Reviewed By:	Terry Yin




### Critical\_Freqs

Frequency (MHz)	MaxPeak (dBm)	Limit (dBm)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
6586.633333	-53.56	-13.00	40.56	100.0	H	0.0	-87.6
8092.333333	-54.48	-13.00	41.48	100.0	H	2.0	-86.7

### EUT Information

EUT Name:	Amazon Locker
Model:	ZL-ODIN-V1
Test Mode:	NB-IOT_Band 85_15k_QPSK_High channel
Test Voltage::	DC 6V
Remark:	Temp 24 Humi:47%
Test Standard:	FCC Part 27
Tested By:	Kei Zhang
Reviewed By:	Terry Yin




### Critical\_Freqs

Frequency (MHz)	MaxPeak (dBm)	Limit (dBm)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
6570.766667	-53.46	-13.00	40.46	100.0	V	250.0	-87.5
8049.516667	-54.41	-13.00	41.41	100.0	V	81.0	-86.8

## EUT Information

EUT Name:	Amazon Locker
Model:	ZL-ODIN-V1
Test Mode:	NB-IOT_Band 85_15k_QPSK_Low channel
Test Voltage::	DC 6V
Remark:	Temp 23 Humi:45%
Test Standard:	FCC Part 27
Tested By:	Kei Zhang
Reviewed By:	Terry Yin




## Critical\_Freqs

Frequency (MHz)	MaxPeak (dBm)	Limit (dBm)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
1396.000000	-52.12	-13.00	39.12	100.0	H	127.0	-93.1
2094.000000	-43.00	-13.00	30.00	100.0	H	40.0	-88.7

### EUT Information

EUT Name: Amazon Locker  
 Model: ZL-ODIN-V1  
 Test Mode: NB-IOT\_Band 85\_15k\_QPSK\_Low channel  
 Test Voltage:: DC 6V  
 Remark: Temp 23 Humi:45%  
 Test Standard: FCC Part 27  
 Tested By: Kei Zhang  
 Reviewed By: Terry Yin




### Critical\_Freqs

Frequency (MHz)	MaxPeak (dBm)	Limit (dBm)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
1395.500000	-50.88	-13.00	37.88	100.0	V	85.0	-93.0
2094.000000	-45.17	-13.00	32.17	100.0	V	28.0	-88.6

### EUT Information

EUT Name:	Amazon Locker
Model:	ZL-ODIN-V1
Test Mode:	NB-IOT_Band 85_15k_QPSK_Low channel
Test Voltage::	DC 6V
Remark:	Temp 24 Humi:47%
Test Standard:	FCC Part 27
Tested By:	Kei Zhang
Reviewed By:	Terry Yin




### Critical\_Freqs

Frequency (MHz)	MaxPeak (dBm)	Limit (dBm)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
6534.016667	-53.58	-13.00	40.58	100.0	H	147.0	-87.4
8104.583333	-53.69	-13.00	40.69	100.0	H	0.0	-86.7

### EUT Information

EUT Name:	Amazon Locker
Model:	ZL-ODIN-V1
Test Mode:	NB-IOT_Band 85_15k_QPSK_Low channel
Test Voltage::	DC 6V
Remark:	Temp 24 Humi:47%
Test Standard:	FCC Part 27
Tested By:	Kei Zhang
Reviewed By:	Terry Yin




### Critical\_Freqs

Frequency (MHz)	MaxPeak (dBm)	Limit (dBm)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
6617.783333	-54.16	-13.00	41.16	100.0	V	327.0	-88.1
8090.233333	-53.52	-13.00	40.52	100.0	V	336.0	-86.7

### EUT Information

EUT Name: Amazon Locker  
 Model: ZL-ODIN-V1  
 Test Mode: NB-IOT\_Band 85\_15k\_QPSK\_Mid channel  
 Test Voltage:: DC 6V  
 Remark: Temp 23 Humi:45%  
 Test Standard: FCC Part 27  
 Tested By: Kei Zhang  
 Reviewed By: Terry Yin




### Critical\_Freqs

Frequency (MHz)	MaxPeak (dBm)	Limit (dBm)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
2120.500000	-47.38	-13.00	34.38	100.0	H	70.0	-88.6



### EUT Information

EUT Name: Amazon Locker  
 Model: ZL-ODIN-V1  
 Test Mode: NB-IOT\_Band 85\_15k\_QPSK\_Mid channel  
 Test Voltage:: DC 6V  
 Remark: Temp 23 Humi:45%  
 Test Standard: FCC Part 27  
 Tested By: Kei Zhang  
 Reviewed By: Terry Yin




### Critical\_Freqs

Frequency (MHz)	MaxPeak (dBm)	Limit (dBm)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
2120.500000	-46.60	-13.00	33.60	100.0	V	30.0	-88.1

### EUT Information

EUT Name:	Amazon Locker
Model:	ZL-ODIN-V1
Test Mode:	NB-IOT_Band 85_15k_QPSK_Mid channel
Test Voltage::	DC 6V
Remark:	Temp 24 Humi:47%
Test Standard:	FCC Part 27
Tested By:	Kei Zhang
Reviewed By:	Terry Yin




### Critical\_Freqs

Frequency (MHz)	MaxPeak (dBm)	Limit (dBm)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
6577.300000	-54.02	-13.00	41.02	100.0	H	262.0	-87.5
8074.833333	-54.08	-13.00	41.08	100.0	H	201.0	-86.7

### EUT Information

EUT Name:	Amazon Locker
Model:	ZL-ODIN-V1
Test Mode:	NB-IOT_Band 85_15k_QPSK_Mid channel
Test Voltage::	DC 6V
Remark:	Temp 24 Humi:47%
Test Standard:	FCC Part 27
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



### Critical\_Freqs

Frequency (MHz)	MaxPeak (dBm)	Limit (dBm)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
6633.416667	-53.96	-13.00	40.96	100.0	V	300.0	-88.1
8088.133333	-54.23	-13.00	41.23	100.0	V	99.0	-86.7