

1. Bandwidth


1.1 OBW

1.1.1 Test Result


Mode	Frequency (MHz)	RU	RU Pos	ANT	99% Occupied Bandwidth (MHz)	Verdict
					Result	
802.11a	5180	/	/	1	19.397	Pass
	5200	/	/	1	19.602	Pass
	5240	/	/	1	17.372	Pass
802.11n (HT20)	5180	/	/	1	20.239	Pass
	5200	/	/	1	20.403	Pass
	5240	/	/	1	18.300	Pass
802.11n (HT40)	5190	/	/	1	35.854	Pass
	5230	/	/	1	36.042	Pass
802.11ac (VHT20)	5180	/	/	1	20.355	Pass
	5200	/	/	1	20.355	Pass
	5240	/	/	1	18.136	Pass
802.11ac (VHT40)	5190	/	/	1	35.862	Pass
	5230	/	/	1	35.954	Pass
802.11ac (VHT80)	5210	/	/	1	75.017	Pass
802.11ax (HEW20)	5180	RU242	Left	1	19.615	Pass
	5200	RU242	Left	1	19.588	Pass
	5240	RU242	Left	1	19.114	Pass
802.11ax (HEW40)	5190	RU484	Left	1	37.581	Pass
	5230	RU484	Left	1	37.755	Pass
802.11ax (HEW80)	5210	RU996	Left	1	76.907	Pass

Note: For Bandwidth test both antenna has been tested, only worst result antenna 1 reported.


1.1.2 Test Graph




802.11a_HCH_5240MHz_Ant1_NTNV




802.11n(HT20)_LCH_5180MHz_Ant1_NTNV




802.11n(HT20)_MCH_5200MHz_Ant1_NTNV




802.11n(HT20)_HCH_5240MHz_Ant1_NTNV




802.11n(HT40)_LCH_5190MHz_Ant1_NTNV




802.11n(HT40)_HCH_5230MHz_Ant1_NTNV




802.11ac(VHT20)_LCH_5180MHz_Ant1_NTNV




802.11ac(VHT20)_MCH_5200MHz_Ant1_NTNV




802.11ac(VHT20)_HCH_5240MHz_Ant1_NTNV




802.11ac(VHT40) LCH 5190MHz Ant1 NTNv




802.11ac(VHT40) HCH 5230MHz Ant1 NTNv




802.11ac(VHT80) MCH 5210MHz Ant1 NTNv




802.11ax(HEW20) LCH 5180MHz RU242 Left Ant1 NTNv




802.11ax(HEW20) MCH 5200MHz RU242 Left Ant1 NTNv




802.11ax(HEW20) HCH 5240MHz RU242 Left Ant1 NTNv




802.11ax(HEW40) LCH 5190MHz RU484 Left Ant1 NTNv



802.11ax(HEW40) HCH 5230MHz RU484 Left Ant1 NTNv



802.11ax(HEW80) MCH 5210MHz RU996 Left Ant1 NTNv




1.2 26dB BW

1.2.1 Test Result


Mode	Frequency (MHz)	RU	RU Pos	ANT	26dB Bandwidth (MHz)	Verdict
					Result	
802.11a	5180	/	/	1	24.183	Pass
	5200	/	/	1	24.323	Pass
	5240	/	/	1	19.691	Pass
802.11n (HT20)	5180	/	/	1	24.350	Pass
	5200	/	/	1	25.186	Pass
	5240	/	/	1	20.210	Pass
802.11n (HT40)	5190	/	/	1	39.880	Pass
	5230	/	/	1	40.055	Pass
802.11ac (VHT20)	5180	/	/	1	24.866	Pass
	5200	/	/	1	24.364	Pass
	5240	/	/	1	20.054	Pass
802.11ac (VHT40)	5190	/	/	1	39.806	Pass
	5230	/	/	1	39.847	Pass
802.11ac (VHT80)	5210	/	/	1	80.148	Pass
802.11ax (HEW20)	5180	RU242	Left	1	24.417	Pass
	5200	RU242	Left	1	28.381	Pass
	5240	RU242	Left	1	20.237	Pass
802.11ax (HEW40)	5190	RU484	Left	1	39.515	Pass
	5230	RU484	Left	1	39.511	Pass
802.11ax (HEW80)	5210	RU996	Left	1	80.301	Pass

Note: For Bandwidth test both antenna has been tested, only worst result antenna 1 reported.


1.2.2 Test Graph




802.11a_HCH_5240MHz_Ant1_NTNV




802.11n(HT20)_LCH_5180MHz_Ant1_NTNV




802.11n(HT20)_MCH_5200MHz_Ant1_NTNV




802.11n(HT20)_HCH_5240MHz_Ant1_NTNV




802.11n(HT40)_LCH_5190MHz_Ant1_NTNV




802.11n(HT40)_HCH_5230MHz_Ant1_NTNV




802.11ac(VHT20)_LCH_5180MHz_Ant1_NTNV




802.11ac(VHT20)_MCH_5200MHz_Ant1_NTNV




802.11ac(VHT20)_HCH_5240MHz_Ant1_NTNV




802.11ac(VHT40) LCH 5190MHz Ant1 NTNv




802.11ac(VHT40) HCH 5230MHz Ant1 NTNv




802.11ac(VHT80) MCH 5210MHz Ant1 NTNv




802.11ac(VHT20) LCH 5180MHz Ant1 NTNv




802.11ax(HEW20) LCH 5180MHz RU242 Left Ant1 NTVN




802.11ax(HEW20)_MCH_5200MHz_RU242_Left_Ant1_NTNV




802.11ax(HEW20)_HCH_5240MHz_RU242_Left_Ant1_NTNV




802.11ax(HEW40)_LCH_5190MHz_RU484_Left_Ant1_NTNV



802.11ax(HEW40)_HCH_5230MHz_RU484_Left_Ant1_NTNV



802.11ax(HEW80)_MCH_5210MHz_RU996_Left_Ant1_NTNV



2. Maximum Conducted Output Power

2.1 Power

2.1.1 Test Result

Mode	TX Type	Frequency (MHz)	RU	RU Pos	Maximum Average Conducted Output Power (dBm)				Verdict
					ANT1	ANT2	MIMO	Limit	
802.11a	SISO	5180	/	/	3.24	3.11	/	<=23.98	Pass
		5200	/	/	3.50	3.14	/	<=23.98	Pass
		5240	/	/	4.04	4.15	/	<=23.98	Pass
802.11n (HT20)	SISO	5180	/	/	3.16	3.23	/	<=23.98	Pass
		5200	/	/	3.35	3.23	/	<=23.98	Pass
		5240	/	/	3.76	4.05	/	<=23.98	Pass
802.11n (HT40)	SISO	5190	/	/	2.77	3.09	/	<=23.98	Pass
		5230	/	/	2.91	3.89	/	<=23.98	Pass
802.11n (HT20)	MIMO	5180	/	/	3.06	3.29	6.19	<=22.41	Pass
		5200	/	/	3.34	3.54	6.45	<=22.41	Pass
		5240	/	/	3.72	4.37	7.07	<=22.41	Pass
802.11n (HT40)	MIMO	5190	/	/	2.73	6.14	7.77	<=22.41	Pass
		5230	/	/	2.60	4.01	6.37	<=22.41	Pass
802.11ac (VHT20)	SISO	5180	/	/	3.34	3.20	/	<=23.98	Pass
		5200	/	/	3.48	3.32	/	<=23.98	Pass
		5240	/	/	3.82	4.09	/	<=23.98	Pass
802.11ac (VHT40)	SISO	5190	/	/	2.09	3.04	/	<=23.98	Pass
		5230	/	/	3.30	3.97	/	<=23.98	Pass
802.11ac (VHT80)	SISO	5210	/	/	3.70	3.31	/	<=23.98	Pass
802.11ac (VHT20)	MIMO	5180	/	/	3.12	3.37	6.26	<=22.41	Pass
		5200	/	/	3.26	3.46	6.37	<=22.41	Pass
		5240	/	/	3.71	4.34	7.05	<=22.41	Pass
802.11ac (VHT40)	MIMO	5190	/	/	2.39	3.85	6.19	<=22.41	Pass
		5230	/	/	3.42	3.17	6.31	<=22.41	Pass
802.11ac (VHT80)	MIMO	5210	/	/	3.15	3.43	6.30	<=22.41	Pass
802.11ax (HEW20)	SISO	5180	RU242	Left	3.35	3.25	/	<=23.98	Pass
		5200	RU242	Left	3.40	3.76	/	<=23.98	Pass
		5240	RU242	Left	4.22	4.48	/	<=23.98	Pass
802.11ax (HEW40)	SISO	5190	RU484	Left	2.79	3.56	/	<=23.98	Pass
		5230	RU484	Left	3.94	4.26	/	<=23.98	Pass
802.11ax (HEW80)	SISO	5210	RU996	Left	3.63	3.89	/	<=23.98	Pass
802.11ax (HEW20)	MIMO	5180	RU242	Left	3.19	3.32	6.27	<=22.41	Pass
		5200	RU242	Left	3.68	3.67	6.69	<=22.41	Pass
		5240	RU242	Left	3.88	4.27	7.09	<=22.41	Pass
802.11ax (HEW40)	MIMO	5190	RU484	Left	3.14	3.39	6.28	<=22.41	Pass
		5230	RU484	Left	3.78	5.02	7.45	<=22.41	Pass
802.11ax (HEW80)	MIMO	5210	RU996	Left	3.42	3.69	6.57	<=22.41	Pass

Note1: Antenna Gain: Ant1: 2.88dBi; Ant2: 4.56dBi;
Note2: Directional Gain: 7.57dBi

EIRP for IC review

Mode	TX Type	Frequency (MHz)	RU	RU Pos	Maximum Average Conducted Output Power (dBm)			EIRP			Limit	Verdict
					ANT1	ANT2	MIMO	ANT1	ANT2	MIMO		
802.11a	SISO	5180	/	/	3.24	3.11	/	6.12	7.67		22.88	Pass
		5200	/	/	3.50	3.14	/	6.38	7.70		22.92	Pass
		5240	/	/	4.04	4.15	/	6.92	8.71		22.40	Pass
802.11n (HT20)	SISO	5180	/	/	3.16	3.23	/	6.04	7.79		23.01	Pass
		5200	/	/	3.35	3.23	/	6.23	7.79		23.01	Pass
		5240	/	/	3.76	4.05	/	6.64	8.61		22.62	Pass
802.11n (HT40)	SISO	5190	/	/	2.77	3.09	/	5.65	7.65		23.01	Pass
		5230	/	/	2.91	3.89	/	5.79	8.45		23.01	Pass
802.11n (HT20)	MIMO	5180	/	/	3.06	3.29	6.19	5.94	7.85	13.76	23.01	Pass
		5200	/	/	3.34	3.54	6.45	6.22	8.10	14.02	23.01	Pass
		5240	/	/	3.72	4.37	7.07	6.60	8.93	14.64	22.62	Pass
802.11n (HT40)	MIMO	5190	/	/	2.73	6.14	7.77	5.61	10.70	15.34	23.01	Pass
		5230	/	/	2.60	4.01	6.37	5.48	8.57	13.94	23.01	Pass
802.11ac (VHT20)	SISO	5180	/	/	3.34	3.20	/	6.22	7.76		23.01	Pass
		5200	/	/	3.48	3.32	/	6.36	7.88		23.01	Pass
		5240	/	/	3.82	4.09	/	6.70	8.65		22.59	Pass
802.11ac (VHT40)	SISO	5190	/	/	2.09	3.04	/	4.97	7.60		23.01	Pass
		5230	/	/	3.30	3.97	/	6.18	8.53		23.01	Pass
802.11ac (VHT80)	SISO	5210	/	/	3.70	3.31	/	6.58	7.87		23.01	Pass
802.11ac (VHT20)	MIMO	5180	/	/	3.12	3.37	6.26	6.00	7.93	13.83	23.01	Pass
		5200	/	/	3.26	3.46	6.37	6.14	8.02	13.94	23.01	Pass
		5240	/	/	3.71	4.34	7.05	6.59	8.90	14.62	22.59	Pass
802.11ac (VHT40)	MIMO	5190	/	/	2.39	3.85	6.19	5.27	8.41	13.76	23.01	Pass
		5230	/	/	3.42	3.17	6.31	6.30	7.73	13.88	23.01	Pass
802.11ac (VHT80)	MIMO	5210	/	/	3.15	3.43	6.30	6.03	7.99	13.87	23.01	Pass
802.11ax (HEW20)	SISO	5180	RU242	Left	3.35	3.25	/	6.23	7.81		22.93	Pass
		5200	RU242	Left	3.40	3.76	/	6.28	8.32		22.92	Pass
		5240	RU242	Left	4.22	4.48	/	7.10	9.04		22.81	Pass
802.11ax (HEW40)	SISO	5190	RU484	Left	2.79	3.56	/	5.67	8.12		23.01	Pass
		5230	RU484	Left	3.94	4.26	/	6.82	8.82		23.01	Pass
802.11ax (HEW80)	SISO	5210	RU996	Left	3.63	3.89	/	6.51	8.45		23.01	Pass
802.11ax (HEW20)	MIMO	5180	RU242	Left	3.19	3.32	6.27	6.07	7.88	13.84	22.93	Pass
		5200	RU242	Left	3.68	3.67	6.69	6.56	8.23	14.26	22.92	Pass
		5240	RU242	Left	3.88	4.27	7.09	6.76	8.83	14.66	22.81	Pass
802.11ax (HEW40)	MIMO	5190	RU484	Left	3.14	3.39	6.28	6.02	7.95	13.85	23.01	Pass
		5230	RU484	Left	3.78	5.02	7.45	6.66	9.58	15.02	23.01	Pass
802.11ax (HEW80)	MIMO	5210	RU996	Left	3.42	3.69	6.57	6.30	8.25	14.14	23.01	Pass
Note1: Antenna Gain: Ant1: 2.88dBi; Ant2: 4.56dBi; Note2: Directional Gain: 7.57dBi Note3: For SISO mode eirp= Maximum Average Conducted Output Power (dBm)+ independent Antenna Gain. For MIMO mode eirp= Total Conducted Output Power (dBm)+ Directional Gain.												

3. Maximum Power Spectral Density

3.1 PSD

3.1.1 Test Result

Mode	TX Type	Frequency (MHz)	RU	RU Pos	Maximum PSD (dBm/MHz)				Verdict
					ANT1	ANT2	MIMO	Limit	
802.11a	SISO	5180	/	/	-6.86	-7.47	/	<=11	Pass
		5200	/	/	-7.23	-7.61	/	<=11	Pass
		5240	/	/	-6.42	-6.06	/	<=11	Pass
802.11n (HT20)	SISO	5180	/	/	-7.79	-7.79	/	<=11	Pass
		5200	/	/	-7.51	-7.61	/	<=11	Pass
		5240	/	/	-6.80	-6.31	/	<=11	Pass
802.11n (HT40)	SISO	5190	/	/	-10.24	-9.67	/	<=11	Pass
		5230	/	/	-8.76	-8.44	/	<=11	Pass
802.11n (HT20)	MIMO	5180	/	/	-7.99	-7.46	-4.75	<=9.43	Pass
		5200	/	/	-7.39	-6.99	-4.20	<=9.43	Pass
		5240	/	/	-6.99	-6.42	-3.71	<=9.43	Pass
802.11n (HT40)	MIMO	5190	/	/	-10.05	-6.63	-5.04	<=9.43	Pass
		5230	/	/	-9.56	-8.85	-6.32	<=9.43	Pass
802.11ac (VHT20)	SISO	5180	/	/	-7.43	-7.51	/	<=11	Pass
		5200	/	/	-7.21	-7.58	/	<=11	Pass
		5240	/	/	-6.71	-6.30	/	<=11	Pass
802.11ac (VHT40)	SISO	5190	/	/	-9.89	-9.69	/	<=11	Pass
		5230	/	/	-9.34	-8.40	/	<=11	Pass
802.11ac (VHT80)	SISO	5210	/	/	-12.86	-11.66	/	<=11	Pass
802.11ac (VHT20)	MIMO	5180	/	/	-7.78	-7.70	-4.74	<=9.43	Pass
		5200	/	/	-7.26	-7.11	-4.40	<=9.43	Pass
		5240	/	/	-6.84	-6.38	-3.65	<=9.43	Pass
802.11ac (VHT40)	MIMO	5190	/	/	-9.96	-9.94	-7.04	<=9.43	Pass
		5230	/	/	-9.22	-9.40	-6.35	<=9.43	Pass
802.11ac (VHT80)	MIMO	5210	/	/	-13.31	-12.98	-10.20	<=9.43	Pass
802.11ax (HEW20)	SISO	5180	RU242	Left	-7.78	-7.86	/	<=11	Pass
		5200	RU242	Left	-7.62	-7.78	/	<=11	Pass
		5240	RU242	Left	-6.86	-6.77	/	<=11	Pass
802.11ax (HEW40)	SISO	5190	RU484	Left	-10.21	-9.73	/	<=11	Pass
		5230	RU484	Left	-9.28	-8.60	/	<=11	Pass
802.11ax (HEW80)	SISO	5210	RU996	Left	-12.94	-12.78	/	<=11	Pass
802.11ax (HEW20)	MIMO	5180	RU242	Left	-7.90	-7.96	-4.97	<=9.43	Pass
		5200	RU242	Left	-7.72	-7.72	-4.73	<=9.43	Pass
		5240	RU242	Left	-6.85	-6.84	-3.94	<=9.43	Pass
802.11ax (HEW40)	MIMO	5190	RU484	Left	-10.34	-10.46	-7.58	<=9.43	Pass
		5230	RU484	Left	-8.55	-8.85	-6.00	<=9.43	Pass
802.11ax (HEW80)	MIMO	5210	RU996	Left	-13.14	-12.85	-10.01	<=9.43	Pass

Note1: Antenna Gain: Ant1: 2.88dBi; Ant2: 4.56dBi;

Note2: Directional Gain: 7.57dBi

EIRP for IC review

Mode	TX Type	Frequency (MHz)	RU	RU Pos	Maximum PSD (dBm/MHz)			EIRP(dBm/MHz)			Limit	Verdict
					ANT1	ANT2	MIMO	ANT1	ANT2	MIMO		
802.11a	SISO	5180	/	/	-6.86	-7.47	/	-3.98	-2.91		<=10	Pass
		5200	/	/	-7.23	-7.61	/	-4.35	-3.05		<=10	Pass
		5240	/	/	-6.42	-6.06	/	-3.54	-1.50		<=10	Pass
802.11n (HT20)	SISO	5180	/	/	-7.79	-7.79	/	-4.91	-3.23		<=10	Pass
		5200	/	/	-7.51	-7.61	/	-4.63	-3.05		<=10	Pass
		5240	/	/	-6.80	-6.31	/	-3.92	-1.75		<=10	Pass
802.11n (HT40)	SISO	5190	/	/	-10.24	-9.67	/	-7.36	-5.11		<=10	Pass
		5230	/	/	-8.76	-8.44	/	-5.88	-3.88		<=10	Pass
802.11n (HT20)	MIMO	5180	/	/	-7.99	-7.46	-4.75	-5.11	-2.90	2.82	<=10	Pass
		5200	/	/	-7.39	-6.99	-4.20	-4.51	-2.43	3.37	<=10	Pass
		5240	/	/	-6.99	-6.42	-3.71	-4.11	-1.86	3.86	<=10	Pass
802.11n (HT40)	MIMO	5190	/	/	-10.05	-6.63	-5.04	-7.17	-2.07	2.53	<=10	Pass
		5230	/	/	-9.56	-8.85	-6.32	-6.68	-4.29	1.25	<=10	Pass
802.11ac (VHT20)	SISO	5180	/	/	-7.43	-7.51	/	-4.55	-2.95		<=10	Pass
		5200	/	/	-7.21	-7.58	/	-4.33	-3.02		<=10	Pass
		5240	/	/	-6.71	-6.30	/	-3.83	-1.74		<=10	Pass
802.11ac (VHT40)	SISO	5190	/	/	-9.89	-9.69	/	-7.01	-5.13		<=10	Pass
		5230	/	/	-9.34	-8.40	/	-6.46	-3.84		<=10	Pass
802.11ac (VHT80)	SISO	5210	/	/	-12.86	-11.66	/	-9.98	-7.10		<=10	Pass
802.11ac (VHT20)	MIMO	5180	/	/	-7.78	-7.70	-4.74	-4.90	-3.14	2.83	<=10	Pass
		5200	/	/	-7.26	-7.11	-4.40	-4.38	-2.55	3.17	<=10	Pass
		5240	/	/	-6.84	-6.38	-3.65	-3.96	-1.82	3.92	<=10	Pass
802.11ac (VHT40)	MIMO	5190	/	/	-9.96	-9.94	-7.04	-7.08	-5.38	0.53	<=10	Pass
		5230	/	/	-9.22	-9.40	-6.35	-6.34	-4.84	1.22	<=10	Pass
802.11ac (VHT80)	MIMO	5210	/	/	-13.31	-12.98	-10.20	-10.43	-8.42	-2.63	<=10	Pass
802.11ax (HEW20)	SISO	5180	RU242	Left	-7.78	-7.86	/	-4.90	-3.30		<=10	Pass
		5200	RU242	Left	-7.62	-7.78	/	-4.74	-3.22		<=10	Pass
		5240	RU242	Left	-6.86	-6.77	/	-3.98	-2.21		<=10	Pass
802.11ax (HEW40)	SISO	5190	RU484	Left	-10.21	-9.73	/	-7.33	-5.17		<=10	Pass
		5230	RU484	Left	-9.28	-8.60	/	-6.40	-4.04		<=10	Pass
802.11ax (HEW80)	SISO	5210	RU996	Left	-12.94	-12.78	/	-10.06	-8.22		<=10	Pass
802.11ax (HEW20)	MIMO	5180	RU242	Left	-7.90	-7.96	-4.97	-5.02	-3.40	2.60	<=10	Pass
		5200	RU242	Left	-7.72	-7.72	-4.73	-4.84	-3.16	2.84	<=10	Pass
		5240	RU242	Left	-6.85	-6.84	-3.94	-3.97	-2.28	3.63	<=10	Pass
802.11ax (HEW40)	MIMO	5190	RU484	Left	-10.34	-10.46	-7.58	-7.46	-5.90	-0.01	<=10	Pass
		5230	RU484	Left	-8.55	-8.85	-6.00	-5.67	-4.29	1.57	<=10	Pass
802.11ax (HEW80)	MIMO	5210	RU996	Left	-13.14	-12.85	-10.01	-10.26	-8.29	-2.44	<=10	Pass

Note1: Antenna Gain: Ant1: 2.88dBi; Ant2: 4.56dBi;


Note2: Directional Gain: 7.57dBi

Note3: For SISO mode eirp= Maximum Average Conducted Output Power (dBm)+ independent Antenna Gain.


For MIMO mode eirp= Total Conducted Output Power (dBm)+ Directional Gain.

3.1.2 Test Graph


802.11a_LCH_5180MHz_Ant1_NTNV




802.11a_LCH_5180MHz_Ant2_NTNV




802.11a_MCH_5200MHz_Ant1_NTNV




802.11a_MCH_5200MHz_Ant2_NTNV




802.11a_HCH_5240MHz_Ant1_NTNV




802.11a_HCH_5240MHz_Ant2_NTNV




802.11n(HT20)_LCH_5180MHz_Ant1_NTNV




802.11n(HT20)_LCH_5180MHz_Ant2_NTNV




802.11n(HT20)_MCH_5200MHz_Ant1_NTNV




802.11n(HT20)_MCH_5200MHz_Ant2_NTNV




802.11n(HT20)_HCH_5240MHz_Ant1_NTNV




802.11n(HT20)_HCH_5240MHz_Ant2_NTNV




802.11n(HT40)_LCH_5190MHz_Ant1_NTNV




802.11n(HT40)_LCH_5190MHz_Ant2_NTNV




802.11n(HT40)_HCH_5230MHz_Ant1_NTNV




802.11n(HT40)_HCH_5230MHz_Ant2_NTNV




802.11n(HT20)_LCH_5180MHz_Ant1_NTNV




802.11n(HT20)_LCH_5180MHz_Ant2_NTNV




802.11n(HT20)_LCH_5180MHz_MIMO_NTNV




802.11n(HT20)_MCH_5200MHz_Ant1_NTNV




802.11n(HT20)_MCH_5200MHz_Ant2_NTNV




802.11n(HT20)_MCH_5200MHz_MIMO_NTNV




802.11n(HT20)_HCH_5240MHz_Ant1_NTNV




802.11n(HT20)_HCH_5240MHz_Ant2_NTNV




802.11n(HT20)_HCH_5240MHz_MIMO_NTNV




802.11n(HT40)_LCH_5190MHz_Ant1_NTNV




802.11n(HT40)_LCH_5190MHz_Ant2_NTNV




802.11n(HT40)_LCH_5190MHz_MIMO_NTNV




802.11n(HT40)_HCH_5230MHz_Ant1_NTNV




802.11n(HT40)_HCH_5230MHz_Ant2_NTNV




802.11n(HT40)_HCH_5230MHz_MIMO_NTNV




802.11ac(VHT20)_LCH_5180MHz_Ant1_NTNV




802.11ac(VHT20)_LCH_5180MHz_Ant2_NTNV




802.11ac(VHT20)_MCH_5200MHz_Ant1_NTNV




802.11ac(VHT20)_MCH_5200MHz_Ant2_NTNV




802.11ac(VHT20)_HCH_5240MHz_Ant1_NTNV




802.11ac(VHT20)_HCH_5240MHz_Ant2_NTNV




802.11ac(VHT40)_LCH_5190MHz_Ant1_NTNV




802.11ac(VHT40)_LCH_5190MHz_Ant2_NTNV




802.11ac(VHT40)_HCH_5230MHz_Ant1_NTNV




802.11ac(VHT40)_HCH_5230MHz_Ant2_NTNV




802.11ac(VHT80)_MCH_5210MHz_Ant1_NTNV




802.11ac(VHT80)_MCH_5210MHz_Ant2_NTNV




802.11ac(VHT20)_LCH_5180MHz_Ant1_NTNV




802.11ac(VHT20)_LCH_5180MHz_Ant2_NTNV




802.11ac(VHT20)_LCH_5180MHz_MIMO_NTNV




802.11ac(VHT20)_MCH_5200MHz_Ant1_NTNV




802.11ac(VHT20)_MCH_5200MHz_Ant2_NTNV




802.11ac(VHT20)_MCH_5200MHz_MIMO_NTNV




802.11ac(VHT20)_HCH_5240MHz_Ant1_NTNV




802.11ac(VHT20)_HCH_5240MHz_Ant2_NTNV




802.11ac(VHT20)_HCH_5240MHz_MIMO_NTNV




802.11ac(VHT40)_LCH_5190MHz_Ant1_NTNV




802.11ac(VHT40)_LCH_5190MHz_Ant2_NTNV




802.11ac(VHT40)_LCH_5190MHz_MIMO_NTNV




802.11ac(VHT40)_HCH_5230MHz_Ant1_NTNV




802.11ac(VHT40)_HCH_5230MHz_Ant2_NTNV



802.11ac(VHT40)_HCH_5230MHz_MIMO_NTNV



802.11ac(VHT80)_MCH_5210MHz_Ant1_NTNV



802.11ac(VHT80)_MCH_5210MHz_Ant2_NTNV

