

1. Bandwidth


1.1 OBW

1.1.1 Test Result


Mode	Frequency (MHz)	RU	RU Pos	ANT	99% Occupied Bandwidth (MHz)	Verdict
					Result	
802.11a	5260	/	/	1	19.587	Pass
	5300	/	/	1	19.600	Pass
	5320	/	/	1	19.529	Pass
802.11n (HT20)	5260	/	/	1	20.057	Pass
	5300	/	/	1	20.201	Pass
	5320	/	/	1	20.124	Pass
802.11n (HT40)	5270	/	/	1	35.955	Pass
	5310	/	/	1	35.890	Pass
802.11ac (VHT20)	5260	/	/	1	20.068	Pass
	5300	/	/	1	20.247	Pass
	5320	/	/	1	20.162	Pass
802.11ac (VHT40)	5270	/	/	1	35.899	Pass
	5310	/	/	1	35.839	Pass
802.11ac (VHT80)	5290	/	/	1	75.133	Pass
802.11ax (HEW20)	5260	RU242	Left	1	19.669	Pass
	5300	RU242	Left	1	19.577	Pass
	5320	RU242	Left	1	19.564	Pass
802.11ax (HEW40)	5270	RU484	Left	1	37.697	Pass
	5310	RU484	Left	1	37.651	Pass
802.11ax (HEW80)	5290	RU996	Left	1	77.072	Pass

Note: For Bandwidth test both antenna has been tested, only worst result antenna 1 reported.


1.1.2 Test Graph




802.11a HCH 5320MHz Ant1 NTV




802.11n(HT20) LCH 5260MHz Ant1 NTV




802.11n(HT20) MCH 5300MHz Ant1 NTN




802.11n(HT20)_HCH_5320MHz_Ant1_NTN




802.11n(HT40) LCH 5270MHz Ant1 NTN




802.11n(HT40)_HCH_5310MHz_Ant1_NTN




802.11ac(VHT20) LCH 5260MHz Ant1 NTN




802.11ac(VHT20)_MCH_5300MHz_Ant1_NTN




802.11ac(VHT20)_HCH_5320MHz_Ant1_NTN




802.11ac(VHT40)_LCH_5270MHz_Ant1_NTNV




802.11ac(VHT40)_HCH_5310MHz_Ant1_NTNV




802.11ac(VHT80)_MCH_5290MHz_Ant1_NTNV




802.11ax(HEW20)_LCH_5260MHz_RU242_Left_Ant1_NTNV




802.11ax(HEW20)_MCH_5300MHz_RU242_Left_Ant1_NTNV




802.11ax(HEW20)_HCH_5320MHz_RU242_Left_Ant1_NTNV




802.11ax(HEW40)_LCH_5270MHz_RU484_Left_Ant1_NTNV



802.11ax(HEW40)_HCH_5310MHz_RU484_Left_Ant1_NTNV



802.11ax(HEW80)_MCH_5290MHz_RU996_Left_Ant1_NTNV




1.2 26dB BW

1.2.1 Test Result


Mode	Frequency (MHz)	RU	RU Pos	ANT	26dB Bandwidth (MHz)	Verdict
					Result	
802.11a	5260	/	/	1	24.370	Pass
	5300	/	/	1	24.037	Pass
	5320	/	/	1	24.400	Pass
802.11n (HT20)	5260	/	/	1	24.120	Pass
	5300	/	/	1	23.962	Pass
	5320	/	/	1	24.904	Pass
802.11n (HT40)	5270	/	/	1	40.116	Pass
	5310	/	/	1	39.827	Pass
802.11ac (VHT20)	5260	/	/	1	24.258	Pass
	5300	/	/	1	24.263	Pass
	5320	/	/	1	24.329	Pass
802.11ac (VHT40)	5270	/	/	1	39.952	Pass
	5310	/	/	1	39.644	Pass
802.11ac (VHT80)	5290	/	/	1	80.099	Pass
802.11ax (HEW20)	5260	RU242	Left	1	24.792	Pass
	5300	RU242	Left	1	23.466	Pass
	5320	RU242	Left	1	26.895	Pass
802.11ax (HEW40)	5270	RU484	Left	1	39.569	Pass
	5310	RU484	Left	1	39.563	Pass
802.11ax (HEW80)	5290	RU996	Left	1	80.014	Pass

Note: For Bandwidth test both antenna has been tested, only worst result antenna 1 reported.


1.2.2 Test Graph




802.11a HCH 5320MHz Ant1 NTN




802.11n(HT20) LCH 5260MHz Ant1 NTN




802.11n(HT20) MCH 5300MHz Ant1 NTN




802.11n(HT20)_HCH_5320MHz_Ant1_NTN




802.11n(HT40) LCH 5270MHz Ant1 NTN




802.11n(HT40)_HCH_5310MHz_Ant1_NTN




802.11ac(VHT20) LCH 5260MHz Ant1 NTN




802.11ac(VHT20) MCH 5300MHz Ant1 NTN




802.11ac(VHT20) HCH 5320MHz Ant1 NTN




802.11ac(VHT40)_LCH_5270MHz_Ant1_NTNV




802.11ac(VHT40)_HCH_5310MHz_Ant1_NTNV




802.11ac(VHT80)_MCH_5290MHz_Ant1_NTNV




802.11ax(HEW20)_LCH_5260MHz_RU242_Left_Ant1_NTNV




802.11ax(HEW20)_MCH_5300MHz_RU242_Left_Ant1_NTNV




802.11ax(HEW20)_HCH_5320MHz_RU242_Left_Ant1_NTNV




802.11ax(HEW40)_LCH_5270MHz_RU484_Left_Ant1_NTNV



802.11ax(HEW40)_HCH_5310MHz_RU484_Left_Ant1_NTNV



802.11ax(HEW80)_MCH_5290MHz_RU996_Left_Ant1_NTNV



2. Maximum Conducted Output Power

2.1 Power

2.1.1 Test Result

Mode	TX Type	Frequency (MHz)	RU	RU Pos	Maximum Average Conducted Output Power (dBm)					Verdict
					ANT1	ANT2	MIMO	Limit		
								FCC	IC	
802.11a	SISO	5260	/	/	13.42	13.52	/	23.98	23.92	Pass
		5300	/	/	14.53	14.57	/	23.98	23.92	Pass
		5320	/	/	14.59	14.37	/	23.98	23.91	Pass
802.11n (HT20)	SISO	5260	/	/	13.67	13.86	/	23.98	23.98	Pass
		5300	/	/	14.67	14.31	/	23.98	23.98	Pass
		5320	/	/	14.74	14.68	/	23.98	23.98	Pass
802.11n (HT40)	SISO	5270	/	/	13.21	14.50	/	23.98	23.98	Pass
		5310	/	/	14.24	14.34	/	23.98	23.98	Pass
802.11n (HT20)	MIMO	5260	/	/	13.41	13.78	16.61	22.41	23.98	Pass
		5300	/	/	14.49	14.41	17.46	22.41	23.98	Pass
		5320	/	/	14.45	14.73	17.60	22.41	23.98	Pass
802.11n (HT40)	MIMO	5270	/	/	13.31	13.60	16.47	22.41	23.98	Pass
		5310	/	/	14.42	14.84	17.65	22.41	23.98	Pass
802.11ac (VHT20)	SISO	5260	/	/	13.11	13.53	/	23.98	23.98	Pass
		5300	/	/	14.13	14.17	/	23.98	23.98	Pass
		5320	/	/	14.45	14.65	/	23.98	23.98	Pass
802.11ac (VHT40)	SISO	5270	/	/	13.37	13.49	/	23.98	23.98	Pass
		5310	/	/	14.16	14.77	/	23.98	23.98	Pass
802.11ac (VHT80)	SISO	5290	/	/	13.94	14.63	/	23.98	23.98	Pass
802.11ac (VHT20)	MIMO	5260	/	/	13.26	13.68	16.49	22.41	23.98	Pass
		5300	/	/	14.56	14.51	17.55	22.41	23.98	Pass
		5320	/	/	14.61	14.45	17.54	22.41	23.98	Pass
802.11ac (VHT40)	MIMO	5270	/	/	13.53	14.05	16.81	22.41	23.98	Pass
		5310	/	/	14.54	14.94	17.75	22.41	23.98	Pass
802.11ac (VHT80)	MIMO	5290	/	/	14.05	14.27	17.17	22.41	23.98	Pass
802.11ax (HEW20)	SISO	5260	RU242	Left	13.25	13.64	/	23.98	23.94	Pass
		5300	RU242	Left	14.56	14.51	/	23.98	23.92	Pass
		5320	RU242	Left	14.36	14.89	/	23.98	23.91	Pass
802.11ax (HEW40)	SISO	5270	RU484	Left	13.41	14.15	/	23.98	23.98	Pass
		5310	RU484	Left	14.49	14.90	/	23.98	23.98	Pass
802.11ax (HEW80)	SISO	5290	RU996	Left	13.63	14.89	/	23.98	23.98	Pass
802.11ax (HEW20)	MIMO	5260	RU242	Left	13.04	13.54	16.31	22.41	23.94	Pass
		5300	RU242	Left	14.59	14.74	17.68	22.41	23.92	Pass
		5320	RU242	Left	14.38	14.65	17.53	22.41	23.91	Pass
802.11ax (HEW40)	MIMO	5270	RU484	Left	13.43	14.77	17.16	22.41	23.98	Pass
		5310	RU484	Left	14.57	14.95	17.77	22.41	23.98	Pass
802.11ax (HEW80)	MIMO	5290	RU996	Left	13.70	14.07	16.90	22.41	23.98	Pass
Note1: Antenna Gain: Ant1: 2.88dBi; Ant2: 4.56dBi; Note2: Directional Gain: 7.57dBi										

EIRP for IC review

Mode	TX Type	Frequency (MHz)	RU	RU Pos	Maximum Average Conducted Output Power (dBm)			EIRP			Limit	Verdict
					ANT1	ANT2	MIMO	ANT1	ANT2	MIMO		
802.11a	SISO	5260	/	/	13.42	13.52	/	16.30	18.08		29.92	Pass
		5300	/	/	14.53	14.57	/	17.41	19.13		29.92	Pass
		5320	/	/	14.59	14.37	/	17.47	18.93		29.91	Pass
802.11n (HT20)	SISO	5260	/	/	13.67	13.86	/	16.55	18.42		30.00	Pass
		5300	/	/	14.67	14.31	/	17.55	18.87		30.00	Pass
		5320	/	/	14.74	14.68	/	17.62	19.24		30.00	Pass
802.11n (HT40)	SISO	5270	/	/	13.21	14.50	/	16.09	19.06		30.00	Pass
		5310	/	/	14.24	14.34	/	17.12	18.90		30.00	Pass
802.11n (HT20)	MIMO	5260	/	/	13.41	13.78	16.61	16.29	18.34	24.18	30.00	Pass
		5300	/	/	14.49	14.41	17.46	17.37	18.97	25.03	30.00	Pass
		5320	/	/	14.45	14.73	17.60	17.33	19.29	25.17	30.00	Pass
802.11n (HT40)	MIMO	5270	/	/	13.31	13.60	16.47	16.19	18.16	24.04	30.00	Pass
		5310	/	/	14.42	14.84	17.65	17.30	19.40	25.22	30.00	Pass
802.11ac (VHT20)	SISO	5260	/	/	13.11	13.53	/	15.99	18.09		30.00	Pass
		5300	/	/	14.13	14.17	/	17.01	18.73		30.00	Pass
		5320	/	/	14.45	14.65	/	17.33	19.21		30.00	Pass
802.11ac (VHT40)	SISO	5270	/	/	13.37	13.49	/	16.25	18.05		30.00	Pass
		5310	/	/	14.16	14.77	/	17.04	19.33		30.00	Pass
802.11ac (VHT80)	SISO	5290	/	/	13.94	14.63	/	16.82	19.19		30.00	Pass
802.11ac (VHT20)	MIMO	5260	/	/	13.26	13.68	16.49	16.14	18.24	24.06	30.00	Pass
		5300	/	/	14.56	14.51	17.55	17.44	19.07	25.12	30.00	Pass
		5320	/	/	14.61	14.45	17.54	17.49	19.01	25.11	30.00	Pass
802.11ac (VHT40)	MIMO	5270	/	/	13.53	14.05	16.81	16.41	18.61	24.38	30.00	Pass
		5310	/	/	14.54	14.94	17.75	17.42	19.50	25.32	30.00	Pass
802.11ac (VHT80)	MIMO	5290	/	/	14.05	14.27	17.17	16.93	18.83	24.74	30.00	Pass
802.11ax (HEW20)	SISO	5260	RU242	Left	13.25	13.64	/	16.13	18.20		29.94	Pass
		5300	RU242	Left	14.56	14.51	/	17.44	19.07		29.92	Pass
		5320	RU242	Left	14.36	14.89	/	17.24	19.45		29.91	Pass
802.11ax (HEW40)	SISO	5270	RU484	Left	13.41	14.15	/	16.29	18.71		30.00	Pass
		5310	RU484	Left	14.49	14.90	/	17.37	19.46		30.00	Pass
802.11ax (HEW80)	SISO	5290	RU996	Left	13.63	14.89	/	16.51	19.45		30.00	Pass
802.11ax (HEW20)	MIMO	5260	RU242	Left	13.04	13.54	16.31	15.92	18.10	23.88	29.94	Pass
		5300	RU242	Left	14.59	14.74	17.68	17.47	19.30	25.25	29.92	Pass
		5320	RU242	Left	14.38	14.65	17.53	17.26	19.21	25.10	29.91	Pass
802.11ax (HEW40)	MIMO	5270	RU484	Left	13.43	14.77	17.16	16.31	19.33	24.73	30.00	Pass
		5310	RU484	Left	14.57	14.95	17.77	17.45	19.51	25.34	30.00	Pass
802.11ax (HEW80)	MIMO	5290	RU996	Left	13.70	14.07	16.90	16.58	18.63	24.47	30.00	Pass
Note1: Antenna Gain: Ant1: 2.88dBi; Ant2: 4.56dBi; Note2: Directional Gain: 7.57dBi Note3: For SISO mode eirp= Maximum Average Conducted Output Power (dBm)+ independent Antenna Gain. For MIMO mode eirp= Total Conducted Output Power (dBm)+ Directional Gain.												


3. Maximum Power Spectral Density

3.1 PSD


3.1.1 Test Result

Mode	TX Type	Frequency (MHz)	RU	RU Pos	Maximum PSD (dBm/MHz)			Limit		Verdict
					ANT1	ANT2	MIMO	FCC	IC	
802.11a	SISO	5260	/	/	2.95	3.48	/	<=11	<=11	Pass
		5300	/	/	3.99	3.87	/	<=11	<=11	Pass
		5320	/	/	3.68	4.31	/	<=11	<=11	Pass
802.11n (HT20)	SISO	5260	/	/	2.87	2.58	/	<=11	<=11	Pass
		5300	/	/	3.58	3.84	/	<=11	<=11	Pass
		5320	/	/	3.91	3.65	/	<=11	<=11	Pass
802.11n (HT40)	SISO	5270	/	/	0.88	0.55	/	<=11	<=11	Pass
		5310	/	/	1.45	1.30	/	<=11	<=11	Pass
802.11n (HT20)	MIMO	5260	/	/	2.55	3.15	5.87	<=9.43	<=11	Pass
		5300	/	/	3.76	4.03	6.79	<=9.43	<=11	Pass
		5320	/	/	3.80	3.87	6.74	<=9.43	<=11	Pass
802.11n (HT40)	MIMO	5270	/	/	0.79	0.71	3.59	<=9.43	<=11	Pass
		5310	/	/	1.66	2.16	4.67	<=9.43	<=11	Pass
802.11ac (VHT20)	SISO	5260	/	/	2.38	2.92	/	<=11	<=11	Pass
		5300	/	/	3.56	3.29	/	<=11	<=11	Pass
		5320	/	/	3.99	3.53	/	<=11	<=11	Pass
802.11ac (VHT40)	SISO	5270	/	/	-0.32	1.23	/	<=11	<=11	Pass
		5310	/	/	1.80	1.30	/	<=11	<=11	Pass
802.11ac (VHT80)	SISO	5290	/	/	-2.24	-2.16	/	<=11	<=11	Pass
802.11ac (VHT20)	MIMO	5260	/	/	2.58	2.75	5.51	<=9.43	<=11	Pass
		5300	/	/	3.91	4.07	6.89	<=9.43	<=11	Pass
		5320	/	/	3.46	3.65	6.51	<=9.43	<=11	Pass
802.11ac (VHT40)	MIMO	5270	/	/	0.82	1.17	3.78	<=9.43	<=11	Pass
		5310	/	/	1.27	1.96	4.53	<=9.43	<=11	Pass
802.11ac (VHT80)	MIMO	5290	/	/	-2.49	-2.08	0.71	<=9.43	<=11	Pass
802.11ax (HEW20)	SISO	5260	RU242	Left	2.03	2.40	/	<=11	<=11	Pass
		5300	RU242	Left	3.33	3.43	/	<=11	<=11	Pass
		5320	RU242	Left	3.20	3.50	/	<=11	<=11	Pass
802.11ax (HEW40)	SISO	5270	RU484	Left	1.01	0.73	/	<=11	<=11	Pass
		5310	RU484	Left	1.30	1.96	/	<=11	<=11	Pass
802.11ax (HEW80)	SISO	5290	RU996	Left	-2.22	-1.38	/	<=11	<=11	Pass
802.11ax (HEW20)	MIMO	5260	RU242	Left	2.16	2.24	5.08	<=9.43	<=11	Pass
		5300	RU242	Left	3.26	3.32	6.23	<=9.43	<=11	Pass
		5320	RU242	Left	3.43	3.65	6.41	<=9.43	<=11	Pass
802.11ax (HEW40)	MIMO	5270	RU484	Left	0.67	1.36	4.04	<=9.43	<=11	Pass
		5310	RU484	Left	1.00	1.73	4.19	<=9.43	<=11	Pass
802.11ax (HEW80)	MIMO	5290	RU996	Left	0.39	1.25	3.73	<=9.43	<=11	Pass
Note1: Antenna Gain: Ant1: 2.88dBi; Ant2: 4.56dBi; Note2: Directional Gain: 7.57dBi										


3.1.2 Test Graph




802.11a_MCH_5300MHz_Ant1_NTNV




802.11a_MCH_5300MHz_Ant2_NTNV




802.11a_HCH_5320MHz_Ant1_NTNV




802.11a_HCH_5320MHz_Ant2_NTNV




802.11n(HT20) LCH 5260MHz Ant1 NTN




802.11n(HT20) LCH 5260MHz Ant2 NTN




802.11n(HT20) MCH 5300MHz Ant1 NTN




802.11n(HT20)_MCH_5300MHz_Ant2_NTN




802.11n(HT20) HCH 5320MHz Ant1 NTN




802.11n(HT20)_HCH_5320MHz_Ant2_NTN




802.11n(HT40) LCH 5270MHz Ant1 NTN




802.11n(HT40) LCH 5270MHz Ant2 NTN




802.11n(HT40) HCH 5310MHz Ant1 NTN




802.11n(HT40)_HCH_5310MHz_Ant2 NTN




802.11n(HT20) LCH 5260MHz Ant1 NTN




802.11n(HT20) LCH 5260MHz Ant2 NTN




802.11n(HT20) LCH 5260MHz MIMO NTN




802.11n(HT20)_MCH_5300MHz_Ant1_NTN




802.11n(HT20) MCH 5300MHz Ant2 NTN




802.11n(HT20) MCH 5300MHz MIMO NTN




802.11n(HT20) HCH 5320MHz Ant1 NTN




802.11n(HT20)_HCH_5320MHz_Ant2 NTN




802.11n(HT20) HCH 5320MHz MIMO NTN




802.11n(HT40) LCH 5270MHz Ant1 NTN




802.11n(HT40) LCH 5270MHz Ant2 NTN




802.11n(HT40) LCH 5270MHz MIMO NTN




802.11n(HT40) HCH 5310MHz Ant1 NTN




802.11n(HT40)_HCH_5310MHz_Ant2 NTN




802.11n(HT40) HCH 5310MHz MIMO NTN




802.11ac(VHT20) LCH 5260MHz Ant1 NTN




802.11ac(VHT20) LCH 5260MHz Ant2 NTN




802.11ac(VHT20) MCH 5300MHz Ant1 NTN




802.11ac(VHT20) MCH 5300MHz Ant2 NTN




802.11ac(VHT20)_HCH_5320MHz_Ant1_NTN




802.11ac(VHT20) HCH 5320MHz Ant2 NTN




802.11ac(VHT40)_LCH_5270MHz_Ant1_NTN




802.11ac(VHT40) LCH 5270MHz Ant2 NTN




802.11ac(VHT40)_HCH_5310MHz_Ant1_NTN




802.11ac(VHT40) HCH 5310MHz Ant2 NTN




802.11ac(VHT80) MCH 5290MHz Ant1 NTN




802.11ac(VHT80) MCH 5290MHz Ant2 NTN




802.11ac(VHT20)_LCH_5260MHz_Ant1_NTN




802.11ac(VHT20) LCH 5260MHz Ant2 NTN




802.11ac(VHT20) LCH 5260MHz MIMO NTN




802.11ac(VHT20) MCH 5300MHz Ant1 NTN




802.11ac(VHT20) MCH 5300MHz Ant2 NTN




802.11ac(VHT20) MCH 5300MHz MIMO NTN




802.11ac(VHT20)_HCH_5320MHz_Ant1_NTN




802.11ac(VHT20) HCH 5320MHz Ant2 NTN




802.11ac(VHT20) HCH 5320MHz MIMO NTN




802.11ac(VHT40) LCH 5270MHz Ant1 NTN




802.11ac(VHT40) LCH 5270MHz Ant2 NTN




802.11ac(VHT40) LCH 5270MHz MIMO NTN




802.11ac(VHT40) HCH 5310MHz Ant1 NTN




802.11ac(VHT40) HCH 5310MHz Ant2 NTN




802.11ac(VHT40) HCH 5310MHz MIMO NTN




802.11ac(VHT80) MCH 5290MHz Ant1 NTN



802.11ac(VHT80) MCH 5290MHz Ant2 NTN



802.11ac(VHT80) MCH 5290MHz MIMO NTN



802.11ax(HEW20) LCH 5260MHz RU242 Left Ant1 NTN

