
DEERC

6+

Instructions For Use




162A


eu@deerc.com (EU) jp@deerc.com (JP)


+1(855) 777-8866

www.deerc.com



< PRODUCT DETAILS >





< BATTERY INSTALLATION > 2 x 1.5V AA (Not included)



② Install the batteries with the correct positive and negative electrodes. ③ Close the battery cover and lock it.

ATTENTION:


When the product is not in use, please turn off the power switch and remove the batteries.

< OPERATION >

1. Pairing

- After installing the batteries, turn on the power switch of the car and the remote control, then they will automatically pair up.
- -The headlights and remote power indicator will flash while waiting for a match. The headlights are kept on and the remote control power indicator is turned off when the match is successful.
- Multiple Pairings require one pairing after another.

2. Remote control operation




- Press this button to move the car back to the left.
- Press this button to make the sound of a car starting.
- Press this button to make a fire engines (162A) or car horn sound (163A Press this button to make a car lock and unlock sound.

3. Wheel removal



In this gear, press the switch, the electric screwdriver is turning and screwing on.

n this gear, press the switch, and the




Affix the wrench to one

side of the wheel nut.







and affix to one side of the screw. the other side to turn the nut.

4. Power saving mode

 When the remote control is not in use for 30 seconds, it goes into power-saving mode and can be awakened by pressing any button. -When the car is not in use for 25 minutes, it goes into power-saving mode, and need to be restarted to play again.

-When the product is not in use, please turn off the power switch and remove the batteries.

5. Sound button

Press this button to make the soun engines (162A) or a car starting (163A).



6. Body disassembly



Put the car and use the electric drill to turn the upper screw cap.

7. Movable part



be lifted and extended.

The mechanical arm of the car can The front windshield and the back door of the car can be opened.

< SPECIFICATIONS >

Weight: 502 g / 17.7 oz (163A) 560 g / 19.7 oz (162A)

Operating Time: < 30 minutes

Running Speed: < 2.5 km/h

Dimensions: 190 × 100 × 105 mm

Operating Frequency: 2.4GHz Transmission Distance: <131 feet

Battery Type: 1.5V AA battery

Operating Temperature Range: 32° to 104°F

< GENERAL INFORMATION >

This device complies with Part 15 of the FCC Rules. Operation is subject to the following two condition

- (1) This device may not cause harmful interference, and
- (2) This device must accept any interference received, including interference that may cause undesired operation.

limits for a Class B digital device, pursuant to Part 15 of the FCC Rules.

These limits are designed to provide reasonable protection against

harmful interference in a residential installation. This equipment

generates uses and can radiate radio frequency energy and, if not

installed and used in accordance with the instructions, may cause

harmful interference to radio communications. However, there is no

guarantee that interference will not occur in a particular installation. If

this equipment does cause harmful interference to radio or television

reception, which can be determined by turning the equipment off and

on, the user is encouraged to try to correct the interference by one or

- Always keep battery out of reach of children. NOTE: This equipment has been tested and found to comply with the
 - 5. Improper battery use may result in a fire, explosion or other hazard.

discolouration, deformation or leakage.

to which the receiver is connected.

operate the equipment.

BATTERY WARNING:

RF Exposure

6. Non-rechargeable batteries are not to be recharged. Rechargeable batteries are only to be charged under adult supervision.

Always check the battery's condition before using it.

-Increase the separation between the equipment and receiver

-Connect the equipment into an outlet on a circuit different from that

-Consult the dealer or an experienced radio/TV technician for help.

WARNING: Changes or modifications not expressly approved by the

The equipment complies with FCC radiation exposure limits set forth for

an uncontrolled environment. This device should be installed and

operated with minimum distance 20cm between the radiator & your

. Replace the battery if it has been in case of odor, overheating,

Never expose the battery to moisture or direct sunlight, or store it in a

place where temperatures could exceed 60°C(car in the sun, for

party responsible for compliance could void the user's authority to

- 7. Different types of batteries or new and used batteries are not to be
- Batteries are to be inserted with the correct polarity.

MANUFACTURER INFORMATION

Manufactured by

Xiamen Huoshiguan Import & Export CO., LTD

Room 703,No. 813-2 Xiahe Road, Siming District, XIAMEN, China

+1(855) 777-8866
























6

—Reorient or relocate the receiving antenna.

more of the following measures: