

99%Bandwidth

802.11a

802.11n HT20




CH149

CH149



CH157

CH157




CH165


CH165

99%Bandwidth

802.11ac20




802.11n HT40




CH149



CH151



CH157



CH159




CH165

99%Bandwidth

802.11ac40

802.11ac80



CH151

CH155



CH159

6dB Bandwidth

802.11a

802.11n HT20




CH149

CH149



CH157

CH157




CH165

CH165

6dB Bandwidth


802.11ac20

802.11n HT40



CH149

CH151



CH157

CH159




CH165

6dB Bandwidth


802.11ac40

802.11ac80



CH151


CH155



CH159

4.7. 26dBc Bandwidth

TEST CONFIGURATION



TEST PROCEDURE

According to KDB789033 D02 General UNII Test Procedures New Rules v01 for one of the following procedures may be used for Emission Bandwidth (EBW) measurement:

- a. Set RBW = 300 kHz (approximately 1% of the emission bandwidth).
- b. Set the video bandwidth (VBW) = 1000 KHz (VBW > RBW)
- c. Detector = Peak.
- d. Trace mode = max hold.
- e. Sweep = auto couple.
- f. Allow the trace to stabilize
- g. Measure the maximum width of the emission that is 26 dB down from the maximum of the emission. Compare this with the RBW setting of the analyzer. Readjust RBW and repeat measurement as needed until the RBW/EBW ratio is approximately 1%.

Note: The automatic bandwidth measurement capability of a spectrum analyzer or EMI receiver may be employed if it implements the functionality described above.

LIMIT

No Limits for 26dBc Bandwidth

TEST RESULTS

Temperature	23.8°C	Humidity	52.3%
Test Engineer	Moon Tan	Configurations	IEEE 802.11a/n/ac

Type	Channel	99%Bandwidth (MHz)	26dB Bandwidth (MHz)	Limit (KHz)	Result
802.11a	36	16.845	22.480	-	Pass
	40	16.924	21.720		
	48	16.992	23.080		
802.11nHT20	36	18.024	22.640	-	Pass
	40	18.020	22.760		
	48	18.047	24.680		
802.11ac20	36	17.993	23.040	-	Pass
	40	18.001	22.720		
	48	18.056	23.800		
802.11n40	38	36.217	41.440	-	Pass
	46	36.274	43.520		
802.11ac40	38	36.215	41.840	-	Pass
	46	36.240	42.080		
802.11ac80	155	75.245	81.440	-	Pass

99%Bandwidth

802.11a

802.11n HT20



CH36

CH36



CH40

CH40



CH48


CH48

99%Bandwidth

802.11ac20



802.11n HT40



CH36




CH38



CH40



CH46




CH48

99%Bandwidth

802.11ac40

802.11ac80



CH38

CH42




CH46

26dB Bandwidth

802.11a

802.11n HT20



CH36

CH36



CH40

CH40



CH48

CH48