

A white and grey ABB FCB 10000 shredder is shown from a front-three-quarter view. The shredder has a large circular input slot on top. Below the slot, there are five small, rectangular buttons. To the right of the buttons is a small digital display screen. The shredder is placed on a blue surface. A ruler is positioned horizontally below the shredder, showing measurements in centimeters. Two labels are attached to the front of the shredder: a white label on the left with the 'FCB' logo and technical specifications, and a white label on the right with the 'ABB' logo and a barcode.

修改记录

标记	版本	修改说明	设计	日期
	V1.0	初版发行	童小明	2020/8/28
	V1.1	初版发行	童小明	2020/09/8



This device complies with part 15 of the FCC Rules. Operation is subject to the following two conditions:

- (1) This device may not cause harmful interference, and
- (2) This device must accept any interference received, including interference that may cause undesired operation.

Contains FCC ID: XMR201909EC25AFX	Contains IC: 10224A-2019EC25AFX
Contains FCC ID: 2ACSV-HF-LPT230	Contains IC: 12243A-HFLPT230
Contains FCC ID: 2AWGLSD1BTSTSHLZ02	Contains IC: 26407-1BTSTSHLZ02
Contains FCC ID: 2AWGLSD1NFST39NFC0	Contains IC: 26407-1NFST39NFC0

Label Size: 45*78MM

INKS: Refer to UL File MH16411

Note 2:(applies to product label)

All printing will be black on a white background unless otherwise noted

Material: PC GB 8B35 0.125 white polyester with 3M 468 over laminate.

Label material and adhesive to be UL 969 recognized and CSA accepted (CRG 969) for outdoor use.

Note 3: (applies to product label)

a. Markings must meet its regulatory body marking standard (height, width, font, color, logo design, etc.)

b. ABB logo, color is RAL 3020, font size 36 P

c. Part number and model/ serial number font color is black bold, font size 18 P

d. All other font color is black, size is 8 P

借(通)用件登记

描 图

描 校

旧底图总号

字 簽

日期

技术要求:

1. 丝印不可有异物,漏底,漏印,模糊,断线,丝印厚薄不均匀,错位,附着力差,针孔,擦伤,划痕,杂色,污渍,色差等缺陷;
2. 丝印内容不可有文字粗细不均,文字外侧污点或印刷飞边,文字偏离中心,文字倾斜,印刷溅点,印刷针孔,文字断线,边角漏印,文字残缺,印刷重影,指纹,印刷文字错误,文字锯齿等缺陷

GB/T1804未注公差(单位:mm)													 联 桩 CHARGEDOT
尺寸分段	≤6	>6~30	>30~120	>120~400	>400~1000	>1000~2000							
精密级	±0.05	±0.10	±0.15	±0.20	±0.30	±0.50							
中等	±0.10	±0.20	±0.30	±0.50	±0.80	±1.20							
GB/T1184未注形位公差K级(单位:mm)							标记	处数	更改描述	签 字	日期		
尺寸分段	≤10	>10~30	>30~100	>100~300	>300~1000	>1000~3000	设计		标准化				
直线度	0.05	0.1	0.2	0.4	0.6	0.8	制图		工艺				
平面度	0.05	0.1	0.2	0.4	0.6	0.8	校对		批准				
垂直度	0.4	0.4	0.4	0.6	0.8	1.0	审核		日期				

ABB

SN: TACW7-[L]-WWYY-zxxxx

PN: 6AGC081290

MODEL: Terra AC W7-P8-RD-MCD-0

TACW7-[L]-WWYY-zxxxx

6AGC081290

Terra AC Wallbox Charging Station

For use with electric vehicles

Pour utilisation avec des véhicules électriques

240V ~ / 60Hz32ATYPE 3-30°C~50 °C

Ventilation Not RequiredAucune ventilation requise

RaintightÉtanche à la pluieWeight: 7.0 kg

DusttightÉtanche à la poussièrePoids: 7.0 kg

George Hintzenweg 81,

3068 AX Rotterdam,

The Netherlands

Made in China

Fabriqu   en Chine

www.abb.com

T  V Rheinland

CUS

ABB

SN: TACW7-[L]-WWYY-zxxxx

PN: 6AGC081289

MODEL: Terra AC W7-P8-RD-MD-0

TACW7-[L]-WWYY-zxxxx

6AGC081289

Terra AC Wallbox Charging Station

For use with electric vehicles

Pour utilisation avec des v  hicules   lectriques

240V ~ / 60Hz32ATYPE 3-30°C~50 °C

Ventilation Not RequiredAucune ventilation requise

Raintight  tanche    la pluieWeight: 7.0 kg

Dusttight  tanche    la pouss  rePoids: 7.0 kg

George Hintzenweg 81,

3068 AX Rotterdam,

The Netherlands

Made in China

Fabriqu   en Chine

www.abb.com

T  V Rheinland

CUS

ABB

SN: TACW7-[L]-WWYY-zxxxx

PN: 6AGC081288

MODEL: Terra AC W7-P8-R-CD-0

TACW7-[L]-WWYY-zxxxx

6AGC081288

Terra AC Wallbox Charging Station

For use with electric vehicles

Pour utilisation avec des v  hicules   lectriques

240V ~ / 60Hz32ATYPE 3-30°C~50 °C

Ventilation Not RequiredAucune ventilation requise

Raintight  tanche    la pluieWeight: 7.0 kg

Dusttight  tanche    la pouss  rePoids: 7.0 kg

George Hintzenweg 81,

3068 AX Rotterdam,

The Netherlands

Made in China

Fabriqu   en Chine

www.abb.com

T  V Rheinland

CUS

ABB

SN: TACW7-[L]-WWYY-zxxxx

PN: 6AGC081287

MODEL: Terra AC W7-P8-R-D-0

TACW7-[L]-WWYY-zxxxx

6AGC081287

Terra AC Wallbox Charging Station

For use with electric vehicles

Pour utilisation avec des v  hicules   lectriques

240V ~ / 60Hz32ATYPE 3-30°C~50 °C

Ventilation Not RequiredAucune ventilation requise

Raintight  tanche    la pluieWeight: 7.0 kg

Dusttight  tanche    la pouss  rePoids: 7.0 kg

George Hintzenweg 81,

3068 AX Rotterdam,

The Netherlands

Made in China

Fabriqu   en Chine

www.abb.com

T  V Rheinland

CUS

ABB

SN: TACW7-[L]-WWYY-zxxxx

PN: 6AGC082552

MODEL: Terra AC W7-P8-R-C-0

TACW7-[L]-WWYY-zxxxx

6AGC082552

Terra AC Wallbox Charging Station

For use with electric vehicles

Pour utilisation avec des v  hicules   lectriques

240V ~ / 60Hz32ATYPE 3-30°C~50 °C

Ventilation Not RequiredAucune ventilation requise

Raintight  tanche    la pluieWeight: 7.0 kg

Dusttight  tanche    la pouss  rePoids: 7.0 kg

George Hintzenweg 81,

3068 AX Rotterdam,

The Netherlands

Made in China

Fabriqu   en Chine

www.abb.com

T  V Rheinland

CUS