

7.5. Conducted Band Edge and Out-of-Band Emissions

7.5.1. Test Limit

The limit for out-of-band spurious emissions at the band edge is 20dB below the fundamental emission level, as determined from the in-band power measurement of the DTS channel performed in a 100 kHz bandwidth per the PSD procedure.

7.5.2. Test Procedure Used

KDB 558074 D01 v05r02 - Section 8.5 & Section 8.6

ANSI C63.10 - Section 11.11&11.12

7.5.3. Test Settitng

- (a) Set the center frequency and span to encompass frequency range to be measured
- (b) RBW = 100kHz
- (c) VBW = 300kHz
- (d) Detector = Peak
- (e) Trace mode = max hold
- (f) Sweep time = auto couple
- (g) The trace was allowed to stabilize

7.5.4. Test Setup



7.5.5. Test Result

Test Made	Antonna	Channel	Freq Range	Ref Level	Result	Limit	Vordiot
Test Mode	Antenna		[Mhz]	[dBm]	[dBm]	[dBm]	Verdict
			Reference	9.38	9.38		PASS
		2412	30~1000	30~1000	-51.007	<=-10.624	PASS
			1000~26500	1000~26500	-45.806	<=-10.624	PASS
			Reference	9.58	9.58		PASS
11B	Ant1	2437	30~1000	30~1000	-50.781	<=-10.422	PASS
			1000~26500	1000~26500	-47.556	<=-10.422	PASS
			Reference	10.00	10.00		PASS
		2462	30~1000	30~1000	-50.851	<=-10.004	PASS
			1000~26500	1000~26500	-48.018	<=-10.004	PASS
			Reference	3.86	3.86		PASS
		2412	30~1000	30~1000	-54.216	<=-16.145	PASS
			1000~26500	1000~26500	-31.331	<=-16.145	PASS
	Ant1	2437	Reference	3.94	3.94		PASS
11G			30~1000	30~1000	-53.645	<=-16.065	PASS
			1000~26500	1000~26500	-47.756	<=-16.065	PASS
		2462	Reference	3.56	3.56		PASS
			30~1000	30~1000	-53.715	<=-16.443	PASS
			1000~26500	1000~26500	-41.862	<=-16.443	PASS
			Reference	3.40	3.40		PASS
		2412	30~1000	30~1000	-53.378	<=-16.6	PASS
			1000~26500	1000~26500	-32.103	<=-16.6	PASS
			Reference	3.30	3.30		PASS
11N20SISO	Ant1	2437	30~1000	30~1000	-53.163	<=-16.705	PASS
			1000~26500	1000~26500	-47.735	<=-16.705	PASS
			Reference	3.45	3.45		PASS
		2462	30~1000	30~1000	-54.366	<=-16.552	PASS
			1000~26500	1000~26500	-41.861	<=-16.552	PASS
			Reference	0.61	0.61		PASS
		2422	30~1000	30~1000	-49.962	<=-19.386	PASS
441400100	A		1000~26500	1000~26500	-24.893	<=-19.386	PASS
11N405ISO	Ant1		Reference	0.26	0.26		PASS
		2437	30~1000	30~1000	-48.499	<=-19.737	PASS
			1000~26500	1000~26500	-41.733	<=-19.737	PASS



		Reference	0.48	0.48		PASS
	2452	30~1000	30~1000	-48.12	<=-19.522	PASS
		1000~26500	1000~26500	-33.959	<=-19.522	PASS



















Page Number: 47 of 123







































































7.6. Radiated Spurious Emission Measurement

7.6.1. Test Limit

All out of band emissions appearing in a restricted band as specified in Section 15.205 of the Title 47 CFR must not exceed the limits shown in Table per Section 15.209.

FCC Part 15 Subpart C Paragraph 15.209						
Frequency [MHz]	Field Strength [uV/m]	Measured Distance [Meters]				
0.009 – 0.490	2400/F (kHz)	300				
0.490 – 1.705	24000/F (kHz)	30				
1.705 - 30	30	30				
30 - 88	100	3				
88 - 216	150	3				
216 - 960	200	3				
Above 960	500	3				

7.6.2. Test Procedure Used

ANSI C63.10-2013 - Section 6.6.4.3

7.6.3. Test Setting

Peak Field Strength Measurements

- 1. Analyzer center frequency was set to the frequency of the radiated spurious emission of interest
- 2. RBW = as specified in Table 1
- 3. VBW = 3MHz
- 4. Detector = peak
- 5. Sweep time = auto couple
- 6. Trace mode = max hold
- 7. Trace was allowed to stabilize



Table 1 - RBW as a function of frequency

Frequency	RBW		
9 ~ 150 kHz	200 ~ 300 Hz		
0.15 ~ 30 MHz	9 ~ 10 kHz		
30 ~ 1000 MHz	100 ~ 120 kHz		
> 1000 MHz	1 MHz		

Average Field Strength Measurements

- 1. Analyzer center frequency was set to the frequency of the radiated spurious emission of interest
- 2. RBW = 1MHz
- 3. VBW = 3MHz
- 4. Detector = Power Average (RMS)
- 5. Number of sweep point = 2001 (Number of sweep points must be $\ge 2 \times \text{span} / \text{RBW}$)
- 6. Sweep time = auto
- 7. Trace (RMS) averaging was performed over at least 100 traces.



7.6.4. Test Setup

9kHz ~ 30MHz Test Setup:





<u>1GHz ~ 18GHz Test Setup:</u>



7.6.5. Test Result

Test Mode:	802.11b - Ant 1	Test Date:	2020-06-18				
Test Channel:	01	Test Engineer:	Line Chen				
Remark:	1. Average measurement was not pe	erformed if peak level	ower than average limit.				
	2. Other frequency was 20dB below	Other frequency was 20dB below limit line within 1-18GHz, there is not show in the					
	report.						

Mark	Frequency	Level	Factor	Limit	Margin	Detector	Polarization	
	(MHz)	(dBµV)	(dB)	(dBµV/m)	(dB)			
	4822.5000	46.39	7.63	74.00	27.61	Peak	Horizontal	
	5010.0000	45.11	8.44	74.00	28.89	Peak	Horizontal	
*	6307.5000	47.86	12.56	88.71	40.85	Peak	Horizontal	
*	6915.0000	47.35	13.50	88.71	41.36	Peak	Horizontal	
	4822.5000	51.08	7.63	74.00	22.92	Peak	Vertical	
	5040.0000	45.96	8.38	74.00	28.04	Peak	Vertical	
*	6127.5000	47.19	12.10	88.71	41.52	Peak	Vertical	
*	6352.5000	47.82	12.73	88.71	40.89	Peak	Vertical	
Note 1: "*"	Note 1: "*" is not in restricted band, its limit is 20dBc of the fundamental emission level (108.71dBµV/m) or 15.209							

which is higher.



Test Mode:	802.11b - Ant 1	Test Date:	2020-06-18				
Test Channel:	06	Test Engineer:	Line Chen				
Remark:	1. Average measurement was not pe	erformed if peak level l	ower than average limit.				
	2. Other frequency was 20dB below	Other frequency was 20dB below limit line within 1-18GHz, there is not show in the					
	report.						

Mark	Frequency	Level	Factor	Limit	Margin	Detector	Polarization
	(MHz)	(dBµV)	(dB)	(dBµV/m)	(dB)		
	3487.5000	42.35	5.78	74.00	31.65	Peak	Horizontal
	3592.5000	42.43	5.99	74.00	31.57	Peak	Horizontal
*	6052.5000	47.18	11.90	90.62	43.44	Peak	Horizontal
*	6360.0000	47.92	12.75	90.62	42.70	Peak	Horizontal
	4867.5000	53.92	7.77	74.00	20.08	Peak	Vertical
	4987.5000	45.07	8.35	74.00	28.93	Peak	Vertical
*	6345.0000	48.17	12.70	90.62	42.45	Peak	Vertical
*	6870.0000	48.14	13.50	90.62	42.48	Peak	Vertical
Note 1: "*" is not in restricted band, its limit is 20dBc of the fundamental emission level (110.62dBµV/m) or 15.209							
which is h	which is higher.						



Test Mode:	802.11b - Ant 1	Test Date:	2020-06-18				
Test Channel:	11	Test Engineer:	Line Chen				
Remark:	3. Average measurement was not pe	erformed if peak level	ower than average limit.				
	4. Other frequency was 20dB below	Other frequency was 20dB below limit line within 1-18GHz, there is not show in the					
	report.						

Mark	Frequency	Level	Factor	Limit	Margin	Detector	Polarization
	(MHz)	(dBµV)	(dB)	(dBµV/m)	(dB)		
	3277.5000	48.71	4.77	74.00	25.29	Peak	Horizontal
	3412.5000	41.74	5.38	74.00	32.26	Peak	Horizontal
*	6112.5000	47.84	12.00	92.46	44.62	Peak	Horizontal
*	6307.5000	47.74	12.56	92.46	44.72	Peak	Horizontal
	4920.0000	56.20	7.99	74.00	17.80	Peak	Vertical
	5077.5000	45.64	8.46	74.00	28.36	Peak	Vertical
*	6022.5000	47.15	11.81	92.46	45.31	Peak	Vertical
*	6382.5000	47.73	12.81	92.46	44.73	Peak	Vertical
Note 1: "*" is not in restricted band, its limit is 20dBc of the fundamental emission level (112.46dBµV/m) or 15.209							
which is h	which is higher.						



Test Mode:	802.11g - Ant 1	Test Date:	2020-06-18				
Test Channel:	01	Test Engineer:	Line Chen				
Remark:	5. Average measurement was not pe	erformed if peak level l	ower than average limit.				
	6. Other frequency was 20dB below	Other frequency was 20dB below limit line within 1-18GHz, there is not show in the					
	report.						

Mark	Frequency	Level	Factor	Limit	Margin	Detector	Polarization	
	(MHz)	(dBµV)	(dB)	(dBµV/m)	(dB)			
	4552.5000	42.90	7.21	74.00	31.10	Peak	Horizontal	
	4822.5000	44.16	7.63	74.00	29.84	Peak	Horizontal	
*	6337.5000	46.79	12.67	84.90	38.11	Peak	Horizontal	
*	6660.0000	46.80	13.09	84.90	38.10	Peak	Horizontal	
	3982.5000	47.53	6.48	74.00	26.47	Peak	Vertical	
	4822.5000	48.83	7.63	74.00	25.17	Peak	Vertical	
*	6120.0000	47.36	12.05	84.90	37.54	Peak	Vertical	
*	6540.0000	47.52	12.83	84.90	37.38	Peak	Vertical	
Note 1: "*" is not in restricted band, its limit is 20dBc of the fundamental emission level (104.90dBµV/m) or 15.209								
which is h	which is higher.							



Test Mode:	802.11g - Ant 1	Test Date:	2020-06-18				
Test Channel:	06	Test Engineer:	Line Chen				
Remark:	7. Average measurement was not pe	erformed if peak level l	ower than average limit.				
	8. Other frequency was 20dB below	. Other frequency was 20dB below limit line within 1-18GHz, there is not show in the					
	report.						

Mark	Frequency	Level	Factor	Limit	Margin	Detector	Polarization	
	(MHz)	(dBµV)	(dB)	(dBµV/m)	(dB)			
	7320.0000	47.80	13.60	74.00	26.20	Peak	Horizontal	
	7732.5000	47.91	13.86	74.00	26.09	Peak	Horizontal	
*	3172.5000	41.36	4.28	86.34	44.98	Peak	Horizontal	
*	3247.5000	47.66	4.73	86.34	38.68	Peak	Horizontal	
	4875.0000	50.89	7.82	74.00	23.11	Peak	Vertical	
	5385.0000	45.59	10.11	74.00	28.41	Peak	Vertical	
*	6307.5000	47.45	12.56	86.34	38.89	Peak	Vertical	
*	6555.0000	46.80	12.87	86.34	39.54	Peak	Vertical	
Note 1: "*" is not in restricted band, its limit is 20dBc of the fundamental emission level (106.34dBµV/m) or 15.209								
which is h	igher.							



Test Mode:	802.11g - Ant 1	Test Date:	2020-06-18			
Test Channel:	11	Test Engineer:	Line Chen			
Remark:	9. Average measurement was not pe	erformed if peak level l	ower than average limit.			
	10. Other frequency was 20dB below limit line within 1-18GHz, there is not show in the					
	report.					

Mark	Frequency	Level	Factor	Limit	Margin	Detector	Polarization	
	(MHz)	(dBµV)	(dB)	(dBµV/m)	(dB)			
	7305.0000	47.61	13.50	74.00	26.39	Peak	Horizontal	
	7672.5000	47.53	13.67	74.00	26.47	Peak	Horizontal	
*	3090.0000	41.04	4.06	87.75	46.71	Peak	Horizontal	
*	3277.5000	48.11	4.77	87.75	39.64	Peak	Horizontal	
	3982.5000	49.53	6.48	74.00	24.47	Peak	Vertical	
	4110.0000	43.01	6.47	74.00	30.99	Peak	Vertical	
*	6112.5000	48.29	12.00	87.75	39.46	Peak	Vertical	
*	6405.0000	47.58	12.83	87.75	40.17	Peak	Vertical	
Note 1: "*" is not in restricted band, its limit is 20dBc of the fundamental emission level (107.75dBµV/m) or 15.209								
which is h	igher.							



Test Mode:	802.11n20 - Ant 1	Test Date:	2020-06-18				
Test Channel:	01	Test Engineer:	Line Chen				
Remark:	11. Average measurement was not pe	erformed if peak level l	ower than average limit.				
	12. Other frequency was 20dB below limit line within 1-18GHz, there is not show in the						
	report.						

Mark	Frequency	Level	Factor	Limit	Margin	Detector	Polarization	
	(MHz)	(dBµV)	(dB)	(dBµV/m)	(dB)			
	4590.0000	43.14	7.10	74.00	30.86	Peak	Horizontal	
	4822.5000	44.05	7.63	74.00	29.95	Peak	Horizontal	
*	6247.5000	46.94	12.23	86.30	39.36	Peak	Horizontal	
*	6607.5000	47.38	13.01	86.30	38.92	Peak	Horizontal	
	4815.0000	47.01	7.63	74.00	26.99	Peak	Vertical	
	5122.5000	44.68	8.64	74.00	29.32	Peak	Vertical	
*	6247.5000	47.08	12.23	86.30	39.22	Peak	Vertical	
*	6427.5000	47.49	12.72	86.30	38.81	Peak	Vertical	
Note 1: "*" is not in restricted band, its limit is 20dBc of the fundamental emission level (106.30dBµV/m) or 15.209								
which is h	igher.							



Test Mode:	802.11n20 - Ant 1	Test Date:	2020-06-18				
Test Channel:	06	Test Engineer:	Line Chen				
Remark:	13. Average measurement was not pe	erformed if peak level l	ower than average limit.				
	14. Other frequency was 20dB below limit line within 1-18GHz, there is not show in the						
	report.						

Mark	Frequency	Level	Factor	Limit	Margin	Detector	Polarization		
	(MHz)	(dBµV)	(dB)	(dBµV/m)	(dB)				
	4560.0000	43.29	7.19	74.00	30.71	Peak	Horizontal		
	4867.5000	44.71	7.77	74.00	29.29	Peak	Horizontal		
*	6322.5000	47.56	12.62	87.25	39.69	Peak	Horizontal		
*	6652.5000	46.85	13.11	87.25	40.40	Peak	Horizontal		
	4875.0000	49.59	7.82	74.00	24.41	Peak	Vertical		
	5002.5000	44.46	8.46	74.00	29.54	Peak	Vertical		
*	6442.5000	47.30	12.64	87.25	39.95	Peak	Vertical		
*	6630.0000	46.84	13.06	87.25	40.41	Peak	Vertical		
Note 1: "*'	Note 1: "*" is not in restricted band, its limit is 20dBc of the fundamental emission level (107.25dBµV/m) or 15.209								
which is h	igher.								



Test Mode:	802.11n20 - Ant 1	Test Date:	2020-06-18			
Test Channel:	11	Test Engineer:	Line Chen			
Remark:	15. Average measurement was not pe	erformed if peak level l	ower than average limit.			
	16. Other frequency was 20dB below limit line within 1-18GHz, there is not show in the					
	report.					

Mark	Frequency	Level	Factor	Limit	Margin	Detector	Polarization	
	(MHz)	(dBµV)	(dB)	(dBµV/m)	(dB)			
	4567.5000	43.52	7.17	74.00	30.48	Peak	Horizontal	
	4920.0000	46.94	7.99	74.00	27.06	Peak	Horizontal	
*	6240.0000	46.82	12.20	87.86	41.04	Peak	Horizontal	
*	6570.0000	47.23	12.91	87.86	40.63	Peak	Horizontal	
	4777.5000	43.31	7.51	74.00	30.69	Peak	Vertical	
	4927.5000	53.39	8.00	74.00	20.61	Peak	Vertical	
*	6330.0000	47.13	12.64	87.86	40.73	Peak	Vertical	
*	6547.5000	47.76	12.85	87.86	40.10	Peak	Vertical	
Note 1: "*" is not in restricted band, its limit is 20dBc of the fundamental emission level (107.86dBµV/m) or 15.209								
which is h	igher.							



Test Mode:	802.11n40 - Ant 1	Test Date:	2020-06-18				
Test Channel:	03	Test Engineer:	Line Chen				
Remark:	17. Average measurement was not pe	erformed if peak level l	ower than average limit.				
	18. Other frequency was 20dB below limit line within 1-18GHz, there is not show in the						
	report.						

Mark	Frequency	Level	Factor	Limit	Margin	Detector	Polarization	
	(MHz)	(dBµV)	(dB)	(dBµV/m)	(dB)			
	4837.5000	43.23	7.65	74.00	30.77	Peak	Horizontal	
	4927.5000	44.20	8.00	74.00	29.80	Peak	Horizontal	
*	6277.5000	47.78	12.40	83.98	36.20	Peak	Horizontal	
*	6562.5000	47.00	12.89	83.98	36.98	Peak	Horizontal	
	4777.5000	44.21	7.51	74.00	29.79	Peak	Vertical	
	4860.0000	46.82	7.72	74.00	27.18	Peak	Vertical	
*	6225.0000	47.51	12.15	83.98	36.47	Peak	Vertical	
*	6615.0000	46.82	13.03	83.98	37.16	Peak	Vertical	
Note 1: "*" is not in restricted band, its limit is 20dBc of the fundamental emission level (103.98dBµV/m) or 15.209								
which is h	igher.							



Test Mode:	802.11n40 - Ant 1	Test Date:	2020-06-18			
Test Channel:	06	Test Engineer:	Line Chen			
Remark:	19. Average measurement was not performed if peak level lower than average limit.					
	20. Other frequency was 20dB below limit line within 1-18GHz, there is not show in the					
	report.					

Mark	Frequency	Level	Factor	Limit	Margin	Detector	Polarization
	(MHz)	(dBµV)	(dB)	(dBµV/m)	(dB)		
	4687.5000	43.03	7.28	74.00	30.97	Peak	Horizontal
	4852.5000	44.59	7.68	74.00	29.41	Peak	Horizontal
*	6142.5000	47.90	12.19	83.51	35.61	Peak	Horizontal
*	6480.0000	47.29	12.66	83.51	36.22	Peak	Horizontal
	4770.0000	43.21	7.48	74.00	30.79	Peak	Vertical
	4867.5000	47.81	7.77	74.00	26.19	Peak	Vertical
*	6427.5000	48.21	12.72	83.51	35.30	Peak	Vertical
*	6577.5000	47.20	12.93	83.51	36.31	Peak	Vertical
Note 1: " $*$ " is not in restricted band, its limit is 20dBc of the fundamental emission level (103.51dB μ V/m) or 15.209							
which is higher.							



Test Mode:	802.11n40 - Ant 1	Test Date:	2020-06-18			
Test Channel:	09	Test Engineer:	Line Chen			
Remark:	21. Average measurement was not performed if peak level lower than average limit.					
	22. Other frequency was 20dB below limit line within 1-18GHz, there is not show in the					
	report.					

Mark	Frequency	Level	Factor	Limit	Margin	Detector	Polarization	
	(MHz)	(dBµV)	(dB)	(dBµV/m)	(dB)			
	4635.0000	42.97	7.13	74.00	31.03	Peak	Horizontal	
	4905.0000	44.85	7.98	74.00	29.15	Peak	Horizontal	
*	6495.0000	47.76	12.69	83.38	35.62	Peak	Horizontal	
*	6802.5000	46.60	13.08	83.38	36.78	Peak	Horizontal	
	4620.0000	42.61	7.10	74.00	31.39	Peak	Vertical	
	4905.0000	48.84	7.98	74.00	25.16	Peak	Vertical	
*	6352.5000	47.12	12.73	83.38	36.26	Peak	Vertical	
*	6495.0000	46.78	12.69	83.38	36.60	Peak	Vertical	
Note 1: "*"	Note 1: "*" is not in restricted band, its limit is 20dBc of the fundamental emission level (103.38dBµV/m) or 15.209							
which is higher.								