

REVISIONS											
SYM.	DESCRIPTION	CHECK	APPRV.	DATE							
А	FIRST RELEASE	ECN 21551	E. Ogburn 08-23-21	R. Phillips	09-09-21						
В	REMOVED FCC ID AND FCC LOGO	E.Ogburn	R. PHILLIPS	11/05/21							
		ECN 21657	11-03-21	K. I IIILLII 5	11/05/21						



SCALE 2.000



			NOTES: UNLESS OTHERWISE SPECIFIED								
1. DIMENSIONS ARE MILLIMETERS AND ARE FOR REFERENCE ONLY.											
2. THE METHOD OF PACKAGING AND SHIPPING MUST PROTECT PARTS											
AGAINST ANY DAMAGE DETRIMENTAL TO PART APPEARANCE AND/OR											
PART FUNCTION.											
3. Drawing is representative only and not intended for artwo											
4. CARDSTOCK: JIANGYIN CHANGHONG - 210*297*0.40mm OR EQUIVALENT.											
ADHESIVE: 3M 9448A											
	5. MUST MEET UL969 STANDARD.										
STURDY P/I						STURDY P/N R	EV.				
LL30020001											
MATERIAL	NOTED		FINISH			HEAT TREAT					
	NOILD					WEIGHT					
DIMENSIONAL TOLERANCES UNLESS OTHERWISE SPECIFIED			TITLE ORALUCENT CHARGER LABEL				STURDY CORPOR				
DEC.	DEC.	ANG.	STURDY 1822 CAROLINA BEACH R WILMINGTON, NC 2840								
$\pm 0.010 \pm 0.005 \pm 2^{\circ}$			3rd angle projection			GEOMETRIC TOLERANCES AND SYMBOLS					
2-PL'S	3-PL'S		DRAWN	J. Young	DATE 03-08-21	SIZE	ARE IN ACCORDANCE WITH ASME Y14.5-1994 DRAWING NUMBER	ISSUE			
	OO NO. REQ'D	1	CHECKED	E. Ogburn	DATE 08-23-21						
NEXT ASY.			APPROVED R. Phillips DATE 09-09-2		В	LL30020	B				



