




TM2 / Polarization: Horizontal / Band: 5150-5250 MHz / BW: 20 / CH: H



TM2 / Polarization: Vertical / Band: 5150-5250 MHz / BW: 20 / CH: H




TM2 / Polarization: Horizontal / Band: 5150-5250 MHz / BW: 40 / CH: L




No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Azimuth (deg.)	P/F	Remark
1 *	10458.750	33.85	8.92	42.77	48.20	-5.43	AVG			P	
2	10552.750	44.10	9.05	53.15	68.20	-15.05	peak			P	

TM2 / Polarization: Vertical / Band: 5150-5250 MHz / BW: 40 / CH: L




No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Azimuth (deg.)	P/F	Remark
1	10482.250	44.38	8.63	53.01	68.20	-15.19	peak			P	
2 *	10529.250	33.76	8.68	42.44	48.20	-5.76	AVG			P	

TM2 / Polarization: Horizontal / Band: 5725-5850 MHz / BW: 20 / CH: L




No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Azimuth (deg.)	P/F	Remark
1	3009.250	40.56	-5.58	34.98	48.20	-13.22	AVG			P	
2	3197.250	49.87	-4.93	44.94	68.20	-23.26	peak			P	
3	9377.750	34.10	8.07	42.17	48.20	-6.03	AVG			P	
4	9424.750	45.31	8.08	53.39	68.20	-14.81	peak			P	
5	11786.500	45.89	9.85	55.74	68.20	-12.46	peak			P	
6 *	11962.750	34.48	9.99	44.47	48.20	-3.73	AVG			P	

TM2 / Polarization: Vertical / Band: 5725-5850 MHz / BW: 20 / CH: L




No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Azimuth (deg.)	P/F	Remark
1	3138.500	40.19	-5.16	35.03	48.20	-13.17	AVG			P	
2	3185.500	51.02	-5.03	45.99	68.20	-22.21	peak			P	
3	9330.750	43.86	7.83	51.69	68.20	-16.51	peak			P	
4	9377.750	34.23	7.86	42.09	48.20	-6.11	AVG			P	
5	11727.750	46.22	9.96	56.18	68.20	-12.02	peak			P	
6 *	11939.250	34.60	10.23	44.83	48.20	-3.37	AVG			P	

TM2 / Polarization: Horizontal / Band: 5725-5850 MHz / BW: 20 / CH: H




No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Azimuth (deg.)	P/F	Remark
1	3009.250	51.26	-5.58	45.68	68.20	-22.52	peak			P	
2	3009.250	40.16	-5.58	34.58	48.20	-13.62	AVG			P	
3	9354.250	34.25	8.06	42.31	48.20	-5.89	AVG			P	
4	9366.000	44.82	8.07	52.89	68.20	-15.31	peak			P	
5	11810.000	45.79	9.88	55.67	68.20	-12.53	peak			P	
6 *	11951.000	34.71	9.97	44.68	48.20	-3.52	AVG			P	

TM2 / Polarization: Vertical / Band: 5725-5850 MHz / BW: 20 / CH: H




No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Azimuth (deg.)	P/F	Remark
1	3056.250	50.97	-5.36	45.61	68.20	-22.59	peak			P	
2	3162.000	39.85	-5.10	34.75	48.20	-13.45	AVG			P	
3	9366.000	44.98	7.85	52.83	68.20	-15.37	peak			P	
4	9366.000	34.17	7.85	42.02	48.20	-6.18	AVG			P	
5	11645.500	47.92	9.86	57.78	68.20	-10.42	peak			P	
6 *	11657.250	36.78	9.87	46.65	48.20	-1.55	AVG			P	

TM3 / Polarization: Horizontal / Band: 5150-5250 MHz / BW: 20 / CH: L




No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Azimuth (deg.)	P/F	Remark
1	10364.750	47.30	8.76	56.06	68.20	-12.14	peak			P	
2 *	10364.750	36.18	8.76	44.94	48.20	-3.26	AVG			P	

TM3 / Polarization: Vertical / Band: 5150-5250 MHz / BW: 20 / CH: L




No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Azimuth (deg.)	P/F	Remark
1	10364.750	48.86	8.56	57.42	68.20	-10.78	peak			P	
2 *	10364.750	36.29	8.56	44.85	48.20	-3.35	AVG			P	

TM3 / Polarization: Horizontal / Band: 5150-5250 MHz / BW: 20 / CH: H




No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Azimuth (deg.)	P/F	Remark
1	9354.250	44.92	8.06	52.98	68.20	-15.22	peak			P	
2 *	9354.250	34.28	8.06	42.34	48.20	-5.86	AVG			P	

TM3 / Polarization: Vertical / Band: 5150-5250 MHz / BW: 20 / CH: H




No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Azimuth (deg.)	P/F	Remark
1	10482.250	50.60	8.63	59.23	68.20	-8.97	peak			P	
2 *	10482.250	38.16	8.63	46.79	48.20	-1.41	AVG			P	

TM3 / Polarization: Horizontal / Band: 5725-5850 MHz / BW: 20 / CH: L




No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Azimuth (deg.)	P/F	Remark
1	3009.250	50.14	-5.58	44.56	68.20	-23.64	peak			P	
2	3009.250	40.03	-5.58	34.45	48.20	-13.75	AVG			P	
3	9366.000	44.60	8.07	52.67	68.20	-15.53	peak			P	
4	9366.000	33.92	8.07	41.99	48.20	-6.21	AVG			P	
5	11586.750	46.09	9.72	55.81	68.20	-12.39	peak			P	
6 *	11727.750	34.18	9.82	44.00	48.20	-4.20	AVG			P	

TM3 / Polarization: Vertical / Band: 5725-5850 MHz / BW: 20 / CH: L




No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Azimuth (deg.)	P/F	Remark
1	3162.000	50.38	-5.10	45.28	68.20	-22.92	peak			P	
2	3173.750	39.74	-5.06	34.68	48.20	-13.52	AVG			P	
3	9366.000	44.50	7.85	52.35	68.20	-15.85	peak			P	
4	9366.000	34.16	7.85	42.01	48.20	-6.19	AVG			P	
5	11481.000	49.00	9.64	58.64	68.20	-9.56	peak			P	
6 *	11492.750	38.20	9.65	47.85	48.20	-0.35	AVG			P	

TM3 / Polarization: Horizontal / Band: 5725-5850 MHz / BW: 20 / CH: H




No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Azimuth (deg.)	P/F	Remark
1	3009.250	39.95	-5.58	34.37	48.20	-13.83	AVG			P	
2	3126.750	50.15	-5.17	44.98	68.20	-23.22	peak			P	
3	9319.000	44.22	8.06	52.28	68.20	-15.92	peak			P	
4	9354.250	34.18	8.06	42.24	48.20	-5.96	AVG			P	
5	11833.500	44.81	9.89	54.70	68.20	-13.50	peak			P	
6 *	11962.750	34.34	9.99	44.33	48.20	-3.87	AVG			P	

TM3 / Polarization: Vertical / Band: 5725-5850 MHz / BW: 20 / CH: H




No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Azimuth (deg.)	P/F	Remark
1	2997.500	45.01	0.74	45.75	68.20	-22.45	peak			P	
2	3150.250	39.93	-5.12	34.81	48.20	-13.39	AVG			P	
3	9366.000	45.27	7.85	53.12	68.20	-15.08	peak			P	
4	9366.000	34.00	7.85	41.85	48.20	-6.35	AVG			P	
5	11657.250	47.86	9.87	57.73	68.20	-10.47	peak			P	
6 *	11657.250	35.13	9.87	45.00	48.20	-3.20	AVG			P	

TM3 / Polarization: Horizontal / Band: 5725-5850 MHz / BW: 40 / CH: L




No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Azimuth (deg.)	P/F	Remark
1	2997.500	44.24	0.65	44.89	68.20	-23.31	peak			P	
2	3009.250	39.82	-5.58	34.24	48.20	-13.96	AVG			P	
3	9377.750	33.99	8.07	42.06	48.20	-6.14	AVG			P	
4	9413.000	44.54	8.09	52.63	68.20	-15.57	peak			P	
5	11751.250	44.92	9.83	54.75	68.20	-13.45	peak			P	
6 *	11751.250	34.36	9.83	44.19	48.20	-4.01	AVG			P	

TM3 / Polarization: Vertical / Band: 5725-5850 MHz / BW: 40 / CH: L




No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Azimuth (deg.)	P/F	Remark
1	3162.000	50.83	-5.10	45.73	68.20	-22.47	peak			P	
2	3185.500	39.85	-5.03	34.82	48.20	-13.38	AVG			P	
3	9354.250	44.97	7.84	52.81	68.20	-15.39	peak			P	
4	9389.500	34.10	7.87	41.97	48.20	-6.23	AVG			P	
5	11504.500	50.70	9.67	60.37	68.20	-7.83	peak			P	
6 *	11516.250	36.26	9.69	45.95	48.20	-2.25	AVG			P	

TM3 / Polarization: Horizontal / Band: 5725-5850 MHz / BW: 40 / CH: H



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Azimuth (deg.)	P/F	Remark
1	3009.250	39.90	-5.58	34.32	48.20	-13.88	AVG			P	
2	3126.750	50.40	-5.17	45.23	68.20	-22.97	peak			P	
3	9342.500	44.18	8.07	52.25	68.20	-15.95	peak			P	
4	9354.250	34.02	8.06	42.08	48.20	-6.12	AVG			P	
5	11340.000	45.02	9.57	54.59	68.20	-13.61	peak			P	
6 *	11516.250	33.69	9.68	43.37	48.20	-4.83	AVG			P	


TM3 / Polarization: Vertical / Band: 5725-5850 MHz / BW: 40 / CH: H



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Azimuth (deg.)	P/F	Remark
1	3021.000	50.65	-5.46	45.19	68.20	-23.01	peak			P	
2	3197.250	39.64	-5.01	34.63	48.20	-13.57	AVG			P	
3	9366.000	34.10	7.85	41.95	48.20	-6.25	AVG			P	
4	9389.500	44.23	7.87	52.10	68.20	-16.10	peak			P	
5	11586.750	46.22	9.78	56.00	68.20	-12.20	peak			P	
6 *	11586.750	34.92	9.78	44.70	48.20	-3.50	AVG			P	


MIMO

TM2 / Polarization: Horizontal / Band: 5150-5250 MHz / BW: 20 / CH: L




No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Azimuth (deg.)	P/F	Remark
1	9342.500	34.16	8.07	42.23	48.20	-5.97	AVG			P	
2	9389.500	45.74	8.08	53.82	68.20	-14.38	peak			P	
3	12562.000	45.69	11.12	56.81	68.20	-11.39	peak			P	
4 *	12609.000	33.58	11.19	44.77	48.20	-3.43	AVG			P	

TM2 / Polarization: Vertical / Band: 5150-5250 MHz / BW: 20 / CH: L




No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Azimuth (deg.)	P/F	Remark
1	10364.750	49.41	8.56	57.97	68.20	-10.23	peak			P	
2 *	10364.750	37.14	8.56	45.70	48.20	-2.50	AVG			P	

TM2 / Polarization: Horizontal / Band: 5150-5250 MHz / BW: 20 / CH: H




No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Azimuth (deg.)	P/F	Remark
1	9354.250	44.92	8.06	52.98	68.20	-15.22	peak			P	
2 *	9354.250	34.28	8.06	42.34	48.20	-5.86	AVG			P	

TM2 / Polarization: Vertical / Band: 5150-5250 MHz / BW: 20 / CH: H




No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Azimuth (deg.)	P/F	Remark
1	10482.250	50.60	8.63	59.23	68.20	-8.97	peak			P	
2 *	10482.250	38.16	8.63	46.79	48.20	-1.41	AVG			P	

TM2 / Polarization: Horizontal / Band: 5150-5250 MHz / BW: 40 / CH: L




No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Azimuth (deg.)	P/F	Remark
1 *	10388.250	36.29	8.80	45.09	48.20	-3.11	AVG			P	
2	10494.000	45.46	8.99	54.45	68.20	-13.75	peak			P	

TM2 / Polarization: Vertical / Band: 5150-5250 MHz / BW: 40 / CH: L




No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Azimuth (deg.)	P/F	Remark
1	10376.500	49.77	8.56	58.33	68.20	-9.87	peak			P	
2 *	10388.250	36.41	8.58	44.99	48.20	-3.21	AVG			P	


TM2 / Polarization: Horizontal / Band: 5150-5250 MHz / BW: 40 / CH: H



TM2 / Polarization: Vertical / Band: 5150-5250 MHz / BW: 40 / CH: H




TM2 / Polarization: Horizontal / Band: 5725-5850 MHz / BW: 20 / CH: L




No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Azimuth (deg.)	P/F	Remark
1	3009.250	50.55	-5.58	44.97	68.20	-23.23	peak			P	
2	3009.250	40.14	-5.58	34.56	48.20	-13.64	AVG			P	
3	9342.500	44.87	8.07	52.94	68.20	-15.26	peak			P	
4	9354.250	34.24	8.06	42.30	48.20	-5.90	AVG			P	
5 *	11951.000	34.74	9.97	44.71	48.20	-3.49	AVG			P	
6	11998.000	46.09	10.01	56.10	68.20	-12.10	peak			P	

TM2 / Polarization: Vertical / Band: 5725-5850 MHz / BW: 20 / CH: L




No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Azimuth (deg.)	P/F	Remark
1	3173.750	39.86	-5.06	34.80	48.20	-13.40	AVG			P	
2	3197.250	51.84	-5.01	46.83	68.20	-21.37	peak			P	
3	9354.250	44.50	7.84	52.34	68.20	-15.86	peak			P	
4	9366.000	34.37	7.85	42.22	48.20	-5.98	AVG			P	
5	11492.750	50.86	9.65	60.51	68.20	-7.69	peak			P	
6 *	11492.750	39.53	9.65	49.18	48.20	0.98	AVG			F	


TM2 / Polarization: Horizontal / Band: 5725-5850 MHz / BW: 20 / CH: H



TM2 / Polarization: Vertical / Band: 5725-5850 MHz / BW: 20 / CH: H




TM3 / Polarization: Horizontal / Band: 5150-5250 MHz / BW: 20 / CH: L




No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Azimuth (deg.)	P/F	Remark
1	10447.000	44.43	8.91	53.34	68.20	-14.86	peak			P	
2	10482.250	33.99	8.97	42.96	48.20	-5.24	AVG			P	
3	12573.750	44.39	11.15	55.54	68.20	-12.66	peak			P	
4 *	12585.500	33.66	11.16	44.82	48.20	-3.38	AVG			P	

TM3 / Polarization: Vertical / Band: 5150-5250 MHz / BW: 20 / CH: L




No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Azimuth (deg.)	P/F	Remark
1	10364.750	51.07	8.56	59.63	68.20	-8.57	peak			P	
2 *	10364.750	36.07	8.56	44.63	48.20	-3.57	AVG			P	

TM3 / Polarization: Horizontal / Band: 5150-5250 MHz / BW: 20 / CH: H




No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Azimuth (deg.)	P/F	Remark
1	10482.250	33.93	8.97	42.90	48.20	-5.30	AVG			P	
2	10494.000	45.46	8.99	54.45	68.20	-13.75	peak			P	
3 *	12397.500	33.88	10.82	44.70	48.20	-3.50	AVG			P	
4	12444.500	44.47	10.91	55.38	68.20	-12.82	peak			P	

TM3 / Polarization: Vertical / Band: 5150-5250 MHz / BW: 20 / CH: H




No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Azimuth (deg.)	P/F	Remark
1 *	10482.250	37.05	8.63	45.68	48.20	-2.52	AVG			P	
2	10494.000	50.60	8.65	59.25	68.20	-8.95	peak			P	

TM3 / Polarization: Horizontal / Band: 5150-5250 MHz / BW: 40 / CH: L




No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Azimuth (deg.)	P/F	Remark
1	9354.250	44.98	8.06	53.04	68.20	-15.16	peak			P	
2	9377.750	34.36	8.07	42.43	48.20	-5.77	AVG			P	
3	12350.500	45.75	10.73	56.48	68.20	-11.72	peak			P	
4 *	12432.750	33.94	10.90	44.84	48.20	-3.36	AVG			P	

TM3 / Polarization: Vertical / Band: 5150-5250 MHz / BW: 40 / CH: L




No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Azimuth (deg.)	P/F	Remark
1	10411.750	48.29	8.58	56.87	68.20	-11.33	peak			P	
2 *	10411.750	36.54	8.58	45.12	48.20	-3.08	AVG			P	

TM3 / Polarization: Horizontal / Band: 5150-5250 MHz / BW: 40 / CH: H




No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Azimuth (deg.)	P/F	Remark
1	9342.500	34.35	8.07	42.42	48.20	-5.78	AVG			P	
2	9377.750	45.44	8.07	53.51	68.20	-14.69	peak			P	
3	11739.500	45.61	9.84	55.45	68.20	-12.75	peak			P	
4 *	11739.500	34.28	9.84	44.12	48.20	-4.08	AVG			P	

TM3 / Polarization: Vertical / Band: 5150-5250 MHz / BW: 40 / CH: H




No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Azimuth (deg.)	P/F	Remark
1	10458.750	50.24	8.62	58.86	68.20	-9.34	peak			P	
2 *	10458.750	38.42	8.62	47.04	48.20	-1.16	AVG			P	

TM3 / Polarization: Horizontal / Band: 5725-5850 MHz / BW: 20 / CH: L




No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Azimuth (deg.)	P/F	Remark
1	3009.250	50.14	-5.58	44.56	68.20	-23.64	peak			P	
2	3009.250	40.03	-5.58	34.45	48.20	-13.75	AVG			P	
3	9366.000	44.60	8.07	52.67	68.20	-15.53	peak			P	
4	9366.000	33.92	8.07	41.99	48.20	-6.21	AVG			P	
5	11586.750	46.09	9.72	55.81	68.20	-12.39	peak			P	
6 *	11727.750	34.18	9.82	44.00	48.20	-4.20	AVG			P	

TM3 / Polarization: Vertical / Band: 5725-5850 MHz / BW: 20 / CH: L




No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Azimuth (deg.)	P/F	Remark
1	3162.000	50.38	-5.10	45.28	68.20	-22.92	peak			P	
2	3173.750	39.74	-5.06	34.68	48.20	-13.52	AVG			P	
3	9366.000	44.50	7.85	52.35	68.20	-15.85	peak			P	
4	9366.000	34.16	7.85	42.01	48.20	-6.19	AVG			P	
5	11481.000	49.00	9.64	58.64	68.20	-9.56	peak			P	
6 *	11492.750	38.20	9.65	47.85	48.20	-0.35	AVG			P	

TM3 / Polarization: Horizontal / Band: 5725-5850 MHz / BW: 20 / CH: H




No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Azimuth (deg.)	P/F	Remark
1	3009.250	39.95	-5.58	34.37	48.20	-13.83	AVG			P	
2	3126.750	50.15	-5.17	44.98	68.20	-23.22	peak			P	
3	9319.000	44.22	8.06	52.28	68.20	-15.92	peak			P	
4	9354.250	34.18	8.06	42.24	48.20	-5.96	AVG			P	
5	11833.500	44.81	9.89	54.70	68.20	-13.50	peak			P	
6 *	11962.750	34.34	9.99	44.33	48.20	-3.87	AVG			P	

TM3 / Polarization: Vertical / Band: 5725-5850 MHz / BW: 20 / CH: H




No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Azimuth (deg.)	P/F	Remark
1	2997.500	45.01	0.74	45.75	68.20	-22.45	peak			P	
2	3150.250	39.93	-5.12	34.81	48.20	-13.39	AVG			P	
3	9366.000	45.27	7.85	53.12	68.20	-15.08	peak			P	
4	9366.000	34.00	7.85	41.85	48.20	-6.35	AVG			P	
5	11657.250	47.86	9.87	57.73	68.20	-10.47	peak			P	
6 *	11657.250	35.13	9.87	45.00	48.20	-3.20	AVG			P	

TM3 / Polarization: Horizontal / Band: 5725-5850 MHz / BW: 40 / CH: L




No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Azimuth (deg.)	P/F	Remark
1	2997.500	44.24	0.65	44.89	68.20	-23.31	peak			P	
2	3009.250	39.82	-5.58	34.24	48.20	-13.96	AVG			P	
3	9377.750	33.99	8.07	42.06	48.20	-6.14	AVG			P	
4	9413.000	44.54	8.09	52.63	68.20	-15.57	peak			P	
5	11751.250	44.92	9.83	54.75	68.20	-13.45	peak			P	
6 *	11751.250	34.36	9.83	44.19	48.20	-4.01	AVG			P	

TM3 / Polarization: Vertical / Band: 5725-5850 MHz / BW: 40 / CH: L




No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Azimuth (deg.)	P/F	Remark
1	3162.000	50.83	-5.10	45.73	68.20	-22.47	peak			P	
2	3185.500	39.85	-5.03	34.82	48.20	-13.38	AVG			P	
3	9354.250	44.97	7.84	52.81	68.20	-15.39	peak			P	
4	9389.500	34.10	7.87	41.97	48.20	-6.23	AVG			P	
5	11504.500	50.70	9.67	60.37	68.20	-7.83	peak			P	
6 *	11516.250	36.26	9.69	45.95	48.20	-2.25	AVG			P	

TM3 / Polarization: Horizontal / Band: 5725-5850 MHz / BW: 40 / CH: H



TM3 / Polarization: Vertical / Band: 5725-5850 MHz / BW: 40 / CH: H



Remark: Margin= Measurement level – Limit; Correction Factor= Antenna Factor + Cable loss – Pre-amplifier
 Level=Test receiver reading + correction factor

5 TEST SETUP PHOTOS

Please Refer to test setup file for Details.

6 PHOTOS OF THE EUT

Please Refer to external and internal photos file for Details.

***** End of Report *****