

NV3182-Wifi Night Vision



Outlook	Model	NV3182 WIFI		
  	Highlight	<ul style="list-style-type: none"> ◆ About 250-300 meters view distance in complete darkness ◆ 3 meters~infinity view distance in low light ◆ 2.31"TFT inner screen, with 3X large window magnifier ◆ 960P Video by interpolation ◆ 2.4G WIFI distance 30M by Mobile App ◆ VGA pixels CMOS 		
		SPEC		
		Photo Resolution	1M(1280x960)by interpolation、VGA(640x480)	
		Video Resolution	960P(1280x960@30FPS)by interpolation、VGA(640x480@30FPS)	
		Lens	F1.2 larger aperture, f=25mm, Auto IR filter	
		Lens Angle	FOV=10°, caliber is 24mm	
Display Screen	Inner screen is 2.31" 960*240 TFT LCD, Outer screen is 98x48mm,with 3X large window magnifier			
WiFi	2.4G(802.11b/g/n),distance 30M			
Storage Media	Micro SD card, up to 32GB			
USB Port	Micro USB 2.0			
Auto off	OFF/1 min/ 3 min/ 5 min/ 10 min			
IR LED	3W,850nm strong infrared spotlight , 7 grades infrared adjustment			
View Distance In Complete Darkness	About 250-300 meters			
View Distance In Low Light	3 meters~infinity			
Digital Zoom	Digital Zoom 4X			
Power Source	9V: 6*AA			
OSD Language	Multiple languages are optional			
Date Stamps	Support to set date and time. Date and time stamp on photo and video files.			



Android APK, apple APP	It supports mobile APP (Android, IOS) to operate NV remotely through WIFI, preview images and videos in real time, take photos, record videos, set parameters and manage files, etc.
Operation Buttons	6 buttons
Operation Temperature	-20℃ to +60℃
Storage Temperature	-30℃ to +70℃
Dimensions & Weight	approx. 206*138*58mm /600g
Accessory	knapsack、USB cable、 manual
way to install	Fixed installation and use, is not a portable device, when the product is connected to wifi

FCC WARNING

This device complies with part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) this device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

Any changes or modifications not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment.

NOTE: This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to Part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates, uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications.

However, there is no guarantee that interference will not occur in a particular installation.

If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and receiver.
- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- Consult the dealer or an experienced radio/TV technician for help.

To maintain compliance with FCC's RF Exposure guidelines, This equipment should be installed and operated with minimum distance between 20cm the radiator your body: Use only the supplied antenna.