

## Appendix B

### RF Test Data for BT LE V5.0(DTS) (Conducted Measurement)


**Product Name: Bluetooth Headset**  
**Trade Mark: QM**  
**Test Model: X2**

#### Environmental Conditions

|                    |           |
|--------------------|-----------|
| Temperature:       | 22.7 ° C  |
| Relative Humidity: | 53.1%     |
| ATM Pressure:      | 100.0 kPa |
| Test Engineer:     | Jay Li    |
| Supervised by:     | Li Huan   |

#### B.1 Duty Cycle

| Test Mode | Test Channel | Ant  | Duty Cycle[%] | Verdict |
|-----------|--------------|------|---------------|---------|
| BT LE     | 2440         | Ant1 | 100           | PASS    |




### B.2 Maximum Conducted Peak Output Power


| Mode  | Channel | Conduct Peak Power[dBm] | Limit [dBm] | Verdict |
|-------|---------|-------------------------|-------------|---------|
| BT LE | LCH     | -4.384                  | 30          | PASS    |
| BT LE | MCH     | -3.822                  | 30          | PASS    |
| BT LE | HCH     | -4.121                  | 30          | PASS    |

#### Test Graphs

LCH



MCH






### B.3 Maximum Power Spectral Density

| Mode  | Channel | PSD [dBm/3KHz] | Limit [dBm/3KHz] | Verdict |
|-------|---------|----------------|------------------|---------|
| BT LE | LCH     | -19.767        | 8                | PASS    |
| BT LE | MCH     | -19.136        | 8                | PASS    |
| BT LE | HCH     | -19.632        | 8                | PASS    |



#### Test Graphs






**B.4 6dB Bandwidth**

| Mode  | Channel | 6dB Bandwidth [MHz] | Limit [MHz] | Verdict |
|-------|---------|---------------------|-------------|---------|
| BT LE | LCH     | 0.6846              | ≥0.5        | PASS    |
| BT LE | MCH     | 0.6878              | ≥0.5        | PASS    |
| BT LE | HCH     | 0.6870              | ≥0.5        | PASS    |

| Test Graphs         |   |                    |             |          |                   |  |  |                     |           |         |                |      |          |
|---------------------|---|--------------------|-------------|----------|-------------------|--|--|---------------------|-----------|---------|----------------|------|----------|
| LCH                 | <div style="border: 1px solid black; padding: 5px;"> <p style="font-size: small; margin: 0;">Agilent Spectrum Analyzer - Occupied BW</p> <p style="font-size: x-small; margin: 0;">RL RF 50 Ω AC SENSE:INT ALIGN:AUTO 05:26:56 PM Jul 24, 2020</p> <p style="font-size: small; margin: 0;">Center Freq 2.402000000 GHz Center Freq: 2.402000000 GHz Radio Std: None</p> <p style="font-size: x-small; margin: 0;">Trig: Free Run AvgHold: &gt;1/1</p> <p style="font-size: x-small; margin: 0;">#IFGain:Low #Atten: 30 dB Radio Device: BTS</p> <div style="border: 1px solid black; padding: 2px; margin: 5px 0;"> <p style="font-size: x-small; margin: 0;">10 dB/div Ref Offset 8.05 dB Mkr1 2.4017409 GHz</p> <p style="font-size: x-small; margin: 0;">Log Ref 20.00 dBm -4.8513 dBm</p>  </div> <p style="font-size: x-small; margin: 0;">Center 2.402 GHz Span 3 MHz</p> <p style="font-size: x-small; margin: 0;">#Res BW 100 kHz #VBW 300 kHz Sweep 1.067 ms</p> <table style="width: 100%; font-size: x-small; border-collapse: collapse;"> <tr> <td style="width: 33%;">Occupied Bandwidth</td> <td style="width: 33%;">Total Power</td> <td style="width: 33%;">1.56 dBm</td> </tr> <tr> <td style="text-align: center;"><b>1.0365 MHz</b></td> <td></td> <td></td> </tr> <tr> <td>Transmit Freq Error</td> <td>OBW Power</td> <td>99.00 %</td> </tr> <tr> <td>x dB Bandwidth</td> <td>x dB</td> <td>-6.00 dB</td> </tr> </table> <p style="font-size: x-small; margin: 0;">MSG STATUS</p> </div> | Occupied Bandwidth | Total Power | 1.56 dBm | <b>1.0365 MHz</b> |  |  | Transmit Freq Error | OBW Power | 99.00 % | x dB Bandwidth | x dB | -6.00 dB |
| Occupied Bandwidth  | Total Power   | 1.56 dBm           |             |          |                   |  |  |                     |           |         |                |      |          |
| <b>1.0365 MHz</b>   |   |                    |             |          |                   |  |  |                     |           |         |                |      |          |
| Transmit Freq Error | OBW Power   | 99.00 %            |             |          |                   |  |  |                     |           |         |                |      |          |
| x dB Bandwidth      | x dB  | -6.00 dB           |             |          |                   |  |  |                     |           |         |                |      |          |
| MCH                 | <div style="border: 1px solid black; padding: 5px;"> <p style="font-size: small; margin: 0;">Agilent Spectrum Analyzer - Occupied BW</p> <p style="font-size: x-small; margin: 0;">RL RF 50 Ω AC SENSE:INT ALIGN:AUTO 05:31:44 PM Jul 24, 2020</p> <p style="font-size: small; margin: 0;">Center Freq 2.440000000 GHz Center Freq: 2.440000000 GHz Radio Std: None</p> <p style="font-size: x-small; margin: 0;">Trig: Free Run AvgHold: 1/1</p> <p style="font-size: x-small; margin: 0;">#IFGain:Low #Atten: 30 dB Radio Device: BTS</p> <div style="border: 1px solid black; padding: 2px; margin: 5px 0;"> <p style="font-size: x-small; margin: 0;">10 dB/div Ref Offset 8.05 dB Mkr1 2.4397428 GHz</p> <p style="font-size: x-small; margin: 0;">Log Ref 20.00 dBm -4.3010 dBm</p>  </div> <p style="font-size: x-small; margin: 0;">Center 2.44 GHz Span 3 MHz</p> <p style="font-size: x-small; margin: 0;">#Res BW 100 kHz #VBW 300 kHz Sweep 1.067 ms</p> <table style="width: 100%; font-size: x-small; border-collapse: collapse;"> <tr> <td style="width: 33%;">Occupied Bandwidth</td> <td style="width: 33%;">Total Power</td> <td style="width: 33%;">2.18 dBm</td> </tr> <tr> <td style="text-align: center;"><b>1.0369 MHz</b></td> <td></td> <td></td> </tr> <tr> <td>Transmit Freq Error</td> <td>OBW Power</td> <td>99.00 %</td> </tr> <tr> <td>x dB Bandwidth</td> <td>x dB</td> <td>-6.00 dB</td> </tr> </table> <p style="font-size: x-small; margin: 0;">MSG STATUS</p> </div>    | Occupied Bandwidth | Total Power | 2.18 dBm | <b>1.0369 MHz</b> |  |  | Transmit Freq Error | OBW Power | 99.00 % | x dB Bandwidth | x dB | -6.00 dB |
| Occupied Bandwidth  | Total Power   | 2.18 dBm           |             |          |                   |  |  |                     |           |         |                |      |          |
| <b>1.0369 MHz</b>   |   |                    |             |          |                   |  |  |                     |           |         |                |      |          |
| Transmit Freq Error | OBW Power   | 99.00 %            |             |          |                   |  |  |                     |           |         |                |      |          |
| x dB Bandwidth      | x dB  | -6.00 dB           |             |          |                   |  |  |                     |           |         |                |      |          |


HCH



|             |                |
|-------------|----------------|
| Frequency   | 2.48000000 GHz |
| Center Freq | 2.48000000 GHz |
| CF Step     | 300.000 kHz    |
| Auto        | Man            |
| Freq Offset | 0 Hz           |

### B.5 RF Conducted Spurious Emissions


| Mode  | Channel | Pref [dBm] | Max. Level [dBm] | Limit [dBm] | Verdict |
|-------|---------|------------|------------------|-------------|---------|
| BT LE | LCH     | -4.802     | -37.668          | -24.802     | PASS    |
| BT LE | MCH     | -4.304     | -37.133          | -24.304     | PASS    |
| BT LE | HCH     | -4.558     | -36.705          | -24.558     | PASS    |






BT LE MCH Graphs

Pref/BT LE/MCH




Puw/BT LE/MCH




BT LE HCH Graphs

Pref/BT LE/HCH



Puw/BT LE/HCH



**B.6 Band-edge for RF Conducted Emissions**

| Mode  | Channel | Carrier Power[dBm] | Max.Spurious Level [dBm] | Limit [dBm] | Verdict |
|-------|---------|--------------------|--------------------------|-------------|---------|
| BT LE | LCH     | -4.857             | -49.403                  | -24.86      | PASS    |
| BT LE | HCH     | -4.545             | -49.186                  | -24.55      | PASS    |


Test Graphs

| LCH |     | <p>Agilent Spectrum Analyzer - Swept SA</p> <p>Center Freq 2.35700000 GHz</p> <p>Mkr4 2.333 101 GHz<br/>-49.403 dBm</p> <p>Start 2.31000 GHz Stop 2.40400 GHz</p> <p>#Res BW 100 kHz #VBW 300 kHz Sweep 9.067 ms (8001 pts)</p> <table border="1"> <thead> <tr> <th>MKR</th> <th>MODE</th> <th>TRC</th> <th>SCL</th> <th>X</th> <th>Y</th> <th>FUNCTION</th> <th>FUNCTION WIDTH</th> <th>FUNCTION VALUE</th> </tr> </thead> <tbody> <tr><td>1</td><td>N</td><td>f</td><td></td><td>2.401 744 GHz</td><td>-4.857 dBm</td><td></td><td></td><td></td></tr> <tr><td>2</td><td>N</td><td>f</td><td></td><td>2.400 000 GHz</td><td>-52.007 dBm</td><td></td><td></td><td></td></tr> <tr><td>3</td><td>N</td><td>f</td><td></td><td>2.390 000 GHz</td><td>-52.063 dBm</td><td></td><td></td><td></td></tr> <tr><td>4</td><td>N</td><td>f</td><td></td><td>2.333 101 GHz</td><td>-49.403 dBm</td><td></td><td></td><td></td></tr> </tbody> </table>                | MKR | MODE             | TRC         | SCL | X        | Y              | FUNCTION       | FUNCTION WIDTH | FUNCTION VALUE | 1 | N | f |  | 2.401 744 GHz    | -4.857 dBm |  |  |  | 2 | N | f |  | 2.400 000 GHz    | -52.007 dBm |  |  |  | 3 | N | f |  | 2.390 000 GHz    | -52.063 dBm |  |  |  | 4 | N | f |  | 2.333 101 GHz    | -49.403 dBm |  |  |  |
|-----|-----|---|-----|------------------|-------------|-----|----------|----------------|----------------|----------------|----------------|---|---|---|--|------------------|------------|--|--|--|---|---|---|--|------------------|-------------|--|--|--|---|---|---|--|------------------|-------------|--|--|--|---|---|---|--|------------------|-------------|--|--|--|
|     | MKR | MODE  | TRC | SCL              | X           | Y   | FUNCTION | FUNCTION WIDTH | FUNCTION VALUE |                |                |   |   |   |  |                  |            |  |  |  |   |   |   |  |                  |             |  |  |  |   |   |   |  |                  |             |  |  |  |   |   |   |  |                  |             |  |  |  |
| 1   | N   | f   |     | 2.401 744 GHz    | -4.857 dBm  |     |          |                |                |                |                |   |   |   |  |                  |            |  |  |  |   |   |   |  |                  |             |  |  |  |   |   |   |  |                  |             |  |  |  |   |   |   |  |                  |             |  |  |  |
| 2   | N   | f   |     | 2.400 000 GHz    | -52.007 dBm |     |          |                |                |                |                |   |   |   |  |                  |            |  |  |  |   |   |   |  |                  |             |  |  |  |   |   |   |  |                  |             |  |  |  |   |   |   |  |                  |             |  |  |  |
| 3   | N   | f   |     | 2.390 000 GHz    | -52.063 dBm |     |          |                |                |                |                |   |   |   |  |                  |            |  |  |  |   |   |   |  |                  |             |  |  |  |   |   |   |  |                  |             |  |  |  |   |   |   |  |                  |             |  |  |  |
| 4   | N   | f   |     | 2.333 101 GHz    | -49.403 dBm |     |          |                |                |                |                |   |   |   |  |                  |            |  |  |  |   |   |   |  |                  |             |  |  |  |   |   |   |  |                  |             |  |  |  |   |   |   |  |                  |             |  |  |  |
| HCH |     | <p>Agilent Spectrum Analyzer - Swept SA</p> <p>Center Freq 2.48900000 GHz</p> <p>Mkr4 2.492 478 75 GHz<br/>-49.186 dBm</p> <p>Start 2.47800 GHz Stop 2.50000 GHz</p> <p>#Res BW 100 kHz #VBW 300 kHz Sweep 2.133 ms (8001 pts)</p> <table border="1"> <thead> <tr> <th>MKR</th> <th>MODE</th> <th>TRC</th> <th>SCL</th> <th>X</th> <th>Y</th> <th>FUNCTION</th> <th>FUNCTION WIDTH</th> <th>FUNCTION VALUE</th> </tr> </thead> <tbody> <tr><td>1</td><td>N</td><td>f</td><td></td><td>2.479 746 25 GHz</td><td>-4.545 dBm</td><td></td><td></td><td></td></tr> <tr><td>2</td><td>N</td><td>f</td><td></td><td>2.483 500 00 GHz</td><td>-50.923 dBm</td><td></td><td></td><td></td></tr> <tr><td>3</td><td>N</td><td>f</td><td></td><td>2.500 000 00 GHz</td><td>-51.899 dBm</td><td></td><td></td><td></td></tr> <tr><td>4</td><td>N</td><td>f</td><td></td><td>2.492 478 75 GHz</td><td>-49.186 dBm</td><td></td><td></td><td></td></tr> </tbody> </table> | MKR | MODE             | TRC         | SCL | X        | Y              | FUNCTION       | FUNCTION WIDTH | FUNCTION VALUE | 1 | N | f |  | 2.479 746 25 GHz | -4.545 dBm |  |  |  | 2 | N | f |  | 2.483 500 00 GHz | -50.923 dBm |  |  |  | 3 | N | f |  | 2.500 000 00 GHz | -51.899 dBm |  |  |  | 4 | N | f |  | 2.492 478 75 GHz | -49.186 dBm |  |  |  |
|     | MKR | MODE  | TRC | SCL              | X           | Y   | FUNCTION | FUNCTION WIDTH | FUNCTION VALUE |                |                |   |   |   |  |                  |            |  |  |  |   |   |   |  |                  |             |  |  |  |   |   |   |  |                  |             |  |  |  |   |   |   |  |                  |             |  |  |  |
| 1   | N   | f   |     | 2.479 746 25 GHz | -4.545 dBm  |     |          |                |                |                |                |   |   |   |  |                  |            |  |  |  |   |   |   |  |                  |             |  |  |  |   |   |   |  |                  |             |  |  |  |   |   |   |  |                  |             |  |  |  |
| 2   | N   | f   |     | 2.483 500 00 GHz | -50.923 dBm |     |          |                |                |                |                |   |   |   |  |                  |            |  |  |  |   |   |   |  |                  |             |  |  |  |   |   |   |  |                  |             |  |  |  |   |   |   |  |                  |             |  |  |  |
| 3   | N   | f   |     | 2.500 000 00 GHz | -51.899 dBm |     |          |                |                |                |                |   |   |   |  |                  |            |  |  |  |   |   |   |  |                  |             |  |  |  |   |   |   |  |                  |             |  |  |  |   |   |   |  |                  |             |  |  |  |
| 4   | N   | f   |     | 2.492 478 75 GHz | -49.186 dBm |     |          |                |                |                |                |   |   |   |  |                  |            |  |  |  |   |   |   |  |                  |             |  |  |  |   |   |   |  |                  |             |  |  |  |   |   |   |  |                  |             |  |  |  |


**B.7 Restrict-band band-edge measurements**

| Test Mode | Test Channel | Ant  | Freq.  | Power [dBm] | Gain | Ground Factor | E [dBuV/m] | Detector | Limit [dBuV/m] | Verdi |
|-----------|--------------|------|--------|-------------|------|---------------|------------|----------|----------------|-------|
| BT LE     | 2402         | Ant1 | 2310.0 | -41.88      | 2.5  | 0             | 55.85      | PEAK     | 74             | PASS  |
|           |              | Ant1 | 2310.0 | -53.15      | 2.5  | 0             | 44.58      | AV       | 54             | PASS  |
|           |              | Ant1 | 2390.0 | -43.06      | 2.5  | 0             | 54.67      | PEAK     | 74             | PASS  |
|           |              | Ant1 | 2390.0 | -52.87      | 2.5  | 0             | 44.86      | AV       | 54             | PASS  |
|           | 2480         | Ant1 | 2483.5 | -42.91      | 2.5  | 0             | 54.82      | PEAK     | 74             | PASS  |
|           |              | Ant1 | 2483.5 | -52.35      | 2.5  | 0             | 45.38      | AV       | 54             | PASS  |
|           |              | Ant1 | 2500.0 | -42.38      | 2.5  | 0             | 55.35      | PEAK     | 74             | PASS  |
|           |              | Ant1 | 2500.0 | -52.13      | 2.5  | 0             | 45.60      | AV       | 54             | PASS  |


Restrict-band band-edge measurements\_BT LE\_2402\_Ant1\_PEAK



Restrict-band band-edge measurements\_BT LE\_2402\_Ant1\_AV



Restrict-band band-edge measurements\_BT LE\_2480\_Ant1\_PEAK



Restrict-band band-edge measurements\_BT LE\_2480\_Ant1\_AV

