

UNII Declaration Letter

We have declared below featured for FCC equipment authorization, device FCC ID: 2AWS6-5646

(1) DFS Device -- Master, Client with Radar detection capability ,
 Client without radar detection capability, N/A

(2) Active / Passive Scanning , adhoc mode access point capability

Frequency Band (MHz)	Active Scanning (the device can transmit a probe (beacon))	passive scanning (where the device is can listen only with no probes)	Ad Hoc Mode capability	Access point capability
2412 – 2462 MHz	<input checked="" type="checkbox"/> Yes, <input type="checkbox"/> No	<input checked="" type="checkbox"/> Yes, <input type="checkbox"/> No	<input type="checkbox"/> Yes, <input checked="" type="checkbox"/> No	<input type="checkbox"/> Yes, <input checked="" type="checkbox"/> No
5150 – 5250 MHz	<input checked="" type="checkbox"/> Yes, <input type="checkbox"/> No	<input checked="" type="checkbox"/> Yes, <input type="checkbox"/> No	<input type="checkbox"/> Yes, <input checked="" type="checkbox"/> No	<input type="checkbox"/> Yes, <input checked="" type="checkbox"/> No
5250 – 5350 MHz	<input type="checkbox"/> Yes, <input checked="" type="checkbox"/> No	<input checked="" type="checkbox"/> Yes, <input type="checkbox"/> No	<input type="checkbox"/> Yes, <input checked="" type="checkbox"/> No	<input type="checkbox"/> Yes, <input checked="" type="checkbox"/> No
5470 – 5725 MHz	<input type="checkbox"/> Yes, <input checked="" type="checkbox"/> No	<input checked="" type="checkbox"/> Yes, <input type="checkbox"/> No	<input type="checkbox"/> Yes, <input checked="" type="checkbox"/> No	<input type="checkbox"/> Yes, <input checked="" type="checkbox"/> No
5725 – 5850 MHz	<input checked="" type="checkbox"/> Yes, <input type="checkbox"/> No	<input checked="" type="checkbox"/> Yes, <input type="checkbox"/> No	<input type="checkbox"/> Yes, <input checked="" type="checkbox"/> No	<input type="checkbox"/> Yes, <input checked="" type="checkbox"/> No

(3) Country code selection ability - Yes , No

If no, pls explain how was implemented : use Microsoft network utility

(4) Meet 15.202 requirement - Yes , No ,
pls check below :

A master device is defined as a device operating in a mode in which it has the capability to transmit without receiving an enabling signal. In this mode it is able to select a channel and initiate a network by sending enabling signals to other devices

A client device is defined as a device operating in a mode in which the transmissions of the device are under control of the master. A device in client mode is not able to initiate a network.

(5) For client devices that have software configuration control to operate in different modes (active scanning in some and passive scanning in others) in different bands (devices with multiple equipment classes or those that operate on non-DFS frequencies) or modular devices which configure the modes of operations through software, the application must provide software and operations description on how the software and / or hardware is implemented to ensure that proper operations modes can not be modified by end user or an installer.

Apply , No Apply ,

(If apply , pls help to provide explanation on how it was implement (By hardware or software , and how software was controlled) The RF operation is specified by the manufacturer in software. The software security is validated by a secure boot ROM to ensure the integrity of the system software, including all RF parameters. No RF parameters which affect regulatory operations can be modified by the user. Upon start, the device passively determines the regulatory domain in which it is operating, and will not proceed with any RF functionality until the domain can be ascertained

If you have any questions, please feel free to contact me at the address shown below.

Yours sincerely,

Signatory



Contact Person: Carrie Tillman
E-mail: carrie.tillman@cscglobal.com