

Appendix A: Effective (Isotropic) Radiated Power Output Data

Test Result(WCDMA)

Band	Type	Channel	Conducted Power (dBm)	ERP/EIRP (dBm)	ERP/EIRP Limit (dBm)	Verdict
Band2	Voice	9262	24.10	24.87	33.01	PASS
Band2	TestMode	9262	24.13	24.90	33.01	PASS
Band2	TestMode	9400	24.04	24.81	33.01	PASS
Band2	Voice	9400	24.00	24.77	33.01	PASS
Band2	TestMode	9538	23.90	24.67	33.01	PASS
Band2	Voice	9538	23.86	24.63	33.01	PASS
Band4	Voice	1312	23.46	23.84	30.00	PASS
Band4	TestMode	1312	23.15	23.53	30.00	PASS
Band4	Voice	1413	23.72	24.10	30.00	PASS
Band4	TestMode	1413	23.90	24.28	30.00	PASS
Band4	TestMode	1513	23.79	24.17	30.00	PASS
Band4	Voice	1513	23.67	24.05	30.00	PASS
Band5	Voice	4132	24.01	20.50	38.45	PASS
Band5	TestMode	4132	23.99	20.48	38.45	PASS
Band5	TestMode	4183	23.94	20.43	38.45	PASS
Band5	Voice	4183	23.94	20.43	38.45	PASS
Band5	Voice	4233	23.80	20.29	38.45	PASS
Band5	TestMode	4233	23.91	20.40	38.45	PASS

Test Result(HSDPA)

Band	Channel	SubTest	Conducted Power (dBm)	ERP/EIRP (dBm)	ERP/EIRP Limit (dBm)	Verdict
Band2	9262	1	23.18	23.95	33.01	PASS
Band2	9262	2	22.61	23.38	33.01	PASS
Band2	9262	3	22.53	23.30	33.01	PASS
Band2	9262	4	22.45	23.22	33.01	PASS
Band2	9400	1	23.07	23.84	33.01	PASS
Band2	9400	2	22.51	23.28	33.01	PASS
Band2	9400	3	22.53	23.30	33.01	PASS
Band2	9400	4	22.51	23.28	33.01	PASS
Band2	9538	1	22.89	23.66	33.01	PASS
Band2	9538	2	22.35	23.12	33.01	PASS
Band2	9538	3	22.36	23.13	33.01	PASS
Band2	9538	4	22.34	23.11	33.01	PASS

Band4	1312	1	22.36	22.74	30.00	PASS
Band4	1312	2	21.90	22.28	30.00	PASS
Band4	1312	3	21.96	22.34	30.00	PASS
Band4	1312	4	21.90	22.28	30.00	PASS
Band4	1413	1	22.43	22.81	30.00	PASS
Band4	1413	2	21.94	22.32	30.00	PASS
Band4	1413	3	22.08	22.46	30.00	PASS
Band4	1413	4	21.98	22.36	30.00	PASS
Band4	1513	1	22.48	22.86	30.00	PASS
Band4	1513	2	22.02	22.40	30.00	PASS
Band4	1513	3	22.01	22.39	30.00	PASS
Band4	1513	4	21.99	22.37	30.00	PASS
Band5	4132	1	23.07	19.56	38.5	PASS
Band5	4132	2	22.50	18.99	38.5	PASS
Band5	4132	3	22.50	18.99	38.5	PASS
Band5	4132	4	22.51	19.00	38.5	PASS
Band5	4183	1	22.81	19.30	38.5	PASS
Band5	4183	2	22.41	18.90	38.5	PASS
Band5	4183	3	22.35	18.84	38.5	PASS
Band5	4183	4	22.39	18.88	38.5	PASS
Band5	4233	1	22.75	19.24	38.5	PASS
Band5	4233	2	22.25	18.74	38.5	PASS
Band5	4233	3	22.25	18.74	38.5	PASS
Band5	4233	4	22.36	18.85	38.5	PASS

Test Result(HSUPA)

Band	Channel	SubTest	Conducted Power (dBm)	ERP/EIRP (dBm)	ERP/EIRP Limit (dBm)	Verdict
Band2	9262	1	21.11	21.88	33.01	PASS
Band2	9262	2	21.58	22.35	33.01	PASS
Band2	9262	3	22.12	22.89	33.01	PASS
Band2	9262	4	21.11	21.88	33.01	PASS
Band2	9262	5	23.14	23.91	33.01	PASS
Band2	9400	1	21.04	21.81	33.01	PASS
Band2	9400	2	21.54	22.31	33.01	PASS
Band2	9400	3	22.04	22.81	33.01	PASS
Band2	9400	4	21.05	21.82	33.01	PASS
Band2	9400	5	23.05	23.82	33.01	PASS
Band2	9538	1	20.90	21.67	33.01	PASS
Band2	9538	2	21.36	22.13	33.01	PASS
Band2	9538	3	21.86	22.63	33.01	PASS

Band2	9538	4	20.90	21.67	33.01	PASS
Band2	9538	5	22.87	23.64	33.01	PASS
Band4	1312	1	20.61	20.99	30.00	PASS
Band4	1312	2	21.07	21.45	30.00	PASS
Band4	1312	3	21.56	21.94	30.00	PASS
Band4	1312	4	20.62	21.00	30.00	PASS
Band4	1312	5	22.69	23.07	30.00	PASS
Band4	1413	1	20.71	21.09	30.00	PASS
Band4	1413	2	21.20	21.58	30.00	PASS
Band4	1413	3	21.72	22.10	30.00	PASS
Band4	1413	4	20.74	21.12	30.00	PASS
Band4	1413	5	22.74	23.12	30.00	PASS
Band4	1513	1	20.76	21.14	30.00	PASS
Band4	1513	2	21.21	21.59	30.00	PASS
Band4	1513	3	21.71	22.09	30.00	PASS
Band4	1513	4	20.73	21.11	30.00	PASS
Band4	1513	5	22.68	23.06	30.00	PASS
Band5	4132	1	21.10	17.59	38.5	PASS
Band5	4132	2	21.51	18.00	38.5	PASS
Band5	4132	3	22.01	18.50	38.5	PASS
Band5	4132	4	21.09	17.58	38.5	PASS
Band5	4132	5	23.10	19.59	38.5	PASS
Band5	4183	1	20.99	17.48	38.5	PASS
Band5	4183	2	21.42	17.91	38.5	PASS
Band5	4183	3	21.91	18.40	38.5	PASS
Band5	4183	4	21.02	17.51	38.5	PASS
Band5	4183	5	23.00	19.49	38.5	PASS
Band5	4233	1	20.96	17.45	38.5	PASS
Band5	4233	2	21.34	17.83	38.5	PASS
Band5	4233	3	21.87	18.36	38.5	PASS
Band5	4233	4	20.95	17.44	38.5	PASS
Band5	4233	5	22.95	19.44	38.5	PASS

Remark: $EIRP (dBm) = \text{Conducted power (dBm)} + \text{Antenna Gain (dBi)}$. (For Band2)
 $ERP (dBm) = EIRP (dBm) - 2.15 (dB)$. (For Band5)


Appendix B: Peak-to-Average Ratio

Test Result(WCDMA)

Band	Channel	Peak-to-Average Ratio(dB)	Limit(dB)	Verdict
Band2	9400	2.79	13	PASS
Band4	1413	2.88	13	PASS
Band5	4183	3.13	13	PASS

Remark: All channel had been tested, but only the worst case data displayed in this report.

Test Graphs(WCDMA)




AppendixC:26dB Bandwidth andOccupied Bandwidth

Test Result(WCDMA)

Band	Channel	Occupied Bandwidth (MHz)	26dB Bandwidth (MHz)	Limit(kHz)	Verdict
Band2	9262	4.1715	4.715	---	PASS
Band2	9400	4.1650	4.715	---	PASS
Band2	9538	4.1571	4.710	---	PASS
Band4	1312	4.1632	4.710	---	PASS
Band4	1413	4.1631	4.708	---	PASS
Band4	1513	4.1640	4.704	---	PASS
Band5	4132	4.1649	4.695	---	PASS
Band5	4183	4.1657	4.705	---	PASS
Band5	4233	4.1774	4.708	---	PASS

Test Graphs(WCDMA)






AppendixD:Band Edge

Test Result(WCDMA)

Band	Channel	Frequency (MHz)	Result (dBm)	Limit(dBm)	Verdict
Band2	9262	1850.00	-17.35	-13	PASS
Band2	9538	1910.00	-18.07	-13	PASS
Band4	1312	1710.00	-20.74	-13	PASS
Band4	1513	1755.00	-20.96	-13	PASS
Band5	4132	824.00	-18.81	-13	PASS
Band5	4233	849.00	-19.47	-13	PASS

Test Graphs(WCDMA)





Appendix E: Conducted Spurious Emission

Test Result (WCDMA)

Band	Channel	Frequency Range (Mhz)	Frequency (dBm)	Result (dBm)	Limit (dBm)	Verdict
Band2	9262	0.009~0.15MHz	0.01	-51.45	-43	PASS
Band2	9262	0.15~30MHz	0.16	-45.68	-23	PASS
Band2	9262	30~1000MHz	910.24	-38.9	-13	PASS
Band2	9262	1000~20000MHz	19042.4	-25.24	-13	PASS
Band2	9400	0.009~0.15MHz	0.01	-50.4	-43	PASS
Band2	9400	0.15~30MHz	0.15	-46.62	-23	PASS
Band2	9400	30~1000MHz	784.56	-40.7	-13	PASS
Band2	9400	1000~20000MHz	19926.53	-24.57	-13	PASS
Band2	9538	0.009~0.15MHz	0.01	-54.3	-43	PASS
Band2	9538	0.15~30MHz	0.15	-45.51	-23	PASS
Band2	9538	30~1000MHz	938.89	-39.93	-13	PASS
Band2	9538	1000~20000MHz	19835.97	-25.25	-13	PASS
Band4	1312	0.009~0.15MHz	0.02	-54.99	-43	PASS
Band4	1312	0.15~30MHz	0.16	-43.5	-23	PASS
Band4	1312	30~1000MHz	752.1	-40.28	-13	PASS
Band4	1312	1000~20000MHz	19967.7	-24.94	-13	PASS
Band4	1413	0.009~0.15MHz	0.01	-52.92	-43	PASS
Band4	1413	0.15~30MHz	0.15	-44.47	-23	PASS
Band4	1413	30~1000MHz	760.41	-40.62	-13	PASS
Band4	1413	1000~20000MHz	19475.6	-24.79	-13	PASS
Band4	1513	0.009~0.15MHz	0.01	-53.46	-43	PASS
Band4	1513	0.15~30MHz	0.15	-45.42	-23	PASS
Band4	1513	30~1000MHz	901.55	-40.66	-13	PASS
Band4	1513	1000~20000MHz	19870.8	-25.08	-13	PASS
Band5	4132	0.009~0.15MHz	0.01	-52.63	-33	PASS
Band5	4132	0.15~30MHz	0.16	-45.2	-13	PASS
Band5	4132	30~1000MHz	510.7	-50.04	-13	PASS
Band5	4132	1000~10000MHz	7303.6	-31.11	-13	PASS
Band5	4183	0.009~0.15MHz	0.01	-52.94	-33	PASS
Band5	4183	0.15~30MHz	0.17	-45.72	-13	PASS
Band5	4183	30~1000MHz	954.47	-49.86	-13	PASS
Band5	4183	1000~10000MHz	7599.4	-31.31	-13	PASS
Band5	4233	0.009~0.15MHz	0.01	-52.59	-33	PASS
Band5	4233	0.15~30MHz	0.15	-45.32	-13	PASS
Band5	4233	30~1000MHz	412.31	-49.93	-13	PASS
Band5	4233	1000~10000MHz	5982.7	-31.12	-13	PASS



Test Graphs(WCDMA)







Band2-9400-30~1000MHz

Band2-9400-1000~20000MHz




Band2-9538-0.009~0.15MHz

Band2-9538-0.15~30MHz




Band2-9538-30~1000MHz

Band2-9538-1000~20000MHz




Band4-1312-0.009~0.15MHz


Band4-1312-0.15~30MHz




Band4-1312-30~1000MHz




Band4-1312-1000~20000MHz




Band4-1413-0.009~0.15MHz




Band4-1413-0.15~30MHz






Band5-4132-0.009~0.15MHz


Band5-4132-0.15~30MHz




Band5-4132-30~1000MHz




Band5-4132-1000~10000MHz



Band5-4183-0.009~0.15MHz




Band5-4183-0.15~30MHz




Band5-4183-30~1000MHz

Band5-4183-1000~10000MHz




Band5-4233-0.009~0.15MHz

Band5-4233-0.15~30MHz



Band5-4233-30~1000MHz

Band5-4233-1000~10000MHz



AppendixF:Frequency Stability

Test Result

Reference Frequency: WCDMA BAND V 12.2k RMC Middle channel=4183 Frequency=836.6MHz					
Temperature					
Power supplied (Vdc)	Temperature (°C)	Frequency error		Limit (ppm)	Result
		Hz	ppm		
3.85	-30	-8.91	-0.010650	±2.5	Pass
	-20	-9.78	-0.011690		
	-10	-12.70	-0.015180		
	0	-12.02	-0.014368		
	10	-9.57	-0.011439		
	20	-14.80	-0.017691		
	30	-13.33	-0.015934		
	40	-11.42	-0.013650		
	50	-10.64	-0.012718		
Voltage					
Temperature (°C)	Power supplied (Vdc)	Frequency error		Limit (ppm)	Result
		Hz	ppm		
25	3.50	-6.12	-0.007315	±2.5	Pass
	3.85	-9.06	-0.010830		
	4.40	-8.47	-0.010124		
Remark: All channel had been tested, but only the worst case data displayed in this report.					

Reference Frequency: WCDMA BAND IV 12.2k RMC Middle Frequency=1413 channel=1732.6MHz					
Temperature					
Power supplied (Vdc)	Temperature (°C)	Frequency error		Limit (ppm)	Result
		Hz	ppm		
3.85	-30	-14.51	-0.008375	±2.5	Pass
	-20	-12.18	-0.007030		
	-10	-11.67	-0.006736		
	0	-11.99	-0.006920		
	10	-13.93	-0.008040		
	20	-13.33	-0.007694		
	30	-11.97	-0.006909		
	40	-15.82	-0.009131		
	50	-14.04	-0.008103		
Voltage					
Temperature (°C)	Power supplied (Vdc)	Frequency error		Limit (ppm)	Result
		Hz	ppm		
25	3.50	-12.55	-0.007243	±2.5	Pass
	3.85	-15.63	-0.009021		
	4.40	-14.73	-0.008502		
Remark: All channel had been tested, but only the worst case data displayed in this report.					

Reference Frequency: WCDMA BAND II 12.2k RMC Middle Frequency=9400 channel=1880MHz					
Temperature					
Power supplied (Vdc)	Temperature (°C)	Frequency error		Limit (ppm)	Result
		Hz	ppm		
3.85	-30	-11.41	-0.006069	±2.5	Pass
	-20	-8.38	-0.004457		
	-10	-11.61	-0.006176		
	0	-9.19	-0.004888		
	10	-10.44	-0.005553		
	20	-12.45	-0.006622		
	30	-12.48	-0.006638		
	40	-12.62	-0.006713		
	50	-15.89	-0.008452		
Voltage					
Temperature (°C)	Power supplied (Vdc)	Frequency error		Limit (ppm)	Result
		Hz	ppm		
25	3.50	-9.79	-0.005207	±2.5	Pass
	3.85	-11.01	-0.005856		
	4.40	-9.41	-0.005005		
<i>Remark: All channel had been tested, but only the worst case data displayed in this report.</i>					

Appendix G: Modulation Characteristics

Test Result

Band	Channel	Result	Verdict
Band2	9400	PASS	PASS
Band4	1413	PASS	PASS
Band5	4183	PASS	PASS

Remark: All channel had been tested, but only the worst case data displayed in this report.

Test Graphs

