




#### **Test Data**


# **Maximum Conducted Output Power**

Condition	Mode	Frequency (MHz)	Antenna	Conducted Power (dBm)	Limit (dBm)	Verdict
NVNT	BLE	2402	Ant1	-1.457	30	Pass
NVNT	BLE	2442	Ant1	-1.028	30	Pass
NVNT	BLE	2480	Ant1	-1.169	30	Pass














#### -6dB Bandwidth

Condition	Mode	Frequency (MHz)	Antenna	-6 dB Bandwidth (MHz)	limit	Verdic
NVNT	BLE	2402	Ant1	1.134	0.5	Pass
NVNT	BLE	2442	Ant1	1.168	0.5	Pass
NVNT	BLE	2480	Ant1	1.14	0.5	Pass













## **Occupied Channel Bandwidth**

Condition	Mode	Frequency (MHz)	Antenna	99% OBW (MHz)	
NVNT	BLE	2402	Ant1	2.075	
NVNT	BLE	2442	Ant1	2.073	
NVNT	BLE	2480	Ant1	2.075	

Project No.: JYTSZR2303014















# **Maximum Power Spectral Density Level**

Condition	Mode	Frequency (MHz)	Antenna	Max PSD (dBm)	Limit (dBm)	Verdict
NVNT	BLE	2402	Ant1	-18.853	8	Pass
NVNT	BLE	2442	Ant1	-18.485	8	Pass
NVNT	BLE	2480	Ant1	-18.58	8	Pass













## **Band Edge**

Condition	Mode	Frequency (MHz)	Antenna	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	BLE	2402	Ant1	-52.86	-20	Pass
NVNT	BLE	2480	Ant1	-54.17	-20	Pass













# **Conducted RF Spurious Emission**

Condition	Mode	Frequency (MHz)	Antenna	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	BLE	2402	Ant1	-46.47	-20	Pass
NVNT	BLE	2442	Ant1	-46.65	-20	Pass
NVNT	BLE	2480	Ant1	-47.13	-20	Pass







