




#### **Test Data**


## **Maximum Conducted Output Power**

Condition	Mode	Frequency	Antenna	Conducted Power	Duty Factor	Total Power	Limit	Verdict
		(MHz)		(dBm)	(dB)	(dBm)	(dBm)	
NVNT	BLE	2402	Ant1	1.24	0	1.24	30	Pass
NVNT	BLE	2442	Ant1	1.629	0	1.629	30	Pass
NVNT	BLE	2480	Ant1	0.864	0	0.864	30	Pass









Tel: +86-755-23118282, Fax: +86-755-23116366





#### -6dB Bandwidth

Condition	Mode	Frequency (MHz)	Antenna	-6 dB Bandwidth (MHz)	Limit -6 dB Bandwidth (MHz)	Verdict
NVNT	BLE	2402	Ant1	0.682	0.5	Pass
NVNT	BLE	2442	Ant1	0.683	0.5	Pass
NVNT	BLE	2480	Ant1	0.683	0.5	Pass









Tel: +86-755-23118282, Fax: +86-755-23116366





## **Occupied Channel Bandwidth**

Condition	Mode	Frequency (MHz)	Antenna	99% OBW (MHz)	
NVNT	BLE	2402	Ant1	1.050230483	
NVNT	BLE	2442	Ant1	1.040050317	
NVNT	BLE	2480	Ant1	1.045893119	









Tel: +86-755-23118282, Fax: +86-755-23116366





# **Maximum Power Spectral Density Level**

Condition	Mode	Frequency (MHz)	Antenna	Max PSD (dBm)	Limit (dBm)	Verdict
NVNT	BLE	2402	Ant1	-5.045	8	Pass
NVNT	BLE	2442	Ant1	-4.612	8	Pass
NVNT	BLE	2480	Ant1	-5.275	8	Pass















## **Band Edge**

Condition	Mode	Frequency (MHz)	Antenna	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	BLE	2402	Ant1	-53.86	-20	Pass
NVNT	BLE	2480	Ant1	-54.14	-20	Pass













# **Conducted RF Spurious Emission**

Condition	Mode	Frequency (MHz)	Antenna	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	BLE	2402	Ant1	-48.03	-20	Pass
NVNT	BLE	2442	Ant1	-48.62	-20	Pass
NVNT	BLE	2480	Ant1	-41.11	-20	Pass











