



(802.11ac20\_5220MHz, Antenna Vertical, 30MHz to 1GHz)

Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Det.	Verdict
43.8580	16.76	15.27	32.03	40.00	-7.97	peak	PASS
74.1871	11.85	9.98	21.83	40.00	-18.17	peak	PASS
108.4567	0.36	14.66	15.02	43.50	-28.48	peak	PASS
178.7584	3.41	12.45	15.86	43.50	-27.64	peak	PASS
332.3438	5.78	17.15	22.93	46.00	-23.07	peak	PASS
729.9979	1.78	25.40	27.18	46.00	-18.82	peak	PASS



(802.11ac20\_5220MHz, Antenna Vertical , 1GHz to 8GHz)

Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Det.	Verdict
1824.600	47.86	-14.37	33.49	68.20	-34.71	peak	PASS
1859.600	39.36	-14.19	25.17	54.00	-28.83	AVG	PASS
2436.050	43.49	-11.90	31.59	54.00	-22.41	AVG	PASS
2440.250	52.38	-11.82	40.56	68.20	-27.64	peak	PASS
3475.900	37.60	-6.17	31.43	54.00	-22.57	AVG	PASS
3491.650	45.83	-5.83	40.00	68.20	-28.20	peak	PASS
4749.200	45.80	-4.52	41.28	74.00	-32.72	peak	PASS
4832.850	37.04	-3.94	33.10	54.00	-20.90	AVG	PASS
6029.850	36.05	-2.32	33.73	54.00	-20.27	AVG	PASS
6090.750	44.88	-2.59	42.29	68.20	-25.91	peak	PASS
7034.700	43.88	-1.83	42.05	68.20	-26.15	peak	PASS
7064.800	35.85	-1.88	33.97	54.00	-20.03	AVG	PASS




(802.11ac20\_5220MHz, Antenna Vertical, 8GHz to 18GHz)

Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Det.	Verdict
9292.500	35.18	2.13	37.31	54.00	-16.69	AVG	PASS
9407.500	43.75	2.10	45.85	74.00	-28.15	peak	PASS
11081.000	42.22	3.62	45.84	74.00	-28.16	peak	PASS
11081.000	34.10	3.62	37.72	54.00	-16.28	AVG	PASS
12462.000	41.14	4.65	45.79	74.00	-28.21	peak	PASS
12627.500	32.21	4.92	37.13	54.00	-16.87	AVG	PASS
13390.500	31.55	6.62	38.17	54.00	-15.83	AVG	PASS
13608.500	40.15	6.78	46.93	68.20	-21.27	peak	PASS
15034.500	38.84	10.24	49.08	68.20	-19.12	peak	PASS
15087.000	29.85	10.33	40.18	54.00	-13.82	AVG	PASS
16735.000	37.38	11.69	49.07	68.20	-19.13	peak	PASS
16807.500	28.91	11.50	40.41	54.00	-13.59	AVG	PASS




Plot for Channel = 48




(802.11ac20\_5240MHz, Antenna Horizontal, 30MHz to 1GHz)

Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Det.	Verdict
43.5057	3.03	15.26	18.29	40.00	-21.71	peak	PASS
74.1351	9.43	9.99	19.42	40.00	-20.58	peak	PASS
112.6625	3.47	13.93	17.40	43.50	-26.10	peak	PASS
191.0738	3.68	13.45	17.13	43.50	-26.37	peak	PASS
320.4984	7.90	17.94	25.84	46.00	-20.16	peak	PASS
654.1171	1.42	24.24	25.66	46.00	-20.34	peak	PASS




(802.11ac20\_5240MHz, Antenna Horizontal, 1GHz to 8GHz)

Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Det.	Verdict
2003.450	40.86	-13.53	27.33	54.00	-26.67	AVG	PASS
2025.150	48.07	-12.65	35.42	68.20	-32.78	peak	PASS
3002.700	39.77	-9.26	30.51	54.00	-23.49	AVG	PASS
3017.750	47.74	-9.01	38.73	68.20	-29.47	peak	PASS
3506.000	40.24	-8.49	31.75	54.00	-22.25	AVG	PASS
3512.650	49.01	-8.38	40.63	68.20	-27.57	peak	PASS
4804.500	45.82	-3.99	41.83	74.00	-32.17	peak	PASS
4888.850	37.39	-3.91	33.48	54.00	-20.52	AVG	PASS
6051.900	46.92	-3.42	43.50	68.20	-24.70	peak	PASS
6066.950	37.03	-3.37	33.66	54.00	-20.34	AVG	PASS
7320.650	44.54	-1.33	43.21	74.00	-30.79	peak	PASS
7320.650	36.14	-1.33	34.81	54.00	-19.19	AVG	PASS



(802.11ac20\_5240MHz, Antenna Horizontal, 8GHz to 18GHz)


Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Det.	Verdict
9526.000	44.36	2.07	46.43	68.20	-21.77	peak	PASS
9571.000	35.33	2.20	37.53	54.00	-16.47	AVG	PASS
10469.000	35.17	3.02	38.19	54.00	-15.81	AVG	PASS
10511.000	43.62	3.14	46.76	68.20	-21.44	peak	PASS
12047.500	41.87	4.55	46.42	74.00	-27.58	peak	PASS
12047.500	33.23	4.55	37.78	54.00	-16.22	AVG	PASS
14014.500	39.68	8.48	48.16	68.20	-20.04	peak	PASS
14014.500	31.13	8.48	39.61	54.00	-14.39	AVG	PASS
15680.500	29.88	11.24	41.12	54.00	-12.88	AVG	PASS
15708.000	39.40	10.86	50.26	74.00	-23.74	peak	PASS
17312.000	37.86	12.98	50.84	68.20	-17.36	peak	PASS
17400.000	29.37	13.16	42.53	54.00	-11.47	AVG	PASS



(802.11ac20 \_5240MHz, Antenna Vertical, 30MHz to 1GHz)

Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Det.	Verdict
44.4074	17.24	15.31	32.55	40.00	-7.45	peak	PASS
74.1871	11.85	9.98	21.83	40.00	-18.17	peak	PASS
161.0501	3.42	12.01	15.43	43.50	-28.07	peak	PASS
325.9957	4.34	17.45	21.79	46.00	-24.21	peak	PASS
415.5958	5.82	19.60	25.42	46.00	-20.58	peak	PASS
751.9517	1.68	26.06	27.74	46.00	-18.26	peak	PASS






(802.11ac20\_5240MHz, Antenna Vertical, 1GHz to 8GHz)

Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Det.	Verdict
1994.000	47.24	-12.12	35.12	68.20	-33.08	peak	PASS
2017.800	39.52	-12.72	26.80	54.00	-27.20	AVG	PASS
3004.450	38.15	-7.14	31.01	54.00	-22.99	AVG	PASS
3009.700	46.65	-7.28	39.37	68.20	-28.83	peak	PASS
4352.650	45.49	-4.19	41.30	74.00	-32.70	peak	PASS
4365.600	36.69	-4.29	32.40	54.00	-21.60	AVG	PASS
5793.250	45.36	-3.91	41.45	68.20	-26.75	peak	PASS
5892.650	36.10	-3.29	32.81	54.00	-21.19	AVG	PASS
6641.650	44.44	-1.93	42.51	68.20	-25.69	peak	PASS
6645.150	35.65	-1.93	33.72	54.00	-20.28	AVG	PASS
7770.750	35.90	-0.89	35.01	54.00	-18.99	AVG	PASS
7799.450	44.34	-0.84	43.50	68.20	-24.70	peak	PASS






(802.11ac20\_5240MHz, Antenna Vertical, 8GHz to 18GHz)

Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Det.	Verdict
9480.500	43.80	2.25	46.05	74.00	-27.95	peak	PASS
9559.500	34.92	2.42	37.34	54.00	-16.66	AVG	PASS
11081.000	34.10	3.62	37.72	54.00	-16.28	AVG	PASS
11133.000	42.71	3.44	46.15	74.00	-27.85	peak	PASS
12627.500	41.64	4.92	46.56	74.00	-27.44	peak	PASS
12627.500	32.21	4.92	37.13	54.00	-16.87	AVG	PASS
14386.000	39.25	9.05	48.30	68.20	-19.90	peak	PASS
14388.000	31.49	9.03	40.52	54.00	-13.48	AVG	PASS
15572.500	29.87	10.50	40.37	54.00	-13.63	AVG	PASS
15683.000	38.21	11.20	49.41	74.00	-24.59	peak	PASS
17021.000	29.19	12.73	41.92	54.00	-12.08	AVG	PASS
17103.000	38.10	12.46	50.56	68.20	-17.64	peak	PASS




Plots for Channel = 149




(802.11ac20\_5745MHz, Antenna Horizontal, 30MHz to 1GHz)

Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Det.	Verdict
43.5057	3.03	15.26	18.29	40.00	-21.71	peak	PASS
74.1351	9.43	9.99	19.42	40.00	-20.58	peak	PASS
158.5843	3.84	11.75	15.59	43.50	-27.91	peak	PASS
320.4984	7.90	17.94	25.84	46.00	-20.16	peak	PASS
482.9771	2.81	21.15	23.96	46.00	-22.04	peak	PASS
733.9764	1.51	25.65	27.16	46.00	-18.84	peak	PASS




(802.11ac20\_5745MHz, Antenna Horizontal, 1GHz to 8GHz)

Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Det.	Verdict
1976.150	47.94	-13.06	34.88	68.20	-33.32	peak	PASS
2021.300	39.53	-12.72	26.81	54.00	-27.19	AVG	PASS
3001.300	48.47	-9.28	39.19	68.20	-29.01	peak	PASS
3004.800	39.43	-9.23	30.20	54.00	-23.80	AVG	PASS
4338.650	36.82	-4.20	32.62	54.00	-21.38	AVG	PASS
4354.750	46.52	-4.20	42.32	74.00	-31.68	peak	PASS
5392.850	37.01	-3.75	33.26	54.00	-20.74	AVG	PASS
5418.400	45.40	-3.66	41.74	74.00	-32.26	peak	PASS
6665.450	35.72	-2.02	33.70	54.00	-20.30	AVG	PASS
6764.500	44.74	-2.22	42.52	68.20	-25.68	peak	PASS
7789.650	44.86	-0.87	43.99	68.20	-24.21	peak	PASS
7839.000	35.91	-0.76	35.15	54.00	-18.85	AVG	PASS




(802.11ac20\_5745MHz, Antenna Horizontal, 8GHz to 18GHz)

Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Det.	Verdict
9526.500	44.36	2.07	46.43	68.20	-21.77	peak	PASS
9541.000	35.44	2.17	37.61	54.00	-16.39	AVG	PASS
11079.000	43.19	3.72	46.91	74.00	-27.09	peak	PASS
11108.000	33.91	3.76	37.67	54.00	-16.33	AVG	PASS
12334.000	32.95	4.64	37.59	54.00	-16.41	AVG	PASS
12502.000	41.91	5.23	47.14	74.00	-26.86	peak	PASS
14420.000	40.06	8.71	48.77	68.20	-19.43	peak	PASS
14451.000	31.77	8.36	40.13	54.00	-13.87	AVG	PASS
15972.500	29.16	11.63	40.79	54.00	-13.21	AVG	PASS
16120.000	37.99	11.26	49.25	74.00	-24.75	peak	PASS
17501.500	29.49	13.77	43.26	54.00	-10.74	AVG	PASS
17529.000	37.53	13.73	51.26	68.20	-16.94	peak	PASS




(802.11ac20\_5745MHz, Antenna Vertical, 30MHz to 1GHz)

Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Det.	Verdict
44.4074	17.24	15.31	32.55	40.00	-7.45	peak	PASS
74.1871	11.85	9.98	21.83	40.00	-18.17	peak	PASS
140.2437	2.25	11.98	14.23	43.50	-29.27	peak	PASS
262.4350	4.33	15.60	19.93	46.00	-26.07	peak	PASS
415.5958	5.82	19.60	25.42	46.00	-20.58	peak	PASS
751.9517	1.68	26.06	27.74	46.00	-18.26	peak	PASS



(802.11ac20\_5745MHz, Antenna Vertical, 1GHz to 8GHz)

Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Det.	Verdict
2001.700	38.55	-11.71	26.84	54.00	-27.16	AVG	PASS
2006.250	47.35	-12.17	35.18	68.20	-33.02	peak	PASS
3002.700	45.62	-7.09	38.53	68.20	-29.67	peak	PASS
3002.700	37.11	-7.09	30.02	54.00	-23.98	AVG	PASS
3797.550	37.81	-6.30	31.51	54.00	-22.49	AVG	PASS
3891.350	45.51	-5.98	39.53	74.00	-34.47	peak	PASS
4926.300	36.17	-3.63	32.54	54.00	-21.46	AVG	PASS
4965.500	44.87	-3.41	41.46	74.00	-32.54	peak	PASS
6456.500	36.24	-2.36	33.88	54.00	-20.12	AVG	PASS
6466.650	44.11	-2.29	41.82	68.20	-26.38	peak	PASS
7647.200	44.28	-0.76	43.52	74.00	-30.48	peak	PASS
7754.300	35.97	-0.90	35.07	54.00	-18.93	AVG	PASS




(802.11ac20\_5745MHz, Antenna Vertical, 8GHz to 18GHz)

Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Det.	Verdict
9278.000	43.59	2.17	45.76	68.20	-22.44	peak	PASS
9292.500	35.18	2.13	37.31	54.00	-16.69	AVG	PASS
11039.000	43.25	3.40	46.65	74.00	-27.35	peak	PASS
11081.000	34.10	3.62	37.72	54.00	-16.28	AVG	PASS
12627.500	41.64	4.92	46.56	74.00	-27.44	peak	PASS
12627.500	32.21	4.92	37.13	54.00	-16.87	AVG	PASS
14386.000	39.25	9.05	48.30	68.20	-19.90	peak	PASS
14388.000	31.49	9.03	40.52	54.00	-13.48	AVG	PASS
16012.000	28.96	11.51	40.47	54.00	-13.53	AVG	PASS
16172.500	38.37	11.00	49.37	74.00	-24.63	peak	PASS
17458.500	37.96	13.72	51.68	68.20	-16.52	peak	PASS
17505.500	27.73	14.76	42.49	54.00	-11.51	AVG	PASS






Plot for Channel = 157




(802.11ac20\_5785MHz, Antenna Horizontal, 30MHz to 1GHz)

Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Det.	Verdict
43.5057	3.03	15.26	18.29	40.00	-21.71	peak	PASS
74.1351	9.43	9.99	19.42	40.00	-20.58	peak	PASS
162.2119	4.43	11.75	16.18	43.50	-27.32	peak	PASS
320.4984	7.90	17.94	25.84	46.00	-20.16	peak	PASS
482.9771	2.81	21.15	23.96	46.00	-22.04	peak	PASS
790.0645	1.30	26.09	27.39	46.00	-18.61	peak	PASS




(802.11ac20\_5785MHz, Antenna Horizontal, 1GHz to 8GHz)

Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Det.	Verdict
1804.650	49.06	-14.69	34.37	68.20	-33.83	peak	PASS
1869.750	39.71	-13.85	25.86	54.00	-28.14	AVG	PASS
3001.300	48.47	-9.28	39.19	68.20	-29.01	peak	PASS
3004.800	39.43	-9.23	30.20	54.00	-23.80	AVG	PASS
4059.350	37.56	-5.32	32.24	54.00	-21.76	AVG	PASS
4087.700	46.90	-5.66	41.24	74.00	-32.76	peak	PASS
5210.850	37.72	-4.22	33.50	54.00	-20.50	AVG	PASS
5219.600	46.16	-4.18	41.98	68.20	-26.22	peak	PASS
6448.450	45.35	-3.00	42.35	68.20	-25.85	peak	PASS
6455.100	37.16	-3.04	34.12	54.00	-19.88	AVG	PASS
7493.200	36.12	-1.01	35.11	54.00	-18.89	AVG	PASS
7527.150	45.14	-0.91	44.23	74.00	-29.77	peak	PASS




(802.11ac20\_5785MHz, Antenna Horizontal, 8GHz to 18GHz)

Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Det.	Verdict
9281.000	44.11	2.16	46.27	68.20	-21.93	peak	PASS
9281.000	35.45	2.16	37.61	54.00	-16.39	AVG	PASS
10469.000	35.17	3.02	38.19	54.00	-15.81	AVG	PASS
10511.000	43.62	3.14	46.76	68.20	-21.44	peak	PASS
11661.500	34.03	3.66	37.69	54.00	-16.31	AVG	PASS
11767.000	42.76	4.05	46.81	74.00	-27.19	peak	PASS
13400.000	41.20	6.62	47.82	68.20	-20.38	peak	PASS
13411.500	32.54	6.64	39.18	54.00	-14.82	AVG	PASS
15083.500	39.53	10.43	49.96	68.20	-18.24	peak	PASS
15101.000	30.10	10.16	40.26	54.00	-13.74	AVG	PASS
16500.000	30.15	10.88	41.03	54.00	-12.97	AVG	PASS
16593.500	37.94	11.50	49.44	68.20	-18.76	peak	PASS




(802.11ac20\_5785MHz, Antenna Vertical, 30MHz to 1GHz)

Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Det.	Verdict
44.4074	17.24	15.31	32.55	40.00	-7.45	peak	PASS
74.1871	11.85	9.98	21.83	40.00	-18.17	peak	PASS
140.2437	2.25	11.98	14.23	43.50	-29.27	peak	PASS
263.2184	4.54	15.43	19.97	46.00	-26.03	peak	PASS
415.5958	5.82	19.60	25.42	46.00	-20.58	peak	PASS
751.9517	1.68	26.06	27.74	46.00	-18.26	peak	PASS



(802.11ac20\_5785MHz, Antenna Vertical, 1GHz to 8GHz)

Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Det.	Verdict
1981.400	39.97	-12.92	27.05	54.00	-26.95	AVG	PASS
2005.200	47.61	-12.07	35.54	68.20	-32.66	peak	PASS
3002.700	45.88	-7.09	38.79	68.20	-29.41	peak	PASS
3002.700	37.28	-7.09	30.19	54.00	-23.81	AVG	PASS
4049.550	46.50	-5.44	41.06	74.00	-32.94	peak	PASS
4060.750	37.51	-5.31	32.20	54.00	-21.80	AVG	PASS
4959.200	44.82	-3.36	41.46	74.00	-32.54	peak	PASS
4959.200	36.52	-3.36	33.16	54.00	-20.84	AVG	PASS
6456.500	36.24	-2.36	33.88	54.00	-20.12	AVG	PASS
6530.700	44.98	-2.03	42.95	68.20	-25.25	peak	PASS
7343.400	36.00	-1.42	34.58	54.00	-19.42	AVG	PASS
7429.850	45.00	-1.56	43.44	74.00	-30.56	peak	PASS




(802.11ac20 \_5785MHz, Antenna Vertical, 8GHz to 18GHz)

Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Det.	Verdict
8737.500	36.43	1.68	38.11	54.00	-15.89	AVG	PASS
8865.000	43.52	1.83	45.35	68.20	-22.85	peak	PASS
10481.500	33.93	3.74	37.67	54.00	-16.33	AVG	PASS
10590.500	43.39	2.71	46.10	68.20	-22.10	peak	PASS
12511.500	32.85	4.69	37.54	54.00	-16.46	AVG	PASS
12627.500	41.64	4.92	46.56	74.00	-27.44	peak	PASS
14386.000	39.25	9.05	48.30	68.20	-19.90	peak	PASS
14388.000	31.49	9.03	40.52	54.00	-13.48	AVG	PASS
15951.500	29.43	11.41	40.84	54.00	-13.16	AVG	PASS
15971.000	37.73	11.54	49.27	74.00	-24.73	peak	PASS
17458.500	37.96	13.72	51.68	68.20	-16.52	peak	PASS
17519.500	27.95	14.62	42.57	54.00	-11.43	AVG	PASS




Plot for Channel = 165



(802.11ac20\_5825MHz, Antenna Horizontal, 30MHz to 1GHz)


Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Det.	Verdict
43.8119	3.88	15.26	19.14	40.00	-20.86	peak	PASS
74.1351	9.43	9.99	19.42	40.00	-20.58	peak	PASS
110.6463	2.76	14.66	17.42	43.50	-26.08	peak	PASS
191.0738	3.68	13.45	17.13	43.50	-26.37	peak	PASS
320.4984	7.90	17.94	25.84	46.00	-20.16	peak	PASS
631.3562	1.27	24.00	25.27	46.00	-20.73	peak	PASS






(802.11ac20\_5825MHz, Antenna Horizontal, 1GHz to 8GHz)

Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Det.	Verdict
2070.650	39.05	-12.61	26.44	54.00	-27.56	AVG	PASS
2112.300	48.88	-13.00	35.88	68.20	-32.32	peak	PASS
3153.550	38.03	-8.08	29.95	54.00	-24.05	AVG	PASS
3165.450	47.29	-7.99	39.30	68.20	-28.90	peak	PASS
4338.650	36.82	-4.20	32.62	54.00	-21.38	AVG	PASS
4354.750	46.52	-4.20	42.32	74.00	-31.68	peak	PASS
5127.550	37.74	-4.01	33.73	54.00	-20.27	AVG	PASS
5219.600	46.16	-4.18	41.98	68.20	-26.22	peak	PASS
6639.200	35.76	-1.94	33.82	54.00	-20.18	AVG	PASS
6762.050	44.73	-2.21	42.52	68.20	-25.68	peak	PASS
7636.350	44.82	-0.76	44.06	74.00	-29.94	peak	PASS
7675.550	35.96	-0.80	35.16	54.00	-18.84	AVG	PASS




(802.11ac20\_5825MHz, Antenna Horizontal, 8GHz to 18GHz)

Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Det.	Verdict
9541.000	45.08	2.17	47.25	68.20	-20.95	peak	PASS
9541.000	35.44	2.17	37.61	54.00	-16.39	AVG	PASS
11079.500	34.21	3.73	37.94	54.00	-16.06	AVG	PASS
11193.000	43.15	3.10	46.25	74.00	-27.75	peak	PASS
13018.000	32.75	6.10	38.85	54.00	-15.15	AVG	PASS
13040.500	41.57	6.25	47.82	68.20	-20.38	peak	PASS
14451.000	31.77	8.36	40.13	54.00	-13.87	AVG	PASS
14568.000	40.90	8.57	49.47	68.20	-18.73	peak	PASS
16402.000	39.20	11.24	50.44	68.20	-17.76	peak	PASS
16402.000	30.43	11.24	41.67	54.00	-12.33	AVG	PASS
17501.500	29.49	13.77	43.26	54.00	-10.74	AVG	PASS
17714.000	37.82	14.51	52.33	74.00	-21.67	peak	PASS




(802.11ac20\_5825MHz, Antenna Vertical, 30MHz to 1GHz)

Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Det.	Verdict
44.4074	17.24	15.31	32.55	40.00	-7.45	peak	PASS
74.1871	11.85	9.98	21.83	40.00	-18.17	peak	PASS
161.0501	3.42	12.01	15.43	43.50	-28.07	peak	PASS
332.3438	5.78	17.15	22.93	46.00	-23.07	peak	PASS
415.5958	5.82	19.60	25.42	46.00	-20.58	peak	PASS
751.9517	1.68	26.06	27.74	46.00	-18.26	peak	PASS



(802.11ac20\_5825MHz, Antenna Vertical , 1GHz to 8GHz)

Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Det.	Verdict
1981.400	39.97	-12.92	27.05	54.00	-26.95	AVG	PASS
2005.200	47.61	-12.07	35.54	68.20	-32.66	peak	PASS
3002.700	37.28	-7.09	30.19	54.00	-23.81	AVG	PASS
3018.800	47.32	-7.56	39.76	68.20	-28.44	peak	PASS
4244.850	46.15	-5.00	41.15	74.00	-32.85	peak	PASS
4304.350	36.91	-4.47	32.44	54.00	-21.56	AVG	PASS
5232.550	37.02	-4.02	33.00	54.00	-21.00	AVG	PASS
5266.150	45.84	-3.76	42.08	68.20	-26.12	peak	PASS
6754.000	44.67	-2.22	42.45	68.20	-25.75	peak	PASS
6863.200	35.71	-2.15	33.56	54.00	-20.44	AVG	PASS
7595.050	36.37	-0.80	35.57	54.00	-18.43	AVG	PASS
7616.400	44.39	-0.77	43.62	74.00	-30.38	peak	PASS




(802.11ac20\_58MHz, Antenna Vertical, 8GHz to 18GHz)

Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Det.	Verdict
9229.500	43.99	1.95	45.94	68.20	-22.26	peak	PASS
9292.500	35.18	2.13	37.31	54.00	-16.69	AVG	PASS
11039.000	43.25	3.40	46.65	74.00	-27.35	peak	PASS
11081.000	34.10	3.62	37.72	54.00	-16.28	AVG	PASS
12511.500	32.85	4.69	37.54	54.00	-16.46	AVG	PASS
12627.500	41.64	4.92	46.56	74.00	-27.44	peak	PASS
14382.500	39.24	9.06	48.30	68.20	-19.90	peak	PASS
14388.000	31.49	9.03	40.52	54.00	-13.48	AVG	PASS
15951.500	29.43	11.41	40.84	54.00	-13.16	AVG	PASS
15971.000	37.73	11.54	49.27	74.00	-24.73	peak	PASS
17489.500	37.69	14.49	52.18	68.20	-16.02	peak	PASS
17519.500	27.95	14.62	42.57	54.00	-11.43	AVG	PASS




**802.11ac40 Test mode**

Plots for Channel = 38



(802.11ac40 \_5190MHz, Antenna Horizontal, 30MHz to 1GHz)


Frequency (MHz)	Reading (dBUV)	Factor (dB/m)	Level (dBUV/m)	Limit (dBUV/m)	Margin (dB)	Det.	Verdict
43.8119	3.88	15.26	19.14	40.00	-20.86	peak	PASS
74.1351	9.43	9.99	19.42	40.00	-20.58	peak	PASS
158.5843	3.84	11.75	15.59	43.50	-27.91	peak	PASS
320.4984	7.90	17.94	25.84	46.00	-20.16	peak	PASS
482.9771	2.81	21.15	23.96	46.00	-22.04	peak	PASS
777.8319	1.56	26.03	27.59	46.00	-18.41	peak	PASS



(802.11ac40\_5190MHz, Antenna Horizontal, 1GHz to 8GHz)


Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Det.	Verdict
2005.900	48.57	-13.16	35.41	68.20	-32.79	peak	PASS
2009.750	39.46	-12.65	26.81	54.00	-27.19	AVG	PASS
3005.500	48.11	-9.21	38.90	68.20	-29.30	peak	PASS
3005.500	39.91	-9.21	30.70	54.00	-23.30	AVG	PASS
4045.000	45.59	-5.63	39.96	74.00	-34.04	peak	PASS
4065.300	36.90	-5.24	31.66	54.00	-22.34	AVG	PASS
5960.200	36.88	-3.32	33.56	54.00	-20.44	AVG	PASS
6033.350	45.33	-3.57	41.76	68.20	-26.44	peak	PASS
6983.250	44.83	-1.94	42.89	68.20	-25.31	peak	PASS
7033.300	36.04	-1.92	34.12	54.00	-19.88	AVG	PASS
7706.700	35.96	-0.89	35.07	54.00	-18.93	AVG	PASS
7747.300	44.81	-0.91	43.90	74.00	-30.10	peak	PASS






(802.11ac40\_5190MHz, Antenna Horizontal, 8GHz to 18GHz)

Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Det.	Verdict
8667.000	35.21	1.58	36.79	54.00	-17.21	AVG	PASS
8792.500	43.80	1.70	45.50	68.20	-22.70	peak	PASS
10415.000	34.77	2.54	37.31	54.00	-16.69	AVG	PASS
10507.000	43.49	3.17	46.66	68.20	-21.54	peak	PASS
11979.000	33.65	3.94	37.59	54.00	-16.41	AVG	PASS
12108.500	42.16	3.99	46.15	74.00	-27.85	peak	PASS
13375.500	32.33	6.62	38.95	54.00	-15.05	AVG	PASS
13398.000	40.56	6.62	47.18	74.00	-26.82	peak	PASS
15049.500	38.25	10.38	48.63	68.20	-19.57	peak	PASS
15075.500	29.47	10.50	39.97	54.00	-14.03	AVG	PASS
17090.000	38.77	11.43	50.20	68.20	-18.00	peak	PASS
17093.000	30.32	11.46	41.78	54.00	-12.22	AVG	PASS




(802.11ac40\_5190MHz, Antenna Vertical, 30MHz to 1GHz)

Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Det.	Verdict
44.3063	17.45	15.29	32.74	40.00	-7.26	peak	PASS
74.0831	12.46	10.00	22.46	40.00	-17.54	peak	PASS
160.7398	5.44	12.07	17.51	43.50	-25.99	peak	PASS
332.8103	7.67	17.18	24.85	46.00	-21.15	peak	PASS
421.5400	5.97	20.10	26.07	46.00	-19.93	peak	PASS
761.2373	0.78	26.25	27.03	46.00	-18.97	peak	PASS



(802.11ac40\_5190MHz, Antenna Vertical, 1GHz to 8GHz)

Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Det.	Verdict
1982.450	48.35	-12.87	35.48	68.20	-32.72	peak	PASS
2007.650	39.03	-12.33	26.70	54.00	-27.30	AVG	PASS
3001.300	37.68	-7.04	30.64	54.00	-23.36	AVG	PASS
3002.700	46.46	-7.09	39.37	68.20	-28.83	peak	PASS
3989.700	36.76	-5.39	31.37	54.00	-22.63	AVG	PASS
4077.900	46.86	-5.45	41.41	74.00	-32.59	peak	PASS
5706.100	35.71	-3.47	32.24	54.00	-21.76	AVG	PASS
5759.300	44.82	-3.53	41.29	68.20	-26.91	peak	PASS
6815.600	35.76	-2.14	33.62	54.00	-20.38	AVG	PASS
6841.500	44.88	-2.12	42.76	68.20	-25.44	peak	PASS
7673.450	44.63	-0.79	43.84	74.00	-30.16	peak	PASS
7702.150	35.69	-0.88	34.81	54.00	-19.19	AVG	PASS




(802.11ac40\_5190MHz, Antenna Vertical, 8GHz to 18GHz)

Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Det.	Verdict
9503.000	43.94	2.31	46.25	68.20	-21.95	peak	PASS
9682.000	35.17	2.03	37.20	54.00	-16.80	AVG	PASS
11110.000	42.58	3.65	46.23	74.00	-27.77	peak	PASS
11127.000	34.18	3.49	37.67	54.00	-16.33	AVG	PASS
12657.500	31.98	5.00	36.98	54.00	-17.02	AVG	PASS
12725.500	41.07	4.84	45.91	68.20	-22.29	peak	PASS
14228.500	39.58	8.25	47.83	68.20	-20.37	peak	PASS
14337.000	30.72	8.88	39.60	54.00	-14.40	AVG	PASS
15699.000	38.38	10.99	49.37	74.00	-24.63	peak	PASS
15910.500	30.58	11.13	41.71	54.00	-12.29	AVG	PASS
17098.500	29.01	12.43	41.44	54.00	-12.56	AVG	PASS
17124.000	37.61	12.63	50.24	68.20	-17.96	peak	PASS




Plots for Channel = 46




(802.11ac40 \_5230MHz, Antenna Horizontal, 30MHz to 1GHz)

Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Det.	Verdict
43.8119	3.88	15.26	19.14	40.00	-20.86	peak	PASS
74.1351	9.43	9.99	19.42	40.00	-20.58	peak	PASS
110.6463	2.76	14.66	17.42	43.50	-26.08	peak	PASS
191.0738	3.68	13.45	17.13	43.50	-26.37	peak	PASS
320.4984	7.90	17.94	25.84	46.00	-20.16	peak	PASS
738.2354	1.52	25.76	27.28	46.00	-18.72	peak	PASS



(802.11ac40\_5230MHz, Antenna Horizontal, 1GHz to 8GHz)


Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Det.	Verdict
1979.300	48.61	-13.00	35.61	68.20	-32.59	peak	PASS
2006.950	39.49	-13.01	26.48	54.00	-27.52	AVG	PASS
3008.300	48.11	-9.17	38.94	68.20	-29.26	peak	PASS
3008.300	39.78	-9.17	30.61	54.00	-23.39	AVG	PASS
4210.900	45.62	-5.07	40.55	74.00	-33.45	peak	PASS
4278.450	36.81	-5.10	31.71	54.00	-22.29	AVG	PASS
6065.900	45.62	-3.36	42.26	68.20	-25.94	peak	PASS
6082.000	37.72	-3.39	34.33	54.00	-19.67	AVG	PASS
6969.600	45.40	-1.96	43.44	68.20	-24.76	peak	PASS
7017.900	36.22	-1.90	34.32	54.00	-19.68	AVG	PASS
7633.550	44.37	-0.76	43.61	74.00	-30.39	peak	PASS
7642.650	35.87	-0.76	35.11	54.00	-18.89	AVG	PASS



(802.11ac40\_5230MHz, Antenna Horizontal, 8GHz to 18GHz)


Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Det.	Verdict
9273.500	43.94	2.18	46.12	68.20	-22.08	peak	PASS
9376.000	35.15	2.07	37.22	54.00	-16.78	AVG	PASS
11099.000	33.75	3.82	37.57	54.00	-16.43	AVG	PASS
11115.000	43.10	3.69	46.79	74.00	-27.21	peak	PASS
13022.000	32.17	6.13	38.30	54.00	-15.70	AVG	PASS
13064.500	40.83	6.33	47.16	68.20	-21.04	peak	PASS
14954.000	38.51	9.70	48.21	68.20	-19.99	peak	PASS
15075.500	29.47	10.50	39.97	54.00	-14.03	AVG	PASS
16369.500	38.15	11.44	49.59	68.20	-18.61	peak	PASS
16396.500	30.76	11.32	42.08	54.00	-11.92	AVG	PASS
17494.000	37.58	13.66	51.24	68.20	-16.96	peak	PASS
17498.500	28.92	13.74	42.66	54.00	-11.34	AVG	PASS






(802.11ac40 \_5230MHz, Antenna Vertical, 30MHz to 1GHz)

Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Det.	Verdict
44.3063	17.45	15.29	32.74	40.00	-7.26	peak	PASS
73.7333	12.71	10.10	22.81	40.00	-17.19	peak	PASS
168.8869	5.56	12.20	17.76	43.50	-25.74	peak	PASS
332.8103	7.67	17.18	24.85	46.00	-21.15	peak	PASS
421.5400	5.97	20.10	26.07	46.00	-19.93	peak	PASS
666.5043	2.22	24.37	26.59	46.00	-19.41	peak	PASS



(802.11ac40\_5230MHz, Antenna Vertical, 1GHz to 8GHz)

Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Det.	Verdict
1978.250	48.33	-13.02	35.31	68.20	-32.89	peak	PASS
1996.800	38.88	-11.85	27.03	54.00	-26.97	AVG	PASS
2904.350	47.12	-10.31	36.81	68.20	-31.39	peak	PASS
2970.500	37.97	-9.57	28.40	54.00	-25.60	AVG	PASS
4334.800	36.62	-4.21	32.41	54.00	-21.59	AVG	PASS
4351.600	46.41	-4.19	42.22	74.00	-31.78	peak	PASS
6010.250	44.47	-2.31	42.16	68.20	-26.04	peak	PASS
6045.250	36.10	-2.34	33.76	54.00	-20.24	AVG	PASS
6766.950	35.81	-2.21	33.60	54.00	-20.40	AVG	PASS
6827.500	44.33	-2.11	42.22	68.20	-25.98	peak	PASS
7584.900	44.32	-0.82	43.50	74.00	-30.50	peak	PASS
7610.800	35.87	-0.77	35.10	54.00	-18.90	AVG	PASS




(802.11ac40 \_5230MHz, Antenna Vertical, 8GHz to 18GHz)

Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Det.	Verdict
8742.500	44.31	1.68	45.99	68.20	-22.21	peak	PASS
8742.500	35.64	1.68	37.32	54.00	-16.68	AVG	PASS
10371.000	35.37	2.38	37.75	54.00	-16.25	AVG	PASS
10460.500	43.27	3.45	46.72	68.20	-21.48	peak	PASS
12066.000	41.69	4.90	46.59	74.00	-27.41	peak	PASS
12101.500	33.57	4.41	37.98	54.00	-16.02	AVG	PASS
13885.500	40.01	7.70	47.71	68.20	-20.49	peak	PASS
14058.000	31.06	8.19	39.25	54.00	-14.75	AVG	PASS
15635.500	30.17	10.67	40.84	54.00	-13.16	AVG	PASS
15699.000	38.38	10.99	49.37	74.00	-24.63	peak	PASS
17498.000	36.88	14.70	51.58	68.20	-16.62	peak	PASS
17523.500	28.04	14.55	42.59	54.00	-11.41	AVG	PASS




Plot for Channel = 151




(802.11ac40\_5755MHz, Antenna Horizontal, 30MHz to 1GHz)

Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Det.	Verdict
43.8119	3.88	15.26	19.14	40.00	-20.86	peak	PASS
74.1351	9.43	9.99	19.42	40.00	-20.58	peak	PASS
110.6463	2.76	14.66	17.42	43.50	-26.08	peak	PASS
191.0738	3.68	13.45	17.13	43.50	-26.37	peak	PASS
320.4984	7.90	17.94	25.84	46.00	-20.16	peak	PASS
684.2653	1.31	24.66	25.97	46.00	-20.03	peak	PASS




(802.11ac40\_5755MHz, Antenna Horizontal, 1GHz to 8GHz)

Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Det.	Verdict
2432.900	41.10	-11.96	29.14	54.00	-24.86	AVG	PASS
2439.200	47.64	-11.84	35.80	68.20	-32.40	peak	PASS
3497.950	40.85	-8.47	32.38	54.00	-21.62	AVG	PASS
3507.050	48.85	-8.48	40.37	68.20	-27.83	peak	PASS
4338.650	36.82	-4.20	32.62	54.00	-21.38	AVG	PASS
4355.450	46.51	-4.19	42.32	74.00	-31.68	peak	PASS
5392.850	37.01	-3.75	33.26	54.00	-20.74	AVG	PASS
5418.400	45.40	-3.66	41.74	74.00	-32.26	peak	PASS
6487.650	36.76	-3.19	33.57	54.00	-20.43	AVG	PASS
6524.400	45.73	-2.94	42.79	68.20	-25.41	peak	PASS
7633.550	44.82	-0.76	44.06	74.00	-29.94	peak	PASS
7670.650	35.72	-0.78	34.94	54.00	-19.06	AVG	PASS



(802.11ac40\_5755MHz, Antenna Horizontal, 8GHz to 18GHz)


Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Det.	Verdict
9209.500	43.74	1.78	45.52	68.20	-22.68	peak	PASS
9282.000	35.38	2.16	37.54	54.00	-16.46	AVG	PASS
11099.000	42.09	3.82	45.91	74.00	-28.09	peak	PASS
11099.000	33.75	3.82	37.57	54.00	-16.43	AVG	PASS
12345.000	32.40	4.79	37.19	54.00	-16.81	AVG	PASS
12357.000	40.98	4.75	45.73	74.00	-28.27	peak	PASS
13895.000	39.69	7.79	47.48	68.20	-20.72	peak	PASS
13916.000	31.07	7.85	38.92	54.00	-15.08	AVG	PASS
15404.500	38.39	10.17	48.56	74.00	-25.44	peak	PASS
15512.500	28.94	11.50	40.44	54.00	-13.56	AVG	PASS
17024.500	38.51	11.10	49.61	68.20	-18.59	peak	PASS
17116.500	30.05	11.82	41.87	54.00	-12.13	AVG	PASS



(802.11ac40 \_5755MHz, Antenna Vertical, 30MHz to 1GHz)


Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Det.	Verdict
44.3063	17.45	15.29	32.74	40.00	-7.26	peak	PASS
73.9015	12.77	10.05	22.82	40.00	-17.18	peak	PASS
178.8211	6.18	12.47	18.65	43.50	-24.85	peak	PASS
332.8103	7.67	17.18	24.85	46.00	-21.15	peak	PASS
421.5400	5.97	20.10	26.07	46.00	-19.93	peak	PASS
805.3084	2.01	26.17	28.18	46.00	-17.82	peak	PASS





(802.11ac40\_5755MHz, Antenna Vertical, 1GHz to 8GHz)

Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Det.	Verdict
2001.700	38.55	-11.71	26.84	54.00	-27.16	AVG	PASS
2063.300	48.57	-12.74	35.83	68.20	-32.37	peak	PASS
3008.300	37.45	-7.25	30.20	54.00	-23.80	AVG	PASS
3018.800	47.32	-7.56	39.76	68.20	-28.44	peak	PASS
4042.550	46.39	-5.33	41.06	74.00	-32.94	peak	PASS
4060.750	37.51	-5.31	32.20	54.00	-21.80	AVG	PASS
5232.550	37.02	-4.02	33.00	54.00	-21.00	AVG	PASS
5266.150	45.84	-3.76	42.08	68.20	-26.12	peak	PASS
6456.500	36.24	-2.36	33.88	54.00	-20.12	AVG	PASS
6530.700	44.98	-2.03	42.95	68.20	-25.25	peak	PASS
7512.800	44.47	-1.02	43.45	74.00	-30.55	peak	PASS
7595.050	36.37	-0.80	35.57	54.00	-18.43	AVG	PASS




(802.11ac40\_5755MHz, Antenna Vertical, 8GHz to 18GHz)

Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Det.	Verdict
9262.500	34.90	2.19	37.09	54.00	-16.91	AVG	PASS
9270.000	43.90	2.18	46.08	68.20	-22.12	peak	PASS
11012.500	42.57	3.42	45.99	74.00	-28.01	peak	PASS
11127.000	34.18	3.49	37.67	54.00	-16.33	AVG	PASS
12519.000	32.50	4.67	37.17	54.00	-16.83	AVG	PASS
12725.500	41.07	4.84	45.91	68.20	-22.29	peak	PASS
14370.000	30.61	9.12	39.73	54.00	-14.27	AVG	PASS
14415.500	39.25	8.96	48.21	68.20	-19.99	peak	PASS
16358.500	37.63	11.41	49.04	68.20	-19.16	peak	PASS
16409.500	29.87	11.15	41.02	54.00	-12.98	AVG	PASS
17498.000	36.88	14.70	51.58	68.20	-16.62	peak	PASS
17523.500	28.04	14.55	42.59	54.00	-11.41	AVG	PASS




Plots for Channel = 159




(802.11ac40 \_5795MHz, Antenna Horizontal, 30MHz to 1GHz)

Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Det.	Verdict
43.8119	3.88	15.26	19.14	40.00	-20.86	peak	PASS
74.1351	9.43	9.99	19.42	40.00	-20.58	peak	PASS
110.6463	2.76	14.66	17.42	43.50	-26.08	peak	PASS
191.0738	3.68	13.45	17.13	43.50	-26.37	peak	PASS
320.4984	7.90	17.94	25.84	46.00	-20.16	peak	PASS
695.2702	2.02	24.86	26.88	46.00	-19.12	peak	PASS




(802.11ac40\_5795MHz, Antenna Horizontal, 1GHz to 8GHz)

Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Det.	Verdict
1804.650	49.06	-14.69	34.37	68.20	-33.83	peak	PASS
1850.850	39.73	-14.26	25.47	54.00	-28.53	AVG	PASS
3001.300	48.47	-9.28	39.19	68.20	-29.01	peak	PASS
3004.800	39.43	-9.23	30.20	54.00	-23.80	AVG	PASS
4338.650	45.12	-4.20	40.92	74.00	-33.08	peak	PASS
4338.650	36.82	-4.20	32.62	54.00	-21.38	AVG	PASS
5392.850	37.01	-3.75	33.26	54.00	-20.74	AVG	PASS
5418.400	45.40	-3.66	41.74	74.00	-32.26	peak	PASS
6516.350	37.14	-3.04	34.10	54.00	-19.90	AVG	PASS
6524.400	45.73	-2.94	42.79	68.20	-25.41	peak	PASS
7488.300	44.56	-1.05	43.51	74.00	-30.49	peak	PASS
7493.200	36.12	-1.01	35.11	54.00	-18.89	AVG	PASS




(802.11ac40\_5795MHz, Antenna Horizontal, 8GHz to 18GHz)

Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Det.	Verdict
8831.000	35.27	2.05	37.32	54.00	-16.68	AVG	PASS
8908.500	44.02	1.58	45.60	68.20	-22.60	peak	PASS
10536.000	34.38	2.92	37.30	54.00	-16.70	AVG	PASS
10731.000	43.73	2.85	46.58	74.00	-27.42	peak	PASS
12359.000	41.03	4.74	45.77	74.00	-28.23	peak	PASS
12503.500	32.44	5.21	37.65	54.00	-16.35	AVG	PASS
13870.500	40.45	7.68	48.13	68.20	-20.07	peak	PASS
13916.000	31.07	7.85	38.92	54.00	-15.08	AVG	PASS
15512.500	28.94	11.50	40.44	54.00	-13.56	AVG	PASS
15610.500	38.74	10.25	48.99	74.00	-25.01	peak	PASS
17494.000	37.58	13.66	51.24	68.20	-16.96	peak	PASS
17498.500	28.92	13.74	42.66	54.00	-11.34	AVG	PASS



(802.11ac40 \_5795MHz, Antenna Vertical, 30MHz to 1GHz)


Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Det.	Verdict
44.3063	17.45	15.29	32.74	40.00	-7.26	peak	PASS
73.9015	12.77	10.05	22.82	40.00	-17.18	peak	PASS
178.8211	6.18	12.47	18.65	43.50	-24.85	peak	PASS
332.8103	7.67	17.18	24.85	46.00	-21.15	peak	PASS
421.5400	5.97	20.10	26.07	46.00	-19.93	peak	PASS
666.5043	2.22	24.37	26.59	46.00	-19.41	peak	PASS



(802.11ac40\_5795MHz, Antenna Vertical, 1GHz to 8GHz)

Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Det.	Verdict
1653.800	49.94	-14.97	34.97	68.20	-33.23	peak	PASS
1666.750	40.12	-14.66	25.46	54.00	-28.54	AVG	PASS
2431.850	50.49	-11.99	38.50	68.20	-29.70	peak	PASS
2431.850	43.08	-11.99	31.09	54.00	-22.91	AVG	PASS
3510.200	37.76	-6.11	31.65	54.00	-22.35	AVG	PASS
3511.950	46.56	-6.18	40.38	68.20	-27.82	peak	PASS
4746.400	46.16	-4.57	41.59	74.00	-32.41	peak	PASS
4815.700	36.30	-3.89	32.41	54.00	-21.59	AVG	PASS
6531.400	44.98	-2.03	42.95	68.20	-25.25	peak	PASS
6564.300	35.91	-2.00	33.91	54.00	-20.09	AVG	PASS
7723.850	44.85	-0.92	43.93	74.00	-30.07	peak	PASS
7779.850	36.34	-0.88	35.46	54.00	-18.54	AVG	PASS






(802.11ac40\_5795MHz, Antenna Vertical, 8GHz to 18GHz)

Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Det.	Verdict
9116.500	44.32	1.65	45.97	74.00	-28.03	peak	PASS
9262.500	34.90	2.19	37.09	54.00	-16.91	AVG	PASS
10371.000	35.37	2.38	37.75	54.00	-16.25	AVG	PASS
10481.000	43.24	3.73	46.97	68.20	-21.23	peak	PASS
12401.500	42.08	4.38	46.46	74.00	-27.54	peak	PASS
12474.000	33.28	4.69	37.97	54.00	-16.03	AVG	PASS
13885.500	40.01	7.70	47.71	68.20	-20.49	peak	PASS
14058.000	31.06	8.19	39.25	54.00	-14.75	AVG	PASS
15493.500	38.59	10.64	49.23	74.00	-24.77	peak	PASS
15603.500	30.08	10.27	40.35	54.00	-13.65	AVG	PASS
17089.000	29.52	12.43	41.95	54.00	-12.05	AVG	PASS
17255.000	37.97	12.77	50.74	68.20	-17.46	peak	PASS




**802.11ac80 Test mode**

Plots for Channel = 42




(802.11ac80 \_5210MHz, Antenna Horizontal, 30MHz to 1GHz)

Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Det.	Verdict
43.7122	2.93	15.26	18.19	40.00	-21.81	peak	PASS
74.7092	10.05	9.87	19.92	40.00	-20.08	peak	PASS
162.1835	5.10	11.76	16.86	43.50	-26.64	peak	PASS
265.8621	7.47	15.31	22.78	46.00	-23.22	peak	PASS
417.8608	4.13	19.96	24.09	46.00	-21.91	peak	PASS
714.9250	2.38	25.00	27.38	46.00	-18.62	peak	PASS




(802.11ac80\_5210MHz, Antenna Horizontal, 1GHz to 8GHz)

Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Det.	Verdict
1980.350	47.68	-12.97	34.71	68.20	-33.49	peak	PASS
2000.300	40.55	-13.99	26.56	54.00	-27.44	AVG	PASS
3001.300	39.73	-9.28	30.45	54.00	-23.55	AVG	PASS
3009.000	48.45	-9.15	39.30	68.20	-28.90	peak	PASS
4004.750	48.06	-7.35	40.71	74.00	-33.29	peak	PASS
4078.600	37.38	-5.46	31.92	54.00	-22.08	AVG	PASS
6010.600	45.92	-3.73	42.19	68.20	-26.01	peak	PASS
6062.750	37.01	-3.36	33.65	54.00	-20.35	AVG	PASS
7086.500	44.83	-1.93	42.90	68.20	-25.30	peak	PASS
7128.500	35.85	-1.87	33.98	54.00	-20.02	AVG	PASS
7782.300	45.09	-0.88	44.21	68.20	-23.99	peak	PASS
7848.450	35.61	-0.76	34.85	54.00	-19.15	AVG	PASS




(802.11ac80\_5210MHz, Antenna Horizontal, 8GHz to 18GHz)

Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Det.	Verdict
8829.500	35.02	2.03	37.05	54.00	-16.95	AVG	PASS
8840.500	43.76	2.12	45.88	68.20	-22.32	peak	PASS
10468.000	43.60	3.00	46.60	68.20	-21.60	peak	PASS
10518.500	34.83	3.07	37.90	54.00	-16.10	AVG	PASS
11965.000	33.55	3.87	37.42	54.00	-16.58	AVG	PASS
12098.000	42.42	4.10	46.52	74.00	-27.48	peak	PASS
13922.000	39.19	7.87	47.06	68.20	-21.14	peak	PASS
13922.000	31.22	7.87	39.09	54.00	-14.91	AVG	PASS
15417.500	29.94	10.27	40.21	54.00	-13.79	AVG	PASS
15458.500	37.86	10.84	48.70	74.00	-25.30	peak	PASS
17100.000	30.58	11.54	42.12	54.00	-11.88	AVG	PASS
17123.000	38.26	11.93	50.19	68.20	-18.01	peak	PASS




(802.11ac80\_5210MHz, Antenna Vertical, 30MHz to 1GHz)

Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Det.	Verdict
44.3063	17.45	15.29	32.74	40.00	-7.26	peak	PASS
73.4494	12.76	10.18	22.94	40.00	-17.06	peak	PASS
178.8211	6.18	12.47	18.65	43.50	-24.85	peak	PASS
332.8103	7.67	17.18	24.85	46.00	-21.15	peak	PASS
397.8426	5.70	19.46	25.16	46.00	-20.84	peak	PASS
805.3084	2.01	26.17	28.18	46.00	-17.82	peak	PASS



(802.11ac80\_5210MHz, Antenna Vertical, 1GHz to 8GHz)

Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Det.	Verdict
1985.950	39.61	-12.69	26.92	54.00	-27.08	AVG	PASS
2018.150	48.21	-12.72	35.49	68.20	-32.71	peak	PASS
3004.100	37.70	-7.12	30.58	54.00	-23.42	AVG	PASS
3009.000	46.15	-7.27	38.88	68.20	-29.32	peak	PASS
3973.250	46.42	-5.88	40.54	74.00	-33.46	peak	PASS
3997.750	36.44	-4.99	31.45	54.00	-22.55	AVG	PASS
4900.750	36.49	-3.81	32.68	54.00	-21.32	AVG	PASS
4946.250	44.97	-3.37	41.60	74.00	-32.40	peak	PASS
6312.650	44.15	-2.73	41.42	68.20	-26.78	peak	PASS
6360.600	35.53	-2.43	33.10	54.00	-20.90	AVG	PASS
7183.800	44.84	-1.55	43.29	68.20	-24.91	peak	PASS
7212.850	35.78	-1.50	34.28	54.00	-19.72	AVG	PASS




(802.11ac80\_5210MHz, Antenna Vertical, 8GHz to 18GHz)

Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Det.	Verdict
8742.500	35.64	1.68	37.32	54.00	-16.68	AVG	PASS
8797.000	44.14	1.74	45.88	68.20	-22.32	peak	PASS
10371.000	35.37	2.38	37.75	54.00	-16.25	AVG	PASS
10481.000	43.24	3.73	46.97	68.20	-21.23	peak	PASS
12401.500	42.08	4.38	46.46	74.00	-27.54	peak	PASS
12474.000	33.28	4.69	37.97	54.00	-16.03	AVG	PASS
14236.000	39.60	8.23	47.83	68.20	-20.37	peak	PASS
14370.000	30.61	9.12	39.73	54.00	-14.27	AVG	PASS
15583.500	39.03	10.41	49.44	74.00	-24.56	peak	PASS
15635.500	30.17	10.67	40.84	54.00	-13.16	AVG	PASS
17489.000	28.23	14.48	42.71	54.00	-11.29	AVG	PASS
17496.500	36.92	14.66	51.58	68.20	-16.62	peak	PASS






Plots for Channel = 155




(802.11ac80\_5775MHz, Antenna Horizontal, 30MHz to 1GHz)

Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Det.	Verdict
44.0893	2.92	15.28	18.20	40.00	-21.80	peak	PASS
74.7092	10.05	9.87	19.92	40.00	-20.08	peak	PASS
112.3863	3.25	14.02	17.27	43.50	-26.23	peak	PASS
162.1835	5.10	11.76	16.86	43.50	-26.64	peak	PASS
318.0912	6.50	17.67	24.17	46.00	-21.83	peak	PASS
632.0207	1.56	24.02	25.58	46.00	-20.42	peak	PASS




(802.11ac80\_5775MHz, Antenna Horizontal, 1GHz to 8GHz)

Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Det.	Verdict
2018.850	47.82	-12.72	35.10	68.20	-33.10	peak	PASS
2018.850	39.45	-12.72	26.73	54.00	-27.27	AVG	PASS
3016.700	38.67	-9.03	29.64	54.00	-24.36	AVG	PASS
3097.900	47.30	-8.72	38.58	68.20	-29.62	peak	PASS
4065.300	36.85	-5.24	31.61	54.00	-22.39	AVG	PASS
4085.600	46.85	-5.61	41.24	74.00	-32.76	peak	PASS
5063.850	46.80	-4.15	42.65	74.00	-31.35	peak	PASS
5127.550	37.74	-4.01	33.73	54.00	-20.27	AVG	PASS
6378.800	44.64	-2.54	42.10	68.20	-26.10	peak	PASS
6411.350	36.24	-2.82	33.42	54.00	-20.58	AVG	PASS
7408.150	45.11	-1.63	43.48	74.00	-30.52	peak	PASS
7510.000	35.75	-0.95	34.80	54.00	-19.20	AVG	PASS




(802.11ac80\_5775MHz, Antenna Horizontal, 8GHz to 18GHz)

Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Det.	Verdict
8829.500	35.02	2.03	37.05	54.00	-16.95	AVG	PASS
8840.500	43.76	2.12	45.88	68.20	-22.32	peak	PASS
10474.500	43.56	3.04	46.60	68.20	-21.60	peak	PASS
10528.500	35.10	2.98	38.08	54.00	-15.92	AVG	PASS
12063.000	33.02	4.46	37.48	54.00	-16.52	AVG	PASS
12098.000	42.42	4.10	46.52	74.00	-27.48	peak	PASS
14101.500	40.05	8.19	48.24	68.20	-19.96	peak	PASS
14101.500	30.69	8.19	38.88	54.00	-15.12	AVG	PASS
15909.000	38.05	11.17	49.22	74.00	-24.78	peak	PASS
15920.500	29.27	11.26	40.53	54.00	-13.47	AVG	PASS
17100.000	30.58	11.54	42.12	54.00	-11.88	AVG	PASS
17124.000	38.25	11.94	50.19	68.20	-18.01	peak	PASS




(802.11ac80\_5775MHz, Antenna Vertical, 30MHz to 1GHz)

Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Det.	Verdict
44.3063	17.45	15.29	32.74	40.00	-7.26	peak	PASS
73.4494	12.76	10.18	22.94	40.00	-17.06	peak	PASS
178.8211	6.18	12.47	18.65	43.50	-24.85	peak	PASS
332.8103	7.67	17.18	24.85	46.00	-21.15	peak	PASS
421.5400	5.97	20.10	26.07	46.00	-19.93	peak	PASS
883.8828	1.47	27.74	29.21	46.00	-16.79	peak	PASS



(802.11ac80\_5775MHz, Antenna Vertical, 1GHz to 8GHz)

Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Det.	Verdict
2020.600	48.28	-12.73	35.55	68.20	-32.65	peak	PASS
2027.600	39.15	-12.60	26.55	54.00	-27.45	AVG	PASS
3005.850	46.07	-7.17	38.90	68.20	-29.30	peak	PASS
3005.850	37.39	-7.17	30.22	54.00	-23.78	AVG	PASS
4404.800	45.76	-4.92	40.84	68.20	-27.36	peak	PASS
4476.550	37.10	-4.43	32.67	54.00	-21.33	AVG	PASS
6214.650	35.94	-2.86	33.08	54.00	-20.92	AVG	PASS
6280.100	44.59	-2.94	41.65	68.20	-26.55	peak	PASS
7021.400	45.72	-1.82	43.90	68.20	-24.30	peak	PASS
7105.750	35.66	-1.87	33.79	54.00	-20.21	AVG	PASS
7742.750	35.77	-0.91	34.86	54.00	-19.14	AVG	PASS
7811.000	44.61	-0.80	43.81	68.20	-24.39	peak	PASS



(802.11ac80\_5775MHz, Antenna Vertical, 8GHz to 18GHz)

Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Det.	Verdict
9273.000	43.90	2.18	46.08	68.20	-22.12	peak	PASS
9376.000	35.55	2.07	37.62	54.00	-16.38	AVG	PASS
11127.000	34.18	3.49	37.67	54.00	-16.33	AVG	PASS
11213.000	43.37	3.07	46.44	74.00	-27.56	peak	PASS
13032.500	40.97	6.04	47.01	68.20	-21.19	peak	PASS
13032.500	32.34	6.04	38.38	54.00	-15.62	AVG	PASS
14872.500	39.15	9.25	48.40	68.20	-19.80	peak	PASS
15086.000	30.25	10.34	40.59	54.00	-13.41	AVG	PASS
16366.500	29.79	11.43	41.22	54.00	-12.78	AVG	PASS
16409.500	39.71	11.15	50.86	68.20	-17.34	peak	PASS
17489.000	28.23	14.48	42.71	54.00	-11.29	AVG	PASS
17496.500	36.92	14.66	51.58	68.20	-16.62	peak	PASS



## **2.9. Automatically discontinue transmission requirement**

### **2.9.1. Requirement**

According to 15.407(c), the device shall automatically discontinue transmission in case of either absence of information to transmit or operational failure. These provisions are not intended to preclude the transmission of control or signalling information or the use of repetitive codes used by certain digital technologies to complete frame or burst intervals. Applicants shall include in their application for equipment authorization a description of how this requirement is met

### **2.9.2. Result**

The EUT will automatically discontinue transmission in case of either absence of information to transmit or operational failure.





## Annex A Test Uncertainty

Where relevant, the following measurement uncertainty levels have been estimated for test performed on the EUT as specified in CISPR 16-1-2:

Test items	Uncertainty
Peak Output Power	$\pm 2.22\text{dB}$
Power spectral density (PSD)	$\pm 2.22\text{dB}$
Bandwidth	$\pm 5\%$
Restricted Frequency Bands	$\pm 5\%$
Radiated Emission	$\pm 3.1\text{dB}$
Conducted Emission	$\pm 1.8\text{dB}$

This uncertainty represent an expanded uncertainty expressed at approximately the 95% confidence level using a coverage factor of  $k=2$



## Annex B Testing Laboratory Information

### 1. Identification of the Responsible Testing Laboratory

<b>Laboratory Name:</b>	Kehu-Morlab Test Laboratory
<b>Laboratory Address:</b>	Unit 101, No.1732 Gangzhong Road, Xiamen Area, Pilot Free Trade Zone (Fujian) , P.R. China
<b>Telephone:</b>	+86 592 5612050
<b>Facsimile:</b>	+86 592 5612095

### 2. Identification of the Responsible Testing Location

<b>Name:</b>	Kehu-Morlab Test Laboratory
<b>Address:</b>	Unit 101, No.1732 Gangzhong Road, Xiamen Area, Pilot Free Trade Zone (Fujian) , P.R. China

### 3. Accreditation Certificate

<b>Accredited Testing Laboratory:</b>	The FCC designation number is CN1249. ( Kehu-Morlab Test Laboratory )
---------------------------------------	--

### 4. Test Equipments Utilized

#### 4.1 Conducted Test Equipments

No	Equipment Name	Serial No.	Model No.	Manufacturer	Cal.Due Date
1	MXA Signal Analyzer	MY53421845	N9020A	Keysight	2021.03.08
2	RF cable (30MHz-26.5GHz)	RF01	N/A	Morlab	2021.03.06
3	Coaxial cable	RF02	N/A	Morlab	2021.03.06
4	SMA connector	RF03	N/A	Xingbo	2021.03.06
5	USB Power Sensor	MY56410006	U2021XA	Keysight	2021.06.04

#### 4.2 Conducted Emission Test Equipments

No	Equipment Name	Serial No.	Model No.	Manufacturer	Cal.Due Date
1	EMI Receiver	102174	ESR3	ESR3	2021.03.15
2	LISN	101338	ENV432	ENV432	2021.03.09
3	Pulse Limiter (10dB)	317	VTSD 9561 F	VTSD 9561 F	2021.03.13
4	Coaxial cable(BNC) (30MHz-3GHz)	EMC01	N/A	Morlab	2021.03.13

**4.4 List of Software Used**

No	Model	Version Number	Producer	Test Item
1	EZ_EMCC	V1.1.4.2	FARAD	RE
2	EMC32	V10.20.01	Rode&Schwarz	CE

**4.5 Radiated Test Equipments**

No.	Equipment Name	Serial No.	Model No.	Manufacturer	Cal.Due Date
1	Anechoic Chamber	N/A	9m*6m*6m	ETS-Lindgren	2022.07.20
2	Signal Analyzer	101294	FSV40	R&S	2021.06.04
3	Active Ring Antenna	FMZB 1513 #269	FMZB 1513	Schwarzbeck	2022.01.11
4	Linear Log Periodic Broad Band Antenna	949	VULB 9163	Schwarzbeck	2021.09.24
5	Ultra-Wideband Horn Antenna	102615	HF907	R&S	2022.01.18
6	Steatite Antennas	17868	QSH-SL-18-26- S-20	Seibersdorf	2021.03.11
7	Ultra-Wideband Horn Antenna	17989	QSH-26-40	Schwarzbeck	2021.03.11
8	RF Switch and Control Platform	N/A	RSC	CDSI	N/A
9	Coaxial cable (N male) (9kHz -3GHz)	EMC02	N/A	Morlab	2021.03.23
10	Coaxial cable (N male) (9kHz -3GHz)	EMC03	N/A	Morlab	2021.03.23
11	Coaxial cable (N male) (1GHz-26.5GHz)	EMC04	N/A	Morlab	2021.03.23
12	Coaxial cable (N male) (1GHz-26.5GHz)	EMC05	N/A	Morlab	2021.03.23
13	Pre-amplifier (1GHz-18GHz)	8810011	PAP-1G18	CDSI	2021.03.23
14	Pre-amplifier (18GHz-40GHz)	17021-17024	PAP-1840	CDSI	2021.03.23



REPORT No. : XM20060054W04

15	Band stop Filter	EMC23	BJF5150/5350-50	CDSI	2021.03.23
16	Band stop Filter	EMC25	BJF5725/5850-50	CDSI	2021.03.23
17	High Pass Filter	EMC26	HFP-8.0/18G-60	CDSI	2021.03.23

————— END OF REPORT —————