

11a, U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1330.800	39.34	-19.80	74.0	34.66	Peak	226.00	300	Horizontal	Pass
1**	1330.800	30.68	-19.80	54.0	23.32	AV	226.00	300	Horizontal	Pass
2	2731.200	44.17	-11.58	74.0	29.83	Peak	70.00	300	Horizontal	Pass
2**	2731.200	33.57	-11.58	54.0	20.43	AV	70.00	300	Horizontal	Pass
3	4327.500	47.40	-5.94	74.0	26.60	Peak	34.00	100	Horizontal	Pass
3**	4327.500	38.06	-5.94	54.0	15.94	AV	34.00	100	Horizontal	Pass
4	5747.250	109.33	-5.28	--	--	Peak	104.00	100	Horizontal	N/A
4**	5747.250	101.07	-5.28	--	--	AV	104.00	100	Horizontal	N/A
5	7532.750	54.21	-0.51	74.0	19.79	Peak	192.00	100	Horizontal	Pass
5**	7532.750	44.20	-0.51	54.0	9.80	AV	192.00	100	Horizontal	Pass
6	12421.063	52.98	0.55	74.0	21.02	Peak	159.00	100	Horizontal	Pass
6**	12421.063	43.03	0.55	54.0	10.97	AV	159.00	100	Horizontal	Pass

11a, U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1332.200	39.79	-19.74	74.0	34.21	Peak	114.00	400	Vertical	Pass
1**	1332.200	27.58	-19.74	54.0	26.42	AV	114.00	400	Vertical	Pass
2	2838.300	43.10	-12.54	74.0	30.90	Peak	72.00	200	Vertical	Pass
2**	2838.300	33.29	-12.54	54.0	20.71	AV	72.00	200	Vertical	Pass
3	4319.500	47.67	-5.98	74.0	26.33	Peak	277.00	150	Vertical	Pass
3**	4319.500	37.84	-5.98	54.0	16.16	AV	277.00	150	Vertical	Pass
4	5746.250	104.16	-5.27	--	--	Peak	314.00	200	Vertical	N/A
4**	5746.250	96.86	-5.27	--	--	AV	314.00	200	Vertical	N/A
5	7316.750	53.97	-1.95	74.0	20.03	Peak	5.00	150	Vertical	Pass
5**	7316.750	44.59	-1.95	54.0	9.41	AV	5.00	150	Vertical	Pass
6	12572.826	52.42	1.40	74.0	21.58	Peak	285.00	400	Vertical	Pass
6**	12572.826	43.46	1.40	54.0	10.54	AV	285.00	400	Vertical	Pass

11a, U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1486.700	37.47	-19.57	74.0	36.53	Peak	328.00	150	Horizontal	Pass
1**	1486.700	27.78	-19.57	54.0	26.22	AV	328.00	150	Horizontal	Pass
2	2732.600	42.95	-11.63	74.0	31.05	Peak	333.00	400	Horizontal	Pass
2**	2732.600	33.87	-11.63	54.0	20.13	AV	333.00	400	Horizontal	Pass
3	4362.500	46.75	-6.67	74.0	27.25	Peak	164.00	200	Horizontal	Pass
3**	4362.500	37.22	-6.67	54.0	16.78	AV	164.00	200	Horizontal	Pass
4	5782.500	109.85	-4.71	--	--	Peak	95.00	300	Horizontal	N/A
4**	5782.500	101.87	-4.71	--	--	AV	95.00	300	Horizontal	N/A
5	7691.750	53.80	-1.43	74.0	20.20	Peak	26.00	150	Horizontal	Pass
5**	7691.750	44.98	-1.43	54.0	9.02	AV	26.00	150	Horizontal	Pass
6	12302.788	52.81	0.66	74.0	21.19	Peak	89.00	200	Horizontal	Pass
6**	12302.788	43.36	0.66	54.0	10.64	AV	89.00	200	Horizontal	Pass

11a, U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1501.700	40.43	-19.51	74.0	33.57	Peak	234.00	300	Vertical	Pass
1**	1501.700	28.18	-19.51	54.0	25.82	AV	234.00	300	Vertical	Pass
2	2855.600	43.85	-12.33	74.0	30.15	Peak	343.00	100	Vertical	Pass
2**	2855.600	33.94	-12.33	54.0	20.06	AV	343.00	100	Vertical	Pass
3	4327.000	47.16	-5.94	74.0	26.84	Peak	258.00	100	Vertical	Pass
3**	4327.000	39.47	-5.94	54.0	14.53	AV	258.00	100	Vertical	Pass
4	5780.500	104.13	-4.62	--	--	Peak	310.00	300	Vertical	N/A
4**	5780.500	96.99	-4.62	--	--	AV	310.00	300	Vertical	N/A
5	7492.000	54.27	-0.39	74.0	19.73	Peak	182.00	150	Vertical	Pass
5**	7492.000	46.10	-0.39	54.0	7.90	AV	182.00	150	Vertical	Pass
6	12581.613	53.08	1.32	74.0	20.92	Peak	46.00	300	Vertical	Pass
6**	12581.613	43.27	1.32	54.0	10.73	AV	46.00	300	Vertical	Pass

11a, U-NII-3, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1501.500	38.47	-19.51	74.0	35.53	Peak	283.00	100	Horizontal	Pass
1**	1501.500	28.08	-19.51	54.0	25.92	AV	283.00	100	Horizontal	Pass
2	2862.700	43.38	-12.40	74.0	30.62	Peak	43.00	200	Horizontal	Pass
2**	2862.700	33.71	-12.40	54.0	20.29	AV	43.00	200	Horizontal	Pass
3	4328.750	47.43	-5.94	74.0	26.57	Peak	27.00	100	Horizontal	Pass
3**	4328.750	38.88	-5.94	54.0	15.12	AV	27.00	100	Horizontal	Pass
4	5822.000	109.91	-4.70	--	--	Peak	104.00	400	Horizontal	N/A
4**	5822.000	102.31	-4.70	--	--	AV	104.00	400	Horizontal	N/A
5	7597.000	53.98	-0.44	74.0	20.02	Peak	142.00	200	Horizontal	Pass
5**	7597.000	45.73	-0.44	54.0	8.27	AV	142.00	200	Horizontal	Pass
6	12569.737	52.62	1.43	74.0	21.38	Peak	285.00	400	Horizontal	Pass
6**	12569.737	43.10	1.43	54.0	10.90	AV	285.00	400	Horizontal	Pass

11a, U-NII-3, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1507.500	37.83	-19.55	74.0	36.17	Peak	0.00	200	Vertical	Pass
1**	1507.500	27.10	-19.55	54.0	26.90	AV	0.00	200	Vertical	Pass
2	2887.000	42.93	-12.16	74.0	31.07	Peak	76.00	100	Vertical	Pass
2**	2887.000	34.32	-12.16	54.0	19.68	AV	76.00	100	Vertical	Pass
3	4355.000	47.56	-6.62	74.0	26.44	Peak	76.00	150	Vertical	Pass
3**	4355.000	38.71	-6.62	54.0	15.29	AV	76.00	150	Vertical	Pass
4	5831.250	103.67	-4.70	--	--	Peak	308.00	400	Vertical	N/A
4**	5831.250	95.64	-4.70	--	--	AV	308.00	400	Vertical	N/A
5	7483.250	54.48	-0.62	74.0	19.52	Peak	178.00	200	Vertical	Pass
5**	7483.250	44.18	-0.62	54.0	9.82	AV	178.00	200	Vertical	Pass
6	12579.713	52.11	1.34	74.0	21.89	Peak	197.00	200	Vertical	Pass
6**	12579.713	44.39	1.34	54.0	9.61	AV	197.00	200	Vertical	Pass

11n20, U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1331.300	37.17	-19.77	74.0	36.83	Peak	223.00	200	Horizontal	Pass
1**	1331.300	27.01	-19.77	54.0	26.99	AV	223.00	200	Horizontal	Pass
2	2878.300	43.32	-12.36	74.0	30.68	Peak	88.00	100	Horizontal	Pass
2**	2878.300	33.87	-12.36	54.0	20.13	AV	88.00	100	Horizontal	Pass
3	4327.500	47.16	-5.94	74.0	26.84	Peak	251.00	150	Horizontal	Pass
3**	4327.500	38.93	-5.94	54.0	15.07	AV	251.00	150	Horizontal	Pass
4	5748.500	109.08	-5.27	--	--	Peak	302.00	100	Horizontal	N/A
4**	5748.500	101.43	-5.27	--	--	AV	302.00	100	Horizontal	N/A
5	7495.250	54.22	-0.43	74.0	19.78	Peak	243.00	150	Horizontal	Pass
5**	7495.250	45.20	-0.43	54.0	8.80	AV	243.00	150	Horizontal	Pass
6	12270.250	52.59	0.48	74.0	21.41	Peak	187.00	400	Horizontal	Pass
6**	12270.250	43.05	0.48	54.0	10.95	AV	187.00	400	Horizontal	Pass

11n20, U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1328.800	40.13	-19.78	74.0	33.87	Peak	242.00	100	Vertical	Pass
1**	1328.800	28.23	-19.78	54.0	25.77	AV	242.00	100	Vertical	Pass
2	2840.000	42.86	-12.48	74.0	31.14	Peak	328.00	400	Vertical	Pass
2**	2840.000	32.87	-12.48	54.0	21.13	AV	328.00	400	Vertical	Pass
3	4330.500	48.07	-5.98	74.0	25.93	Peak	258.00	200	Vertical	Pass
3**	4330.500	38.65	-5.98	54.0	15.35	AV	258.00	200	Vertical	Pass
4	5747.500	103.59	-5.28	--	--	Peak	301.00	400	Vertical	N/A
4**	5747.500	96.53	-5.28	--	--	AV	301.00	400	Vertical	N/A
5	7486.250	54.00	-0.38	74.0	20.00	Peak	179.00	100	Vertical	Pass
5**	7486.250	44.20	-0.38	54.0	9.80	AV	179.00	100	Vertical	Pass
6	12313.238	52.73	0.68	74.0	21.27	Peak	349.00	200	Vertical	Pass
6**	12313.238	43.43	0.68	54.0	10.57	AV	349.00	200	Vertical	Pass

11n20, U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1305.700	37.03	-19.73	74.0	36.97	Peak	333.00	300	Horizontal	Pass
1**	1305.700	28.17	-19.73	54.0	25.83	AV	333.00	300	Horizontal	Pass
2	2778.400	43.41	-13.08	74.0	30.59	Peak	240.00	150	Horizontal	Pass
2**	2778.400	33.54	-13.08	54.0	20.46	AV	240.00	150	Horizontal	Pass
3	4342.000	47.85	-6.30	74.0	26.15	Peak	5.00	200	Horizontal	Pass
3**	4342.000	37.53	-6.30	54.0	16.47	AV	5.00	200	Horizontal	Pass
4	5782.000	109.71	-4.71	--	--	Peak	110.00	200	Horizontal	N/A
4**	5782.000	102.40	-4.71	--	--	AV	110.00	200	Horizontal	N/A
5	7497.500	54.03	-0.60	74.0	19.97	Peak	340.00	200	Horizontal	Pass
5**	7497.500	45.13	-0.60	54.0	8.87	AV	340.00	200	Horizontal	Pass
6	12578.763	53.27	1.35	74.0	20.73	Peak	160.00	300	Horizontal	Pass
6**	12578.763	43.29	1.35	54.0	10.71	AV	160.00	300	Horizontal	Pass

11n20, U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1331.500	39.87	-19.77	74.0	34.13	Peak	107.00	300	Vertical	Pass
1**	1331.500	26.67	-19.77	54.0	27.33	AV	107.00	300	Vertical	Pass
2	2805.300	42.95	-13.05	74.0	31.05	Peak	341.00	400	Vertical	Pass
2**	2805.300	33.25	-13.05	54.0	20.75	AV	341.00	400	Vertical	Pass
3	4315.000	47.43	-6.00	74.0	26.57	Peak	156.00	150	Vertical	Pass
3**	4315.000	38.56	-6.00	54.0	15.44	AV	156.00	150	Vertical	Pass
4	5785.500	103.95	-4.71	--	--	Peak	306.00	200	Vertical	N/A
4**	5785.500	95.30	-4.71	--	--	AV	306.00	200	Vertical	N/A
5	7681.000	53.94	-1.42	74.0	20.06	Peak	288.00	150	Vertical	Pass
5**	7681.000	43.91	-1.42	54.0	10.09	AV	288.00	150	Vertical	Pass
6	12365.250	52.51	0.61	74.0	21.49	Peak	46.00	400	Vertical	Pass
6**	12365.250	43.76	0.61	54.0	10.24	AV	46.00	400	Vertical	Pass

11n20, U-NII-3, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1498.800	38.42	-19.51	74.0	35.58	Peak	224.00	200	Horizontal	Pass
1**	1498.800	30.96	-19.51	54.0	23.04	AV	224.00	200	Horizontal	Pass
2	2853.500	43.39	-12.25	74.0	30.61	Peak	342.00	200	Horizontal	Pass
2**	2853.500	33.85	-12.25	54.0	20.15	AV	342.00	200	Horizontal	Pass
3	4334.250	46.62	-6.13	74.0	27.38	Peak	74.00	150	Horizontal	Pass
3**	4334.250	37.79	-6.13	54.0	16.21	AV	74.00	150	Horizontal	Pass
4	5830.250	109.92	-4.70	--	--	Peak	108.00	300	Horizontal	N/A
4**	5830.250	102.77	-4.70	--	--	AV	108.00	300	Horizontal	N/A
5	7484.250	54.35	-0.51	74.0	19.65	Peak	360.00	200	Horizontal	Pass
5**	7484.250	44.87	-0.51	54.0	9.13	AV	360.00	200	Horizontal	Pass
6	12462.862	53.00	0.79	74.0	21.00	Peak	337.00	300	Horizontal	Pass
6**	12462.862	42.80	0.79	54.0	11.20	AV	337.00	300	Horizontal	Pass

11n20, U-NII-3, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1329.300	39.58	-19.80	74.0	34.42	Peak	337.00	100	Vertical	Pass
1**	1329.300	29.76	-19.80	54.0	24.24	AV	337.00	100	Vertical	Pass
2	2865.000	43.08	-12.32	74.0	30.92	Peak	8.00	100	Vertical	Pass
2**	2865.000	33.40	-12.32	54.0	20.60	AV	8.00	100	Vertical	Pass
3	4214.250	47.34	-7.63	74.0	26.66	Peak	24.00	150	Vertical	Pass
3**	4214.250	37.25	-7.63	54.0	16.75	AV	24.00	150	Vertical	Pass
4	5821.750	103.49	-4.70	--	--	Peak	303.00	100	Vertical	N/A
4**	5821.750	95.63	-4.70	--	--	AV	303.00	100	Vertical	N/A
5	7495.500	54.66	-0.45	74.0	19.34	Peak	60.00	150	Vertical	Pass
5**	7495.500	44.79	-0.45	54.0	9.21	AV	60.00	150	Vertical	Pass
6	12536.724	52.58	1.32	74.0	21.42	Peak	272.00	200	Vertical	Pass
6**	12536.724	42.10	1.32	54.0	11.90	AV	272.00	200	Vertical	Pass

11n40, U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1597.000	37.79	-19.98	74.0	36.21	Peak	333.00	200	Horizontal	Pass
1**	1597.000	27.10	-19.98	54.0	26.90	AV	333.00	200	Horizontal	Pass
2	2871.500	43.21	-12.42	74.0	30.79	Peak	360.00	200	Horizontal	Pass
2**	2871.500	33.96	-12.42	54.0	20.04	AV	360.00	200	Horizontal	Pass
3	4354.500	47.37	-6.61	74.0	26.63	Peak	101.00	200	Horizontal	Pass
3**	4354.500	37.72	-6.61	54.0	16.28	AV	101.00	200	Horizontal	Pass
4	5761.000	105.81	-5.01	--	--	Peak	110.00	400	Horizontal	N/A
4**	5761.000	97.85	-5.01	--	--	AV	110.00	400	Horizontal	N/A
5	7600.250	54.03	-0.37	74.0	19.97	Peak	101.00	100	Horizontal	Pass
5**	7600.250	45.41	-0.37	54.0	8.59	AV	101.00	100	Horizontal	Pass
6	12577.812	52.70	1.35	74.0	21.30	Peak	104.00	100	Horizontal	Pass
6**	12577.812	43.49	1.35	54.0	10.51	AV	104.00	100	Horizontal	Pass

11n40, U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1331.000	38.96	-19.79	74.0	35.04	Peak	340.00	400	Vertical	Pass
1**	1331.000	27.36	-19.79	54.0	26.64	AV	340.00	400	Vertical	Pass
2	2714.300	42.97	-12.67	74.0	31.03	Peak	9.00	200	Vertical	Pass
2**	2714.300	33.72	-12.67	54.0	20.28	AV	9.00	200	Vertical	Pass
3	4343.750	46.99	-6.27	74.0	27.01	Peak	335.00	100	Vertical	Pass
3**	4343.750	38.65	-6.27	54.0	15.35	AV	335.00	100	Vertical	Pass
4	5742.000	99.94	-5.33	--	--	Peak	119.00	400	Vertical	N/A
4**	5742.000	91.49	-5.33	--	--	AV	119.00	400	Vertical	N/A
5	7487.500	54.63	-0.35	74.0	19.37	Peak	206.00	200	Vertical	Pass
5**	7487.500	44.81	-0.35	54.0	9.19	AV	206.00	200	Vertical	Pass
6	12296.375	52.46	0.63	74.0	21.54	Peak	195.00	200	Vertical	Pass
6**	12296.375	42.86	0.63	54.0	11.14	AV	195.00	200	Vertical	Pass

11n40, U-NII-3, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1327.700	37.38	-19.77	74.0	36.62	Peak	308.00	400	Horizontal	Pass
1**	1327.700	28.06	-19.77	54.0	25.94	AV	308.00	400	Horizontal	Pass
2	2734.300	43.14	-11.78	74.0	30.86	Peak	345.00	100	Horizontal	Pass
2**	2734.300	33.80	-11.78	54.0	20.20	AV	345.00	100	Horizontal	Pass
3	4339.000	47.52	-6.21	74.0	26.48	Peak	35.00	150	Horizontal	Pass
3**	4339.000	38.09	-6.21	54.0	15.91	AV	35.00	150	Horizontal	Pass
4	5791.000	107.40	-4.73	--	--	Peak	108.00	200	Horizontal	N/A
4**	5791.000	98.88	-4.73	--	--	AV	108.00	200	Horizontal	N/A
5	7547.250	53.84	-0.70	74.0	20.16	Peak	15.00	100	Horizontal	Pass
5**	7547.250	44.36	-0.70	54.0	9.64	AV	15.00	100	Horizontal	Pass
6	12617.000	52.69	1.01	74.0	21.31	Peak	278.00	400	Horizontal	Pass
6**	12617.000	43.36	1.01	54.0	10.64	AV	278.00	400	Horizontal	Pass

11n40, U-NII-3, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1599.000	39.24	-20.05	74.0	34.76	Peak	10.00	100	Vertical	Pass
1**	1599.000	27.55	-20.05	54.0	26.45	AV	10.00	100	Vertical	Pass
2	2838.800	43.13	-12.53	74.0	30.87	Peak	175.00	400	Vertical	Pass
2**	2838.800	33.44	-12.53	54.0	20.56	AV	175.00	400	Vertical	Pass
3	4155.750	46.94	-7.22	74.0	27.06	Peak	328.00	200	Vertical	Pass
3**	4155.750	37.46	-7.22	54.0	16.54	AV	328.00	200	Vertical	Pass
4	5797.500	100.93	-4.67	--	--	Peak	250.00	300	Vertical	N/A
4**	5797.500	93.59	-4.67	--	--	AV	250.00	300	Vertical	N/A
5	7531.000	54.08	-0.65	74.0	19.92	Peak	319.00	200	Vertical	Pass
5**	7531.000	44.84	-0.65	54.0	9.16	AV	319.00	200	Vertical	Pass
6	12547.888	52.61	1.56	74.0	21.39	Peak	270.00	400	Vertical	Pass
6**	12547.888	43.87	1.56	54.0	10.13	AV	270.00	400	Vertical	Pass

11ac20, U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1330.500	38.01	-19.81	74.0	35.99	Peak	312.00	300	Horizontal	Pass
1**	1330.500	28.25	-19.81	54.0	25.75	AV	312.00	300	Horizontal	Pass
2	2786.000	43.35	-12.79	74.0	30.65	Peak	137.00	200	Horizontal	Pass
2**	2786.000	33.88	-12.79	54.0	20.12	AV	137.00	200	Horizontal	Pass
3	4314.750	47.26	-6.00	74.0	26.74	Peak	297.00	150	Horizontal	Pass
3**	4314.750	38.15	-6.00	54.0	15.85	AV	297.00	150	Horizontal	Pass
4	5748.250	108.36	-5.28	--	--	Peak	341.00	100	Horizontal	N/A
4**	5748.250	100.05	-5.28	--	--	AV	341.00	100	Horizontal	N/A
5	7687.000	54.93	-1.43	74.0	19.07	Peak	73.00	150	Horizontal	Pass
5**	7687.000	43.95	-1.43	54.0	10.05	AV	73.00	150	Horizontal	Pass
6	12626.500	52.75	0.92	74.0	21.25	Peak	293.00	200	Horizontal	Pass
6**	12626.500	42.80	0.92	54.0	11.20	AV	293.00	200	Horizontal	Pass

11ac20, U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1595.000	38.74	-19.96	74.0	35.26	Peak	0.00	100	Vertical	Pass
1**	1595.000	29.17	-19.96	54.0	24.83	AV	0.00	100	Vertical	Pass
2	2739.200	43.58	-12.19	74.0	30.42	Peak	221.00	400	Vertical	Pass
2**	2739.200	34.34	-12.19	54.0	19.66	AV	221.00	400	Vertical	Pass
3	4335.750	47.43	-6.12	74.0	26.57	Peak	359.00	200	Vertical	Pass
3**	4335.750	38.24	-6.12	54.0	15.76	AV	359.00	200	Vertical	Pass
4	5746.250	102.45	-5.27	--	--	Peak	248.00	400	Vertical	N/A
4**	5746.250	95.33	-5.27	--	--	AV	248.00	400	Vertical	N/A
5	7492.000	54.48	-0.39	74.0	19.52	Peak	335.00	100	Vertical	Pass
5**	7492.000	45.36	-0.39	54.0	8.64	AV	335.00	100	Vertical	Pass
6	12579.000	53.49	1.34	74.0	20.51	Peak	46.00	100	Vertical	Pass
6**	12579.000	43.64	1.34	54.0	10.36	AV	46.00	100	Vertical	Pass

11ac20, U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1329.100	37.98	-19.79	74.0	36.02	Peak	206.00	400	Horizontal	Pass
1**	1329.100	29.69	-19.79	54.0	24.31	AV	206.00	400	Horizontal	Pass
2	2862.700	43.53	-12.40	74.0	30.47	Peak	315.00	200	Horizontal	Pass
2**	2862.700	33.41	-12.40	54.0	20.59	AV	315.00	200	Horizontal	Pass
3	4341.000	47.66	-6.30	74.0	26.34	Peak	360.00	150	Horizontal	Pass
3**	4341.000	39.03	-6.30	54.0	14.97	AV	360.00	150	Horizontal	Pass
4	5788.250	109.02	-4.74	--	--	Peak	103.00	300	Horizontal	N/A
4**	5788.250	100.41	-4.74	--	--	AV	103.00	300	Horizontal	N/A
5	7501.750	54.38	-0.84	74.0	19.62	Peak	93.00	200	Horizontal	Pass
5**	7501.750	45.89	-0.84	54.0	8.11	AV	93.00	200	Horizontal	Pass
6	12281.413	52.30	0.55	74.0	21.70	Peak	220.00	300	Horizontal	Pass
6**	12281.413	42.96	0.55	54.0	11.04	AV	220.00	300	Horizontal	Pass

11ac20, U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1330.200	39.91	-19.82	74.0	34.09	Peak	333.00	300	Vertical	Pass
1**	1330.200	27.69	-19.82	54.0	26.31	AV	333.00	300	Vertical	Pass
2	2763.400	44.18	-12.76	74.0	29.82	Peak	163.00	100	Vertical	Pass
2**	2763.400	33.72	-12.76	54.0	20.28	AV	163.00	100	Vertical	Pass
3	4329.750	47.37	-5.96	74.0	26.63	Peak	200.00	100	Vertical	Pass
3**	4329.750	38.98	-5.96	54.0	15.02	AV	200.00	100	Vertical	Pass
4	5781.750	102.85	-4.69	--	--	Peak	306.00	300	Vertical	N/A
4**	5781.750	95.35	-4.69	--	--	AV	306.00	300	Vertical	N/A
5	7590.000	54.38	-0.81	74.0	19.62	Peak	145.00	200	Vertical	Pass
5**	7590.000	45.55	-0.81	54.0	8.45	AV	145.00	200	Vertical	Pass
6	12548.838	52.42	1.58	74.0	21.58	Peak	208.00	200	Vertical	Pass
6**	12548.838	44.66	1.58	54.0	9.34	AV	208.00	200	Vertical	Pass

11ac20, U-NII-3, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1329.300	40.96	-19.80	74.0	33.04	Peak	167.00	100	Horizontal	Pass
1**	1329.300	28.21	-19.80	54.0	25.79	AV	167.00	100	Horizontal	Pass
2	2782.600	43.49	-12.97	74.0	30.51	Peak	74.00	400	Horizontal	Pass
2**	2782.600	33.34	-12.97	54.0	20.66	AV	74.00	400	Horizontal	Pass
3	4354.500	47.32	-6.61	74.0	26.68	Peak	328.00	150	Horizontal	Pass
3**	4354.500	39.19	-6.61	54.0	14.81	AV	328.00	150	Horizontal	Pass
4	5821.250	108.58	-4.72	--	--	Peak	102.00	400	Horizontal	N/A
4**	5821.250	100.97	-4.72	--	--	AV	102.00	400	Horizontal	N/A
5	7598.500	54.42	-0.37	74.0	19.58	Peak	93.00	200	Horizontal	Pass
5**	7598.500	45.65	-0.37	54.0	8.35	AV	93.00	200	Horizontal	Pass
6	12339.125	52.57	0.72	74.0	21.43	Peak	103.00	100	Horizontal	Pass
6**	12339.125	43.03	0.72	54.0	10.97	AV	103.00	100	Horizontal	Pass

11ac20, U-NII-3, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1500.200	38.85	-19.47	74.0	35.15	Peak	104.00	400	Vertical	Pass
1**	1500.200	28.36	-19.47	54.0	25.64	AV	104.00	400	Vertical	Pass
2	2736.900	43.26	-11.95	74.0	30.74	Peak	158.00	400	Vertical	Pass
2**	2736.900	33.73	-11.95	54.0	20.27	AV	158.00	400	Vertical	Pass
3	4351.250	47.12	-6.61	74.0	26.88	Peak	265.00	100	Vertical	Pass
3**	4351.250	38.25	-6.61	54.0	15.75	AV	265.00	100	Vertical	Pass
4	5828.750	103.41	-4.72	--	--	Peak	309.00	300	Vertical	N/A
4**	5828.750	95.13	-4.72	--	--	AV	309.00	300	Vertical	N/A
5	7495.750	54.17	-0.47	74.0	19.83	Peak	179.00	200	Vertical	Pass
5**	7495.750	45.63	-0.47	54.0	8.37	AV	179.00	200	Vertical	Pass
6	12306.350	52.35	0.67	74.0	21.65	Peak	339.00	300	Vertical	Pass
6**	12306.350	44.05	0.67	54.0	9.95	AV	339.00	300	Vertical	Pass

11ac40, U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1308.600	36.95	-19.82	74.0	37.05	Peak	186.00	100	Horizontal	Pass
1**	1308.600	27.64	-19.82	54.0	26.36	AV	186.00	100	Horizontal	Pass
2	2795.300	43.16	-12.61	74.0	30.84	Peak	244.00	100	Horizontal	Pass
2**	2795.300	34.15	-12.61	54.0	19.85	AV	244.00	100	Horizontal	Pass
3	4357.500	47.56	-6.61	74.0	26.44	Peak	57.00	100	Horizontal	Pass
3**	4357.500	39.99	-6.61	54.0	14.01	AV	57.00	100	Horizontal	Pass
4	5749.500	105.98	-5.25	--	--	Peak	311.00	200	Horizontal	N/A
4**	5749.500	98.26	-5.25	--	--	AV	311.00	200	Horizontal	N/A
5	7539.250	53.76	-0.21	74.0	20.24	Peak	198.00	150	Horizontal	Pass
5**	7539.250	44.62	-0.21	54.0	9.38	AV	198.00	150	Horizontal	Pass
6	12581.137	52.92	1.32	74.0	21.08	Peak	234.00	100	Horizontal	Pass
6**	12581.137	44.16	1.32	54.0	9.84	AV	234.00	100	Horizontal	Pass

11ac40, U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1328.400	39.72	-19.77	74.0	34.28	Peak	109.00	200	Vertical	Pass
1**	1328.400	27.87	-19.77	54.0	26.13	AV	109.00	200	Vertical	Pass
2	2886.100	43.06	-12.20	74.0	30.94	Peak	162.00	100	Vertical	Pass
2**	2886.100	34.51	-12.20	54.0	19.49	AV	162.00	100	Vertical	Pass
3	4331.750	47.33	-6.04	74.0	26.67	Peak	354.00	100	Vertical	Pass
3**	4331.750	39.15	-6.04	54.0	14.85	AV	354.00	100	Vertical	Pass
4	5747.750	100.25	-5.28	--	--	Peak	242.00	300	Vertical	N/A
4**	5747.750	91.77	-5.28	--	--	AV	242.00	300	Vertical	N/A
5	7495.500	54.21	-0.45	74.0	19.79	Peak	327.00	150	Vertical	Pass
5**	7495.500	44.92	-0.45	54.0	9.08	AV	327.00	150	Vertical	Pass
6	12583.750	52.95	1.30	74.0	21.05	Peak	341.00	200	Vertical	Pass
6**	12583.750	43.69	1.30	54.0	10.31	AV	341.00	200	Vertical	Pass

11ac40, U-NII-3, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1596.700	37.41	-19.96	74.0	36.59	Peak	360.00	400	Horizontal	Pass
1**	1596.700	27.69	-19.96	54.0	26.31	AV	360.00	400	Horizontal	Pass
2	2880.200	43.55	-12.28	74.0	30.45	Peak	360.00	200	Horizontal	Pass
2**	2880.200	34.08	-12.28	54.0	19.92	AV	360.00	200	Horizontal	Pass
3	4344.750	47.24	-6.38	74.0	26.76	Peak	92.00	150	Horizontal	Pass
3**	4344.750	38.09	-6.38	54.0	15.91	AV	92.00	150	Horizontal	Pass
4	5800.250	106.94	-4.76	--	--	Peak	101.00	400	Horizontal	N/A
4**	5800.250	99.46	-4.76	--	--	AV	101.00	400	Horizontal	N/A
5	7495.250	54.28	-0.43	74.0	19.72	Peak	217.00	200	Horizontal	Pass
5**	7495.250	45.55	-0.43	54.0	8.45	AV	217.00	200	Horizontal	Pass
6	12427.713	52.78	0.63	74.0	21.22	Peak	12.00	200	Horizontal	Pass
6**	12427.713	42.68	0.63	54.0	11.32	AV	12.00	200	Horizontal	Pass

11ac40, U-NII-3, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1328.000	38.90	-19.77	74.0	35.10	Peak	118.00	400	Vertical	Pass
1**	1328.000	27.58	-19.77	54.0	26.42	AV	118.00	400	Vertical	Pass
2	2889.400	44.19	-12.15	74.0	29.81	Peak	217.00	100	Vertical	Pass
2**	2889.400	34.87	-12.15	54.0	19.13	AV	217.00	100	Vertical	Pass
3	4332.500	47.74	-6.08	74.0	26.26	Peak	144.00	100	Vertical	Pass
3**	4332.500	38.05	-6.08	54.0	15.95	AV	144.00	100	Vertical	Pass
4	5797.250	102.16	-4.66	--	--	Peak	316.00	200	Vertical	N/A
4**	5797.250	93.53	-4.66	--	--	AV	316.00	200	Vertical	N/A
5	7530.750	54.13	-0.67	74.0	19.87	Peak	179.00	100	Vertical	Pass
5**	7530.750	44.89	-0.67	54.0	9.11	AV	179.00	100	Vertical	Pass
6	12569.500	52.79	1.43	74.0	21.21	Peak	0.00	100	Vertical	Pass
6**	12569.500	42.66	1.43	54.0	11.34	AV	0.00	100	Vertical	Pass

11ac80, U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1331.100	39.02	-19.78	74.0	34.98	Peak	191.00	100	Horizontal	Pass
1**	1331.100	27.26	-19.78	54.0	26.74	AV	191.00	100	Horizontal	Pass
2	2791.800	43.82	-12.57	74.0	30.18	Peak	65.00	300	Horizontal	Pass
2**	2791.800	34.51	-12.57	54.0	19.49	AV	65.00	300	Horizontal	Pass
3	4329.250	47.58	-5.95	74.0	26.42	Peak	88.00	100	Horizontal	Pass
3**	4329.250	39.01	-5.95	54.0	14.99	AV	88.00	100	Horizontal	Pass
4	5792.000	102.08	-4.73	--	--	Peak	105.00	100	Horizontal	N/A
4**	5792.000	94.34	-4.73	--	--	AV	105.00	100	Horizontal	N/A
5	7495.750	54.17	-0.47	74.0	19.83	Peak	192.00	200	Horizontal	Pass
5**	7495.750	45.03	-0.47	54.0	8.97	AV	192.00	200	Horizontal	Pass
6	12428.425	52.92	0.64	74.0	21.08	Peak	259.00	300	Horizontal	Pass
6**	12428.425	43.15	0.64	54.0	10.85	AV	259.00	300	Horizontal	Pass

11ac80, U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1499.600	38.92	-19.49	74.0	35.08	Peak	288.00	100	Vertical	Pass
1**	1499.600	29.01	-19.49	54.0	24.99	AV	288.00	100	Vertical	Pass
2	2766.500	43.33	-12.75	74.0	30.67	Peak	288.00	100	Vertical	Pass
2**	2766.500	33.52	-12.75	54.0	20.48	AV	288.00	100	Vertical	Pass
3	4340.250	47.85	-6.27	74.0	26.15	Peak	143.00	200	Vertical	Pass
3**	4340.250	38.46	-6.27	54.0	15.54	AV	143.00	200	Vertical	Pass
4	5778.750	96.22	-4.63	--	--	Peak	309.00	200	Vertical	N/A
4**	5778.750	88.11	-4.63	--	--	AV	309.00	200	Vertical	N/A
5	7506.750	54.13	-1.14	74.0	19.87	Peak	283.00	200	Vertical	Pass
5**	7506.750	44.93	-1.14	54.0	9.07	AV	283.00	200	Vertical	Pass
6	12544.800	52.61	1.50	74.0	21.39	Peak	350.00	400	Vertical	Pass
6**	12544.800	43.18	1.50	54.0	10.82	AV	350.00	400	Vertical	Pass

11x20(SU), U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1305.200	37.55	-19.73	74.0	36.45	Peak	255.00	100	Horizontal	Pass
1**	1305.200	28.02	-19.73	54.0	25.98	AV	255.00	100	Horizontal	Pass
2	2873.600	43.40	-12.42	74.0	30.60	Peak	16.00	400	Horizontal	Pass
2**	2873.600	33.85	-12.42	54.0	20.15	AV	16.00	400	Horizontal	Pass
3	4324.500	47.18	-5.93	74.0	26.82	Peak	50.00	100	Horizontal	Pass
3**	4324.500	38.03	-5.93	54.0	15.97	AV	50.00	100	Horizontal	Pass
4	5749.000	110.36	-5.26	--	--	Peak	311.00	400	Horizontal	N/A
4**	5749.000	99.84	-5.26	--	--	AV	311.00	400	Horizontal	N/A
5	7540.500	54.62	-0.22	74.0	19.38	Peak	23.00	200	Horizontal	Pass
5**	7540.500	45.24	-0.22	54.0	8.76	AV	23.00	200	Horizontal	Pass
6	12368.812	52.66	0.57	74.0	21.34	Peak	232.00	100	Horizontal	Pass
6**	12368.812	43.33	0.57	54.0	10.67	AV	232.00	100	Horizontal	Pass

11x20(SU), U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1333.300	38.52	-19.76	74.0	35.48	Peak	237.00	400	Vertical	Pass
1**	1333.300	28.08	-19.76	54.0	25.92	AV	237.00	400	Vertical	Pass
2	2791.400	43.21	-12.58	74.0	30.79	Peak	225.00	100	Vertical	Pass
2**	2791.400	34.80	-12.58	54.0	19.20	AV	225.00	100	Vertical	Pass
3	4313.750	47.35	-6.00	74.0	26.65	Peak	30.00	200	Vertical	Pass
3**	4313.750	38.17	-6.00	54.0	15.83	AV	30.00	200	Vertical	Pass
4	5746.250	104.51	-5.27	--	--	Peak	250.00	400	Vertical	N/A
4**	5746.250	94.93	-5.27	--	--	AV	250.00	400	Vertical	N/A
5	7597.500	54.78	-0.42	74.0	19.22	Peak	152.00	150	Vertical	Pass
5**	7597.500	44.73	-0.42	54.0	9.27	AV	152.00	150	Vertical	Pass
6	12585.888	53.17	1.28	74.0	20.83	Peak	18.00	400	Vertical	Pass
6**	12585.888	44.19	1.28	54.0	9.81	AV	18.00	400	Vertical	Pass

11x20(SU), U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1327.700	37.17	-19.77	74.0	36.83	Peak	319.00	100	Horizontal	Pass
1**	1327.700	26.91	-19.77	54.0	27.09	AV	319.00	100	Horizontal	Pass
2	2882.400	43.73	-12.25	74.0	30.27	Peak	0.00	200	Horizontal	Pass
2**	2882.400	34.46	-12.25	54.0	19.54	AV	0.00	200	Horizontal	Pass
3	4361.500	47.26	-6.69	74.0	26.74	Peak	155.00	150	Horizontal	Pass
3**	4361.500	38.07	-6.69	54.0	15.93	AV	155.00	150	Horizontal	Pass
4	5790.000	109.42	-4.73	--	--	Peak	111.00	300	Horizontal	N/A
4**	5790.000	100.73	-4.73	--	--	AV	111.00	300	Horizontal	N/A
5	7496.250	54.23	-0.51	74.0	19.77	Peak	224.00	200	Horizontal	Pass
5**	7496.250	45.09	-0.51	54.0	8.91	AV	224.00	200	Horizontal	Pass
6	12405.151	52.54	0.37	74.0	21.46	Peak	102.00	100	Horizontal	Pass
6**	12405.151	42.69	0.37	54.0	11.31	AV	102.00	100	Horizontal	Pass

11x20(SU), U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1332.000	38.67	-19.75	74.0	35.33	Peak	270.00	300	Vertical	Pass
1**	1332.000	28.14	-19.75	54.0	25.86	AV	270.00	300	Vertical	Pass
2	2828.600	43.13	-12.58	74.0	30.87	Peak	289.00	100	Vertical	Pass
2**	2828.600	34.07	-12.58	54.0	19.93	AV	289.00	100	Vertical	Pass
3	4346.000	46.92	-6.48	74.0	27.08	Peak	75.00	200	Vertical	Pass
3**	4346.000	38.45	-6.48	54.0	15.55	AV	75.00	200	Vertical	Pass
4	5782.500	104.94	-4.71	--	--	Peak	111.00	300	Vertical	N/A
4**	5782.500	95.75	-4.71	--	--	AV	111.00	300	Vertical	N/A
5	7495.000	54.30	-0.41	74.0	19.70	Peak	0.00	100	Vertical	Pass
5**	7495.000	45.23	-0.41	54.0	8.77	AV	0.00	100	Vertical	Pass
6	12665.687	52.21	0.66	74.0	21.79	Peak	340.00	200	Vertical	Pass
6**	12665.687	42.90	0.66	54.0	11.10	AV	340.00	200	Vertical	Pass

11ax20(SU), U-NII-3, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1556.100	37.17	-19.87	74.0	36.83	Peak	119.00	200	Horizontal	Pass
1**	1556.100	27.68	-19.87	54.0	26.32	AV	119.00	200	Horizontal	Pass
2	2889.400	43.57	-12.15	74.0	30.43	Peak	155.00	300	Horizontal	Pass
2**	2889.400	35.18	-12.15	54.0	18.82	AV	155.00	300	Horizontal	Pass
3	4332.250	47.21	-6.06	74.0	26.79	Peak	360.00	200	Horizontal	Pass
3**	4332.250	38.26	-6.06	54.0	15.74	AV	360.00	200	Horizontal	Pass
4	5831.500	110.11	-4.70	--	--	Peak	110.00	400	Horizontal	N/A
4**	5831.500	101.47	-4.70	--	--	AV	110.00	400	Horizontal	N/A
5	7675.750	54.60	-1.33	74.0	19.40	Peak	222.00	100	Horizontal	Pass
5**	7675.750	44.19	-1.33	54.0	9.81	AV	222.00	100	Horizontal	Pass
6	12571.638	52.77	1.41	74.0	21.23	Peak	196.00	100	Horizontal	Pass
6**	12571.638	43.03	1.41	54.0	10.97	AV	196.00	100	Horizontal	Pass

11ax20(SU), U-NII-3, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1501.200	40.56	-19.50	74.0	33.44	Peak	292.00	300	Vertical	Pass
1**	1501.200	27.49	-19.50	54.0	26.51	AV	292.00	300	Vertical	Pass
2	2888.900	43.69	-12.14	74.0	30.31	Peak	123.00	200	Vertical	Pass
2**	2888.900	34.31	-12.14	54.0	19.69	AV	123.00	200	Vertical	Pass
3	4318.250	47.23	-5.95	74.0	26.77	Peak	23.00	200	Vertical	Pass
3**	4318.250	37.74	-5.95	54.0	16.26	AV	23.00	200	Vertical	Pass
4	5822.750	103.62	-4.69	--	--	Peak	316.00	100	Vertical	N/A
4**	5822.750	94.58	-4.69	--	--	AV	316.00	100	Vertical	N/A
5	7497.250	54.29	-0.59	74.0	19.71	Peak	291.00	100	Vertical	Pass
5**	7497.250	44.90	-0.59	54.0	9.10	AV	291.00	100	Vertical	Pass
6	12303.500	52.92	0.66	74.0	21.08	Peak	161.00	100	Vertical	Pass
6**	12303.500	43.85	0.66	54.0	10.15	AV	161.00	100	Vertical	Pass

11ax40(SU), U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1492.300	37.01	-19.44	74.0	36.99	Peak	213.00	150	Horizontal	Pass
1**	1492.300	29.09	-19.44	54.0	24.91	AV	213.00	150	Horizontal	Pass
2	2771.500	43.54	-12.87	74.0	30.46	Peak	213.00	100	Horizontal	Pass
2**	2771.500	34.03	-12.87	54.0	19.97	AV	213.00	100	Horizontal	Pass
3	4365.250	47.17	-6.75	74.0	26.83	Peak	0.00	200	Horizontal	Pass
3**	4365.250	37.69	-6.75	54.0	16.31	AV	0.00	200	Horizontal	Pass
4	5760.750	106.40	-5.01	--	--	Peak	111.00	400	Horizontal	N/A
4**	5760.750	97.61	-5.01	--	--	AV	111.00	400	Horizontal	N/A
5	7485.500	54.02	-0.43	74.0	19.98	Peak	331.00	200	Horizontal	Pass
5**	7485.500	44.37	-0.43	54.0	9.63	AV	331.00	200	Horizontal	Pass
6	12277.375	52.57	0.52	74.0	21.43	Peak	139.00	100	Horizontal	Pass
6**	12277.375	43.73	0.52	54.0	10.27	AV	139.00	100	Horizontal	Pass

11ax40(SU), U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1328.200	40.16	-19.77	74.0	33.84	Peak	350.00	100	Vertical	Pass
1**	1328.200	27.74	-19.77	54.0	26.26	AV	350.00	100	Vertical	Pass
2	2755.100	43.28	-12.98	74.0	30.72	Peak	288.00	100	Vertical	Pass
2**	2755.100	33.75	-12.98	54.0	20.25	AV	288.00	100	Vertical	Pass
3	4083.000	47.93	-7.37	74.0	26.07	Peak	360.00	150	Vertical	Pass
3**	4083.000	36.42	-7.37	54.0	17.58	AV	360.00	150	Vertical	Pass
4	5766.500	101.79	-4.83	--	--	Peak	309.00	400	Vertical	N/A
4**	5766.500	91.39	-4.83	--	--	AV	309.00	400	Vertical	N/A
5	7508.500	53.92	-1.24	74.0	20.08	Peak	55.00	150	Vertical	Pass
5**	7508.500	45.03	-1.24	54.0	8.97	AV	55.00	150	Vertical	Pass
6	12345.062	52.48	0.73	74.0	21.52	Peak	33.00	300	Vertical	Pass
6**	12345.062	43.22	0.73	54.0	10.78	AV	33.00	300	Vertical	Pass

11ax40(SU), U-NII-3, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1348.600	36.86	-19.80	74.0	37.14	Peak	160.00	150	Horizontal	Pass
1**	1348.600	26.68	-19.80	54.0	27.32	AV	160.00	150	Horizontal	Pass
2	2714.100	43.25	-12.69	74.0	30.75	Peak	108.00	300	Horizontal	Pass
2**	2714.100	34.89	-12.69	54.0	19.11	AV	108.00	300	Horizontal	Pass
3	4339.250	47.52	-6.22	74.0	26.48	Peak	213.00	200	Horizontal	Pass
3**	4339.250	38.49	-6.22	54.0	15.51	AV	213.00	200	Horizontal	Pass
4	5808.500	108.21	-4.77	--	--	Peak	100.00	100	Horizontal	N/A
4**	5808.500	98.24	-4.77	--	--	AV	100.00	100	Horizontal	N/A
5	7590.750	53.44	-0.77	74.0	20.56	Peak	247.00	100	Horizontal	Pass
5**	7590.750	44.75	-0.77	54.0	9.25	AV	247.00	100	Horizontal	Pass
6	12457.638	52.50	0.83	74.0	21.50	Peak	267.00	100	Horizontal	Pass
6**	12457.638	43.09	0.83	54.0	10.91	AV	267.00	100	Horizontal	Pass

11ax40(SU), U-NII-3, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1327.700	40.78	-19.77	74.0	33.22	Peak	343.00	400	Vertical	Pass
1**	1327.700	27.03	-19.77	54.0	26.97	AV	343.00	400	Vertical	Pass
2	2724.000	43.54	-11.75	74.0	30.46	Peak	165.00	100	Vertical	Pass
2**	2724.000	33.70	-11.75	54.0	20.30	AV	165.00	100	Vertical	Pass
3	4344.750	46.78	-6.38	74.0	27.22	Peak	165.00	100	Vertical	Pass
3**	4344.750	38.40	-6.38	54.0	15.60	AV	165.00	100	Vertical	Pass
4	5788.500	101.16	-4.75	--	--	Peak	312.00	100	Vertical	N/A
4**	5788.500	92.18	-4.75	--	--	AV	312.00	100	Vertical	N/A
5	7496.000	53.97	-0.49	74.0	20.03	Peak	165.00	200	Vertical	Pass
5**	7496.000	45.42	-0.49	54.0	8.58	AV	165.00	200	Vertical	Pass
6	12542.425	53.61	1.44	74.0	20.39	Peak	21.00	300	Vertical	Pass
6**	12542.425	42.71	1.44	54.0	11.29	AV	21.00	300	Vertical	Pass

11x80(SU), U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1485.500	37.41	-19.54	74.0	36.59	Peak	284.00	100	Horizontal	Pass
1**	1485.500	27.66	-19.54	54.0	26.34	AV	284.00	100	Horizontal	Pass
2	2771.300	43.29	-12.86	74.0	30.71	Peak	45.00	100	Horizontal	Pass
2**	2771.300	34.69	-12.86	54.0	19.31	AV	45.00	100	Horizontal	Pass
3	4308.500	47.68	-6.30	74.0	26.32	Peak	290.00	150	Horizontal	Pass
3**	4308.500	38.15	-6.30	54.0	15.85	AV	290.00	150	Horizontal	Pass
4	5788.250	103.85	-4.74	--	--	Peak	94.00	200	Horizontal	N/A
4**	5788.250	93.38	-4.74	--	--	AV	94.00	200	Horizontal	N/A
5	7679.750	54.31	-1.42	74.0	19.69	Peak	307.00	200	Horizontal	Pass
5**	7679.750	44.51	-1.42	54.0	9.49	AV	307.00	200	Horizontal	Pass
6	12555.487	52.58	1.56	74.0	21.42	Peak	257.00	400	Horizontal	Pass
6**	12555.487	43.40	1.56	54.0	10.60	AV	257.00	400	Horizontal	Pass

11x80(SU), U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1332.300	39.78	-19.73	74.0	34.22	Peak	283.00	400	Vertical	Pass
1**	1332.300	27.95	-19.73	54.0	26.05	AV	283.00	400	Vertical	Pass
2	2884.000	43.29	-12.28	74.0	30.71	Peak	89.00	100	Vertical	Pass
2**	2884.000	34.48	-12.28	54.0	19.52	AV	89.00	100	Vertical	Pass
3	4313.750	47.19	-6.00	74.0	26.81	Peak	0.00	200	Vertical	Pass
3**	4313.750	37.91	-6.00	54.0	16.09	AV	0.00	200	Vertical	Pass
4	5773.750	97.64	-4.70	--	--	Peak	319.00	300	Vertical	N/A
4**	5773.750	88.06	-4.70	--	--	AV	319.00	300	Vertical	N/A
5	7539.000	53.91	-0.22	74.0	20.09	Peak	118.00	100	Vertical	Pass
5**	7539.000	45.13	-0.22	54.0	8.87	AV	118.00	100	Vertical	Pass
6	12276.425	52.69	0.52	74.0	21.31	Peak	19.00	400	Vertical	Pass
6**	12276.425	43.15	0.52	54.0	10.85	AV	19.00	400	Vertical	Pass

A.6.2 Band Edge (Restricted-band)

Test Band	Mode	Channel	Verdict
U-NII-1	802.11a	Low	Pass
		High	Pass
	802.11n(HT20)	Low	Pass
		High	Pass
	802.11n(HT40)	Low	Pass
		High	Pass
	802.11ac(VHT20)	Low	Pass
		High	Pass
	802.11ac(VHT40)	Low	Pass
		High	Pass
	802.11ac(VHT80)	Middle	Pass
	802.11ax(HE20)(SU)	Low	Pass
		High	Pass
	802.11ax(HE40)(SU)	Low	Pass
		High	Pass
	802.11ax(HE80)(SU)	Middle	Pass
802.11ax(HE20)(RU26)	Low	Pass	
	High	Pass	
802.11ax(HE40)(RU26)	Low	Pass	
	High	Pass	
802.11ax(HE80)(RU26)	Middle	Pass	
U-NII-2A	802.11a	Low	Pass
		High	Pass
	802.11n(HT20)	Low	Pass
		High	Pass
	802.11n(HT40)	Low	Pass
		High	Pass
	802.11ac(VHT20)	Low	Pass
		High	Pass
	802.11ac(VHT40)	Low	Pass
		High	Pass
	802.11ac(VHT80)	Middle	Pass
	802.11ax(HE20)(SU)	Low	Pass
		High	Pass
	802.11ax(HE40)(SU)	Low	Pass
		High	Pass
	802.11ax(HE80)(SU)	Middle	Pass
802.11ax(HE20)(RU26)	Low	Pass	
	High	Pass	
802.11ax(HE40)(RU26)	Low	Pass	

		High	Pass
	802.11ax(HE80)(RU26)	Middle	Pass
U-NII-2C	802.11a	Low	Pass
		High	Pass
	802.11n(HT20)	Low	Pass
		High	Pass
	802.11n(HT40)	Low	Pass
		High	Pass
	802.11ac(VHT20)	Low	Pass
		High	Pass
	802.11ac(VHT40)	Low	Pass
		High	Pass
	802.11ac(VHT80)	Low	Pass
		High	Pass
	802.11ax(HE20)(SU)	Low	Pass
		High	Pass
	802.11ax(HE40)(SU)	Low	Pass
		High	Pass
	802.11ax(HE80)(SU)	Low	Pass
		High	Pass
	802.11ax(HE20)(RU26)	Low	Pass
		High	Pass
802.11ax(HE40)(RU26)	Low	Pass	
	High	Pass	
802.11ax(HE80)(RU26)	Low	Pass	
	High	Pass	
U-NII-3	802.11a	Low	Pass
		High	Pass
	802.11n(HT20)	Low	Pass
		High	Pass
	802.11n(HT40)	Low	Pass
		High	Pass
	802.11ac(VHT20)	Low	Pass
		High	Pass
	802.11ac(VHT40)	Low	Pass
		High	Pass
	802.11ac(VHT80)	Middle	Pass
	802.11ax(HE20)(SU)	Low	Pass
		High	Pass
	802.11ax(HE40)(SU)	Low	Pass
High		Pass	
802.11ax(HE80)(SU)	Middle	Pass	
802.11ax(HE20)(RU26)	Low	Pass	

		High	Pass
	802.11ax(HE40)(RU26)	Low	Pass
		High	Pass
	802.11ax(HE80)(RU26)	Middle	Pass


Note ¹: All the configurations were pre tested, only the worst configuration has been reported in this report.

Note ²: All antenna were pre tested, but only the worst case has been reported in this report.

Test Data and Plots


MIMO

U-NII-1 11a Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5148.050	57.74	0.87	74.0	16.26	Peak	104.00	150	Horizontal	Pass
1**	5148.050	45.95	0.87	54.0	8.05	AV	104.00	150	Horizontal	Pass
2	5150.000	57.38	0.84	74.0	16.62	Peak	325.00	100	Horizontal	Pass
2**	5150.000	46.15	0.84	54.0	7.85	AV	325.00	100	Horizontal	Pass
3	4949.150	55.86	2.48	74.0	18.14	Peak	85.00	150	Horizontal	Pass
3**	4949.150	46.54	2.48	54.0	7.46	AV	85.00	150	Horizontal	Pass

U-NII-1 11a High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	54.51	0.85	74.0	19.49	Peak	297.00	150	Horizontal	Pass
1**	5350.000	44.14	0.85	54.0	9.86	AV	297.00	150	Horizontal	Pass
2	5448.633	56.85	1.26	74.0	17.15	Peak	95.00	150	Horizontal	Pass
2**	5448.633	44.70	1.26	54.0	9.30	AV	95.00	150	Horizontal	Pass
3	5453.583	55.63	1.25	74.0	18.37	Peak	89.00	150	Horizontal	Pass
3**	5453.583	45.17	1.25	54.0	8.83	AV	89.00	150	Horizontal	Pass

U-NII-1 11n20 Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	4945.250	56.70	2.24	74.0	17.30	Peak	78.00	100	Horizontal	Pass
1**	4945.250	46.05	2.24	54.0	7.95	AV	78.00	100	Horizontal	Pass
2	5150.000	55.20	0.84	74.0	18.80	Peak	85.00	150	Horizontal	Pass
2**	5150.000	46.23	0.84	54.0	7.77	AV	85.00	150	Horizontal	Pass
3	4951.425	56.15	2.47	74.0	17.85	Peak	101.00	150	Horizontal	Pass
3**	4951.425	46.52	2.47	54.0	7.48	AV	101.00	150	Horizontal	Pass

U-NII-1 11n20 High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	53.90	0.85	74.0	20.10	Peak	186.00	200	Horizontal	Pass
1**	5350.000	44.21	0.85	54.0	9.79	AV	186.00	200	Horizontal	Pass
2	5439.100	57.18	1.24	74.0	16.82	Peak	111.00	150	Horizontal	Pass
2**	5439.100	44.70	1.24	54.0	9.30	AV	111.00	150	Horizontal	Pass
3	5453.217	55.18	1.27	74.0	18.82	Peak	324.00	150	Horizontal	Pass
3**	5453.217	45.23	1.27	54.0	8.77	AV	324.00	150	Horizontal	Pass

U-NII-1 11n40 Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5148.375	59.49	0.86	74.0	14.51	Peak	100.00	150	Horizontal	Pass
1**	5148.375	49.34	0.86	54.0	4.66	AV	100.00	150	Horizontal	Pass
2	5150.000	58.85	0.84	74.0	15.15	Peak	323.00	150	Horizontal	Pass
2**	5150.000	49.75	0.84	54.0	4.25	AV	323.00	150	Horizontal	Pass

U-NII-1 11n40 High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	55.38	0.85	74.0	18.62	Peak	116.00	100	Horizontal	Pass
1**	5350.000	44.29	0.85	54.0	9.71	AV	116.00	100	Horizontal	Pass
2	5457.250	56.78	1.16	74.0	17.22	Peak	360.00	200	Horizontal	Pass
2**	5457.250	44.70	1.16	54.0	9.30	AV	360.00	200	Horizontal	Pass
3	5454.317	54.89	1.22	74.0	19.11	Peak	184.00	150	Horizontal	Pass
3**	5454.317	45.09	1.22	54.0	8.91	AV	184.00	150	Horizontal	Pass

U-NII-1 11ac20 Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	4956.950	56.48	2.26	74.0	17.52	Peak	347.00	200	Horizontal	Pass
1**	4956.950	45.27	2.26	54.0	8.73	AV	347.00	200	Horizontal	Pass
2	5150.000	54.18	0.84	74.0	19.82	Peak	95.00	100	Horizontal	Pass
2**	5150.000	45.30	0.84	54.0	8.70	AV	95.00	100	Horizontal	Pass
3	4938.100	54.21	1.87	74.0	19.79	Peak	184.00	150	Horizontal	Pass
3**	4938.100	46.51	1.87	54.0	7.49	AV	184.00	150	Horizontal	Pass

U-NII-1 11ac20 High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	54.87	0.85	74.0	19.13	Peak	111.00	100	Horizontal	Pass
1**	5350.000	44.20	0.85	54.0	9.80	AV	111.00	100	Horizontal	Pass
2	5459.083	56.94	1.24	74.0	17.06	Peak	179.00	150	Horizontal	Pass
2**	5459.083	45.04	1.24	54.0	8.96	AV	179.00	150	Horizontal	Pass
3	5453.217	55.21	1.27	74.0	18.79	Peak	319.00	150	Horizontal	Pass
3**	5453.217	45.11	1.27	54.0	8.89	AV	319.00	150	Horizontal	Pass

U-NII-1 11ac40 Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5145.125	59.08	0.93	74.0	14.92	Peak	100.00	200	Horizontal	Pass
1**	5145.125	48.48	0.93	54.0	5.52	AV	100.00	200	Horizontal	Pass
2	5150.000	58.24	0.84	74.0	15.76	Peak	107.00	200	Horizontal	Pass
2**	5150.000	48.64	0.84	54.0	5.36	AV	107.00	200	Horizontal	Pass
3	5149.350	58.08	0.84	74.0	15.92	Peak	100.00	150	Horizontal	Pass
3**	5149.350	49.32	0.84	54.0	4.68	AV	100.00	150	Horizontal	Pass

U-NII-1 11ac40 High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	54.22	0.85	74.0	19.78	Peak	308.00	150	Horizontal	Pass
1**	5350.000	44.13	0.85	54.0	9.87	AV	308.00	150	Horizontal	Pass
2	5455.416	56.71	1.18	74.0	17.29	Peak	44.00	100	Horizontal	Pass
2**	5455.416	44.95	1.18	54.0	9.05	AV	44.00	100	Horizontal	Pass
3	5452.484	55.15	1.29	74.0	18.85	Peak	349.00	150	Horizontal	Pass
3**	5452.484	45.18	1.29	54.0	8.82	AV	349.00	150	Horizontal	Pass

U-NII-1 11ac80 Middle Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5136.350	61.28	0.84	74.0	12.72	Peak	101.00	200	Horizontal	Pass
1**	5136.350	48.25	0.84	54.0	5.75	AV	101.00	200	Horizontal	Pass
2	5150.000	59.68	0.84	74.0	14.32	Peak	99.00	150	Horizontal	Pass
2**	5150.000	48.90	0.84	54.0	5.10	AV	99.00	150	Horizontal	Pass
3	5148.050	59.99	0.87	74.0	14.01	Peak	105.00	150	Horizontal	Pass
3**	5148.050	49.86	0.87	54.0	4.14	AV	105.00	150	Horizontal	Pass

U-NII-1 11ac80 Middle Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	54.01	0.85	74.0	19.99	Peak	277.00	150	Horizontal	Pass
1**	5350.000	44.09	0.85	54.0	9.91	AV	277.00	150	Horizontal	Pass
2	5452.666	56.66	1.30	74.0	17.34	Peak	277.00	100	Horizontal	Pass
2**	5452.666	44.51	1.30	54.0	9.49	AV	277.00	100	Horizontal	Pass
3	5453.400	54.81	1.26	74.0	19.19	Peak	139.00	150	Horizontal	Pass
3**	5453.400	44.74	1.26	54.0	9.26	AV	139.00	150	Horizontal	Pass

U-NII-1 11ax20(SU) Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5146.425	56.83	0.93	74.0	17.17	Peak	352.00	150	Horizontal	Pass
1**	5146.425	45.55	0.93	54.0	8.45	AV	352.00	150	Horizontal	Pass
2	5150.000	55.07	0.84	74.0	18.93	Peak	349.00	150	Horizontal	Pass
2**	5150.000	45.61	0.84	54.0	8.39	AV	349.00	150	Horizontal	Pass
3	4938.750	54.43	1.91	74.0	19.57	Peak	267.00	150	Horizontal	Pass
3**	4938.750	46.39	1.91	54.0	7.61	AV	267.00	150	Horizontal	Pass

U-NII-1 11ax20(SU) High Channel



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	54.40	0.85	74.0	19.60	Peak	249.00	150	Horizontal	Pass
1**	5350.000	44.05	0.85	54.0	9.95	AV	249.00	150	Horizontal	Pass
2	5452.850	56.55	1.29	74.0	17.45	Peak	177.00	100	Horizontal	Pass
2**	5452.850	44.80	1.29	54.0	9.20	AV	177.00	100	Horizontal	Pass
3	5455.234	54.94	1.18	74.0	19.06	Peak	41.00	150	Horizontal	Pass
3**	5455.234	45.02	1.18	54.0	8.98	AV	41.00	150	Horizontal	Pass

U-NII-1 11ax40(SU) Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5144.150	61.04	0.93	74.0	12.96	Peak	100.00	200	Horizontal	Pass
1**	5144.150	49.03	0.93	54.0	4.97	AV	100.00	200	Horizontal	Pass
2	5150.000	60.22	0.84	74.0	13.78	Peak	85.00	200	Horizontal	Pass
2**	5150.000	50.63	0.84	54.0	3.37	AV	85.00	200	Horizontal	Pass

U-NII-1 11ax40(SU) High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	54.96	0.85	74.0	19.04	Peak	121.00	100	Horizontal	Pass
1**	5350.000	44.17	0.85	54.0	9.83	AV	121.00	100	Horizontal	Pass
2	5449.367	56.76	1.26	74.0	17.24	Peak	287.00	150	Horizontal	Pass
2**	5449.367	44.75	1.26	54.0	9.25	AV	287.00	150	Horizontal	Pass
3	5452.666	55.14	1.30	74.0	18.86	Peak	40.00	150	Horizontal	Pass
3**	5452.666	45.00	1.30	54.0	9.00	AV	40.00	150	Horizontal	Pass

U-NII-1 11ax80(SU) Middle Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5144.150	64.24	0.93	74.0	9.76	Peak	91.00	150	Horizontal	Pass
1**	5144.150	50.33	0.93	54.0	3.67	AV	91.00	150	Horizontal	Pass
2	5150.000	61.63	0.84	74.0	12.37	Peak	113.00	200	Horizontal	Pass
2**	5150.000	50.04	0.84	54.0	3.96	AV	113.00	200	Horizontal	Pass
3	5144.475	60.80	0.93	74.0	13.20	Peak	100.00	150	Horizontal	Pass
3**	5144.475	50.99	0.93	54.0	3.01	AV	100.00	150	Horizontal	Pass

U-NII-1 11ax80(SU) Middle Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	54.18	0.85	74.0	19.82	Peak	334.00	100	Horizontal	Pass
1**	5350.000	44.16	0.85	54.0	9.84	AV	334.00	100	Horizontal	Pass
2	5458.166	56.73	1.20	74.0	17.27	Peak	80.00	200	Horizontal	Pass
2**	5458.166	44.44	1.20	54.0	9.56	AV	80.00	200	Horizontal	Pass
3	5358.800	54.56	0.84	74.0	19.44	Peak	36.00	150	Horizontal	Pass
3**	5358.800	44.83	0.84	54.0	9.17	AV	36.00	150	Horizontal	Pass

U-NII-1 11ax20(RU26) Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5149.675	57.98	0.84	74.0	16.02	Peak	102.00	200	Horizontal	Pass
1**	5149.675	45.03	0.84	54.0	8.97	AV	102.00	200	Horizontal	Pass
2	5150.000	55.17	0.84	74.0	18.83	Peak	84.00	150	Horizontal	Pass
2**	5150.000	45.43	0.84	54.0	8.57	AV	84.00	150	Horizontal	Pass
3	4980.025	55.69	1.83	74.0	18.31	Peak	94.00	150	Horizontal	Pass
3**	4980.025	47.99	1.83	54.0	6.01	AV	94.00	150	Horizontal	Pass

U-NII-1 11ax20(RU26) High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	55.15	0.85	74.0	18.85	Peak	106.00	200	Horizontal	Pass
1**	5350.000	44.16	0.85	54.0	9.84	AV	106.00	200	Horizontal	Pass
2	5360.267	56.32	0.80	74.0	17.68	Peak	95.00	200	Horizontal	Pass
2**	5360.267	44.79	0.80	54.0	9.21	AV	95.00	200	Horizontal	Pass
3	5452.300	54.54	1.29	74.0	19.46	Peak	333.00	150	Horizontal	Pass
3**	5452.300	45.05	1.29	54.0	8.95	AV	333.00	150	Horizontal	Pass

U-NII-1 11ax40(RU26) Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5148.375	68.50	0.86	74.0	5.50	Peak	108.00	200	Horizontal	Pass
1**	5148.375	50.75	0.86	54.0	3.25	AV	108.00	200	Horizontal	Pass
2	5150.000	64.17	0.84	74.0	9.83	Peak	80.00	200	Horizontal	Pass
2**	5150.000	49.11	0.84	54.0	4.89	AV	80.00	200	Horizontal	Pass
3	5147.400	66.59	0.90	74.0	7.41	Peak	118.00	150	Horizontal	Pass
3**	5147.400	50.80	0.90	54.0	3.20	AV	118.00	150	Horizontal	Pass

U-NII-1 11ax40(RU26) High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	55.62	0.85	74.0	18.38	Peak	233.00	100	Horizontal	Pass
1**	5350.000	44.16	0.85	54.0	9.84	AV	233.00	100	Horizontal	Pass
2	5387.583	56.65	0.90	74.0	17.35	Peak	342.00	150	Horizontal	Pass
2**	5387.583	44.33	0.90	54.0	9.67	AV	342.00	150	Horizontal	Pass
3	5453.033	54.75	1.28	74.0	19.25	Peak	322.00	150	Horizontal	Pass
3**	5453.033	45.14	1.28	54.0	8.86	AV	322.00	150	Horizontal	Pass

U-NII-1 11ax80(RU26) Middle Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5141.225	63.26	0.93	74.0	10.74	Peak	95.00	200	Horizontal	Pass
1**	5141.225	45.60	0.93	54.0	8.40	AV	95.00	200	Horizontal	Pass
2	5150.000	54.42	0.84	74.0	19.58	Peak	85.00	200	Horizontal	Pass
2**	5150.000	45.49	0.84	54.0	8.51	AV	85.00	200	Horizontal	Pass
3	5112.625	57.79	0.30	74.0	16.21	Peak	126.00	150	Horizontal	Pass
3**	5112.625	50.58	0.30	54.0	3.42	AV	126.00	150	Horizontal	Pass

U-NII-1 11ax80(RU26) Middle Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	54.48	0.85	74.0	19.52	Peak	65.00	200	Horizontal	Pass
1**	5350.000	44.26	0.85	54.0	9.74	AV	65.00	200	Horizontal	Pass
2	5353.483	56.52	0.81	74.0	17.48	Peak	358.00	150	Horizontal	Pass
2**	5353.483	44.28	0.81	54.0	9.72	AV	358.00	150	Horizontal	Pass
3	5458.717	54.51	1.23	74.0	19.49	Peak	250.00	150	Horizontal	Pass
3**	5458.717	44.78	1.23	54.0	9.22	AV	250.00	150	Horizontal	Pass

U-NII-1 11ax80(RU26) Middle Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5149.025	62.48	0.84	74.0	11.52	Peak	85.00	150	Horizontal	Pass
1**	5149.025	46.11	0.84	54.0	7.89	AV	85.00	150	Horizontal	Pass
2	5150.000	55.65	0.84	74.0	18.35	Peak	113.00	150	Horizontal	Pass
2**	5150.000	45.69	0.84	54.0	8.31	AV	113.00	150	Horizontal	Pass
3	5117.500	60.54	0.37	74.0	13.46	Peak	91.00	150	Horizontal	Pass
3**	5117.500	50.63	0.37	54.0	3.37	AV	91.00	150	Horizontal	Pass

U-NII-1 11ax80(RU26) Middle Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	54.41	0.85	74.0	19.59	Peak	322.00	200	Horizontal	Pass
1**	5350.000	44.15	0.85	54.0	9.85	AV	322.00	200	Horizontal	Pass
2	5419.850	56.44	1.26	74.0	17.56	Peak	94.00	150	Horizontal	Pass
2**	5419.850	44.15	1.26	54.0	9.85	AV	94.00	150	Horizontal	Pass
3	5453.767	55.13	1.24	74.0	18.87	Peak	96.00	150	Horizontal	Pass
3**	5453.767	44.81	1.24	54.0	9.19	AV	96.00	150	Horizontal	Pass

U-NII-2A 11a Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5048.275	56.76	0.76	74.0	17.24	Peak	96.00	200	Horizontal	Pass
1**	5048.275	45.35	0.76	54.0	8.65	AV	96.00	200	Horizontal	Pass
2	5150.000	54.16	0.84	74.0	19.84	Peak	112.00	200	Horizontal	Pass
2**	5150.000	44.58	0.84	54.0	9.42	AV	112.00	200	Horizontal	Pass
3	5063.875	54.46	0.87	74.0	19.54	Peak	115.00	100	Horizontal	Pass
3**	5063.875	45.99	0.87	54.0	8.01	AV	115.00	100	Horizontal	Pass

U-NII-2A 11a High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	54.93	0.85	74.0	19.07	Peak	106.00	200	Horizontal	Pass
1**	5350.000	45.15	0.85	54.0	8.85	AV	106.00	200	Horizontal	Pass
2	5412.150	56.40	1.25	74.0	17.60	Peak	51.00	200	Horizontal	Pass
2**	5412.150	44.30	1.25	54.0	9.70	AV	51.00	200	Horizontal	Pass

U-NII-2A 11n20 Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5039.500	56.84	0.78	74.0	17.16	Peak	96.00	100	Horizontal	Pass
1**	5039.500	44.98	0.78	54.0	9.02	AV	96.00	100	Horizontal	Pass
2	5150.000	55.24	0.84	74.0	18.76	Peak	207.00	200	Horizontal	Pass
2**	5150.000	44.56	0.84	54.0	9.44	AV	207.00	200	Horizontal	Pass
3	5061.275	54.98	0.88	74.0	19.02	Peak	26.00	150	Horizontal	Pass
3**	5061.275	46.12	0.88	54.0	7.88	AV	26.00	150	Horizontal	Pass

U-NII-2A 11n20 High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	55.31	0.85	74.0	18.69	Peak	360.00	100	Horizontal	Pass
1**	5350.000	45.08	0.85	54.0	8.92	AV	360.00	100	Horizontal	Pass
2	5438.917	56.89	1.23	74.0	17.11	Peak	277.00	100	Horizontal	Pass
2**	5438.917	44.35	1.23	54.0	9.65	AV	277.00	100	Horizontal	Pass
3	5454.317	55.79	1.22	74.0	18.21	Peak	212.00	150	Horizontal	Pass
3**	5454.317	45.10	1.22	54.0	8.90	AV	212.00	150	Horizontal	Pass

U-NII-2A 11n40 Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5070.700	56.39	0.83	74.0	17.61	Peak	100.00	200	Horizontal	Pass
1**	5070.700	44.98	0.83	54.0	9.02	AV	100.00	200	Horizontal	Pass
2	5150.000	54.22	0.84	74.0	19.78	Peak	63.00	100	Horizontal	Pass
2**	5150.000	44.78	0.84	54.0	9.22	AV	63.00	100	Horizontal	Pass
3	5061.275	54.79	0.88	74.0	19.21	Peak	311.00	150	Horizontal	Pass
3**	5061.275	46.10	0.88	54.0	7.90	AV	311.00	150	Horizontal	Pass

U-NII-2A 11n40 High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	59.17	0.85	74.0	14.83	Peak	314.00	200	Horizontal	Pass
1**	5350.000	49.09	0.85	54.0	4.91	AV	314.00	200	Horizontal	Pass
2	5352.383	62.47	0.82	74.0	11.53	Peak	323.00	100	Horizontal	Pass
2**	5352.383	48.75	0.82	54.0	5.25	AV	323.00	100	Horizontal	Pass

U-NII-2A 11ac20 Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5060.950	56.09	0.88	74.0	17.91	Peak	85.00	150	Horizontal	Pass
1**	5060.950	45.64	0.88	54.0	8.36	AV	85.00	150	Horizontal	Pass
2	5150.000	53.91	0.84	74.0	20.09	Peak	52.00	200	Horizontal	Pass
2**	5150.000	44.86	0.84	54.0	9.14	AV	52.00	200	Horizontal	Pass
3	5107.750	54.49	0.29	74.0	19.51	Peak	332.00	150	Horizontal	Pass
3**	5107.750	45.94	0.29	54.0	8.06	AV	332.00	150	Horizontal	Pass

U-NII-2A 11ac20 High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	54.58	0.85	74.0	19.42	Peak	258.00	150	Horizontal	Pass
1**	5350.000	44.59	0.85	54.0	9.41	AV	258.00	150	Horizontal	Pass
2	5458.166	56.75	1.20	74.0	17.25	Peak	12.00	200	Horizontal	Pass
2**	5458.166	44.71	1.20	54.0	9.29	AV	12.00	200	Horizontal	Pass
3	5452.116	56.20	1.28	74.0	17.80	Peak	43.00	150	Horizontal	Pass
3**	5452.116	44.97	1.28	54.0	9.03	AV	43.00	150	Horizontal	Pass

U-NII-2A 11ac40 Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5093.775	56.63	0.57	74.0	17.37	Peak	105.00	100	Horizontal	Pass
1**	5093.775	45.57	0.57	54.0	8.43	AV	105.00	100	Horizontal	Pass
2	5150.000	53.82	0.84	74.0	20.18	Peak	70.00	100	Horizontal	Pass
2**	5150.000	44.67	0.84	54.0	9.33	AV	70.00	100	Horizontal	Pass
3	5065.500	54.68	0.92	74.0	19.32	Peak	271.00	150	Horizontal	Pass
3**	5065.500	45.97	0.92	54.0	8.03	AV	271.00	150	Horizontal	Pass

U-NII-2A 11ac40 High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	61.03	0.85	74.0	12.97	Peak	97.00	100	Horizontal	Pass
1**	5350.000	49.22	0.85	54.0	4.78	AV	97.00	100	Horizontal	Pass
2	5351.100	63.80	0.86	74.0	10.20	Peak	322.00	200	Horizontal	Pass
2**	5351.100	49.07	0.86	54.0	4.93	AV	322.00	200	Horizontal	Pass
3	5350.367	60.57	0.86	74.0	13.43	Peak	316.00	150	Horizontal	Pass
3**	5350.367	49.27	0.86	54.0	4.73	AV	316.00	150	Horizontal	Pass

U-NII-2A 11ac80 Middle Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5074.600	56.35	0.81	74.0	17.65	Peak	0.00	200	Horizontal	Pass
1**	5074.600	44.89	0.81	54.0	9.11	AV	0.00	200	Horizontal	Pass
2	5150.000	54.32	0.84	74.0	19.68	Peak	103.00	100	Horizontal	Pass
2**	5150.000	45.03	0.84	54.0	8.97	AV	103.00	100	Horizontal	Pass
3	5061.275	55.22	0.88	74.0	18.78	Peak	109.00	150	Horizontal	Pass
3**	5061.275	45.65	0.88	54.0	8.35	AV	109.00	150	Horizontal	Pass

U-NII-2A 11ac80 Middle Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	56.37	0.85	74.0	17.63	Peak	319.00	100	Horizontal	Pass
1**	5350.000	46.79	0.85	54.0	7.21	AV	319.00	100	Horizontal	Pass
2	5357.150	57.88	0.86	74.0	16.12	Peak	96.00	150	Horizontal	Pass
2**	5357.150	46.80	0.86	54.0	7.20	AV	96.00	150	Horizontal	Pass
3	5351.650	56.65	0.85	74.0	17.35	Peak	310.00	150	Horizontal	Pass
3**	5351.650	47.30	0.85	54.0	6.70	AV	310.00	150	Horizontal	Pass

U-NII-2A 11ax20(SU) Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5046.000	56.64	0.80	74.0	17.36	Peak	107.00	200	Horizontal	Pass
1**	5046.000	45.42	0.80	54.0	8.58	AV	107.00	200	Horizontal	Pass
2	5150.000	54.22	0.84	74.0	19.78	Peak	34.00	150	Horizontal	Pass
2**	5150.000	44.80	0.84	54.0	9.20	AV	34.00	150	Horizontal	Pass
3	5065.500	55.58	0.92	74.0	18.42	Peak	324.00	150	Horizontal	Pass
3**	5065.500	45.95	0.92	54.0	8.05	AV	324.00	150	Horizontal	Pass

U-NII-2A 11ax20(SU) High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	54.76	0.85	74.0	19.24	Peak	360.00	150	Horizontal	Pass
1**	5350.000	44.75	0.85	54.0	9.25	AV	360.00	150	Horizontal	Pass
2	5352.933	56.70	0.81	74.0	17.30	Peak	315.00	200	Horizontal	Pass
2**	5352.933	44.74	0.81	54.0	9.26	AV	315.00	200	Horizontal	Pass
3	5455.234	54.83	1.18	74.0	19.17	Peak	290.00	150	Horizontal	Pass
3**	5455.234	45.12	1.18	54.0	8.88	AV	290.00	150	Horizontal	Pass

U-NII-2A 11ax40(SU) Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5068.750	56.14	0.88	74.0	17.86	Peak	97.00	200	Horizontal	Pass
1**	5068.750	45.45	0.88	54.0	8.55	AV	97.00	200	Horizontal	Pass
2	5150.000	54.20	0.84	74.0	19.80	Peak	232.00	200	Horizontal	Pass
2**	5150.000	44.87	0.84	54.0	9.13	AV	232.00	200	Horizontal	Pass
3	5065.825	55.02	0.93	74.0	18.98	Peak	108.00	150	Horizontal	Pass
3**	5065.825	45.79	0.93	54.0	8.21	AV	108.00	150	Horizontal	Pass

U-NII-2A 11ax40(SU) High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	60.55	0.85	74.0	13.45	Peak	93.00	150	Horizontal	Pass
1**	5350.000	48.73	0.85	54.0	5.27	AV	93.00	150	Horizontal	Pass
2	5350.367	63.04	0.86	74.0	10.96	Peak	346.00	200	Horizontal	Pass
2**	5350.367	48.38	0.86	54.0	5.62	AV	346.00	200	Horizontal	Pass

U-NII-2A 11ax80(SU) Middle Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5068.100	56.79	0.91	74.0	17.21	Peak	87.00	150	Horizontal	Pass
1**	5068.100	45.08	0.91	54.0	8.92	AV	87.00	150	Horizontal	Pass
2	5150.000	54.93	0.84	74.0	19.07	Peak	322.00	100	Horizontal	Pass
2**	5150.000	44.84	0.84	54.0	9.16	AV	322.00	100	Horizontal	Pass
3	5057.375	54.02	0.85	74.0	19.98	Peak	87.00	150	Horizontal	Pass
3**	5057.375	45.65	0.85	54.0	8.35	AV	87.00	150	Horizontal	Pass

U-NII-2A 11ax80(SU) Middle Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	56.96	0.85	74.0	17.04	Peak	94.00	150	Horizontal	Pass
1**	5350.000	47.61	0.85	54.0	6.39	AV	94.00	150	Horizontal	Pass
2	5362.283	58.35	0.77	74.0	15.65	Peak	323.00	100	Horizontal	Pass
2**	5362.283	46.50	0.77	54.0	7.50	AV	323.00	100	Horizontal	Pass
3	5351.100	56.48	0.86	74.0	17.52	Peak	349.00	150	Horizontal	Pass
3**	5351.100	47.74	0.86	54.0	6.26	AV	349.00	150	Horizontal	Pass

U-NII-2A 11ax20(RU26) Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5059.325	57.14	0.86	74.0	16.86	Peak	100.00	100	Horizontal	Pass
1**	5059.325	47.00	0.86	54.0	7.00	AV	100.00	100	Horizontal	Pass
2	5150.000	55.27	0.84	74.0	18.73	Peak	25.00	200	Horizontal	Pass
2**	5150.000	44.73	0.84	54.0	9.27	AV	25.00	200	Horizontal	Pass
3	5059.650	57.12	0.86	74.0	16.88	Peak	87.00	100	Horizontal	Pass
3**	5059.650	47.11	0.86	54.0	6.89	AV	87.00	100	Horizontal	Pass

U-NII-2A 11ax20(RU26) High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	63.37	0.85	74.0	10.63	Peak	101.00	100	Horizontal	Pass
1**	5350.000	44.90	0.85	54.0	9.10	AV	101.00	100	Horizontal	Pass
2	5424.433	55.49	1.18	74.0	18.51	Peak	106.00	150	Horizontal	Pass
2**	5424.433	46.11	1.18	54.0	7.89	AV	106.00	150	Horizontal	Pass

U-NII-2A 11ax40(RU26) Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5060.950	57.32	0.88	74.0	16.68	Peak	104.00	200	Horizontal	Pass
1**	5060.950	47.08	0.88	54.0	6.92	AV	104.00	200	Horizontal	Pass
2	5150.000	54.27	0.84	74.0	19.73	Peak	218.00	200	Horizontal	Pass
2**	5150.000	44.96	0.84	54.0	9.04	AV	218.00	200	Horizontal	Pass
3	5059.975	55.66	0.86	74.0	18.34	Peak	107.00	150	Horizontal	Pass
3**	5059.975	47.64	0.86	54.0	6.36	AV	107.00	150	Horizontal	Pass

U-NII-2A 11ax40(RU26) High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	66.10	0.85	74.0	7.90	Peak	100.00	150	Horizontal	Pass
1**	5350.000	49.58	0.85	54.0	4.42	AV	100.00	150	Horizontal	Pass
2	5351.467	70.16	0.85	74.0	3.84	Peak	318.00	150	Horizontal	Pass
2**	5351.467	47.04	0.85	54.0	6.96	AV	318.00	150	Horizontal	Pass

U-NII-2A 11ax80(RU26) Middle Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5050.550	56.74	0.73	74.0	17.26	Peak	235.00	150	Horizontal	Pass
1**	5050.550	45.14	0.73	54.0	8.86	AV	235.00	150	Horizontal	Pass
2	5150.000	54.91	0.84	74.0	19.09	Peak	255.00	100	Horizontal	Pass
2**	5150.000	44.68	0.84	54.0	9.32	AV	255.00	100	Horizontal	Pass
3	5060.300	55.83	0.87	74.0	18.17	Peak	108.00	200	Horizontal	Pass
3**	5060.300	47.07	0.87	54.0	6.93	AV	108.00	200	Horizontal	Pass

U-NII-2A 11ax80(RU26) Middle Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	61.73	0.85	74.0	12.27	Peak	327.00	100	Horizontal	Pass
1**	5350.000	45.51	0.85	54.0	8.49	AV	327.00	100	Horizontal	Pass
2	5363.567	67.32	0.77	74.0	6.68	Peak	96.00	100	Horizontal	Pass
2**	5363.567	47.16	0.77	54.0	6.84	AV	96.00	100	Horizontal	Pass
3	5368.700	58.78	0.79	74.0	15.22	Peak	113.00	100	Horizontal	Pass
3**	5368.700	47.56	0.79	54.0	6.44	AV	113.00	100	Horizontal	Pass

U-NII-2A 11ax80(RU26) Middle Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5135.700	56.42	0.84	74.0	17.58	Peak	103.00	150	Horizontal	Pass
1**	5135.700	45.97	0.84	54.0	8.03	AV	103.00	150	Horizontal	Pass
2	5150.000	54.80	0.84	74.0	19.20	Peak	103.00	150	Horizontal	Pass
2**	5150.000	44.87	0.84	54.0	9.13	AV	103.00	150	Horizontal	Pass
3	5136.025	55.55	0.85	74.0	18.45	Peak	91.00	150	Horizontal	Pass
3**	5136.025	46.50	0.85	54.0	7.50	AV	91.00	150	Horizontal	Pass

U-NII-2A 11ax80(RU26) Middle Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	61.41	0.85	74.0	12.59	Peak	330.00	200	Horizontal	Pass
1**	5350.000	44.57	0.85	54.0	9.43	AV	330.00	200	Horizontal	Pass
2	5367.783	67.85	0.78	74.0	6.15	Peak	99.00	100	Horizontal	Pass
2**	5367.783	45.77	0.78	54.0	8.23	AV	99.00	100	Horizontal	Pass
3	5365.950	64.21	0.81	74.0	9.79	Peak	313.00	100	Horizontal	Pass
3**	5365.950	48.09	0.81	54.0	5.91	AV	313.00	100	Horizontal	Pass

U-NII-2C 11a Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5460.000	56.83	1.23	74.0	17.17	Peak	103.00	150	Horizontal	Pass
1**	5460.000	44.92	1.23	54.0	9.08	AV	103.00	150	Horizontal	Pass
2	5466.600	57.07	1.31	68.2	11.13	Peak	103.00	200	Horizontal	Pass
2**	5466.600	45.16	1.31	--	--	AV	103.00	200	Horizontal	N/A
3	5470.000	56.02	1.37	68.2	12.18	Peak	103.00	100	Horizontal	Pass
3**	5470.000	45.66	1.37	--	--	AV	103.00	100	Horizontal	N/A

U-NII-2C 11a High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	55.98	0.63	68.2	12.22	Peak	355.00	150	Horizontal	Pass
2	5727.291	57.30	0.64	68.2	10.90	Peak	304.00	100	Horizontal	Pass

U-NII-2C 11n20 Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5450.400	56.32	1.25	74.0	17.68	Peak	270.00	150	Horizontal	Pass
1**	5450.400	44.62	1.25	54.0	9.38	AV	270.00	150	Horizontal	Pass
2	5460.000	55.12	1.23	74.0	18.88	Peak	96.00	150	Horizontal	Pass
2**	5460.000	44.73	1.23	54.0	9.27	AV	96.00	150	Horizontal	Pass
3	5465.200	56.46	1.29	68.2	11.74	Peak	156.00	150	Horizontal	Pass
3**	5465.200	45.13	1.29	--	--	AV	156.00	150	Horizontal	N/A
4	5470.000	56.29	1.37	68.2	11.91	Peak	93.00	100	Horizontal	Pass
4**	5470.000	45.33	1.37	--	--	AV	93.00	100	Horizontal	N/A
5	5453.800	55.18	1.24	74.0	18.82	Peak	343.00	150	Horizontal	Pass
5**	5453.800	44.90	1.24	54.0	9.10	AV	343.00	150	Horizontal	Pass

U-NII-2C 11n20 High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	55.46	0.63	68.2	12.74	Peak	360.00	150	Horizontal	Pass
2	5849.791	56.71	1.34	68.2	11.49	Peak	115.00	100	Horizontal	Pass

U-NII-2C 11n40 Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5454.600	59.05	1.20	74.0	14.95	Peak	100.00	200	Horizontal	Pass
1**	5454.600	45.06	1.20	54.0	8.94	AV	100.00	200	Horizontal	Pass
2	5460.000	55.56	1.23	74.0	18.44	Peak	322.00	200	Horizontal	Pass
2**	5460.000	45.39	1.23	54.0	8.61	AV	322.00	200	Horizontal	Pass
3	5470.000	59.97	1.37	68.2	8.23	Peak	100.00	100	Horizontal	Pass
3**	5470.000	48.45	1.37	--	--	AV	100.00	100	Horizontal	N/A
4	5459.600	55.34	1.23	74.0	18.66	Peak	97.00	150	Horizontal	Pass
4**	5459.600	45.65	1.23	54.0	8.35	AV	97.00	150	Horizontal	Pass

U-NII-2C 11n40 High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	55.32	0.63	68.2	12.88	Peak	96.00	200	Horizontal	Pass
2	5813.125	57.43	1.20	68.2	10.77	Peak	60.00	100	Horizontal	Pass

U-NII-2C 11ac20 Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5418.000	56.48	1.27	74.0	17.52	Peak	293.00	100	Horizontal	Pass
1**	5418.000	44.06	1.27	54.0	9.94	AV	293.00	100	Horizontal	Pass
2	5460.000	54.81	1.23	74.0	19.19	Peak	310.00	100	Horizontal	Pass
2**	5460.000	44.71	1.23	54.0	9.29	AV	310.00	100	Horizontal	Pass
3	5466.400	56.59	1.31	68.2	11.61	Peak	166.00	200	Horizontal	Pass
3**	5466.400	44.98	1.31	--	--	AV	166.00	200	Horizontal	N/A
4	5470.000	55.33	1.37	68.2	12.87	Peak	179.00	150	Horizontal	Pass
4**	5470.000	44.91	1.37	--	--	AV	179.00	150	Horizontal	N/A
5	5453.200	54.73	1.27	74.0	19.27	Peak	333.00	150	Horizontal	Pass
5**	5453.200	44.90	1.27	54.0	9.10	AV	333.00	150	Horizontal	Pass

U-NII-2C 11ac20 High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	55.04	0.63	68.2	13.16	Peak	341.00	200	Horizontal	Pass
2	5734.583	56.91	0.63	68.2	11.29	Peak	112.00	200	Horizontal	Pass

U-NII-2C 11ac40 Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5455.800	56.94	1.17	74.0	17.06	Peak	97.00	100	Horizontal	Pass
1**	5455.800	45.26	1.17	54.0	8.74	AV	97.00	100	Horizontal	Pass
2	5460.000	56.17	1.23	74.0	17.83	Peak	100.00	100	Horizontal	Pass
2**	5460.000	45.57	1.23	54.0	8.43	AV	100.00	100	Horizontal	Pass
3	5469.600	60.71	1.37	68.2	7.49	Peak	108.00	200	Horizontal	Pass
3**	5469.600	48.30	1.37	--	--	AV	108.00	200	Horizontal	N/A
4	5470.000	60.06	1.37	68.2	8.14	Peak	103.00	100	Horizontal	Pass
4**	5470.000	48.48	1.37	--	--	AV	103.00	100	Horizontal	N/A
5	5458.400	55.46	1.21	74.0	18.54	Peak	106.00	150	Horizontal	Pass
5**	5458.400	45.76	1.21	54.0	8.24	AV	106.00	150	Horizontal	Pass

U-NII-2C 11ac40 High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	55.15	0.63	68.2	13.05	Peak	311.00	200	Horizontal	Pass
2	5835.625	57.10	1.28	68.2	11.10	Peak	138.00	200	Horizontal	Pass

U-NII-2C 11ac80 Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5455.400	58.02	1.18	74.0	15.98	Peak	313.00	150	Horizontal	Pass
1**	5455.400	46.75	1.18	54.0	7.25	AV	313.00	150	Horizontal	Pass
2	5460.000	55.91	1.23	74.0	18.09	Peak	315.00	150	Horizontal	Pass
2**	5460.000	47.03	1.23	54.0	6.97	AV	315.00	150	Horizontal	Pass
3	5468.000	58.95	1.34	68.2	9.25	Peak	321.00	150	Horizontal	Pass
3**	5468.000	48.13	1.34	--	--	AV	321.00	150	Horizontal	N/A
4	5470.000	57.06	1.37	68.2	11.14	Peak	317.00	200	Horizontal	Pass
4**	5470.000	48.23	1.37	--	--	AV	317.00	200	Horizontal	N/A
5	5456.800	56.16	1.16	74.0	17.84	Peak	116.00	150	Horizontal	Pass
5**	5456.800	47.55	1.16	54.0	6.45	AV	116.00	150	Horizontal	Pass

U-NII-2C 11ac80 High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	54.69	0.63	68.2	13.51	Peak	209.00	150	Horizontal	Pass
2	5838.750	57.21	1.22	68.2	10.99	Peak	287.00	150	Horizontal	Pass

U-NII-2C 11ax20(SU) Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5379.800	56.86	0.81	74.0	17.14	Peak	138.00	100	Horizontal	Pass
1**	5379.800	44.25	0.81	54.0	9.75	AV	138.00	100	Horizontal	Pass
2	5460.000	55.31	1.23	74.0	18.69	Peak	38.00	150	Horizontal	Pass
2**	5460.000	44.70	1.23	54.0	9.30	AV	38.00	150	Horizontal	Pass
3	5460.800	56.26	1.21	68.2	11.94	Peak	21.00	200	Horizontal	Pass
3**	5460.800	44.67	1.21	--	--	AV	21.00	200	Horizontal	N/A
4	5470.000	55.82	1.37	68.2	12.38	Peak	302.00	100	Horizontal	Pass
4**	5470.000	45.16	1.37	--	--	AV	302.00	100	Horizontal	N/A
5	5452.400	56.07	1.29	74.0	17.93	Peak	334.00	150	Horizontal	Pass
5**	5452.400	44.88	1.29	54.0	9.12	AV	334.00	150	Horizontal	Pass

U-NII-2C 11ax20(SU) High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	55.00	0.63	68.2	13.20	Peak	42.00	100	Horizontal	Pass
2	5727.291	57.71	0.64	68.2	10.49	Peak	314.00	100	Horizontal	Pass

U-NII-2C 11ax40(SU) Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5459.000	58.81	1.24	74.0	15.19	Peak	85.00	100	Horizontal	Pass
1**	5459.000	45.56	1.24	54.0	8.44	AV	85.00	100	Horizontal	Pass
2	5460.000	58.45	1.23	74.0	15.55	Peak	90.00	150	Horizontal	Pass
2**	5460.000	45.76	1.23	54.0	8.24	AV	90.00	150	Horizontal	Pass
3	5467.800	62.57	1.33	68.2	5.63	Peak	101.00	200	Horizontal	Pass
3**	5467.800	48.27	1.33	--	--	AV	101.00	200	Horizontal	N/A
4	5470.000	60.90	1.37	68.2	7.30	Peak	101.00	200	Horizontal	Pass
4**	5470.000	48.85	1.37	--	--	AV	101.00	200	Horizontal	N/A
5	5459.800	57.87	1.23	74.0	16.13	Peak	106.00	150	Horizontal	Pass
5**	5459.800	45.82	1.23	54.0	8.18	AV	106.00	150	Horizontal	Pass

U-NII-2C 11ax40(SU) High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	54.94	0.63	68.2	13.26	Peak	84.00	100	Horizontal	Pass
2	5836.250	57.23	1.29	68.2	10.97	Peak	112.00	150	Horizontal	Pass

U-NII-2C 11ax80(SU) Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5447.600	60.19	1.26	74.0	13.81	Peak	320.00	150	Horizontal	Pass
1**	5447.600	48.07	1.26	54.0	5.93	AV	320.00	150	Horizontal	Pass
2	5460.000	58.66	1.23	74.0	15.34	Peak	320.00	100	Horizontal	Pass
2**	5460.000	49.17	1.23	54.0	4.83	AV	320.00	100	Horizontal	Pass
3	5464.800	60.65	1.29	68.2	7.55	Peak	324.00	100	Horizontal	Pass
3**	5464.800	49.99	1.29	--	--	AV	324.00	100	Horizontal	N/A
4	5470.000	60.55	1.37	68.2	7.65	Peak	320.00	100	Horizontal	Pass
4**	5470.000	49.71	1.37	--	--	AV	320.00	100	Horizontal	N/A
5	5456.000	60.08	1.17	74.0	13.92	Peak	315.00	150	Horizontal	Pass
5**	5456.000	49.30	1.17	54.0	4.70	AV	315.00	150	Horizontal	Pass

U-NII-2C 11ax80(SU) High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	54.41	0.63	68.2	13.79	Peak	237.00	100	Horizontal	Pass
2	5828.334	57.04	1.26	68.2	11.16	Peak	243.00	100	Horizontal	Pass

U-NII-2C 11ax20(RU26) Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5396.000	56.79	0.91	74.0	17.21	Peak	73.00	100	Horizontal	Pass
1**	5396.000	46.47	0.91	54.0	7.53	AV	73.00	100	Horizontal	Pass
2	5460.000	55.00	1.23	74.0	19.00	Peak	344.00	100	Horizontal	Pass
2**	5460.000	45.19	1.23	54.0	8.81	AV	344.00	100	Horizontal	Pass
3	5468.400	58.36	1.34	68.2	9.84	Peak	103.00	200	Horizontal	Pass
3**	5468.400	44.83	1.34	--	--	AV	103.00	200	Horizontal	N/A
4	5470.000	57.79	1.37	68.2	10.41	Peak	96.00	100	Horizontal	Pass
4**	5470.000	45.16	1.37	--	--	AV	96.00	100	Horizontal	N/A

U-NII-2C 11ax20(RU26) High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	64.37	0.63	68.2	3.83	Peak	307.00	150	Horizontal	Pass
2	5725.416	64.95	0.64	68.2	3.25	Peak	307.00	100	Horizontal	Pass

U-NII-2C 11ax40(RU26) Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5459.200	58.45	1.24	74.0	15.55	Peak	95.00	200	Horizontal	Pass
1**	5459.200	44.83	1.24	54.0	9.17	AV	95.00	200	Horizontal	Pass
2	5460.000	56.66	1.23	74.0	17.34	Peak	339.00	150	Horizontal	Pass
2**	5460.000	45.00	1.23	54.0	9.00	AV	339.00	150	Horizontal	Pass
3	5469.400	63.09	1.37	68.2	5.11	Peak	98.00	150	Horizontal	Pass
3**	5469.400	45.02	1.37	--	--	AV	98.00	150	Horizontal	N/A
4	5470.000	61.48	1.37	68.2	6.72	Peak	107.00	150	Horizontal	Pass
4**	5470.000	45.36	1.37	--	--	AV	107.00	150	Horizontal	N/A

U-NII-2C 11ax40(RU26) High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	58.04	0.63	68.2	10.16	Peak	122.00	150	Horizontal	Pass
2	5727.291	60.02	0.64	68.2	8.18	Peak	308.00	200	Horizontal	Pass

U-NII-2C 11ax80(RU26) Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5432.800	60.55	1.17	74.0	13.45	Peak	315.00	100	Horizontal	Pass
1**	5432.800	45.67	1.17	54.0	8.33	AV	315.00	100	Horizontal	Pass
2	5460.000	58.66	1.23	74.0	15.34	Peak	105.00	100	Horizontal	Pass
2**	5460.000	45.19	1.23	54.0	8.81	AV	105.00	100	Horizontal	Pass
3	5469.800	64.54	1.38	68.2	3.66	Peak	102.00	100	Horizontal	Pass
3**	5469.800	45.73	1.38	--	--	AV	102.00	100	Horizontal	N/A
4	5470.000	62.67	1.37	68.2	5.53	Peak	91.00	200	Horizontal	Pass
4**	5470.000	46.66	1.37	--	--	AV	91.00	200	Horizontal	N/A
5	5454.200	57.69	1.22	74.0	16.31	Peak	88.00	200	Horizontal	Pass
5**	5454.200	46.17	1.22	54.0	7.83	AV	88.00	200	Horizontal	Pass

U-NII-2C 11ax80(RU26) High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	54.41	0.63	68.2	13.79	Peak	119.00	200	Horizontal	Pass
2	5790.000	56.81	1.27	68.2	11.39	Peak	149.00	100	Horizontal	Pass

U-NII-3 11a Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5621.042	56.68	0.70	68.2	11.52	Peak	49.00	200	Horizontal	Pass
2	5650.000	55.38	0.79	68.2	12.82	Peak	136.00	200	Horizontal	Pass

U-NII-3 11a High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	54.98	1.08	68.2	13.22	Peak	271.00	200	Horizontal	Pass
2	5929.000	57.13	0.87	68.2	11.07	Peak	220.00	200	Horizontal	Pass

U-NII-3 11n20 Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5620.209	55.96	0.69	68.2	12.24	Peak	93.00	100	Horizontal	Pass
2	5650.000	54.82	0.79	68.2	13.38	Peak	6.00	200	Horizontal	Pass

U-NII-3 11n20 High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	56.12	1.08	68.2	12.08	Peak	3.00	100	Horizontal	Pass
2	5973.000	57.22	1.18	68.2	10.98	Peak	186.00	200	Horizontal	Pass

U-NII-3 11n40 Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5609.584	56.55	0.64	68.2	11.65	Peak	116.00	200	Horizontal	Pass
2	5650.000	55.36	0.79	68.2	12.84	Peak	28.00	200	Horizontal	Pass

U-NII-3 11n40 High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	55.17	1.08	68.2	13.03	Peak	271.00	200	Horizontal	Pass
2	5973.250	57.03	1.17	68.2	11.17	Peak	10.00	200	Horizontal	Pass

U-NII-3 11ac20 Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5610.000	56.83	0.66	68.2	11.37	Peak	0.00	100	Horizontal	Pass
2	5650.000	54.66	0.79	68.2	13.54	Peak	349.00	150	Horizontal	Pass

U-NII-3 11ac20 High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	55.19	1.08	68.2	13.01	Peak	163.00	100	Horizontal	Pass
2	5992.250	56.86	0.95	68.2	11.34	Peak	93.00	150	Horizontal	Pass

U-NII-3 11ac40 Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5620.000	56.13	0.69	68.2	12.07	Peak	302.00	200	Horizontal	Pass
2	5650.000	54.51	0.79	68.2	13.69	Peak	49.00	200	Horizontal	Pass

U-NII-3 11ac40 High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	54.83	1.08	68.2	13.37	Peak	183.00	100	Horizontal	Pass
2	5975.250	57.67	1.12	68.2	10.53	Peak	110.00	200	Horizontal	Pass

U-NII-3 11ac80 Middle Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5630.834	56.02	0.93	68.2	12.18	Peak	0.00	200	Horizontal	Pass
2	5650.000	54.64	0.79	68.2	13.56	Peak	295.00	100	Horizontal	Pass

U-NII-3 11ac80 Middle Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	55.37	1.08	68.2	12.83	Peak	72.00	200	Horizontal	Pass
2	5997.500	57.14	0.93	68.2	11.06	Peak	241.00	100	Horizontal	Pass

U-NII-3 11ax20(SU) Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5605.209	56.94	0.67	68.2	11.26	Peak	254.00	200	Horizontal	Pass
2	5650.000	55.87	0.79	68.2	12.33	Peak	327.00	150	Horizontal	Pass

U-NII-3 11ax20(SU) High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	55.22	1.08	68.2	12.98	Peak	9.00	100	Horizontal	Pass
2	5996.500	56.52	0.91	68.2	11.68	Peak	173.00	150	Horizontal	Pass

U-NII-3 11ax40(SU) Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5647.500	56.28	0.80	68.2	11.92	Peak	100.00	150	Horizontal	Pass
2	5650.000	54.63	0.79	68.2	13.57	Peak	136.00	100	Horizontal	Pass

U-NII-3 11ax40(SU) High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	54.20	1.08	68.2	14.00	Peak	326.00	100	Horizontal	Pass
2	5934.000	56.65	0.93	68.2	11.55	Peak	311.00	100	Horizontal	Pass

U-NII-3 11ax80(SU) Middle Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5638.750	56.26	0.96	68.2	11.94	Peak	262.00	100	Horizontal	Pass
2	5650.000	55.14	0.79	68.2	13.06	Peak	94.00	150	Horizontal	Pass

U-NII-3 11ax80(SU) Middle Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	55.52	1.08	68.2	12.68	Peak	330.00	100	Horizontal	Pass
2	5953.500	56.88	1.04	68.2	11.32	Peak	355.00	200	Horizontal	Pass

U-NII-3 11ax20(RU26) Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5640.834	57.15	0.93	68.2	11.05	Peak	308.00	100	Horizontal	Pass
2	5650.000	54.85	0.79	68.2	13.35	Peak	117.00	200	Horizontal	Pass

U-NII-3 11ax20(RU26) High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	54.98	1.08	68.2	13.22	Peak	330.00	200	Horizontal	Pass
2	5975.000	56.70	1.13	68.2	11.50	Peak	350.00	100	Horizontal	Pass

U-NII-3 11ax40(RU26) Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5641.250	57.27	0.92	68.2	10.93	Peak	321.00	200	Horizontal	Pass
2	5650.000	55.84	0.79	68.2	12.36	Peak	27.00	200	Horizontal	Pass

U-NII-3 11ax40(RU26) High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	54.72	1.08	68.2	13.48	Peak	248.00	150	Horizontal	Pass
2	5975.500	57.17	1.12	68.2	11.03	Peak	269.00	200	Horizontal	Pass

U-NII-3 11ax80(RU26) Middle Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5640.208	56.57	0.94	68.2	11.63	Peak	144.00	100	Horizontal	Pass
2	5650.000	54.29	0.79	68.2	13.91	Peak	128.00	100	Horizontal	Pass

U-NII-3 11ax80(RU26) Middle Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	54.18	1.08	68.2	14.02	Peak	206.00	100	Horizontal	Pass
2	5955.500	57.11	0.99	68.2	11.09	Peak	271.00	100	Horizontal	Pass

U-NII-3 11ax80(RU26) Middle Channel



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5626.666	57.32	0.82	68.2	10.88	Peak	123.00	200	Horizontal	Pass
2	5650.000	55.23	0.79	68.2	12.97	Peak	85.00	100	Horizontal	Pass

U-NII-3 11ax80(RU26) Middle Channel



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	54.78	1.08	68.2	13.42	Peak	146.00	150	Horizontal	Pass
2	5954.250	56.91	1.05	68.2	11.29	Peak	111.00	200	Horizontal	Pass

ANNEX B TEST SETUP PHOTOS

Please refer the document “BL-SZ2480124-AR.PDF”.

ANNEX C EUT EXTERNAL PHOTOS

Please refer the document “BL-SZ2480124-AW.PDF”.

ANNEX D EUT INTERNAL PHOTOS

Please refer the document “BL-SZ2480124-AI.PDF”.

Statement

1. The laboratory guarantees the scientificity, accuracy and impartiality of the test, and is responsible for all the information in the report, except the information provided by the customer. The customer is responsible for the impact of the information provided on the validity of the results.
2. The report without China inspection body and laboratory Mandatory Approval (CMA) mark has no effect of proving to the society.
3. For the report with CNAS mark or A2LA mark, the items marked with "☆" are not within the accredited scope.
4. This report is invalid if it is altered, without the signature of the testing and approval personnel, or without the "inspection and testing dedicated stamp" or test report stamp.
5. The test data and results are only valid for the tested samples provided by the customer.
6. This report shall not be partially reproduced without the written permission of the laboratory.
7. Any objection shall be raised to the laboratory within 30 days after receiving the report.

--END OF REPORT--