

## 1. Duty Cycle



### 1.1 Test Result


#### 1.1.1 Ant1

Ant1							
Mode	TX Type	Frequency (MHz)	T_on (ms)	Period (ms)	Duty Cycle (%)	Duty Cycle Correction Factor (dB)	Max. DC Variation (%)
1M	SISO	2402	0.496	1.250	39.68	4.01	0.01
		2440	0.495	1.250	39.60	4.02	0.03
		2480	0.495	1.250	39.60	4.02	0.03

## 1.2 Test Graph

### 1.2.1 Ant1





## 2. Bandwidth

### 2.1 Test Result

#### 2.1.1 OBW

Mode	TX Type	Frequency (MHz)	ANT	99% Occupied Bandwidth (MHz)		Verdict
				Result	Limit	
1M	SISO	2402	1	1.056	/	Pass
		2440	1	1.059	/	Pass
		2480	1	1.055	/	Pass


#### 2.1.2 6dB BW


Mode	TX Type	Frequency (MHz)	ANT	6dB Bandwidth (MHz)		Verdict
				Result	Limit	
1M	SISO	2402	1	0.668	$\geq 0.5$	Pass
		2440	1	0.668	$\geq 0.5$	Pass
		2480	1	0.669	$\geq 0.5$	Pass





## 2.2 Test Graph


### 2.2.1 OBW





## 2.2.2 6dB BW







## 3. Maximum Conducted Output Power


### 3.1 Test Result


#### 3.1.1 Power

Mode	TX Type	Frequency (MHz)	Maximum Peak Conducted Output Power (dBm)		Verdict
			ANT1	Limit	
1M	SISO	2402	-7.70	<=30	Pass
		2440	-7.51	<=30	Pass
		2480	-7.63	<=30	Pass

## 3.2 Test Graph

### 3.2.1 Power





## 4. Maximum Power Spectral Density

### 4.1 Test Result

#### 4.1.1 PSD


Mode	TX Type	Frequency (MHz)	Maximum PSD (dBm/3kHz)		Verdict
			ANT1	Limit	
1M	SISO	2402	-23.04	<=8	Pass
		2440	-22.80	<=8	Pass
		2480	-22.91	<=8	Pass


Note1: Antenna Gain: Ant1: 2.50dBi;



## 4.2 Test Graph

### 4.2.1 PSD





## 5. Unwanted Emissions In Non-restricted Frequency Bands

### 5.1 Test Result

#### 5.1.1 Ref

Mode	TX Type	Frequency (MHz)	ANT	Level of Reference (dBm)
1M	SISO	2402	1	-8.28
		2440	1	-8.11
		2480	1	-8.21

Note1: Refer to FCC Part 15.247 (d) and ANSI C63.10-2013, the channel contains the maximum PSD level was used to establish the reference level.

#### 5.1.2 CSE


Mode	TX Type	Frequency (MHz)	ANT	Level of Reference (dBm)	Limit (dBm)	Verdict
1M	SISO	2402	1	1.00	-19.00	Pass
		2440	1	1.00	-19.00	Pass
		2480	1	1.00	-19.00	Pass

Note1: Refer to FCC Part 15.247 (d) and ANSI C63.10-2013, the channel contains the maximum PSD level was used to establish the reference level.




## 5.2 Test Graph



### 5.2.1 Ref









## 5.2.2 CSE




## 1M\_MCH\_2440MHz\_Ant1\_NTNV



## 1M\_HCH\_2480MHz\_Ant1\_NTNV





-----End-----