

FCC Test Report

Report No.: AGC09232210601FE04

| FCC ID | : 2AX2T-CA85 |
|----------------------------------|---|
| APPLICATION PURPOSE | : Original Equipment |
| PRODUCT DESIGNATION | : Wireless charging car holder |
| BRAND NAME | : hoco. |
| MODEL NAME | CA85, CA48, CA60, CA75, CA80, CA84, CA90, CA95, CA91, CA100, S12, S14, S45, S45 Lite |
| APPLICANT | : Hoco technology development (SHENZHEN) co., Ltd |
| DATE OF ISSUE | : Jun. 29, 2021 |
| STANDARD(S) TEST PROCEDURE(S) | : FCC Part 15 Rules |
| REPORT VERSION | : V1.0 Compliance She |
| | Lo noiter |

Attestation of Global Compliance (Shenzhen) Co., Ltd



Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the bedicated Pestua/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issues of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.



REPORT REVISE RECORD

| Report Version | Revise Time | Issued Date | Valid Version | Notes |
|----------------|-------------|---------------|---------------|-----------------|
| V1.0 | 1 | Jun. 29, 2021 | Valid | Initial Release |

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Festive/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the writter explorization of AGE" the test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issues of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.



Report No.: AGC09232210601FE04 Page 3 of 30

TABLE OF CONTENTS

| 1. VERIFICATION OF CONFORMITY | |
|---|----------|
| 2. GENERAL INFORMATION | |
| 2.1. PRODUCT DESCRIPTION | 5 |
| 3. MEASUREMENT UNCERTAINTY | 6 |
| 4. DESCRIPTION OF TEST MODES | |
| 5. SYSTEM TEST CONFIGURATION | |
| 5.1. CONFIGURATION OF EUT SYSTEM 5.2. EQUIPMENT USED IN EUT SYSTEM 5.3. SUMMARY OF TEST RESULTS | |
| 6. TEST FACILITY | |
| 7. RADIATED EMISSION | |
| 7.1TEST LIMIT 7.2. MEASUREMENT PROCEDURE 7.3. TEST SETUP 7.4. TEST RESULT | 11 12 |
| 8. 20DB BANDWIDTH | |
| 8.1. MEASUREMENT PROCEDURE 8.2. TEST SET-UP (BLOCK DIAGRAM OF CONFIGURATION) | |
| 9. FCC LINE CONDUCTED EMISSION TEST | |
| 9.1. LIMITS OF LINE CONDUCTED EMISSION TEST | |
| APPENDIX A: PHOTOGRAPHS OF TEST SETUP | |
| APPENDIX B: PHOTOGRAPHS OF EUT | |

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the Bedicated Pesting/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written approver, and the test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15day after the issuerce of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.



1. VERIFICATION OF CONFORMITY

| Applicant | Hoco technology development (SHENZHEN) co., Ltd | | | | |
|---|--|--|--|--|--|
| Address | Rm 408, Block A, Weidonglong Business Building, 2125 Meilong Road, Tsinghua Community, Longhua Street, Longhua District, Shenzhen, P. R. China | | | | |
| Manufacturer | Hoco technology development (SHENZHEN) co., Ltd | | | | |
| Address Rm 408, Block A, Weidonglong Business Building, 2125 Meilong Road, Ts Community, Longhua Street, Longhua District, Shenzhen, P. R. China | | | | | |
| Factory | Hoco technology development (SHENZHEN) co., Ltd | | | | |
| Address | Rm 408, Block A, Weidonglong Business Building, 2125 Meilong Road, Tsinghua Community, Longhua Street, Longhua District, Shenzhen, P. R. China | | | | |
| Product Designation | Wireless charging car holder | | | | |
| Sample No | 210610013 | | | | |
| Brand Name | hoco. | | | | |
| Test Model | CA85 | | | | |
| Series Model | CA48, CA60, CA75, CA80, CA84, CA90, CA95, CA91, CA100, S12, S14, S45, S45 Lite | | | | |
| Difference description | All the series models are the same as the test model except for the model names and the color of appearance. | | | | |
| Date of test | Jun. 16, 2021 to Jun. 29, 2021 | | | | |
| Deviation | No any deviation from the test method | | | | |
| Condition of Test Sample | Normal | | | | |
| Test Result | Pass | | | | |
| Report Template | AGCRT-US-BR/RF | | | | |
| M/a handler and fride that | | | | | |

We hereby certify that:

The above equipment was tested by Attestation of Global Compliance (Shenzhen) Co., Ltd. The test data, data evaluation, test procedures, and equipment configurations shown in this report were made in accordance with the procedures given in ANSI C63.10 (2013) and the energy emitted by the sample EUT tested as described in this report is in compliance with Section 15.207, 15.209, 15.203 of the FCC Part 15, Subpart C Rules. The results of testing in this report apply to the product/system which was tested only.

well chang Prepared By Cool Cheng Jun. 29, 2021 (Project Engineer) Max Zhan **Reviewed By** Max Zhang Jun. 29, 2021 (Reviewer) Approved By Forrest Lei Jun. 29, 2021 (Authorized Officer) mpliance Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written of the report is not permitten g/Inspection anthorization of AGE The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15day after Sf the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com. Attestation of Global Compliance(Shenzhen)Co., Ltd Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd

Tel: +86-755 2523 4088 E-mail: agc@agc-cert.com Web: http://cn.agc-cert.com/



2. GENERAL INFORMATION

2.1. PRODUCT DESCRIPTION

A major technical description of EUT is described as following

| Operation Frequency | 115KHz-205KHz |
|--------------------------------|---|
| Test Frequency | 146.5kHz |
| Maximum field strength | 53.68dBuV/m(PK)@3m |
| Modulation | FSK |
| Number of channels | 1 |
| Antenna Designation | Coil Antenna (Met 15.203 Antenna requirement) |
| Hardware Version | PB1-2-KF-02 |
| Software Version | H011 |
| Power Supply(Input) | DC 5V 3A, 9V 2A,12V 1.5A |
| Wireless Charging Output power | 5W / 7.5W /10W/ 15W |

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the Bedicated Pesting/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written approver, and the test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issues of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.



Report No.: AGC09232210601FE04 Page 6 of 30

3. MEASUREMENT UNCERTAINTY

The uncertainty is calculated using the methods suggested in the "Guide to the Expression of Uncertainty in

- measurement" (GUM) published by CISPR and ANSI.
- Uncertainty of Conducted Emission, $Uc = \pm 3.2 dB$
- Uncertainty of Radiated Emission below 1GHz, Uc = ±3.9 dB
- Uncertainty of Radiated Emission above 1GHz, Uc = ±4.8 dB

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the stand resting/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written approver, being a standard resting in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issues of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.



4. DESCRIPTION OF TEST MODES

| NO. | TEST MODE DESCRIPTION |
|-----|--|
| 1 | USB-C input PD 12V 1.5A+Wireless charging Mode(Full load 15W) |
| 2 | USB-C input PD 9V 2A+Wireless charging Mode(Full load 15W) |
| 3 | USB-C input PD 5V 3A+Wireless charging Mode(half load 7.5W) |
| 4 | USB-C input PD 9V 2A+Wireless charging Mode(half load 7.5W) |
| 5 | USB-C input PD 12V 1.5A+Wireless charging Mode(half load 7.5W) |
| 6 | USB-C input PD 5V 3A+Wireless charging Mode(with load 5W) |
| 7 | USB-C input PD 12V 1.5A+Wireless charging Mode(with load 5W) |
| 8 | Wireless charging Mode(Null load) |

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the Bedicated Pesting/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written approver, and the test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15day after the issuerce of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.



5. SYSTEM TEST CONFIGURATION

5.1. CONFIGURATION OF EUT SYSTEM

Configure :

| EUT | -C | AE | |
|-----|----|----|--|

5.2. EQUIPMENT USED IN EUT SYSTEM

| ltem | Equipment | Model No. | ID or Specification | Remark | |
|------|---------------------------------|---------------------|---------------------|--------|--|
| 1 | Wireless charging car holder | CA85 | 2AX2T-CA85 | EUT | |
| 2 | Adapter | ZL-PCB0100020502000 | N/A | AE | |
| 3 | Wireless Load | N/A | N/A | AE | |

5.3. SUMMARY OF TEST RESULTS

| FCC RULES | DESCRIPTION OF TEST | RESULT |
|-----------|---------------------|-----------|
| §15.209 | Radiated Emission | Compliant |
| §15.215 | 20dB bandwidth | Compliant |
| §15.207 | Conducted Emission | Compliant |

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the Bedicated Pesting/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the writter explorization of AGC the test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issues of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.



6. TEST FACILITY

| Test Site Attestation of Global Compliance (Shenzhen) Co., Ltd Location 1-2/F, Building 19, Junfeng Industrial Park, Chongqing Road, Heping Commun Fuhai Street, Bao'an District, Shenzhen, Guangdong, China | | | | |
|---|---|--|--|--|
| | | | | |
| FCC Test Firm Registration Number | 975832 | | | |
| A2LA Cert. No. | 5054.02 | | | |
| Description | Attestation of Global Compliance(Shenzhen) Co., Ltd is accredited by A2LA | | | |

TEST EQUIPMENT OF CONDUCTED EMISSION TEST

| Equipment | Manufacturer | Model | S/N | Cal. Date | Cal. Due |
|---------------|--------------|------------------|--------|--------------|--------------|
| TEST RECEIVER | R&S | ESCI | 10096 | May 15, 2021 | May 14, 2022 |
| LISN | R&S | ESH2-Z5 | 100086 | Jul. 03,2020 | Jul. 02,2021 |
| Test software | R&S | ES-K1(Ver.V1.71) | N/A | N/A | N/A |

TEST EQUIPMENT OF RADIATED EMISSION TEST

| Equipment | Manufacturer | Model | S/N | Cal. Date | Cal. Due |
|--------------------------------------|--------------|------------------------|------------|---------------|---------------|
| TEST RECEIVER | R&S | ESCI | 10096 | May 15, 2021 | May 14, 2022 |
| EXA Signal Analyzer | Aglient | N9010A | MY53470504 | Dec. 07, 2020 | Dec. 06, 2021 |
| Active loop antenna (9K-30MHz) | ZHINAN | ZN30900C | 18051 | May 22, 2020 | May 21, 2022 |
| ANTENNA | SCHWARZBECK | VULB9168 | 494 | Jan. 08, 2020 | Jan. 07, 2023 |
| Test software | FARA | EZ_EMC (Ver.RA-03A) | N/A | N/A | N/A |

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the Bedicated Pesting/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the writter explorization of AGC the test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issues of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.



7. RADIATED EMISSION

7.1TEST LIMIT

Standard FCC 15.209

| Frequency | Distance | Field | Field Strengths Limit | | | |
|---------------|----------|---------------------|--|--|--|--|
| (MHz) | Meters | μ V/m | dB(µV)/m | | | |
| 0.009 ~ 0.490 | 300 | 2400/F(kHz) | | | | |
| 0.490 ~ 1.705 | 30 | 24000/F(kHz) | | | | |
| 1.705 ~ 30 | 30 | 30 | 0 | | | |
| 30 ~ 88 | 3 | 100 | 40.0 | | | |
| 88 ~ 216 | 3 | 150 | 43.5 | | | |
| 216 ~ 960 | 3 | 200 | 46.0 | | | |
| 960 ~ 1000 | 3 | 500 | 54.0 | | | |
| Above 1000 | 3 | Other:74.0 dB(µV)/m | Other:74.0 dB(µV)/m (Peak) 54.0 dB(µV)/m (Average) | | | |

Remark: (1) Emission level dB μ V = 20 log Emission level μ V/m

(2) The smaller limit shall apply at the cross point between two frequency bands.

(3) Distance is the distance in meters between the measuring instrument, antenna and the closest point of any part of the device or system.

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the stand resting in the stand of the test results been stamped to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the writter aphorization of AGE in the test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15day after the issues of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.



7.2. MEASUREMENT PROCEDURE

- 1. The EUT was placed on the top of the turntable 0.8 or 1.5 meter above ground. The phase center of the receiving antenna mounted on the top of a height-variable antenna tower was placed 3 meters far away from the turntable.
- 2. Power on the EUT and all the supporting units. The turntable was rotated by 360 degrees to determine the position of the highest radiation.
- 3. The height of the broadband receiving antenna was varied between one meter and four meters above ground to find the maximum emissions field strength of both horizontal and vertical polarization.
- 4. For each suspected emissions, the antenna tower was scan (from 1 M to 4 M) and then the turntable was rotated (from 0 degree to 360 degrees) to find the maximum reading.
- 5. Set the test-receiver system to Peak or CISPR quasi-peak Detect Function with specified bandwidth under Maximum Hold Mode.
- 6. In case the emission is lower than 30MHz, loop antenna has to be used for measurement and the recorded data should be QP measured by receiver. High Low scan is not required in this case.

The following table is the setting of spectrum analyzer and receiver.

| Spectrum Parameter | Setting |
|-----------------------|--------------------------------|
| Start ~Stop Frequency | 9KHz~150KHz/RB 200Hz for QP |
| Start ~Stop Frequency | 150KHz~30MHz/RB 9KHz for QP |
| Start ~Stop Frequency | 30MHz~1000MHz/RB 120KHz for QP |

| Receiver Parameter | Setting |
|-----------------------|--------------------------------|
| Start ~Stop Frequency | 9KHz~150KHz/RB 200Hz for QP |
| Start ~Stop Frequency | 150KHz~30MHz/RB 9KHz for QP |
| Start ~Stop Frequency | 30MHz~1000MHz/RB 120KHz for QP |


Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the Bedicated Pesting/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGE, the test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15day after the issuence of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.




Report No.: AGC09232210601FE04 Page 12 of 30

7.3. TEST SETUP

Radiated Emission Test-Setup Frequency Below 30MHz



RADIATED EMISSION TEST SETUP 30MHz-1000MHz



Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the bedicated restriction of Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the writter authorization of AGE the test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15day affective the issues of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.



7.4. TEST RESULT

| Frequency MHz | Polarization | Reading dB(uV) PK | Factor dB (1/m) | Level dB(uV/m) PK | Limit dB(uV/m) PK | Margin dB | Pass/Fail |
|------------------|--------------|-------------------------|-----------------------|-------------------------|-------------------------|--------------|-----------|
| 0.1465 | Face | 43.25 | 10.43 | 53.68 | 104.29 | -50.61 | Pass |
| 0.1465 | Side | 35.84 | 10.43 | 45.27 | 104.29 | -58.02 | Pass |

RADIATED EMISSION BELOW 30MHZ

Note1: The amplitude of spurious emissions from 9kHz to 30MHz which are attenuated more than 20 dB below the permissible value need not be reported. The peak level of the emission is less than the average limit, so the average level shall be less than the limit without test.

Note 2: Level(dBuV/m)=Reading(dBuV)+Factor(dB/m)

Factor(dB/m)=Antenna Factor(dB/m)+Cable loss(dB)+Attenuation(dB)for Attenuator

Margin=Level-Limit

For 0.1465MHz

Limit(dBuV/m)=20log(2400/F(kHz))+40log(300/3)=104.29dBuV/m.

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the set of the stand results and the stand results are standed by the standard results are standard results. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.



Report No.: AGC09232210601FE04 Page 14 of 30

Limit: Margin:

| EUT : | Wireless charging car holder | Model Name. : | CA85 |
|---------------|------------------------------|---------------------|------------|
| Temperature : | 21.8 ℃ | Relative Humidtity: | 58% |
| Pressure : | 1010 hPa | Test Voltage : | DC 9V |
| Test Mode : | Mode 1 | Polarization : | Horizontal |

RADIATED EMISSION 30MHz-1GHz

| 18 | 34 | | | Monthlymaker | 5 | and the state of the | and a stand and a stand and a | and the whole she |
|-------|-------|--|--|--|---------|---|-------------------------------|-------------------|
| | | un hanna an | ne of the second s | Alexandra and a second and as | | | | |
| 0.000 | 127.0 | 0 224.00 | 321.00 418 | .00 515.00 | 612.00 | 709.00 80 | 6.00 | 1000.00 |
| | | | Reading | Correct | Measure | | 0 | |
| NO. | Mk | · · · | Level | Factor | ment | Limit | Over | |
| | | MHz | dBuV | dB | dBuV/m | dBuV/m | dB | Detecto |
| 1 | | 34.8500 | 21.63 | 12.32 | 33.95 | 40.00 | -6.05 | peak |
| 2 | * | 42.6100 | 21.15 | 14.73 | 35.88 | 40.00 | -4.12 | QP |
| 3 | | 117.3000 | 13.77 | 17.03 | 30.80 | 43.50 | -12.70 | peak |
| 4 | | 132.8200 | 12.72 | 15.57 | 28.29 | 43.50 | -15.21 | peak |
| 5 | | 558.6500 | 7.46 | 25.31 | 32.77 | 46.00 | -13.23 | peak |
| 6 | | 848.6800 | 5.74 | 31.04 | 36.78 | 46.00 | -9.22 | peak |


RESULT: PASS

Ecompliance Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "bedicated Past Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issues of Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com. g/Inspection he test results Bf he test report.



Report No.: AGC09232210601FE04 Page 15 of 30

| EUT : | Wireless charging car holder | Model Name. : | CA85 |
|---------------|------------------------------|----------------------|----------|
| Temperature : | 21.8 ℃ | Relative Humidtity : | 58% |
| Pressure : | 1010 hPa | Test Voltage : | DC 9V |
| Test Mode : | Mode 1 | Polarization : | Vertical |



| No. | Mk | . Freq. | Reading Level | Correct Factor | Measure- ment | Limit | Over | |
|-----|----|----------|------------------|-------------------|------------------|--------|--------|----------|
| | | MHz | dBuV | dB | dBuV/m | dBuV/m | dB | Detector |
| 1 | * | 34.8500 | 22.40 | 12.32 | 34.72 | 40.00 | -5.28 | peak |
| 2 | | 61.0400 | 17.31 | 16.00 | 33.31 | 40.00 | -6.69 | peak |
| 3 | İ | 137.6700 | 18.77 | 19.08 | 37.85 | 43.50 | -5.65 | peak |
| 4 | | 182.2899 | 11.10 | 16.66 | 27.76 | 43.50 | -15.74 | peak |
| 5 | | 609.0900 | 7.31 | 26.79 | 34.10 | 46.00 | -11.90 | peak |
| 6 | | 801.1500 | 5.78 | 30.38 | 36.16 | 46.00 | -9.84 | peak |

RESULT: PASS

Note:

Factor=Antenna Factor + Cable loss, Margin=Result-Limit.

The "Factor" value can be calculated automatically by software of measurement system.

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Bedicated Pertug/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the writter authorization of AGE. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15day after the issues of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.




8. 20DB BANDWIDTH

8.1. MEASUREMENT PROCEDURE

- 1. The EUT was placed on the top of the turntable 0.8 meter above ground. The phase center of the receiving antenna mounted on the top of a height-variable antenna tower was placed 3 meters far away from the turntable.
- 2, Set the EUT Work on operation frequency.
- 3. Set Span = approximately 2 to 5 times the 20 dB bandwidth, centered on a channel The nominal IF filter bandwidth (3 dB RBW) shall be in the range of 1% to 5% of the OBW and video bandwidth (VBW) shall be approximately three times RBW; Sweep = auto; Detector function = peak
- 4. Set SPA Trace 1 Max hold, then View.

8.2. TEST SET-UP (BLOCK DIAGRAM OF CONFIGURATION)



Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Perturn/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written aphorization of AGC The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15day after the issues of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc~cert.com.



8.3. MEASUREMENT RESULTS

| TEST ITEM | 20DB BANDWIDTH | 20- | ~60 | , C | ® | |
|-----------------|----------------|-----|-----|-----|-----|----|
| TEST MODULATION | FSK | 0 | | 200 | ~CC | - |
| 6 | | 6 | C. | 8 | | N. |

| Test Data (Hz) | Criteria | |
|-----------------|----------|------|
| Operate Channel | 833 | PASS |

04:16:58 PM Jun 24, 2021 Radio Std: None ALIGN AUTO Center Freq: 146.517 kHz Trig: Free Run Avg #Atten: 10 dB Trace/Detecto **Center Fred** 146.517 kHz Avg|Hold:>10/10 #IFGain:Low Radio Device: BTS Ref -10.00 dBm I0 dB/di **Clear Write** Average Max Hold Center 146.5 kHz #Res BW 300 Hz Span 3 kHz Sweep 40.87 ms #VBW 1 kHz **Min Hold Total Power** -22.1 dBm **Occupied Bandwidth** 708 Hz Detector Average ► Man Transmit Freq Error 76 Hz **OBW Power** 99.00 % Auto x dB Bandwidth 833 Hz x dB -20.00 dB STATUS

TEST PLOT OF BANDWIDTH

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the stand report having or been stamped by the bedicated restriction of Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the writter aphorization of AGE the test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issues of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.

9. FCC LINE CONDUCTED EMISSION TEST

9.1. LIMITS OF LINE CONDUCTED EMISSION TEST


| Francisco | Maximum RF | Maximum RF Line Voltage | | | |
|---------------|-------------|-------------------------|--|--|--|
| Frequency | Q.P.(dBuV) | Average(dBuV) | | | |
| 150kHz~500kHz | 66-56 | 56-46 | | | |
| 500kHz~5MHz | 56 | 46 | | | |
| 5MHz~30MHz | 60 | 50 | | | |

Note:

1. The lower limit shall apply at the transition frequency.

2. The limit decreases linearly with the logarithm of the frequency in the range 0.15 MHz to 0.50MHz.

9.2. BLOCK DIAGRAM OF LINE CONDUCTED EMISSION TEST



Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the stand in the report is not permitted without the written authorization of AGC in the test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15day after the issues of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc~cert.com.



9.3. PRELIMINARY PROCEDURE OF LINE CONDUCTED EMISSION TEST


- 1. The equipment was set up as per the test configuration to simulate typical actual usage per the user's manual. When the EUT is a tabletop system, a wooden table with a height of 0.8 meters is used and is placed on the ground plane as per ANSI C63.10 (see Test Facility for the dimensions of the ground plane used). When the EUT is a floor-standing equipment, it is placed on the ground plane which has a 3-12 mm non-conductive covering to insulate the EUT from the ground plane.
- 2. Support equipment, if needed, was placed as per ANSI C63.10.
- 3. All I/O cables were positioned to simulate typical actual usage as per ANSI C63.10.
- 4. All support equipments received AC120V/60Hz power from a LISN, if any.
- 5. The EUT received charging voltage by adapter which received 120V/60Hzpower by a LISN..
- 6. The test program was started. Emissions were measured on each current carrying line of the EUT using a spectrum Analyzer / Receiver connected to the LISN powering the EUT. The LISN has two monitoring points: Line 1 (Hot Side) and Line 2 (Neutral Side). Two scans were taken: one with Line 1 connected to Analyzer / Receiver and Line 2 connected to a 50 ohm load; the second scan had Line 1 connected to a 50 ohm load and Line 2 connected to the Analyzer / Receiver.
- 7. Analyzer / Receiver scanned from 150 kHz to 30MHz for emissions in each of the test modes.
- 8. During the above scans, the emissions were maximized by cable manipulation.
- 9. The test mode(s) were scanned during the preliminary test.

Then, the EUT configuration and cable configuration of the above highest emission level were recorded for reference of final testing.

9.4. FINAL PROCEDURE OF LINE CONDUCTED EMISSION TEST

- 1. EUT and support equipment was set up on the test bench as per step 2 of the preliminary test.
- A scan was taken on both power lines, Line 1 and Line 2, recording at least the six highest emissions. Emission frequency and amplitude were recorded into a computer in which correction factors were used to calculate the emission level and compare reading to the applicable limit. If EUT emission level was less –2dB to the A.V. limit in Peak mode, then the emission signal was re-checked using Q.P and Average detector.
- 3. The test data of the worst case condition(s) was reported on the Summary Data page.


Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the stead results (Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGS. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15day after the issues of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.





9.5. TEST RESULT OF LINE CONDUCTED EMISSION TEST





MEASUREMENT RESULT: "agc fin"

2021/6/23 0:38 Transd Limit Margin Line Frequency Level Detector MHz dBµV dB dBµV dB 0.158000 49.50 12.4 66 16.1 QP ь1 0.182000 34.50 12.4 64 29.9 ь1 QP 0.198000 36.50 12.4 64 27.2 ь1 QP 0.250000 30.10 12.4 62 31.7 QP ь1 0.262000 35.30 12.4 61 26.1 QP ь1 13.806000 14.90 14.0 60 45.1 ь1 QP

MEASUREMENT RESULT: "agc______

| 2021/6/23 0:3 | 8 | | | | | |
|---------------|-------|--------|-------|--------|----------|------|
| Frequency | Level | Transd | Limit | Margin | Detector | Line |
| MHz | dBµV | dB | dBµV | dB | | |
| | | | | | | |
| 13.298000 | 9.70 | 13.9 | 50 | 40.3 | AV | ь1 |
| 13.806000 | 9.40 | 14.0 | 50 | 40.6 | AV | ь1 |
| 14.318000 | 9.30 | 14.2 | 50 | 40.7 | AV | ь1 |
| 14.830000 | 10.20 | 14.3 | 50 | 39.8 | AV | ь1 |
| 15.086000 | 11.10 | 14.3 | 50 | 38.9 | AV | ь1 |
| 15.342000 | 11.10 | 14.4 | 50 | 38.9 | AV | L1 |


RESULT: PASS

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the stand in spectral definition of the stand in the report is not permitted without the written authorization of AGE in the test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15day after the issues of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.

Attestation of Global Compliance(Shenzhen)Co., Ltd Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd Tel: +86-755 2523 4088 E-mail: agc@agc-cert.com Web: http://cn.agc-cert.com/



LINE CONDUCTED EMISSION TEST-N



MEASUREMENT RESULT: "agc_fin"

2021/6/23 0:35

| Frequency MHz | | Transd dB | Limit dBµV | Margin dB | Detector | Line |
|------------------|-------|--------------|---------------|--------------|----------|------|
| 0.162000 | 46.10 | 12.4 | 65 | 19.3 | QP | N |
| 0.186000 | 41.70 | 12.4 | 64 | 22.5 | | N |
| 0.202000 | 42.60 | 12.4 | 64 | 20.9 | | N |
| 0.218000 | 36.60 | 12.4 | 63 | 26.3 | QP | N |
| 0.258000 | 34.50 | 12.4 | 62 | 27.0 | QP | N |
| 0.266000 | 33.40 | 12.4 | 61 | 27.8 | QP | N |

MEASUREMENT RESULT: "agc IInz"

| 2021/6/23 0:35 | | | | | | |
|----------------|-------|--------|-------|--------|----------|------|
| Frequency | Level | Transd | Limit | Margin | Detector | Line |
| MHz | dBµV | dB | dBµV | dB | | |
| 10 510000 | 10.00 | 10.0 | 5.0 | | | |
| 13.510000 | 13.00 | 13.9 | 50 | 37.0 | AV | N |
| 14.786000 | 14.10 | 14.3 | 50 | 35.9 | AV | N |
| 15.042000 | 14.90 | 14.3 | 50 | 35.1 | AV | Ν |
| 15.550000 | 16.90 | 14.4 | 50 | 33.1 | AV | N |
| 16.062000 | 22.70 | 14.4 | 50 | 27.3 | AV | Ν |
| 16.574000 | 18.00 | 14.5 | 50 | 32.0 | AV | N |
| | | | | | | |


RESULT: PASS

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the Bedicated Pesting/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the writter explorization of AGC the test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issues of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.



Report No.: AGC09232210601FE04 Page 22 of 30

APPENDIX A: PHOTOGRAPHS OF TEST SETUP FCC RADIATED EMISSION TEST SETUP BELOW 1GHZ



Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the Bedicated Festing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the writter authorization of AGE. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15day after the issues of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.



Report No.: AGC09232210601FE04 Page 23 of 30



FCC LINE CONDUCTED EMISSION TEST SETUP

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the Bedicated Pesting/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC, the test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15day after the issues of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.



Report No.: AGC09232210601FE04 Page 24 of 30



APPENDIX B: PHOTOGRAPHS OF EUT

EXTERNAL VIEW-1 OF EUT

EXTERNAL VIEW-2 OF EUT



Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the stead of the test results of the test results are apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issues of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.



Report No.: AGC09232210601FE04 Page 25 of 30

EXTERNAL VIEW-3 OF EUT



EXTERNAL VIEW-4 OF EUT



Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the stand of the test results of the test results been at the report is not permitted without the writter aphorization of AGE in the test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15day after the issues of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.

Attestation of Global Compliance(Shenzhen)Co., Ltd Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd Tel: +86-755 2523 4088 E-mail: agc@agc-cert.com Web: http://cn.agc-cert.com/



Report No.: AGC09232210601FE04 Page 26 of 30

EXTERNAL VIEW-5 OF EUT



EXTERNAL VIEW-6 OF EUT



Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the stand of the test results of the test results been at the report is not permitted without the writter aphorization of AGE in the test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15day after the issues of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.



Report No.: AGC09232210601FE04 Page 27 of 30

PORT VIEW OF EUT



OPEN VIEW OF EUT




Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the Bedicated Pesting/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the writter explorization of AGC the test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issues of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.




Report No.: AGC09232210601FE04 Page 28 of 30

INTERNAL VIEW OF EUT-1



INTERNAL VIEW OF EUT-2




Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the bedicated fresh g/inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written approver, being a standard fresh g/inspection of AGC in the test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issues of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.




Report No.: AGC09232210601FE04 Page 29 of 30

INTERNAL VIEW OF EUT-3



INTERNAL VIEW OF EUT-4




Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the Bedicated Pesting/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written approver, and the test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issues of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.



Report No.: AGC09232210601FE04 Page 30 of 30

INTERNAL VIEW OF EUT-5



----END OF REPORT----

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the Bedicated Pesting/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written approver, and the test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15day after the issuerce of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.



Conditions of Issuance of Test Reports

1. All samples and goods are accepted by the Attestation of Global Compliance (Shenzhen) Co., Ltd (the "Company") solely for testing and reporting in accordance with the following terms and conditions. The company provides its services on the basis that such terms and conditions constitute express agreement between the company and any person, firm or company requesting its services (the "Clients").

2. Any report issued by Company as a result of this application for testing services (the "Report") shall be issued in confidence to the Clients and the Report will be strictly treated as such by the Company. It may not be reproduced either in its entirety or in part and it may not be used for advertising or other unauthorized purposes without the written consent of the Company. The Clients to whom the Report is issued may, however, show or send it, or a certified copy thereof prepared by the Company to its customer, supplier or other persons directly concerned. The Company will not, without the consent of the Clients, enter into any discussion or correspondence with any third party concerning the contents of the Report, unless required by the relevant governmental authorities, laws or court orders.

3. The Company shall not be called or be liable to be called to give evidence or testimony on the Report in a court of law without its prior written consent, unless required by the relevant governmental authorities, laws or court orders.

4. The non-CMA report issued by AGC is only permitted to be used by the client as internal reference use and shall not be used for public demonstration purpose.

5. In the event of the improper use of the report as determined by the Company, the Company reserves the right to withdraw it, and to adopt any other additional remedies which may be appropriate.

6. Samples submitted for testing are accepted on the understanding that the Report issued cannot form the basis of, or be the instrument for, any legal action against the Company.

7. The Company will not be liable for or accept responsibility for any loss or damage however arising from the use of information contained in any of its Reports or in any communication whatsoever about its said tests or investigations.

8. Clients wishing to use the Report in court proceedings or arbitration shall inform the Company to that effect prior to submitting the sample for testing.

9. The Company is not responsible for recalling the electronic version of the original report when any revision is made to them. The Client assumes the responsibility to providing the revised version to any interested party who uses them.

10. Subject to the variable length of retention time for test data and report stored hereinto as otherwise specifically required by individual accreditation authorities, the Company will only keep the supporting test data and information of the test report for a period of six years. The data and information will be disposed of after the aforementioned retention period has elapsed. Under no circumstances shall we provide any data and information which has been disposed of after retention period. Under no circumstances shall we be liable for damage of any kind, including (but not limited to) compensatory damages, lost profits, lost data, or any form of special, incidental, indirect, consequential or punitive damages of any kind, whether based on breach of contract of warranty, tort (including negligence), product liability or otherwise, even if we are informed in advance of the possibility of such damages.

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the Bedicated Perturn/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the writter authorization of AGC, the test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issues of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc~cert.com.

Attestation of Global Compliance(Shenzhen)Co., Ltd Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd Tel: +86-755 2523 4088 E-mail: agc@agc-cert.com Web: http://cn.agc-cert.com/