





WCDMA Band V (RMC 12.2Kbps)

WCDMA Band II (RMC 12.2Kbps)

Lowest Channel

Lowest Channel





Date: 1.JUL.2022 11:44:05

Date: 1.JUL.2022 10:55:19

Middle Channel

Middle Channel





Date: 1.JUL.2022 11:44:50

Date: 1.JUL.2022 10:56:09

Highest Channel

Highest Channel




Date: 1.JUL.2022 11:45:19

Date: 1.JUL.2022 10:56:43




WCDMA Band IV (RMC 12.2Kbps)

Lowest Channel




Date: 1..JUL.2022 13:52:52

Middle Channel



Date: 1..JUL.2022 13:53:47


Highest Channel



Date: 1..JUL.2022 13:54:16



Conducted Band Edge







WCDMA Band II (RMC 12.2Kbps)

Lowest Band Edge



Highest Band Edge



WCDMA Band IV (RMC 12.2Kbps)


Lowest Band Edge

Highest Band Edge






Conducted Spurious Emission






WCDMA Band IV (RMC 12.2Kbps)

Lowest Channel




Date: 1.JUL.2022 13:57:06

Middle Channel



Date: 1.JUL.2022 13:57:43

Highest Channel



Date: 1.JUL.2022 13:58:36



Frequency Stability

| Test Conditions | Middle Channel | WCDMA Band V (RMC 12.2Kbps) | Limit 2.5ppm |
|------------------|-----------------|--------------------------------|-----------------|
| Temperature (°C) | Voltage (Volt) | Deviation (ppm) | Result |
| 70 | Normal Voltage | 0.0007 | PASS |
| 60 | Normal Voltage | 0.0004 | |
| 50 | Normal Voltage | 0.0005 | |
| 40 | Normal Voltage | 0.0006 | |
| 30 | Normal Voltage | 0.0002 | |
| 20(Ref.) | Normal Voltage | 0.0000 | |
| 10 | Normal Voltage | 0.0010 | |
| 0 | Normal Voltage | 0.0007 | |
| -10 | Normal Voltage | 0.0006 | |
| -20 | Normal Voltage | 0.0002 | |
| -30 | Normal Voltage | 0.0005 | |
| 20 | Maximum Voltage | 0.0002 | |
| 20 | Normal Voltage | 0.0000 | |
| 20 | Minimum Voltage | 0.0004 | |

| Test Conditions | Middle Channel | WCDMA Band II (RMC 12.2Kbps) | Limit Note 2. |
|------------------|-----------------|---------------------------------|------------------|
| Temperature (°C) | Voltage (Volt) | Deviation (ppm) | Result |
| 70 | Normal Voltage | 0.0004 | PASS |
| 60 | Normal Voltage | 0.0003 | |
| 50 | Normal Voltage | 0.0005 | |
| 40 | Normal Voltage | 0.0001 | |
| 30 | Normal Voltage | 0.0004 | |
| 20(Ref.) | Normal Voltage | 0.0000 | |
| 10 | Normal Voltage | 0.0004 | |
| 0 | Normal Voltage | 0.0002 | |
| -10 | Normal Voltage | 0.0003 | |
| -20 | Normal Voltage | 0.0005 | |
| -30 | Normal Voltage | 0.0006 | |
| 20 | Maximum Voltage | 0.0003 | |
| 20 | Normal Voltage | 0.0000 | |
| 20 | Minimum Voltage | 0.0004 | |



Note:

- 1. Normal Voltage = 3.7V. ; Minimum Voltage = 3.4 V. ; Maximum Voltage =4.2 V
- 2. The frequency fundamental emissions stay within the authorized frequency block based on the frequency deviation measured is small.

| Test Conditions Temperature (°C) | Middle Channel Voltage (Volt) | WCDMA Band IV (RMC 12.2Kbps) | Limit Note 2. |
|-------------------------------------|----------------------------------|---------------------------------|------------------|
| | | Deviation (ppm) | Result |
| 70 | Normal Voltage | 0.0007 | PASS |
| 60 | Normal Voltage | 0.0006 | |
| 50 | Normal Voltage | 0.0009 | |
| 40 | Normal Voltage | 0.0004 | |
| 30 | Normal Voltage | 0.0002 | |
| 20(Ref.) | Normal Voltage | 0.0000 | |
| 10 | Normal Voltage | 0.0005 | |
| 0 | Normal Voltage | 0.0001 | |
| -10 | Normal Voltage | 0.0002 | |
| -20 | Normal Voltage | 0.0007 | |
| -30 | Normal Voltage | 0.0006 | |
| 20 | Maximum Voltage | 0.0005 | |
| 20 | Normal Voltage | 0.0000 | |
| 20 | Minimum Voltage | 0.0002 | |

Note:

- 1. Normal Voltage = 3.7V. ; Minimum Voltage = 3.4 V. ; Maximum Voltage =4.2 V
- 2. The frequency fundamental emissions stay within the authorized frequency block based on the frequency deviation measured is small.



Appendix B. Test Results of Radiated Test

Radiated Spurious Emission

| | | | |
|-----------------|----------------------|---------------------|---------|
| Test Engineer : | ZhangXu/ShunPing You | Temperature : | 22~25°C |
| | | Relative Humidity : | 48~52% |

| GSM850 (GSM) | | | | | | | | | |
|--------------|-------------------|-------------|---------------|-------------------|-------------------|--------------------|----------------------|-----------------------|--------------------|
| Channel | Frequency (MHz) | ERP (dBm) | Limit (dBm) | Over Limit (dB) | SPA Reading (dBm) | S.G. Power (dBm) | TX Cable loss (dB) | TX Antenna Gain (dBi) | Polarization (H/V) |
| Lowest | 1648.4 | -38.28 | -13 | -25.28 | -47.67 | -41.51 | 3.98 | 9.36 | H |
| | 2472.6 | -57.47 | -13 | -44.47 | -71.63 | -61.02 | 4.85 | 10.55 | H |
| | 3296.8 | -61.51 | -13 | -48.51 | -78.01 | -66.44 | 5.50 | 12.58 | H |
| | 4120 | -61.67 | -13 | -48.67 | -79.77 | -66.14 | 5.98 | 12.60 | H |
| | 1648.4 | -47.46 | -13 | -34.46 | -56.59 | -50.69 | 3.98 | 9.36 | V |
| | 2472.6 | -57.90 | -13 | -44.90 | -72.03 | -61.45 | 4.85 | 10.55 | V |
| | 3296.8 | -59.04 | -13 | -46.04 | -75.35 | -63.97 | 5.50 | 12.58 | V |
| | 4120 | -60.95 | -13 | -47.95 | -79.06 | -65.42 | 5.98 | 12.60 | V |
| Middle | 1672.8 | -42.16 | -13 | -29.16 | -51.67 | -45.41 | 4.00 | 9.40 | H |
| | 2509.2 | -59.43 | -13 | -46.43 | -73.57 | -63.00 | 4.88 | 10.60 | H |
| | 3345.6 | -59.87 | -13 | -46.87 | -75.96 | -64.80 | 5.52 | 12.60 | H |
| | 1672.8 | -46.92 | -13 | -33.92 | -55.88 | -50.17 | 4.00 | 9.40 | V |
| | 2509.2 | -59.62 | -13 | -46.62 | -73.72 | -63.19 | 4.88 | 10.60 | V |
| | 3345.6 | -60.19 | -13 | -47.19 | -76.01 | -65.12 | 5.52 | 12.60 | V |
| Highest | 1697.6 | -39.83 | -13 | -26.83 | -49.49 | -43.00 | 4.10 | 9.42 | H |
| | 2546.4 | -59.72 | -13 | -46.72 | -73.89 | -63.30 | 4.90 | 10.63 | H |
| | 3395.2 | -61.41 | -13 | -48.41 | -77.96 | -66.33 | 5.55 | 12.62 | H |
| | 1697.6 | -42.62 | -13 | -29.62 | -51.76 | -45.79 | 4.10 | 9.42 | V |
| | 2546.4 | -58.85 | -13 | -45.85 | -72.96 | -62.43 | 4.90 | 10.63 | V |
| | 3395.2 | -58.52 | -13 | -45.52 | -75.19 | -63.44 | 5.55 | 12.62 | V |

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.

| GSM850 (EDGE 1 Tx slots) | | | | | | | | | |
|--------------------------|-------------------|-------------|---------------|-------------------|-------------------|--------------------|----------------------|-----------------------|--------------------|
| Channel | Frequency (MHz) | ERP (dBm) | Limit (dBm) | Over Limit (dB) | SPA Reading (dBm) | S.G. Power (dBm) | TX Cable loss (dB) | TX Antenna Gain (dBi) | Polarization (H/V) |
| Lowest | 1648.4 | -39.17 | -13 | -26.17 | -48.56 | -42.40 | 3.98 | 9.36 | H |
| | 2472.6 | -56.00 | -13 | -43.00 | -70.16 | -59.55 | 4.85 | 10.55 | H |
| | 3296.8 | -61.83 | -13 | -48.83 | -78.33 | -66.76 | 5.50 | 12.58 | H |
| | 1648.4 | -42.03 | -13 | -29.03 | -51.16 | -45.26 | 3.98 | 9.36 | V |
| | 2472.6 | -47.13 | -13 | -34.13 | -61.26 | -50.68 | 4.85 | 10.55 | V |
| | 3296.8 | -59.05 | -13 | -46.05 | -75.36 | -63.98 | 5.50 | 12.58 | V |
| Middle | 1672.8 | -39.51 | -13 | -26.51 | -49.02 | -42.76 | 4.00 | 9.40 | H |
| | 2509.2 | -62.43 | -13 | -49.43 | -76.57 | -66.00 | 4.88 | 10.60 | H |
| | 3345.6 | -61.40 | -13 | -48.40 | -77.49 | -66.33 | 5.52 | 12.60 | H |
| | 4182 | -61.81 | -13 | -48.81 | -80.22 | -66.28 | 6.00 | 12.62 | H |
| | 1672.8 | -46.30 | -13 | -33.30 | -55.26 | -49.55 | 4.00 | 9.40 | V |
| | 2509.2 | -61.27 | -13 | -48.27 | -75.37 | -64.84 | 4.88 | 10.60 | V |
| 3345.6 | -61.09 | -13 | -48.09 | -76.91 | -66.02 | 5.52 | 12.60 | V | |



| | | | | | | | | | |
|---------|--------|--------|-----|--------|--------|--------|------|-------|---|
| | 4182 | -61.03 | -13 | -48.03 | -79.45 | -65.50 | 6.00 | 12.62 | V |
| Highest | 1697.6 | -40.32 | -13 | -27.32 | -49.98 | -43.49 | 4.10 | 9.42 | H |
| | 2546.4 | -55.03 | -13 | -42.03 | -69.20 | -58.61 | 4.90 | 10.63 | H |
| | 3395.2 | -62.24 | -13 | -49.24 | -78.79 | -67.16 | 5.55 | 12.62 | H |
| | 1697.6 | -41.55 | -13 | -28.55 | -50.69 | -44.72 | 4.10 | 9.42 | V |
| | 2546.4 | -59.12 | -13 | -46.12 | -73.23 | -62.70 | 4.90 | 10.63 | V |
| | 3395.2 | -59.10 | -13 | -46.10 | -75.77 | -64.02 | 5.55 | 12.62 | V |

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.

| GSM1900 (GSM) | | | | | | | | | |
|---------------|-------------------|--------------|---------------|-------------------|-------------------|--------------------|----------------------|-----------------------|--------------------|
| Channel | Frequency (MHz) | EIRP (dBm) | Limit (dBm) | Over Limit (dB) | SPA Reading (dBm) | S.G. Power (dBm) | TX Cable loss (dB) | TX Antenna Gain (dBi) | Polarization (H/V) |
| Lowest | 3700.4 | -61.05 | -13 | -48.05 | -79.17 | -67.81 | 5.82 | 12.58 | H |
| | 5550.6 | -58.53 | -13 | -45.53 | -80.57 | -64.25 | 7.28 | 13.00 | H |
| | 7400.8 | -53.34 | -13 | -40.34 | -80.02 | -56.50 | 8.32 | 11.48 | H |
| | 3700.4 | -61.08 | -13 | -48.08 | -79.1 | -67.84 | 5.82 | 12.58 | V |
| | 5550.6 | -58.58 | -13 | -45.58 | -80.8 | -64.30 | 7.28 | 13.00 | V |
| | 7400.8 | -52.86 | -13 | -39.86 | -79.56 | -56.02 | 8.32 | 11.48 | V |
| Middle | 3760 | -61.37 | -13 | -48.37 | -79.27 | -68.12 | 5.85 | 12.60 | H |
| | 5640 | -57.63 | -13 | -44.63 | -80.73 | -63.43 | 7.30 | 13.10 | H |
| | 7520 | -53.61 | -13 | -40.61 | -79.77 | -56.76 | 8.35 | 11.50 | H |
| | 3760 | -61.24 | -13 | -48.24 | -79.07 | -67.99 | 5.85 | 12.60 | V |
| | 5640 | -58.03 | -13 | -45.03 | -80.38 | -63.83 | 7.30 | 13.10 | V |
| | 7520 | -53.77 | -13 | -40.77 | -79.91 | -56.92 | 8.35 | 11.50 | V |
| Highest | 3819.6 | -61.32 | -13 | -48.32 | -79.10 | -68.06 | 5.88 | 12.62 | H |
| | 5729.4 | -57.70 | -13 | -44.70 | -80.92 | -63.51 | 7.32 | 13.13 | H |
| | 7639.2 | -53.63 | -13 | -40.63 | -79.83 | -56.79 | 8.38 | 11.54 | H |
| | 3819.6 | -61.37 | -13 | -48.37 | -79.14 | -68.11 | 5.88 | 12.62 | V |
| | 5729.4 | -57.78 | -13 | -44.78 | -80.82 | -63.59 | 7.32 | 13.13 | V |
| | 7639.2 | -53.34 | -13 | -40.34 | -79.46 | -56.50 | 8.38 | 11.54 | V |

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.

| GSM1900 (EDGE 1 Tx slots) | | | | | | | | | |
|---------------------------|-------------------|--------------|---------------|-------------------|-------------------|--------------------|----------------------|-----------------------|--------------------|
| Channel | Frequency (MHz) | EIRP (dBm) | Limit (dBm) | Over Limit (dB) | SPA Reading (dBm) | S.G. Power (dBm) | TX Cable loss (dB) | TX Antenna Gain (dBi) | Polarization (H/V) |
| Lowest | 3700.4 | -61.07 | -13 | -48.07 | -79.19 | -67.83 | 5.82 | 12.58 | H |
| | 5550.6 | -58.95 | -13 | -45.95 | -80.99 | -64.67 | 7.28 | 13.00 | H |
| | 7400.8 | -53.09 | -13 | -40.09 | -79.77 | -56.25 | 8.32 | 11.48 | H |
| | 3700.4 | -60.73 | -13 | -47.73 | -78.75 | -67.49 | 5.82 | 12.58 | V |
| | 5550.6 | -58.48 | -13 | -45.48 | -80.7 | -64.20 | 7.28 | 13.00 | V |
| | 7400.8 | -53.04 | -13 | -40.04 | -79.74 | -56.20 | 8.32 | 11.48 | V |
| Middle | 3760 | -61.17 | -13 | -48.17 | -79.07 | -67.92 | 5.85 | 12.60 | H |
| | 5640 | -57.53 | -13 | -44.53 | -80.63 | -63.33 | 7.30 | 13.10 | H |
| | 7520 | -53.53 | -13 | -40.53 | -79.69 | -56.68 | 8.35 | 11.50 | H |
| | 3760 | -61.26 | -13 | -48.26 | -79.09 | -68.01 | 5.85 | 12.60 | V |
| | 5640 | -58.08 | -13 | -45.08 | -80.43 | -63.88 | 7.30 | 13.10 | V |
| | 7520 | -53.58 | -13 | -40.58 | -79.72 | -56.73 | 8.35 | 11.50 | V |
| Highest | 3819.6 | -61.50 | -13 | -48.50 | -79.28 | -68.24 | 5.88 | 12.62 | H |
| | 5729.4 | -57.40 | -13 | -44.40 | -80.62 | -63.21 | 7.32 | 13.13 | H |
| | 7639.2 | -53.43 | -13 | -40.43 | -79.63 | -56.59 | 8.38 | 11.54 | H |



| | | | | | | | | | |
|--|--------|--------|-----|--------|--------|--------|------|-------|---|
| | 3819.6 | -60.93 | -13 | -47.93 | -78.7 | -67.67 | 5.88 | 12.62 | V |
| | 5729.4 | -57.21 | -13 | -44.21 | -80.25 | -63.02 | 7.32 | 13.13 | V |
| | 7639.2 | -53.49 | -13 | -40.49 | -79.61 | -56.65 | 8.38 | 11.54 | V |

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.

| WCDMA Band V(RMC 12.2Kbps) | | | | | | | | | |
|----------------------------|-------------------|-------------|---------------|-------------------|-------------------|--------------------|----------------------|-----------------------|--------------------|
| Channel | Frequency (MHz) | ERP (dBm) | Limit (dBm) | Over Limit (dB) | SPA Reading (dBm) | S.G. Power (dBm) | TX Cable loss (dB) | TX Antenna Gain (dBi) | Polarization (H/V) |
| Lowest | 1652.8 | -66.35 | -13 | -53.35 | -75.84 | -69.58 | 3.98 | 9.36 | H |
| | 2479.2 | -63.25 | -13 | -50.25 | -77.41 | -66.80 | 4.85 | 10.55 | H |
| | 3305.6 | -61.79 | -13 | -48.79 | -78.12 | -66.72 | 5.50 | 12.58 | H |
| | 1652.8 | -66.82 | -13 | -53.82 | -76.05 | -70.05 | 3.98 | 9.36 | V |
| | 2479.2 | -63.02 | -13 | -50.02 | -77.15 | -66.57 | 4.85 | 10.55 | V |
| | 3305.6 | -62.08 | -13 | -49.08 | -78.19 | -67.01 | 5.50 | 12.58 | V |
| Middle | 1672.8 | -66.31 | -13 | -53.31 | -75.82 | -69.56 | 4.00 | 9.40 | H |
| | 2509.2 | -63.44 | -13 | -50.44 | -77.58 | -67.01 | 4.88 | 10.60 | H |
| | 3345.6 | -62.35 | -13 | -49.35 | -78.44 | -67.28 | 5.52 | 12.60 | H |
| | 1672.8 | -66.78 | -13 | -53.78 | -75.74 | -70.03 | 4.00 | 9.40 | V |
| | 2509.2 | -63.31 | -13 | -50.31 | -77.41 | -66.88 | 4.88 | 10.60 | V |
| | 3345.6 | -62.30 | -13 | -49.30 | -78.12 | -67.23 | 5.52 | 12.60 | V |
| Highest | 1693.2 | -66.13 | -13 | -53.13 | -75.79 | -69.30 | 4.10 | 9.42 | H |
| | 2539.8 | -63.28 | -13 | -50.28 | -77.48 | -66.86 | 4.90 | 10.63 | H |
| | 3386.4 | -62.02 | -13 | -49.02 | -78.45 | -66.94 | 5.55 | 12.62 | H |
| | 1693.2 | -66.82 | -13 | -53.82 | -75.96 | -69.99 | 4.10 | 9.42 | V |
| | 2539.8 | -63.53 | -13 | -50.53 | -77.67 | -67.11 | 4.90 | 10.63 | V |
| | 3386.4 | -62.01 | -13 | -49.01 | -78.43 | -66.93 | 5.55 | 12.62 | V |

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.

| WCDMA Band II(RMC 12.2Kbps) | | | | | | | | | |
|-----------------------------|-------------------|--------------|---------------|-------------------|-------------------|--------------------|----------------------|-----------------------|--------------------|
| Channel | Frequency (MHz) | EIRP (dBm) | Limit (dBm) | Over Limit (dB) | SPA Reading (dBm) | S.G. Power (dBm) | TX Cable loss (dB) | TX Antenna Gain (dBi) | Polarization (H/V) |
| Lowest | 3704.8 | -61.05 | -13 | -48.05 | -79.17 | -67.81 | 5.82 | 12.58 | H |
| | 5557.2 | -58.74 | -13 | -45.74 | -80.84 | -64.46 | 7.28 | 13.00 | H |
| | 7409.6 | -53.14 | -13 | -40.14 | -79.82 | -56.30 | 8.32 | 11.48 | H |
| | 3704.8 | -61.03 | -13 | -48.03 | -79.05 | -67.79 | 5.82 | 12.58 | V |
| | 5557.2 | -58.57 | -13 | -45.57 | -80.85 | -64.29 | 7.28 | 13.00 | V |
| | 7409.6 | -53.03 | -13 | -40.03 | -79.73 | -56.19 | 8.32 | 11.48 | V |
| Middle | 3760 | -61.30 | -13 | -48.30 | -79.20 | -68.05 | 5.85 | 12.60 | H |
| | 5640 | -57.40 | -13 | -44.40 | -80.50 | -63.20 | 7.30 | 13.10 | H |
| | 7520 | -53.48 | -13 | -40.48 | -79.64 | -56.63 | 8.35 | 11.50 | H |
| | 3760 | -60.96 | -13 | -47.96 | -78.79 | -67.71 | 5.85 | 12.60 | V |
| | 5640 | -58.00 | -13 | -45.00 | -80.35 | -63.80 | 7.30 | 13.10 | V |
| | 7520 | -53.41 | -13 | -40.41 | -79.55 | -56.56 | 8.35 | 11.50 | V |
| Highest | 3815.2 | -61.49 | -13 | -48.49 | -79.21 | -68.23 | 5.88 | 12.62 | H |
| | 5722.8 | -57.01 | -13 | -44.01 | -80.23 | -62.82 | 7.32 | 13.13 | H |
| | 7630.4 | -53.57 | -13 | -40.57 | -79.74 | -56.73 | 8.38 | 11.54 | H |
| | 3815.2 | -61.46 | -13 | -48.46 | -79.17 | -68.20 | 5.88 | 12.62 | V |
| | 5722.8 | -57.38 | -13 | -44.38 | -80.42 | -63.19 | 7.32 | 13.13 | V |
| | 7630.4 | -53.55 | -13 | -40.55 | -79.64 | -56.71 | 8.38 | 11.54 | V |

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.



| WCDMA Band IV(RMC 12.2Kbps) | | | | | | | | | |
|-----------------------------|-------------------|--------------|---------------|-------------------|-------------------|--------------------|----------------------|-----------------------|--------------------|
| Channel | Frequency (MHz) | EIRP (dBm) | Limit (dBm) | Over Limit (dB) | SPA Reading (dBm) | S.G. Power (dBm) | TX Cable loss (dB) | TX Antenna Gain (dBi) | Polarization (H/V) |
| Lowest | 3424.8 | -61.86 | -13 | -48.86 | -78.63 | -68.74 | 5.60 | 12.48 | H |
| | 5137.2 | -58.94 | -13 | -45.94 | -80.71 | -64.62 | 7.10 | 12.78 | H |
| | 6849.6 | -54.98 | -13 | -41.98 | -80.24 | -58.37 | 8.38 | 11.77 | H |
| | 3424.8 | -61.89 | -13 | -48.89 | -78.72 | -68.77 | 5.60 | 12.48 | V |
| | 5137.2 | -58.56 | -13 | -45.56 | -80.55 | -64.24 | 7.10 | 12.78 | V |
| | 6849.6 | -54.30 | -13 | -41.30 | -80.06 | -57.69 | 8.38 | 11.77 | V |
| Middle | 3465.2 | -61.59 | -13 | -48.59 | -78.53 | -68.44 | 5.65 | 12.50 | H |
| | 5197.8 | -58.68 | -13 | -45.68 | -80.16 | -64.35 | 7.13 | 12.80 | H |
| | 6930.4 | -53.83 | -13 | -40.83 | -79.62 | -57.23 | 8.40 | 11.80 | H |
| | 3465.2 | -61.71 | -13 | -48.71 | -78.67 | -68.56 | 5.65 | 12.50 | V |
| | 5197.8 | -58.63 | -13 | -45.63 | -80.42 | -64.30 | 7.13 | 12.80 | V |
| | 6930.4 | -53.81 | -13 | -40.81 | -80.07 | -57.21 | 8.40 | 11.80 | V |
| Highest | 3505.2 | -61.59 | -13 | -48.59 | -78.75 | -68.43 | 5.68 | 12.52 | H |
| | 5257.8 | -59.60 | -13 | -46.60 | -81.05 | -65.27 | 7.15 | 12.82 | H |
| | 7010.4 | -53.60 | -13 | -40.60 | -79.84 | -57.03 | 8.42 | 11.85 | H |
| | 3505.2 | -61.22 | -13 | -48.22 | -78.35 | -68.06 | 5.68 | 12.52 | V |
| | 5257.8 | -58.88 | -13 | -45.88 | -80.44 | -64.55 | 7.15 | 12.82 | V |
| | 7010.4 | -53.10 | -13 | -40.10 | -79.79 | -56.53 | 8.42 | 11.85 | V |

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.