





## APPENDIXG - POWER SPECTRAL DENSITY

TestMode	Antenna	Freq(MHz)	Result [dBm/MHz]	Limit[dBm/MHz]	Verdict
11A	Ant1	5180	0.50	≤11.00	PASS
		5200	1.07	≤11.00	PASS
		5240	0.08	≤11.00	PASS
		5260	0.07	≤11.00	PASS
		5280	0.22	≤11.00	PASS
		5320	-1.32	≤11.00	PASS
		5745	-1.59	≤30.00	PASS
		5785	-2.65	≤30.00	PASS
11N20SISO	Ant1	5825	-2.50	≤30.00	PASS
		5180	0.67	≤11.00	PASS
		5200	1.05	≤11.00	PASS
		5240	0.00	≤11.00	PASS
		5260	-0.78	≤11.00	PASS
		5280	0.43	≤11.00	PASS
		5320	-0.60	≤11.00	PASS
		5745	-3.76	≤30.00	PASS
11N40SISO	Ant1	5785	-2.88	≤30.00	PASS
		5825	-3.00	≤30.00	PASS
		5190	-2.15	≤11.00	PASS
		5230	-1.72	≤11.00	PASS
		5270	-2.43	≤11.00	PASS
		5310	-3.34	≤11.00	PASS
11AC20SISO	Ant1	5755	-6.21	≤30.00	PASS
		5795	-6.19	≤30.00	PASS
		5180	0.32	≤11.00	PASS
		5200	0.65	≤11.00	PASS
		5240	-0.02	≤11.00	PASS
		5260	-0.36	≤11.00	PASS
		5280	0.11	≤11.00	PASS
		5320	-1.52	≤11.00	PASS
11AC40SISO	Ant1	5745	-2.28	≤30.00	PASS
		5785	-2.09	≤30.00	PASS
		5825	-1.67	≤30.00	PASS
		5190	-1.20	≤11.00	PASS
		5230	-1.80	≤11.00	PASS
		5270	-1.95	≤11.00	PASS
11AC80SISO	Ant1	5310	-1.61	≤11.00	PASS
		5755	-4.47	≤30.00	PASS
		5795	-4.42	≤30.00	PASS
		5210	-3.41	≤11.00	PASS
		5290	-5.37	≤11.00	PASS
		5775	-7.61	≤30.00	PASS

Note: 1.The Result and Limit Unit is dBm/500 kHz in the band 5.725–5.85 GHz.  
 2.The Duty Cycle Factor and RBW Factor is compensated in the graph.




11A\_Ant1\_5260




Date: 28.APR.2024 12:47:39

### 11A\_Ant1\_5280




Date: 28.APR.2024 12:54:48

### 11A\_Ant1\_5320




Date: 28.APR.2024 12:59:33


### 11A\_Ant1\_5745




### 11A\_Ant1\_5785



### 11A\_Ant1\_5825




### 11N20SISO\_Ant1\_5180




Date: 28.APR.2024 13:06:33

11N20SISO\_Ant1\_5200




Date: 28.APR.2024 13:22:15

11N20SISO\_Ant1\_5240




Date: 28.APR.2024 13:26:59

11N20SISO\_Ant1\_5260




Date: 28.APR.2024 13:31:42

11N20SISO\_Ant1\_5280



Date: 28.APR.2024 13:36:36

11N20SISO\_Ant1\_5320




Date: 28.APR.2024 13:41:37


11N20SISO\_Ant1\_5745



### 11N20SISO\_Ant1\_5785




### 11N20SISO\_Ant1\_5825




### 11N40SISO\_Ant1\_5190






Date: 28.APR.2024 13:47:57

### 11N40SISO\_Ant1\_5230




Date: 28.APR.2024 13:53:59

### 11N40SISO\_Ant1\_5270




Date: 28.APR.2024 13:59:05


### 11N40SISO\_Ant1\_5310




11N40SISO\_Ant1\_5755




11N40SISO\_Ant1\_5795




11AC20SISO\_Ant1\_5180




### 11AC20SISO\_Ant1\_5200




### 11AC20SISO\_Ant1\_5240




### 11AC20SISO\_Ant1\_5260




11AC20SISO\_Ant1\_5280




11AC20SISO\_Ant1\_5320




11AC20SISO\_Ant1\_5745




### 11AC20SISO\_Ant1\_5785




### 11AC20SISO\_Ant1\_5825




### 11AC40SISO\_Ant1\_5190




### 11AC40SISO\_Ant1\_5230




### 11AC40SISO\_Ant1\_5270




### 11AC40SISO\_Ant1\_5310




11AC40SISO\_Ant1\_5755




11AC40SISO\_Ant1\_5795




11AC80SISO\_Ant1\_5210



### 11AC80SISO\_Ant1\_5290



### 11AC80SISO\_Ant1\_5775





## APPENDIX H - Frequency Stability

TestMode	Antenna	Freq(MHz)	Voltage		Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
			Voltage [Vdc]	Temperature (°C)				
11A	Ant1	5180	NV	NT	-20000.00	-3.861004	20	PASS
			LV	NT	-40000.00	-7.722008	20	PASS
			HV	NT	-20000.00	-3.861004	20	PASS
		5200	NV	NT	0.00	0.000000	20	PASS
			LV	NT	-40000.00	-7.692308	20	PASS
			HV	NT	0.00	0.000000	20	PASS
		5240	NV	NT	-20000.00	-3.816794	20	PASS
			LV	NT	-40000.00	-7.633588	20	PASS
			HV	NT	-20000.00	-3.816794	20	PASS
		5260	NV	NT	-20000.00	-3.802281	20	PASS
			LV	NT	-20000.00	-3.802281	20	PASS
			HV	NT	-40000.00	-7.604563	20	PASS
		5280	NV	NT	-40000.00	-7.575758	20	PASS
			LV	NT	-20000.00	-3.787879	20	PASS
			HV	NT	-40000.00	-7.575758	20	PASS
		5320	NV	NT	-20000.00	-3.759398	20	PASS
			LV	NT	-20000.00	-3.759398	20	PASS
			HV	NT	-20000.00	-3.759398	20	PASS
		5745	NV	NT	-20000.00	-3.481288	20	PASS
			LV	NT	-60000.00	-10.443864	20	PASS
			HV	NT	-20000.00	-3.481288	20	PASS
		5785	NV	NT	-20000.00	-3.457217	20	PASS
			LV	NT	-20000.00	-3.457217	20	PASS
			HV	NT	-20000.00	-3.457217	20	PASS
5825	NV	NT	0.00	0.000000	20	PASS		
	LV	NT	-20000.00	-3.433476	20	PASS		
	HV	NT	0.00	0.000000	20	PASS		
11N20SISO	Ant1	5180	NV	NT	0.00	0.000000	20	PASS
			LV	NT	-40000.00	-7.722008	20	PASS
			HV	NT	-20000.00	-3.861004	20	PASS
		5200	NV	NT	0.00	0.000000	20	PASS
			LV	NT	-40000.00	-7.692308	20	PASS
			HV	NT	-20000.00	-3.846154	20	PASS
		5240	NV	NT	-20000.00	-3.816794	20	PASS
			LV	NT	-40000.00	-7.633588	20	PASS
			HV	NT	-20000.00	-3.816794	20	PASS
		5260	NV	NT	-40000.00	-7.604563	20	PASS
			LV	NT	-20000.00	-3.802281	20	PASS
			HV	NT	-20000.00	-3.802281	20	PASS
		5280	NV	NT	-40000.00	-7.575758	20	PASS
			LV	NT	-20000.00	-3.787879	20	PASS
			HV	NT	0.00	0.000000	20	PASS
		5320	NV	NT	-40000.00	-7.518797	20	PASS
			LV	NT	0.00	0.000000	20	PASS
			HV	NT	-20000.00	-3.759398	20	PASS
		5745	NV	NT	-40000.00	-6.962576	20	PASS
			LV	NT	-40000.00	-6.962576	20	PASS
			HV	NT	-20000.00	-3.481288	20	PASS
		5785	NV	NT	-40000.00	-6.914434	20	PASS
			LV	NT	0.00	0.000000	20	PASS
			HV	NT	-20000.00	-3.457217	20	PASS
5825	NV	NT	-40000.00	-6.866953	20	PASS		
	LV	NT	-40000.00	-6.866953	20	PASS		
	HV	NT	-40000.00	-6.866953	20	PASS		
11N40SISO	Ant1	5190	NV	NT	0.00	0.000000	20	PASS
			LV	NT	0.00	0.000000	20	PASS
			HV	NT	0.00	0.000000	20	PASS
		5230	NV	NT	0.00	0.000000	20	PASS
LV	NT		-40000.00	-7.648184	20	PASS		

		5270	HV	NT	0.00	0.000000	20	PASS
			NV	NT	-40000.00	-7.590133	20	PASS
			LV	NT	0.00	0.000000	20	PASS
		5310	HV	NT	0.00	0.000000	20	PASS
			NV	NT	0.00	0.000000	20	PASS
			LV	NT	-40000.00	-7.532957	20	PASS
		5755	HV	NT	0.00	0.000000	20	PASS
			NV	NT	0.00	0.000000	20	PASS
			LV	NT	-40000.00	-6.950478	20	PASS
		5795	HV	NT	0.00	0.000000	20	PASS
			NV	NT	0.00	0.000000	20	PASS
			LV	NT	-40000.00	-6.902502	20	PASS
11AC20SIS O	Ant1	5180	HV	NT	40000.00	6.902502	20	PASS
			NV	NT	0.00	0.000000	20	PASS
			LV	NT	0.00	0.000000	20	PASS
		5200	HV	NT	-20000.00	-3.861004	20	PASS
			NV	NT	0.00	0.000000	20	PASS
			LV	NT	-20000.00	-3.846154	20	PASS
		5240	HV	NT	-20000.00	-3.846154	20	PASS
			NV	NT	-60000.00	-11.450382	20	PASS
			LV	NT	-20000.00	-3.816794	20	PASS
		5260	HV	NT	-20000.00	-3.816794	20	PASS
			NV	NT	-20000.00	-3.802281	20	PASS
			LV	NT	-20000.00	-3.802281	20	PASS
5280	HV	NT	0.00	0.000000	20	PASS		
	NV	NT	-40000.00	-7.575758	20	PASS		
	LV	NT	0.00	0.000000	20	PASS		
5320	HV	NT	-20000.00	-3.787879	20	PASS		
	NV	NT	-40000.00	-7.518797	20	PASS		
	LV	NT	0.00	0.000000	20	PASS		
5745	HV	NT	-20000.00	-3.759398	20	PASS		
	NV	NT	0.00	0.000000	20	PASS		
	LV	NT	-20000.00	-3.481288	20	PASS		
5785	HV	NT	-20000.00	-3.481288	20	PASS		
	NV	NT	0.00	0.000000	20	PASS		
	LV	NT	-20000.00	-3.457217	20	PASS		
5825	HV	NT	-20000.00	-3.457217	20	PASS		
	NV	NT	0.00	0.000000	20	PASS		
	LV	NT	0.00	0.000000	20	PASS		
11AC40SIS O	Ant1	5190	HV	NT	0.00	0.000000	20	PASS
			NV	NT	-40000.00	-7.707129	20	PASS
			LV	NT	0.00	0.000000	20	PASS
		5230	HV	NT	-40000.00	-7.707129	20	PASS
			NV	NT	-40000.00	-7.648184	20	PASS
			LV	NT	-40000.00	-7.648184	20	PASS
		5270	HV	NT	-40000.00	-7.648184	20	PASS
			NV	NT	40000.00	7.590133	20	PASS
			LV	NT	-40000.00	-7.590133	20	PASS
		5310	HV	NT	-40000.00	-7.590133	20	PASS
			NV	NT	-40000.00	-7.532957	20	PASS
			LV	NT	0.00	0.000000	20	PASS
5755	HV	NT	-40000.00	-7.532957	20	PASS		
	NV	NT	-40000.00	-6.950478	20	PASS		
	LV	NT	-40000.00	-6.950478	20	PASS		
5795	HV	NT	0.00	0.000000	20	PASS		
	NV	NT	0.00	0.000000	20	PASS		
	LV	NT	0.00	0.000000	20	PASS		
11AC80SIS O	Ant1	5210	HV	NT	0.00	0.000000	20	PASS
			NV	NT	0.00	0.000000	20	PASS
			LV	NT	0.00	0.000000	20	PASS
		5290	HV	NT	0.00	0.000000	20	PASS
			NV	NT	0.00	0.000000	20	PASS
			LV	NT	0.00	0.000000	20	PASS
		5775	HV	NT	0.00	0.000000	20	PASS
			NV	NT	0.00	0.000000	20	PASS
			LV	NT	0.00	0.000000	20	PASS

TestMode	Antenna	Freq(MHz)	Temperature					Limit (ppm)	Verdict
			Voltage [Vdc]	Temperature (°C)	Deviation (Hz)	Deviation (ppm)			
11A	Ant1	5180	NV	-30	-40000.00	-7.722008	20	PASS	
			NV	-20	-20000.00	-3.861004	20	PASS	
			NV	-10	-20000.00	-3.861004	20	PASS	
			NV	0	-20000.00	-3.861004	20	PASS	
			NV	10	-40000.00	-7.722008	20	PASS	
			NV	20	-20000.00	-3.861004	20	PASS	
			NV	30	-20000.00	-3.861004	20	PASS	
			NV	40	-20000.00	-3.861004	20	PASS	
		5200	NV	50	-20000.00	-3.861004	20	PASS	
			NV	-30	-20000.00	-3.846154	20	PASS	
			NV	-20	-20000.00	-3.846154	20	PASS	
			NV	-10	-20000.00	-3.846154	20	PASS	
			NV	0	-20000.00	-3.846154	20	PASS	
			NV	10	-20000.00	-3.846154	20	PASS	
			NV	20	-20000.00	-3.846154	20	PASS	
			NV	30	-40000.00	-7.692308	20	PASS	
		5240	NV	40	-20000.00	-3.846154	20	PASS	
			NV	50	0.00	0.000000	20	PASS	
			NV	-30	-40000.00	-7.633588	20	PASS	
			NV	-20	-20000.00	-3.816794	20	PASS	
			NV	-10	-20000.00	-3.816794	20	PASS	
			NV	0	-20000.00	-3.816794	20	PASS	
			NV	10	-20000.00	-3.816794	20	PASS	
			NV	20	-20000.00	-3.816794	20	PASS	
		5260	NV	30	-40000.00	-7.633588	20	PASS	
			NV	40	-60000.00	-11.450382	20	PASS	
			NV	50	-20000.00	-3.816794	20	PASS	
			NV	-30	-20000.00	-3.802281	20	PASS	
			NV	-20	-20000.00	-3.802281	20	PASS	
			NV	-10	-40000.00	-7.604563	20	PASS	
			NV	0	-20000.00	-3.802281	20	PASS	
			NV	10	-20000.00	-3.802281	20	PASS	
		5280	NV	20	-20000.00	-3.802281	20	PASS	
			NV	30	-20000.00	-3.802281	20	PASS	
			NV	40	-40000.00	-7.604563	20	PASS	
			NV	50	-20000.00	-3.802281	20	PASS	
			NV	-30	-40000.00	-7.575758	20	PASS	
			NV	-20	-40000.00	-7.575758	20	PASS	
			NV	-10	-20000.00	-3.787879	20	PASS	
			NV	0	-20000.00	-3.787879	20	PASS	
		5320	NV	10	0.00	0.000000	20	PASS	
			NV	20	-20000.00	-3.787879	20	PASS	
			NV	30	-20000.00	-3.787879	20	PASS	
			NV	40	-20000.00	-3.787879	20	PASS	
			NV	50	-20000.00	-3.787879	20	PASS	
			NV	-30	-20000.00	-3.759398	20	PASS	
			NV	-20	-20000.00	-3.759398	20	PASS	
			NV	-10	-40000.00	-7.518797	20	PASS	
		5745	NV	0	-20000.00	-3.759398	20	PASS	
			NV	10	-20000.00	-3.759398	20	PASS	
			NV	20	-40000.00	-7.518797	20	PASS	
			NV	30	-20000.00	-3.759398	20	PASS	
			NV	40	-20000.00	-3.759398	20	PASS	
			NV	50	0.00	0.000000	20	PASS	
			NV	-30	-20000.00	-3.481288	20	PASS	
			NV	-20	-40000.00	-6.962576	20	PASS	
		5745	NV	-10	-40000.00	-6.962576	20	PASS	
			NV	0	-20000.00	-3.481288	20	PASS	
			NV	10	-20000.00	-3.481288	20	PASS	
			NV	20	-20000.00	-3.481288	20	PASS	
			NV	30	-20000.00	-3.481288	20	PASS	
			NV	40	-20000.00	-3.481288	20	PASS	

		NV	50	-20000.00	-3.481288	20	PASS
		NV	-30	-20000.00	-3.457217	20	PASS
		NV	-20	-20000.00	-3.457217	20	PASS
		NV	-10	0.00	0.000000	20	PASS
		NV	0	-20000.00	-3.457217	20	PASS
		NV	10	-20000.00	-3.457217	20	PASS
		NV	20	0.00	0.000000	20	PASS
		NV	30	-20000.00	-3.457217	20	PASS
		NV	40	-20000.00	-3.457217	20	PASS
		NV	50	-20000.00	-3.457217	20	PASS
		NV	-30	0.00	0.000000	20	PASS
		NV	-20	-40000.00	-6.866953	20	PASS
		NV	-10	-20000.00	-3.433476	20	PASS
		NV	0	-20000.00	-3.433476	20	PASS
		NV	10	-20000.00	-3.433476	20	PASS
		NV	20	-20000.00	-3.433476	20	PASS
		NV	30	-20000.00	-3.433476	20	PASS
		NV	40	-20000.00	-3.433476	20	PASS
		NV	50	-40000.00	-6.866953	20	PASS
		NV	-30	-20000.00	-3.861004	20	PASS
		NV	-20	-40000.00	-7.722008	20	PASS
		NV	-10	0.00	0.000000	20	PASS
		NV	0	-20000.00	-3.861004	20	PASS
		NV	10	0.00	0.000000	20	PASS
		NV	20	-40000.00	-7.722008	20	PASS
		NV	30	0.00	0.000000	20	PASS
		NV	40	0.00	0.000000	20	PASS
		NV	50	-40000.00	-7.722008	20	PASS
		NV	-30	-20000.00	-3.846154	20	PASS
		NV	-20	-20000.00	-3.846154	20	PASS
		NV	-10	-20000.00	-3.846154	20	PASS
		NV	0	-40000.00	-7.692308	20	PASS
		NV	10	-40000.00	-7.692308	20	PASS
		NV	20	-40000.00	-7.692308	20	PASS
		NV	30	-40000.00	-7.692308	20	PASS
		NV	40	0.00	0.000000	20	PASS
		NV	50	20000.00	3.846154	20	PASS
		NV	-30	-40000.00	-7.633588	20	PASS
		NV	-20	-20000.00	-3.816794	20	PASS
		NV	-10	-20000.00	-3.816794	20	PASS
		NV	0	-40000.00	-7.633588	20	PASS
		NV	10	-20000.00	-3.816794	20	PASS
		NV	20	-40000.00	-7.633588	20	PASS
		NV	30	-20000.00	-3.816794	20	PASS
		NV	40	-40000.00	-7.633588	20	PASS
		NV	50	-20000.00	-3.816794	20	PASS
		NV	-30	0.00	0.000000	20	PASS
		NV	-20	-40000.00	-7.604563	20	PASS
		NV	-10	0.00	0.000000	20	PASS
		NV	0	-20000.00	-3.802281	20	PASS
		NV	10	-40000.00	-7.604563	20	PASS
		NV	20	-40000.00	-7.604563	20	PASS
		NV	30	-20000.00	-3.802281	20	PASS
		NV	40	0.00	0.000000	20	PASS
		NV	50	-20000.00	-3.802281	20	PASS
		NV	-30	-20000.00	-3.787879	20	PASS
		NV	-20	-20000.00	-3.787879	20	PASS
		NV	-10	0.00	0.000000	20	PASS
		NV	0	-20000.00	-3.787879	20	PASS
		NV	10	-20000.00	-3.787879	20	PASS
		NV	20	-20000.00	-3.787879	20	PASS
		NV	30	-20000.00	-3.787879	20	PASS
		NV	40	0.00	0.000000	20	PASS
		NV	50	0.00	0.000000	20	PASS
		NV	-30	-40000.00	-7.518797	20	PASS
		NV	-20	0.00	0.000000	20	PASS
		NV	-10	0.00	0.000000	20	PASS
11N20SI SO	Ant1						

11N40SI SO	Ant1	5745	NV	0	0.00	0.000000	20	PASS	
			NV	10	-20000.00	-3.759398	20	PASS	
			NV	20	-40000.00	-7.518797	20	PASS	
			NV	30	-20000.00	-3.759398	20	PASS	
			NV	40	-40000.00	-7.518797	20	PASS	
		5745	NV	50	-40000.00	-7.518797	20	PASS	
			NV	-30	0.00	0.000000	20	PASS	
			NV	-20	-20000.00	-3.481288	20	PASS	
			NV	-10	-20000.00	-3.481288	20	PASS	
			NV	0	-20000.00	-3.481288	20	PASS	
			NV	10	-20000.00	-3.481288	20	PASS	
			NV	20	-40000.00	-6.962576	20	PASS	
		5745	NV	30	-20000.00	-3.481288	20	PASS	
			NV	40	-20000.00	-3.481288	20	PASS	
			NV	50	-20000.00	-3.481288	20	PASS	
			5785	NV	-30	-20000.00	-3.457217	20	PASS
				NV	-20	-40000.00	-6.914434	20	PASS
				NV	-10	-20000.00	-3.457217	20	PASS
				NV	0	0.00	0.000000	20	PASS
		NV		10	-40000.00	-6.914434	20	PASS	
		NV		20	0.00	0.000000	20	PASS	
		NV		30	-40000.00	-6.914434	20	PASS	
		5785	NV	40	-20000.00	-3.457217	20	PASS	
			NV	50	-40000.00	-6.914434	20	PASS	
			5825	NV	-30	-40000.00	-6.866953	20	PASS
				NV	-20	-20000.00	-3.433476	20	PASS
				NV	-10	0.00	0.000000	20	PASS
				NV	0	-40000.00	-6.866953	20	PASS
				NV	10	-20000.00	-3.433476	20	PASS
		NV		20	-20000.00	-3.433476	20	PASS	
		NV		30	0.00	0.000000	20	PASS	
		5825	NV	40	-40000.00	-6.866953	20	PASS	
			NV	50	0.00	0.000000	20	PASS	
			5190	NV	-30	-40000.00	-7.707129	20	PASS
				NV	-20	-40000.00	-7.707129	20	PASS
				NV	-10	0.00	0.000000	20	PASS
				NV	0	0.00	0.000000	20	PASS
				NV	10	0.00	0.000000	20	PASS
		NV		20	-40000.00	-7.707129	20	PASS	
		NV		30	0.00	0.000000	20	PASS	
		NV		40	0.00	0.000000	20	PASS	
		5190	NV	50	0.00	0.000000	20	PASS	
			5230	NV	-30	0.00	0.000000	20	PASS
				NV	-20	-40000.00	-7.648184	20	PASS
				NV	-10	0.00	0.000000	20	PASS
NV	0			-80000.00	-15.296367	20	PASS		
NV	10			0.00	0.000000	20	PASS		
NV	20			-40000.00	-7.648184	20	PASS		
NV	30			40000.00	7.648184	20	PASS		
NV	40	0.00		0.000000	20	PASS			
5230	NV	50	-40000.00	-7.648184	20	PASS			
	5270	NV	-30	-40000.00	-7.590133	20	PASS		
		NV	-20	0.00	0.000000	20	PASS		
		NV	-10	-40000.00	-7.590133	20	PASS		
		NV	0	0.00	0.000000	20	PASS		
		NV	10	-40000.00	-7.590133	20	PASS		
		NV	20	0.00	0.000000	20	PASS		
		NV	30	0.00	0.000000	20	PASS		
NV		40	-40000.00	-7.590133	20	PASS			
5270	NV	50	-40000.00	-7.590133	20	PASS			
	5310	NV	-30	0.00	0.000000	20	PASS		
		NV	-20	-40000.00	-7.532957	20	PASS		
		NV	-10	-40000.00	-7.532957	20	PASS		
		NV	0	-40000.00	-7.532957	20	PASS		
		NV	10	-40000.00	-7.532957	20	PASS		
		NV	20	0.00	0.000000	20	PASS		
	NV	30	-40000.00	-7.532957	20	PASS			
NV	30	-40000.00	-7.532957	20	PASS				

		5755	NV	40	0.00	0.000000	20	PASS
			NV	50	-40000.00	-7.532957	20	PASS
			NV	-30	0.00	0.000000	20	PASS
			NV	-20	-40000.00	-6.950478	20	PASS
			NV	-10	0.00	0.000000	20	PASS
			NV	0	-40000.00	-6.950478	20	PASS
			NV	10	0.00	0.000000	20	PASS
			NV	20	-40000.00	-6.950478	20	PASS
			NV	30	0.00	0.000000	20	PASS
			NV	40	0.00	0.000000	20	PASS
		5795	NV	50	-40000.00	-6.950478	20	PASS
			NV	-30	0.00	0.000000	20	PASS
			NV	-20	-40000.00	-6.902502	20	PASS
			NV	-10	0.00	0.000000	20	PASS
			NV	0	-40000.00	-6.902502	20	PASS
			NV	10	0.00	0.000000	20	PASS
			NV	20	0.00	0.000000	20	PASS
			NV	30	0.00	0.000000	20	PASS
			NV	40	120000.00	20.707506	20	FAIL
			NV	50	-40000.00	-6.902502	20	PASS
5180	NV	-30	-20000.00	-3.861004	20	PASS		
	NV	-20	-40000.00	-7.722008	20	PASS		
	NV	-10	0.00	0.000000	20	PASS		
	NV	0	-20000.00	-3.861004	20	PASS		
	NV	10	-20000.00	-3.861004	20	PASS		
	NV	20	0.00	0.000000	20	PASS		
	NV	30	0.00	0.000000	20	PASS		
	NV	40	-20000.00	-3.861004	20	PASS		
	NV	50	-40000.00	-7.722008	20	PASS		
	5200	NV	-30	-20000.00	-3.846154	20	PASS	
		NV	-20	0.00	0.000000	20	PASS	
		NV	-10	-20000.00	-3.846154	20	PASS	
		NV	0	-40000.00	-7.692308	20	PASS	
		NV	10	0.00	0.000000	20	PASS	
NV		20	-20000.00	-3.846154	20	PASS		
NV		30	-20000.00	-3.846154	20	PASS		
NV		40	0.00	0.000000	20	PASS		
5240	NV	50	0.00	0.000000	20	PASS		
	NV	-30	-60000.00	-11.450382	20	PASS		
	NV	-20	-20000.00	-3.816794	20	PASS		
	NV	-10	-20000.00	-3.816794	20	PASS		
	NV	0	-40000.00	-7.633588	20	PASS		
	NV	10	0.00	0.000000	20	PASS		
	NV	20	0.00	0.000000	20	PASS		
	NV	30	-20000.00	-3.816794	20	PASS		
5260	NV	40	-20000.00	-3.816794	20	PASS		
	NV	50	-40000.00	-7.633588	20	PASS		
	NV	-30	-40000.00	-7.604563	20	PASS		
	NV	-20	-20000.00	-3.802281	20	PASS		
	NV	-10	0.00	0.000000	20	PASS		
	NV	0	-20000.00	-3.802281	20	PASS		
	NV	10	-20000.00	-3.802281	20	PASS		
	NV	20	-20000.00	-3.802281	20	PASS		
5280	NV	30	-40000.00	-7.604563	20	PASS		
	NV	40	20000.00	3.802281	20	PASS		
	NV	50	-20000.00	-3.802281	20	PASS		
	NV	-30	-20000.00	-3.787879	20	PASS		
	NV	-20	-20000.00	-3.787879	20	PASS		
	NV	-10	-20000.00	-3.787879	20	PASS		
	NV	0	-40000.00	-7.575758	20	PASS		
	NV	10	0.00	0.000000	20	PASS		
5320	NV	20	-40000.00	-7.575758	20	PASS		
	NV	30	-20000.00	-3.787879	20	PASS		
	NV	40	-40000.00	-7.575758	20	PASS		
	NV	50	-20000.00	-3.787879	20	PASS		
	NV	-30	-20000.00	-3.759398	20	PASS		
	NV	-20	-20000.00	-3.759398	20	PASS		

			NV	-10	-40000.00	-7.518797	20	PASS
			NV	0	-20000.00	-3.759398	20	PASS
			NV	10	0.00	0.000000	20	PASS
			NV	20	-40000.00	-7.518797	20	PASS
			NV	30	-40000.00	-7.518797	20	PASS
			NV	40	-20000.00	-3.759398	20	PASS
		5745	NV	50	-20000.00	-3.759398	20	PASS
			NV	-30	0.00	0.000000	20	PASS
			NV	-20	-20000.00	-3.481288	20	PASS
			NV	-10	0.00	0.000000	20	PASS
			NV	0	0.00	0.000000	20	PASS
			NV	10	0.00	0.000000	20	PASS
		5785	NV	20	-40000.00	-6.962576	20	PASS
			NV	30	0.00	0.000000	20	PASS
			NV	40	20000.00	3.481288	20	PASS
			NV	50	-40000.00	-6.962576	20	PASS
			NV	-30	0.00	0.000000	20	PASS
			NV	-20	0.00	0.000000	20	PASS
		5825	NV	-10	-20000.00	-3.457217	20	PASS
			NV	0	-40000.00	-6.914434	20	PASS
			NV	10	0.00	0.000000	20	PASS
			NV	20	-20000.00	-3.457217	20	PASS
			NV	30	0.00	0.000000	20	PASS
			NV	40	0.00	0.000000	20	PASS
		5825	NV	50	-40000.00	-6.914434	20	PASS
			NV	-30	-20000.00	-3.433476	20	PASS
			NV	-20	-20000.00	-3.433476	20	PASS
			NV	-10	-20000.00	-3.433476	20	PASS
			NV	0	-40000.00	-6.866953	20	PASS
			NV	10	-40000.00	-6.866953	20	PASS
		5825	NV	20	-40000.00	-6.866953	20	PASS
			NV	30	-40000.00	-6.866953	20	PASS
			NV	40	-20000.00	-3.433476	20	PASS
			NV	50	-40000.00	-6.866953	20	PASS
			NV	-30	0.00	0.000000	20	PASS
			NV	-20	0.00	0.000000	20	PASS
		5190	NV	-10	-40000.00	-7.707129	20	PASS
			NV	0	-40000.00	-7.707129	20	PASS
			NV	10	-40000.00	-7.707129	20	PASS
			NV	20	-40000.00	-7.707129	20	PASS
			NV	30	0.00	0.000000	20	PASS
			NV	40	0.00	0.000000	20	PASS
5230	NV	50	0.00	0.000000	20	PASS		
	NV	-30	0.00	0.000000	20	PASS		
	NV	-20	0.00	0.000000	20	PASS		
	NV	-10	0.00	0.000000	20	PASS		
	NV	0	0.00	0.000000	20	PASS		
	NV	10	-40000.00	-7.648184	20	PASS		
5270	NV	20	0.00	0.000000	20	PASS		
	NV	30	-40000.00	-7.648184	20	PASS		
	NV	40	-40000.00	-7.648184	20	PASS		
	NV	50	-40000.00	-7.648184	20	PASS		
	NV	-30	0.00	0.000000	20	PASS		
	NV	-20	0.00	0.000000	20	PASS		
5310	NV	-10	0.00	0.000000	20	PASS		
	NV	0	0.00	0.000000	20	PASS		
	NV	10	0.00	0.000000	20	PASS		
	NV	20	-40000.00	-7.590133	20	PASS		
	NV	30	-40000.00	-7.590133	20	PASS		
	NV	40	-40000.00	-7.590133	20	PASS		
5310	NV	50	-40000.00	-7.590133	20	PASS		
	NV	-30	0.00	0.000000	20	PASS		
	NV	-20	-40000.00	-7.532957	20	PASS		
	NV	-10	0.00	0.000000	20	PASS		
	NV	0	-40000.00	-7.532957	20	PASS		
	NV	10	-40000.00	-7.532957	20	PASS		
5310	NV	20	-40000.00	-7.532957	20	PASS		

		5755	NV	30	-80000.00	-15.065913	20	PASS			
			NV	40	0.00	0.000000	20	PASS			
			NV	50	-40000.00	-7.532957	20	PASS			
			NV	-30	-40000.00	-6.950478	20	PASS			
			NV	-20	0.00	0.000000	20	PASS			
			NV	-10	0.00	0.000000	20	PASS			
			NV	0	0.00	0.000000	20	PASS			
			NV	10	0.00	0.000000	20	PASS			
			NV	20	0.00	0.000000	20	PASS			
			NV	30	0.00	0.000000	20	PASS			
			NV	40	0.00	0.000000	20	PASS			
			NV	50	-40000.00	-6.950478	20	PASS			
		5795	NV	-30	-40000.00	-6.902502	20	PASS			
			NV	-20	-40000.00	-6.902502	20	PASS			
			NV	-10	0.00	0.000000	20	PASS			
			NV	0	-40000.00	-6.902502	20	PASS			
			NV	10	0.00	0.000000	20	PASS			
			NV	20	0.00	0.000000	20	PASS			
			NV	30	-80000.00	-13.805004	20	PASS			
			NV	40	0.00	0.000000	20	PASS			
			NV	50	-40000.00	-6.902502	20	PASS			
			11AC80 SISO	Ant1	5210	NV	-30	0.00	0.000000	20	PASS
						NV	-20	0.00	0.000000	20	PASS
						NV	-10	0.00	0.000000	20	PASS
NV	0	0.00				0.000000	20	PASS			
NV	10	0.00				0.000000	20	PASS			
NV	20	0.00				0.000000	20	PASS			
NV	30	0.00				0.000000	20	PASS			
NV	40	0.00				0.000000	20	PASS			
NV	50	0.00				0.000000	20	PASS			
5290	NV	-30				0.00	0.000000	20	PASS		
	NV	-20				-80000.00	-15.122873	20	PASS		
	NV	-10				0.00	0.000000	20	PASS		
	NV	0			0.00	0.000000	20	PASS			
	NV	10			0.00	0.000000	20	PASS			
	NV	20			0.00	0.000000	20	PASS			
	NV	30			0.00	0.000000	20	PASS			
	NV	40			0.00	0.000000	20	PASS			
	NV	50			0.00	0.000000	20	PASS			
	5775	NV			-30	0.00	0.000000	20	PASS		
		NV			-20	160000.00	27.705628	20	FAIL		
		NV			-10	0.00	0.000000	20	PASS		
NV		0			0.00	0.000000	20	PASS			
NV		10			0.00	0.000000	20	PASS			
NV		20			0.00	0.000000	20	PASS			
NV		30	0.00	0.000000	20	PASS					
NV		40	0.00	0.000000	20	PASS					
NV		50	0.00	0.000000	20	PASS					

End of Test Report