


### **Test Data**

# **Maximum Conducted Output Power**


Condition	Mode	Frequency (MHz)	Antenna	Conducted Power (dBm)	Limit (dBm)	Verdict
NVNT	BLE	2402	Ant1	0.786	30	Pass
NVNT	BLE	2442	Ant1	-0.556	30	Pass
NVNT	BLE	2480	Ant1	-0.884	30	Pass

Xinqiao Street, Bao'an District, Shenzhen, Guangdong, People's Republic of China. Tel: +86-755-23118282, Fax: +86-755-23116366









Tel: +86-755-23118282, Fax: +86-755-23116366






### -6dB Bandwidth

Condition	Mode	Frequency (MHz)	Antenna	-6 dB Bandwidth (MHz)	limit	Verdic
NVNT	BLE	2402	Ant1	0.665	0.5	Pass
NVNT	BLE	2442	Ant1	0.661	0.5	Pass
NVNT	BLE	2480	Ant1	0.66	0.5	Pass









Tel: +86-755-23118282, Fax: +86-755-23116366




Project No.: JYTSZR2409024




# **Occupied Channel Bandwidth**

Condition	Mode	Frequency (MHz)	Antenna	99% OBW (MHz)	
NVNT	BLE	2402	Ant1	1.014	
NVNT	BLE	2442	Ant1	1.015	
NVNT	BLE	2480	Ant1	1.016	









Tel: +86-755-23118282, Fax: +86-755-23116366





# **Maximum Power Spectral Density Level**

Condition	Mode	Frequency (MHz)	Antenna	Max PSD (dBm)	Limit (dBm)	Verdict
NVNT	BLE	2402	Ant1	-16.155	8	Pass
NVNT	BLE	2442	Ant1	-17.094	8	Pass
NVNT	BLE	2480	Ant1	-17.343	8	Pass















# **Band Edge**

Condition	Mode	Frequency (MHz)	Antenna	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	BLE	2402	Ant1	-54.48	-20	Pass
NVNT	BLE	2480	Ant1	-54.54	-20	Pass













# **Conducted RF Spurious Emission**

Condition	Mode	Frequency (MHz)	Antenna	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	BLE	2402	Ant1	-49.6	-20	Pass
NVNT	BLE	2442	Ant1	-46.41	-20	Pass
NVNT	BLE	2480	Ant1	-47.46	-20	Pass











