

### **Test Data**


# **Maximum Conducted Output Power**

Condition	Mode	Frequency (MHz)	Antenna	Conducted Power (dBm)	Limit (dBm)	Verdict
NVNT	BLE	2402	Ant1	0.464	30	Pass
NVNT	BLE	2442	Ant1	-0.638	30	Pass
NVNT	BLE	2480	Ant1	-1.033	30	Pass


Tel: +86-755-23118282, Fax: +86-755-23116366

Project No.: JYTSZR2409024









Tel: +86-755-23118282, Fax: +86-755-23116366



**Report No.: JYTSZ-R12-2401130** 



### -6dB Bandwidth


Condition	Mode	Frequency (MHz)	Antenna	-6 dB Bandwidth (MHz)	limit	Verdic
NVNT	BLE	2402	Ant1	1.175	0.5	Pass
NVNT	BLE	2442	Ant1	1.159	0.5	Pass
NVNT	BLE	2480	Ant1	1.238	0.5	Pass

Project No.: JYTSZR2409024









Tel: +86-755-23118282, Fax: +86-755-23116366






# **Occupied Channel Bandwidth**

Condition	Mode	Frequency (MHz)	Antenna	99% OBW (MHz)	
NVNT	BLE	2402	Ant1	2.025	
NVNT	BLE	2442	Ant1	2.023	
NVNT	BLE	2480	Ant1	2.033	















# **Maximum Power Spectral Density Level**

Condition	Mode	Frequency (MHz)	Antenna	Max PSD (dBm)	Limit (dBm)	Verdict
NVNT	BLE	2402	Ant1	-19.514	8	Pass
NVNT	BLE	2442	Ant1	-20.612	8	Pass
NVNT	BLE	2480	Ant1	-20.847	8	Pass









Tel: +86-755-23118282, Fax: +86-755-23116366






# **Band Edge**

Condition	Mode	Frequency (MHz)	Antenna	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	BLE	2402	Ant1	-53.68	-20	Pass
NVNT	BLE	2480	Ant1	-53.5	-20	Pass













# **Conducted RF Spurious Emission**

Condition	Mode	Frequency (MHz)	Antenna	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	BLE	2402	Ant1	-47.79	-20	Pass
NVNT	BLE	2442	Ant1	-47.1	-20	Pass
NVNT	BLE	2480	Ant1	-41.68	-20	Pass











