


Conducted RF Spurious Emission

Condition	Mode	Frequency (MHz)	Antenna	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	a	5745	Ant1	-31.64	-27	Pass
NVNT	a	5785	Ant1	-31.84	-27	Pass
NVNT	a	5825	Ant1	-31.55	-27	Pass
NVNT	n20	5745	Ant1	-31.68	-27	Pass
NVNT	n20	5785	Ant1	-31.1	-27	Pass
NVNT	n20	5825	Ant1	-30.83	-27	Pass
NVNT	n40	5755	Ant1	-32.1	-27	Pass
NVNT	n40	5795	Ant1	-31.89	-27	Pass
NVNT	ac20	5745	Ant1	-31.1	-27	Pass
NVNT	ac20	5785	Ant1	-32.22	-27	Pass
NVNT	ac20	5825	Ant1	-32.69	-27	Pass
NVNT	ac40	5755	Ant1	-31.97	-27	Pass
NVNT	ac40	5795	Ant1	-31.64	-27	Pass
NVNT	ac80	5775	Ant1	-31.77	-27	Pass

Test Graphs

Tx. Spurious NVNT a 5745MHz Ant1 Emission



Tx. Spurious NVNT a 5785MHz Ant1 Emission

