

EUT mode	Channel	RB Size	RB Offset	EUT Pol.	Antenna Pol.	EIRP(dBm)	Limit (dBm)	Result
LTE Band 26 (5MHz) QPSK	Lowest	75	0	H	V	24.68	50.00	Pass
					H	22.76		
				E1	V	24.54		
					H	22.80		
				E2	V	24.58		
					H	22.66		
	Middle	75	0	H	V	24.60	50.00	Pass
					H	22.67		
				E1	V	24.76		
					H	22.75		
				E2	V	24.74		
					H	22.75		
	Highest	75	0	H	V	24.56	50.00	Pass
					H	22.71		
				E1	V	24.68		
					H	22.63		
				E2	V	24.77		
					H	22.76		

EUT mode	Channel	RB Size	RB Offset	EUT Pol.	Antenna Pol.	EIRP(dBm)	Limit (dBm)	Result
LTE Band 26 (10MHz) QPSK	Lowest	75	0	H	V	24.54	50.00	Pass
					H	22.70		
				E1	V	24.78		
					H	22.71		
				E2	V	24.59		
					H	22.62		
	Middle	75	0	H	V	24.58	50.00	Pass
					H	22.73		
				E1	V	24.62		
					H	22.63		
				E2	V	24.71		
					H	22.74		
	Highest	75	0	H	V	24.75	50.00	Pass
					H	22.67		
				E1	V	24.70		
					H	22.70		
				E2	V	24.68		
					H	22.77		

EUT mode	Channel	RB Size	RB Offset	EUT Pol.	Antenna Pol.	EIRP(dBm)	Limit (dBm)	Result
LTE Band 26 (1.4MHz) 16 QAM	Lowest	75	0	H	V	24.70	50.00	Pass
					H	22.44		
				E1	V	24.64		
					H	22.59		
				E2	V	24.67		
					H	22.57		
	Middle	75	0	H	V	24.64	50.00	Pass
					H	22.51		
				E1	V	24.74		
					H	22.40		
				E2	V	24.76		
					H	22.38		
	Highest	75	0	H	V	24.84	50.00	Pass
					H	22.56		
				E1	V	24.77		
					H	22.38		
				E2	V	24.69		
					H	22.53		

EUT mode	Channel	RB Size	RB Offset	EUT Pol.	Antenna Pol.	EIRP(dBm)	Limit (dBm)	Result
LTE Band 26 (3MHz) 16 QAM	Lowest	75	0	H	V	24.69	50.00	Pass
					H	22.61		
				E1	V	24.80		
					H	22.60		
				E2	V	24.80		
					H	22.60		
	Middle	75	0	H	V	24.86	50.00	Pass
					H	22.42		
				E1	V	24.80		
					H	22.38		
				E2	V	24.66		
					H	22.59		
	Highest	75	0	H	V	24.76	50.00	Pass
					H	22.53		
				E1	V	24.85		
					H	22.52		
				E2	V	24.78		
					H	22.57		

EUT mode	Channel	RB Size	RB Offset	EUT Pol.	Antenna Pol.	EIRP(dBm)	Limit (dBm)	Result
LTE Band 26 (5MHz) 16 QAM	Lowest	75	0	H	V	24.58	50.00	Pass
					H	22.49		
				E1	V	24.65		
					H	22.43		
				E2	V	24.71		
					H	22.43		
	Middle	75	0	H	V	24.76	50.00	Pass
					H	22.30		
				E1	V	24.56		
					H	22.48		
				E2	V	24.64		
					H	22.40		
	Highest	75	0	H	V	24.55	50.00	Pass
					H	22.35		
				E1	V	24.57		
					H	22.40		
				E2	V	24.73		
					H	22.31		

EUT mode	Channel	RB Size	RB Offset	EUT Pol.	Antenna Pol.	EIRP(dBm)	Limit (dBm)	Result
LTE Band 26 (10MHz) 16 QAM	Lowest	75	0	H	V	24.76	50.00	Pass
					H	22.80		
				E1	V	24.71		
					H	22.66		
				E2	V	24.73		
					H	22.86		
	Middle	75	0	H	V	24.63	50.00	Pass
					H	22.64		
				E1	V	24.76		
					H	22.75		
				E2	V	24.67		
					H	22.76		
	Highest	75	0	H	V	24.76	50.00	Pass
					H	22.65		
				E1	V	24.61		
					H	22.76		
				E2	V	24.64		
					H	22.64		

EUT mode	Channel	RB Size	RB Offset	EUT Pol.	Antenna Pol.	EIRP(dBm)	Limit (dBm)	Result
LTE Band 38 (5MHz) QPSK	Lowest	75	0	H	V	24.64	33.00	Pass
					H	22.69		
				E1	V	24.55		
					H	22.63		
				E2	V	24.74		
					H	22.72		
	Middle	75	0	H	V	24.75	33.00	Pass
					H	22.64		
				E1	V	24.78		
					H	22.81		
				E2	V	24.72		
					H	22.83		
	Highest	75	0	H	V	24.69	33.00	Pass
					H	22.62		
				E1	V	24.75		
					H	22.65		
				E2	V	24.55		
					H	22.78		

EUT mode	Channel	RB Size	RB Offset	EUT Pol.	Antenna Pol.	EIRP(dBm)	Limit (dBm)	Result
LTE Band 38 (10MHz) QPSK	Lowest	75	0	H	V	24.68	33.00	Pass
					H	22.52		
				E1	V	24.83		
					H	22.50		
				E2	V	24.76		
					H	22.41		
	Middle	75	0	H	V	24.66	33.00	Pass
					H	22.52		
				E1	V	24.73		
					H	22.44		
				E2	V	24.85		
					H	22.38		
	Highest	75	0	H	V	24.72	33.00	Pass
					H	22.55		
				E1	V	24.64		
					H	22.53		
				E2	V	24.79		
					H	20.43		



EUT mode	Channel	RB Size	RB Offset	EUT Pol.	Antenna Pol.	EIRP(dBm)	Limit (dBm)	Result
LTE Band 38 (15MHz) QPSK	Lowest	75	0	H	V	24.70	33.00	Pass
					H	22.42		
				E1	V	24.82		
					H	22.39		
				E2	V	24.80		
					H	22.59		
	Middle	75	0	H	V	24.73	33.00	Pass
					H	22.41		
				E1	V	24.79		
					H	22.48		
				E2	V	24.77		
					H	22.61		
	Highest	75	0	H	V	24.73	33.00	Pass
					H	22.50		
				E1	V	24.76		
					H	22.61		
				E2	V	24.65		
					H	22.51		

EUT mode	Channel	RB Size	RB Offset	EUT Pol.	Antenna Pol.	EIRP(dBm)	Limit (dBm)	Result
LTE Band 38 (20MHz) QPSK	Lowest	75	0	H	V	24.60	33.00	Pass
					H	22.49		
				E1	V	24.55		
					H	22.52		
				E2	V	24.58		
					H	22.47		
	Middle	75	0	H	V	24.76	33.00	Pass
					H	22.44		
				E1	V	24.56		
					H	22.39		
				E2	V	24.62		
					H	22.49		
	Highest	75	0	H	V	24.64	33.00	Pass
					H	22.40		
				E1	V	24.70		
					H	22.49		
				E2	V	24.65		
					H	22.32		

EUT mode	Channel	RB Size	RB Offset	EUT Pol.	Antenna Pol.	EIRP(dBm)	Limit (dBm)	Result
LTE Band 38 (5MHz) 16 QAM	Lowest	75	0	H	V	24.70	33.00	Pass
					H	22.64		
				E1	V	24.54		
					H	22.63		
				E2	V	24.75		
					H	22.70		
	Middle	75	0	H	V	24.73	33.00	Pass
					H	22.63		
				E1	V	24.62		
					H	22.69		
				E2	V	24.72		
					H	22.65		
	Highest	75	0	H	V	24.70	33.00	Pass
					H	22.85		
				E1	V	24.76		
					H	22.66		
				E2	V	24.77		
					H	22.82		

EUT mode	Channel	RB Size	RB Offset	EUT Pol.	Antenna Pol.	EIRP(dBm)	Limit (dBm)	Result
LTE Band 38 (10MHz) 16 QAM	Lowest	75	0	H	V	24.69	33.00	Pass
					H	22.74		
				E1	V	24.73		
					H	22.66		
				E2	V	24.61		
					H	22.74		
	Middle	75	0	H	V	24.59	33.00	Pass
					H	22.80		
				E1	V	24.67		
					H	22.79		
				E2	V	24.65		
					H	22.79		
	Highest	75	0	H	V	24.70	33.00	Pass
					H	22.62		
				E1	V	24.66		
					H	22.67		
				E2	V	24.57		
					H	22.78		

EUT mode	Channel	RB Size	RB Offset	EUT Pol.	Antenna Pol.	EIRP(dBm)	Limit (dBm)	Result
LTE Band 38 (15MHz) 16 QAM	Lowest	75	0	H	V	24.66	33.00	Pass
					H	22.53		
				E1	V	24.85		
					H	22.42		
				E2	V	24.86		
					H	22.56		
	Middle	75	0	H	V	24.70	33.00	Pass
					H	22.41		
				E1	V	24.82		
					H	22.60		
				E2	V	24.72		
					H	22.49		
	Highest	75	0	H	V	24.71	33.00	Pass
					H	22.55		
				E1	V	24.81		
					H	22.61		
				E2	V	24.67		
					H	22.50		

EUT mode	Channel	RB Size	RB Offset	EUT Pol.	Antenna Pol.	EIRP(dBm)	Limit (dBm)	Result
LTE Band 38 (20MHz) 16 QAM	Lowest	75	0	H	V	24.64	33.00	Pass
					H	22.50		
				E1	V	24.65		
					H	22.49		
				E2	V	24.75		
					H	22.59		
	Middle	75	0	H	V	24.81	33.00	Pass
					H	22.61		
				E1	V	24.66		
					H	22.39		
				E2	V	24.72		
					H	22.57		
	Highest	75	0	H	V	24.75	33.00	Pass
					H	22.41		
				E1	V	24.69		
					H	22.38		
				E2	V	24.86		
					H	22.48		

EUT mode	Channel	RB Size	RB Offset	EUT Pol.	Antenna Pol.	EIRP(dBm)	Limit (dBm)	Result
LTE Band 41 (5MHz) QPSK	Lowest	25	0	H	V	24.68	33.00	Pass
					H	22.34		
				E1	V	24.60		
					H	22.46		
				E2	V	24.66		
					H	22.53		
	Middle	25	0	H	V	24.54	33.00	Pass
					H	22.45		
				E1	V	24.66		
					H	22.39		
				E2	V	24.53		
					H	22.49		
	Highest	25	0	H	V	24.59	33.00	Pass
					H	22.47		
				E1	V	24.65		
					H	22.30		
				E2	V	24.53		
					H	22.37		

EUT mode	Channel	RB Size	RB Offset	EUT Pol.	Antenna Pol.	EIRP(dBm)	Limit (dBm)	Result
LTE Band 41 (10MHz) QPSK	Lowest	50	0	H	V	24.68	33.00	Pass
					H	22.83		
				E1	V	24.67		
					H	22.79		
				E2	V	24.55		
					H	22.79		
	Middle	50	0	H	V	24.69	33.00	Pass
					H	22.82		
				E1	V	24.54		
					H	22.80		
				E2	V	24.69		
					H	22.86		
	Highest	50	0	H	V	24.54	33.00	Pass
					H	22.85		
				E1	V	24.65		
					H	22.66		
				E2	V	24.64		
					H	22.64		



EUT mode	Channel	RB Size	RB Offset	EUT Pol.	Antenna Pol.	EIRP(dBm)	Limit (dBm)	Result
LTE Band 41 (15MHz) QPSK	Lowest	75	0	H	V	24.78	33.00	Pass
					H	22.83		
				E1	V	24.65		
					H	22.66		
				E2	V	24.68		
					H	22.72		
	Middle	75	0	H	V	24.56	33.00	Pass
					H	22.76		
				E1	V	24.67		
					H	22.74		
				E2	V	24.62		
					H	22.77		
	Highest	75	0	H	V	24.58	33.00	Pass
					H	22.84		
				E1	V	24.64		
					H	22.85		
				E2	V	24.59		
					H	22.79		

EUT mode	Channel	RB Size	RB Offset	EUT Pol.	Antenna Pol.	EIRP(dBm)	Limit (dBm)	Result
LTE Band 41 (20MHz) QPSK	Lowest	100	0	H	V	24.80	33.00	Pass
					H	22.45		
				E1	V	24.85		
					H	22.39		
				E2	V	24.82		
					H	22.52		
	Middle	100	0	H	V	24.65	33.00	Pass
					H	22.53		
				E1	V	24.87		
					H	22.59		
				E2	V	24.77		
					H	22.42		
	Highest	100	0	H	V	24.71	33.00	Pass
					H	22.40		
				E1	V	24.65		
					H	22.53		
				E2	V	24.69		
					H	22.38		

EUT mode	Channel	RB Size	RB Offset	EUT Pol.	Antenna Pol.	EIRP(dBm)	Limit (dBm)	Result
LTE Band 41 (5MHz) 16 QAM	Lowest	25	0	H	V	24.72	33.00	Pass
					H	22.43		
				E1	V	24.70		
					H	22.43		
				E2	V	24.76		
					H	22.47		
	Middle	25	0	H	V	24.70	33.00	Pass
					H	22.55		
				E1	V	24.77		
					H	22.47		
				E2	V	24.77		
					H	22.43		
	Highest	25	0	H	V	24.81	33.00	Pass
					H	22.62		
				E1	V	24.70		
					H	22.59		
				E2	V	24.69		
					H	22.53		

EUT mode	Channel	RB Size	RB Offset	EUT Pol.	Antenna Pol.	EIRP(dBm)	Limit (dBm)	Result
LTE Band 41 (10MHz) 16 QAM	Lowest	50	0	H	V	24.56	33.00	Pass
					H	22.43		
				E1	V	24.67		
					H	22.54		
				E2	V	24.76		
					H	22.33		
	Middle	50	0	H	V	24.65	33.00	Pass
					H	22.54		
				E1	V	24.71		
					H	22.40		
				E2	V	24.58		
					H	22.33		
	Highest	50	0	H	V	24.64	33.00	Pass
					H	22.31		
				E1	V	24.59		
					H	22.45		
				E2	V	24.67		
					H	22.48		

EUT mode	Channel	RB Size	RB Offset	EUT Pol.	Antenna Pol.	EIRP(dBm)	Limit (dBm)	Result
LTE Band 41 (15MHz) 16 QAM	Lowest	75	0	H	V	24.77	33.00	Pass
					H	22.85		
				E1	V	24.77		
					H	22.76		
				E2	V	24.68		
					H	22.65		
	Middle	75	0	H	V	24.63	33.00	Pass
					H	22.83		
				E1	V	24.58		
					H	22.67		
				E2	V	24.67		
					H	22.70		
	Highest	75	0	H	V	24.58	33.00	Pass
					H	22.81		
				E1	V	24.69		
					H	22.72		
				E2	V	24.63		
					H	22.64		

EUT mode	Channel	RB Size	RB Offset	EUT Pol.	Antenna Pol.	EIRP(dBm)	Limit (dBm)	Result
LTE Band 41 (20MHz) 16 QAM	Lowest	100	0	H	V	24.64	33.00	Pass
					H	22.81		
				E1	V	24.72		
					H	22.72		
				E2	V	24.64		
					H	22.85		
	Middle	100	0	H	V	24.70	33.00	Pass
					H	22.81		
				E1	V	24.58		
					H	22.79		
				E2	V	24.64		
					H	22.86		
	Highest	100	0	H	V	24.67	33.00	Pass
					H	22.62		
				E1	V	24.65		
					H	22.85		
				E2	V	24.74		
					H	22.71		

EUT mode	Channel	RB Size	RB Offset	EUT Pol.	Antenna Pol.	EIRP(dBm)	Limit (dBm)	Result
LTE Band 66 (1.4MHz) QPSK	Lowest	6	0	H	V	24.75	30.00	Pass
					H	22.46		
				E1	V	24.66		
					H	22.60		
				E2	V	24.72		
					H	22.58		
	Middle	6	0	H	V	24.70	30.00	Pass
					H	22.56		
				E1	V	24.65		
					H	22.56		
				E2	V	24.69		
					H	22.50		
	Highest	6	0	H	V	24.86	30.00	Pass
					H	22.46		
				E1	V	24.72		
					H	22.49		
				E2	V	24.63		
					H	22.52		

EUT mode	Channel	RB Size	RB Offset	EUT Pol.	Antenna Pol.	EIRP(dBm)	Limit (dBm)	Result
LTE Band 66 (3MHz) QPSK	Lowest	15	0	H	V	24.82	30.00	Pass
					H	22.46		
				E1	V	24.82		
					H	22.53		
				E2	V	24.87		
					H	22.62		
	Middle	15	0	H	V	24.73	30.00	Pass
					H	22.43		
				E1	V	24.64		
					H	22.57		
				E2	V	24.74		
					H	22.50		
	Highest	15	0	H	V	24.70	30.00	Pass
					H	22.42		
				E1	V	24.78		
					H	22.45		
				E2	V	24.74		
					H	22.57		



EUT mode	Channel	RB Size	RB Offset	EUT Pol.	Antenna Pol.	EIRP(dBm)	Limit (dBm)	Result
LTE Band 66 (5MHz) QPSK	Lowest	25	0	H	V	24.64	30.00	Pass
					H	22.40		
				E1	V	24.70		
					H	22.49		
				E2	V	24.70		
					H	22.53		
	Middle	25	0	H	V	24.67	30.00	Pass
					H	22.50		
				E1	V	24.55		
					H	22.38		
				E2	V	24.74		
					H	22.45		
	Highest	25	0	H	V	24.72	30.00	Pass
					H	22.37		
				E1	V	24.76		
					H	22.49		
				E2	V	24.53		
					H	22.31		

EUT mode	Channel	RB Size	RB Offset	EUT Pol.	Antenna Pol.	EIRP(dBm)	Limit (dBm)	Result
LTE Band 66 (10MHz) QPSK	Lowest	50	0	H	V	24.65	30.00	Pass
					H	22.68		
				E1	V	24.58		
					H	22.82		
				E2	V	24.76		
					H	22.78		
	Middle	50	0	H	V	24.61	30.00	Pass
					H	22.66		
				E1	V	24.57		
					H	22.68		
				E2	V	24.60		
					H	22.71		
	Highest	50	0	H	V	24.57	30.00	Pass
					H	22.66		
				E1	V	24.66		
					H	22.75		
				E2	V	24.55		
					H	22.70		

EUT mode	Channel	RB Size	RB Offset	EUT Pol.	Antenna Pol.	EIRP(dBm)	Limit (dBm)	Result
LTE Band 66 (15MHz) QPSK	Lowest	75	0	H	V	24.76	30.00	Pass
					H	22.72		
				E1	V	24.72		
					H	22.82		
				E2	V	24.64		
					H	22.84		
	Middle	75	0	H	V	24.73	30.00	Pass
					H	22.84		
				E1	V	24.74		
					H	22.85		
				E2	V	24.66		
					H	22.72		
	Highest	75	0	H	V	24.56	30.00	Pass
					H	22.71		
				E1	V	24.54		
					H	22.70		
				E2	V	24.65		
					H	22.68		

EUT mode	Channel	RB Size	RB Offset	EUT Pol.	Antenna Pol.	EIRP(dBm)	Limit (dBm)	Result
LTE Band 66 (20MHz) QPSK	Lowest	100	0	H	V	24.86	30.00	Pass
					H	22.44		
				E1	V	24.81		
					H	22.38		
				E2	V	24.70		
					H	22.44		
	Middle	100	0	H	V	24.83	30.00	Pass
					H	22.43		
				E1	V	24.86		
					H	22.38		
				E2	V	24.71		
					H	22.43		
	Highest	100	0	H	V	24.85	30.00	Pass
					H	22.54		
				E1	V	24.83		
					H	22.41		
				E2	V	24.77		
					H	22.45		

EUT mode	Channel	RB Size	RB Offset	EUT Pol.	Antenna Pol.	EIRP(dBm)	Limit (dBm)	Result
LTE Band 66 (1.4MHz) 16 QAM	Lowest	6	0	H	V	24.86	30.00	Pass
					H	22.53		
				E1	V	24.81		
					H	22.48		
				E2	V	24.87		
					H	22.47		
	Middle	6	0	H	V	24.70	30.00	Pass
					H	22.50		
				E1	V	24.75		
					H	22.38		
				E2	V	24.73		
					H	22.53		
	Highest	6	0	H	V	24.73	30.00	Pass
					H	22.45		
				E1	V	24.65		
					H	22.54		
				E2	V	24.87		
					H	22.54		

EUT mode	Channel	RB Size	RB Offset	EUT Pol.	Antenna Pol.	EIRP(dBm)	Limit (dBm)	Result
LTE Band 66 (3MHz) 16 QAM	Lowest	15	0	H	V	24.72	30.00	Pass
					H	22.33		
				E1	V	24.68		
					H	22.51		
				E2	V	24.56		
					H	22.41		
	Middle	15	0	H	V	24.66	30.00	Pass
					H	22.36		
				E1	V	24.56		
					H	22.31		
				E2	V	24.77		
					H	22.41		
	Highest	15	0	H	V	24.54	30.00	Pass
					H	22.52		
				E1	V	24.71		
					H	22.50		
				E2	V	24.61		
					H	22.39		

EUT mode	Channel	RB Size	RB Offset	EUT Pol.	Antenna Pol.	EIRP(dBm)	Limit (dBm)	Result
LTE Band 66 (5MHz) 16 QAM	Lowest	25	0	H	V	24.70	30.00	Pass
					H	22.68		
				E1	V	24.63		
					H	22.79		
				E2	V	24.63		
					H	22.77		
	Middle	25	0	H	V	24.76	30.00	Pass
					H	22.70		
				E1	V	24.55		
					H	22.80		
				E2	V	24.66		
					H	22.63		
	Highest	25	0	H	V	24.68	30.00	Pass
					H	22.75		
				E1	V	24.78		
					H	22.79		
				E2	V	24.67		
					H	22.64		

EUT mode	Channel	RB Size	RB Offset	EUT Pol.	Antenna Pol.	EIRP(dBm)	Limit (dBm)	Result
LTE Band 66 (10MHz) 16 QAM	Lowest	50	0	H	V	24.54	30.00	Pass
					H	22.70		
				E1	V	24.60		
					H	22.65		
				E2	V	24.62		
					H	22.80		
	Middle	50	0	H	V	24.64	30.00	Pass
					H	22.84		
				E1	V	24.69		
					H	22.75		
				E2	V	24.72		
					H	22.66		
	Highest	50	0	H	V	24.59	30.00	Pass
					H	22.72		
				E1	V	24.62		
					H	22.71		
				E2	V	24.60		
					H	22.74		



EUT mode	Channel	RB Size	RB Offset	EUT Pol.	Antenna Pol.	EIRP(dBm)	Limit (dBm)	Result
LTE Band 66 (15MHz) 16 QAM	Lowest	75	0	H	V	24.84	30.00	Pass
					H	22.58		
				E1	V	24.63		
					H	22.45		
				E2	V	24.72		
					H	22.61		
	Middle	75	0	H	V	24.78	30.00	Pass
					H	22.40		
				E1	V	24.77		
					H	22.46		
				E2	V	24.83		
					H	22.39		
	Highest	75	0	H	V	24.87	30.00	Pass
					H	22.54		
				E1	V	24.80		
					H	22.53		
				E2	V	24.75		
					H	22.57		

EUT mode	Channel	RB Size	RB Offset	EUT Pol.	Antenna Pol.	EIRP(dBm)	Limit (dBm)	Result
LTE Band 66 (20MHz) 16 QAM	Lowest	100	0	H	V	24.85	30.00	Pass
					H	22.45		
				E1	V	24.87		
					H	22.59		
				E2	V	24.87		
					H	22.40		
	Middle	100	0	H	V	24.79	30.00	Pass
					H	22.41		
				E1	V	24.75		
					H	22.52		
				E2	V	24.78		
					H	22.54		
	Highest	100	0	H	V	24.75	30.00	Pass
					H	22.49		
				E1	V	24.81		
					H	22.56		
				E2	V	24.74		
					H	22.59		

EUT mode	Channel	RB Size	RB Offset	EUT Pol.	Antenna Pol.	EIRP(dBm)	Limit (dBm)	Result
LTE Band 71 (5MHz) QPSK	Lowest	25	0	H	V	24.62	34.77	Pass
					H	22.41		
				E1	V	24.71		
					H	22.50		
				E2	V	24.58		
					H	22.39		
	Middle	25	0	H	V	24.76	34.77	Pass
					H	22.48		
				E1	V	24.72		
					H	22.39		
				E2	V	24.66		
					H	22.36		
	Highest	25	0	H	V	24.73	34.77	Pass
					H	22.50		
				E1	V	24.64		
					H	22.54		
				E2	V	24.58		
					H	22.39		

EUT mode	Channel	RB Size	RB Offset	EUT Pol.	Antenna Pol.	EIRP(dBm)	Limit (dBm)	Result
LTE Band 71 (10MHz) QPSK	Lowest	50	0	H	V	24.68	34.77	Pass
					H	22.79		
				E1	V	24.74		
					H	22.67		
				E2	V	24.71		
					H	22.64		
	Middle	50	0	H	V	24.57	34.77	Pass
					H	22.63		
				E1	V	24.65		
					H	22.74		
				E2	V	24.77		
					H	22.80		
	Highest	50	0	H	V	24.69	34.77	Pass
					H	22.66		
				E1	V	24.59		
					H	22.72		
				E2	V	24.64		
					H	22.71		

EUT mode	Channel	RB Size	RB Offset	EUT Pol.	Antenna Pol.	EIRP(dBm)	Limit (dBm)	Result
LTE Band 71 (15MHz) QPSK	Lowest	75	0	H	V	24.67	34.77	Pass
					H	22.73		
				E1	V	24.69		
					H	22.84		
				E2	V	24.75		
					H	22.66		
	Middle	75	0	H	V	24.71	34.77	Pass
					H	22.70		
				E1	V	24.72		
					H	22.73		
				E2	V	24.64		
					H	22.77		
	Highest	75	0	H	V	24.75	34.77	Pass
					H	22.64		
				E1	V	24.67		
					H	22.80		
				E2	V	24.64		
					H	22.81		

EUT mode	Channel	RB Size	RB Offset	EUT Pol.	Antenna Pol.	EIRP(dBm)	Limit (dBm)	Result
LTE Band 71 (20MHz) QPSK	Lowest	100	0	H	V	24.86	34.77	Pass
					H	22.60		
				E1	V	24.64		
					H	22.54		
				E2	V	24.69		
					H	22.40		
	Middle	100	0	H	V	24.87	34.77	Pass
					H	22.60		
				E1	V	24.78		
					H	22.61		
				E2	V	24.68		
					H	22.55		
	Highest	100	0	H	V	24.75	34.77	Pass
					H	22.43		
				E1	V	24.69		
					H	22.41		
				E2	V	24.86		
					H	22.56		

EUT mode	Channel	RB Size	RB Offset	EUT Pol.	Antenna Pol.	EIRP(dBm)	Limit (dBm)	Result
LTE Band 71 (5MHz) 16 QAM	Lowest	25	0	H	V	24.75	34.77	Pass
					H	22.55		
				E1	V	24.64		
					H	22.39		
				E2	V	24.78		
					H	22.48		
	Middle	25	0	H	V	24.69	34.77	Pass
					H	22.39		
				E1	V	24.70		
					H	22.59		
				E2	V	24.73		
					H	22.55		
	Highest	25	0	H	V	24.86	34.77	Pass
					H	22.55		
				E1	V	24.79		
					H	22.42		
				E2	V	24.67		
					H	22.41		

EUT mode	Channel	RB Size	RB Offset	EUT Pol.	Antenna Pol.	EIRP(dBm)	Limit (dBm)	Result
LTE Band 71 (10MHz) 16 QAM	Lowest	50	0	H	V	24.68	34.77	Pass
					H	22.48		
				E1	V	24.62		
					H	22.48		
				E2	V	24.53		
					H	22.43		
	Middle	50	0	H	V	24.70	34.77	Pass
					H	22.40		
				E1	V	24.58		
					H	22.43		
				E2	V	24.64		
					H	22.35		
	Highest	50	0	H	V	24.59	34.77	Pass
					H	22.37		
				E1	V	24.56		
					H	22.54		
				E2	V	24.58		
					H	22.52		



EUT mode	Channel	RB Size	RB Offset	EUT Pol.	Antenna Pol.	EIRP(dBm)	Limit (dBm)	Result
LTE Band 71 (15MHz) 16 QAM	Lowest	75	0	H	V	24.64	34.77	Pass
					H	22.75		
				E1	V	24.66		
					H	22.67		
				E2	V	24.62		
					H	22.85		
	Middle	75	0	H	V	24.71	34.77	Pass
					H	22.69		
				E1	V	24.58		
					H	22.84		
				E2	V	24.70		
					H	22.71		
	Highest	75	0	H	V	24.56	34.77	Pass
					H	22.74		
				E1	V	24.74		
					H	22.72		
				E2	V	24.72		
					H	22.62		

EUT mode	Channel	RB Size	RB Offset	EUT Pol.	Antenna Pol.	EIRP(dBm)	Limit (dBm)	Result
LTE Band 71 (20MHz) 16 QAM	Lowest	100	0	H	V	24.73	34.77	Pass
					H	22.65		
				E1	V	24.72		
					H	22.76		
				E2	V	24.72		
					H	22.78		
	Middle	100	0	H	V	24.66	34.77	Pass
					H	22.74		
				E1	V	24.72		
					H	22.84		
				E2	V	24.55		
					H	22.65		
	Highest	100	0	H	V	24.60	34.77	Pass
					H	22.66		
				E1	V	24.68		
					H	22.68		
				E2	V	24.64		
					H	22.84		

## Appendix A.7: Field Strength Of Spurious Radiation Measurement

Measurement Data:

Test mode:	GSM850		Test channel:	Lowest
Frequency (MHz)	Spurious Emission		Limit (dBm)	Result
	Polarization	Level (dBm)		
1648.40	Vertical	-36.33	-13.00	Pass
2472.60	V	-39.90		
3296.80	V	-38.46		
4121.00	V	-43.31		
4945.20	V	---		
1648.40	Horizontal	-39.02	-13.00	Pass
2472.60	H	-42.89		
3296.80	H	-45.33		
4121.00	H	-46.23		
4945.20	H	---		
Test mode:	GSM850		Test channel:	Middle
Frequency (MHz)	Spurious Emission		Limit (dBm)	Result
	Polarization	Level (dBm)		
1673.20	Vertical	-36.35	-13.00	Pass
2509.80	V	-39.78		
3346.40	V	-38.41		
4183.00	V	-43.17		
5019.60	V	---		
1673.20	Horizontal	-39.17	-13.00	Pass
2509.80	H	-42.72		
3346.40	H	-45.07		
4183.00	H	-45.76		
5019.60	H	---		
Test mode:	GSM850		Test channel:	Highest
Frequency (MHz)	Spurious Emission		Limit (dBm)	Result
	Polarization	Level (dBm)		
1697.60	Vertical	-36.65	-13.00	Pass
2546.40	V	-39.78		
3395.20	V	-37.93		
4244.00	V	-43.44		
5092.80	V	---		
1697.60	Horizontal	-39.11	-13.00	Pass
2546.40	H	-42.90		
3395.20	H	-45.34		
4244.00	H	-46.16		
5092.80	H	---		

Test mode:	PCS1900		Test channel:	Lowest
Frequency (MHz)	Spurious Emission		Limit (dBm)	Result
	Polarization	Level (dBm)		
3700.40	Vertical	-36.80	-13.00	Pass
5550.60	V	-39.79		
7400.80	V	-38.24		
9251.00	V	-43.50		
11101.20	V	---		
3700.40	Horizontal	-39.24	-13.00	Pass
5550.60	H	-42.45		
7400.80	H	-45.36		
9251.00	H	-45.80		
11101.20	H	---		
Test mode:	PCS1900		Test channel:	Middle
Frequency (MHz)	Spurious Emission		Limit (dBm)	Result
	Polarization	Level (dBm)		
3760.00	Vertical	-36.59	-13.00	Pass
5640.00	V	-39.52		
7520.00	V	-38.06		
9400.00	V	-43.76		
11280.00	V	---		
3760.00	Horizontal	-39.08	-13.00	Pass
5640.00	H	-42.62		
7520.00	H	-45.04		
9400.00	H	-45.96		
11280.00	H	---		
Test mode:	PCS1900		Test channel:	Highest
Frequency (MHz)	Spurious Emission		Limit (dBm)	Result
	Polarization	Level (dBm)		
3819.60	Vertical	-37.28	-13.00	Pass
5729.40	V	-39.90		
7639.20	V	-37.68		
9549.00	V	-43.18		
11458.80	V	---		
3819.60	Horizontal	-39.24	-13.00	Pass
5729.40	H	-42.74		
7639.20	H	-44.85		
9549.00	H	-46.08		
11458.80	H	---		

Test mode:	WCDMA Band V		Test channel:	Lowest
Frequency (MHz)	Spurious Emission		Limit (dBm)	Result
	Polarization	Level (dBm)		
1652.80	Vertical	-36.90	-13.00	Pass
2479.20	V	-39.25		
3305.60	V	-38.49		
4132.00	V	-43.67		
4958.40	V	---		
1652.80	Horizontal	-39.17	-13.00	Pass
2479.20	H	-42.40		
3305.60	H	-44.38		
4132.00	H	-45.90		
4958.40	H	---		
Test mode:	WCDMA Band V		Test channel:	Middle
Frequency (MHz)	Spurious Emission		Limit (dBm)	Result
	Polarization	Level (dBm)		
1672.80	Vertical	-36.78	-13.00	Pass
2509.20	V	-39.10		
3345.60	V	-37.95		
4182.00	V	-43.56		
5018.40	V	---		
1672.80	Horizontal	-39.11	-13.00	Pass
2509.20	H	-42.31		
3345.60	H	-44.50		
4182.00	H	-45.86		
5018.40	H	---		
Test mode:	WCDMA Band V		Test channel:	Highest
Frequency (MHz)	Spurious Emission		Limit (dBm)	Result
	Polarization	Level (dBm)		
1693.20	Vertical	-36.33	-13.00	Pass
2539.80	V	-39.75		
3386.40	V	-38.48		
4233.00	V	-43.09		
5079.60	V	---		
1693.20	Horizontal	-38.63	-13.00	Pass
2539.80	H	-42.38		
3386.40	H	-44.57		
4233.00	H	-45.98		
5079.60	H	---		

Test mode:	WCDMA Band II		Test channel:	Lowest
Frequency (MHz)	Spurious Emission		Limit (dBm)	Result
	Polarization	Level (dBm)		
3704.80	Vertical	-37.14	-13.00	Pass
5557.20	V	-39.35		
7409.60	V	-38.07		
9262.00	V	-43.37		
11114.40	V	---		
3704.80	Horizontal	-38.93	-13.00	Pass
5557.20	H	-42.80		
7409.60	H	-44.64		
9262.00	H	-46.17		
11114.40	H	---		
Test mode:	WCDMA Band II		Test channel:	Middle
Frequency (MHz)	Spurious Emission		Limit (dBm)	Result
	Polarization	Level (dBm)		
3760.00	Vertical	-37.11	-13.00	Pass
5640.00	V	-39.31		
7520.00	V	-37.87		
9400.00	V	-43.53		
11280.00	V	---		
3760.00	Horizontal	-39.50	-13.00	Pass
5640.00	H	-42.23		
7520.00	H	-45.06		
9400.00	H	-46.14		
11280.00	H	---		
Test mode:	WCDMA Band II		Test channel:	Highest
Frequency (MHz)	Spurious Emission		Limit (dBm)	Result
	Polarization	Level (dBm)		
3815.20	Vertical	-36.70	-13.00	Pass
5722.80	V	-39.04		
7630.40	V	-37.54		
9538.00	V	-43.33		
11445.60	V	---		
3815.20	Horizontal	-39.05	-13.00	Pass
5722.80	H	-42.79		
7630.40	H	-45.23		
9538.00	H	-46.23		
11445.60	H	---		

Test mode:	WCDMA Band IV		Test channel:	Lowest
Frequency (MHz)	Spurious Emission		Limit (dBm)	Result
	Polarization	Level (dBm)		
3424.8	Vertical	-36.78	-13.00	Pass
5137.2	V	-39.94		
10274.4	V	-37.90		
15411.6	V	-43.51		
30823.2	V	---		
3424.8	Horizontal	-39.44	-13.00	Pass
5137.2	H	-42.54		
10274.4	H	-44.55		
15411.6	H	-45.49		
30823.2	H	---		
Test mode:	WCDMA Band IV		Test channel:	Middle
Frequency (MHz)	Spurious Emission		Limit (dBm)	Result
	Polarization	Level (dBm)		
3480	Vertical	-36.85	-13.00	Pass
5220	V	-39.49		
10440	V	-38.36		
15660	V	-43.56		
31320	V	---		
3480	Horizontal	-39.24	-13.00	Pass
5220	H	-42.45		
10440	H	-44.82		
15660	H	-45.85		
31320	H	---		
Test mode:	WCDMA Band IV		Test channel:	Highest
Frequency (MHz)	Spurious Emission		Limit (dBm)	Result
	Polarization	Level (dBm)		
3505.2	Vertical	-36.72	-13.00	Pass
5257.8	V	-39.60		
10515.6	V	-38.25		
15773.4	V	-43.53		
31546.8	V	---		
3505.2	Horizontal	-39.31	-13.00	Pass
5257.8	H	-42.62		
10515.6	H	-45.10		
15773.4	H	-45.57		
31546.8	H	---		

Remark:

1. The emission behaviour belongs to narrowband spurious emission.
2. Remark"---" means that the emission level is too low to be measured
3. The emission levels of below 1 GHz are very lower than the limit and not show in test report.

QPSK Mode:

Test mode:	LTE Band 2(1.4MHz)		Test channel:	Lowest
Frequency (MHz)	Spurious Emission		Limit (dBm)	Result
	Polarization	Level (dBm)		
3701.40	Vertical	-36.95	-13.00	Pass
5552.10	V	-39.09		
7402.80	V	-38.28		
9253.50	V	-43.48		
11104.20	V	---		
3701.40	Horizontal	-39.50	-13.00	Pass
5552.10	H	-42.36		
7402.80	H	-44.52		
9253.50	H	-45.86		
11104.20	H	---		
Test mode:	LTE Band 2(1.4MHz)		Test channel:	Middle
Frequency (MHz)	Spurious Emission		Limit (dBm)	Result
	Polarization	Level (dBm)		
3760.00	Vertical	-36.87	-13.00	Pass
5640.00	V	-39.88		
7520.00	V	-37.72		
9400.00	V	-42.89		
11280.00	V	---		
3760.00	Horizontal	-39.43	-13.00	Pass
5640.00	H	-42.79		
7520.00	H	-44.64		
9400.00	H	-45.75		
11280.00	H	---		
Test mode:	LTE Band 2(1.4MHz)		Test channel:	Highest
Frequency (MHz)	Spurious Emission		Limit (dBm)	Result
	Polarization	Level (dBm)		
3818.60	Vertical	-36.83	-13.00	Pass
5727.90	V	-39.93		
7637.20	V	-37.56		
9546.50	V	-43.42		
11455.80	V	---		
3818.60	Horizontal	-38.68	-13.00	Pass
5727.90	H	-43.00		
7637.20	H	-44.52		
9546.50	H	-46.08		
11455.80	H	---		



Test mode:	LTE Band 4(1.4MHz)		Test channel:	Lowest
Frequency (MHz)	Spurious Emission		Limit (dBm)	Result
	Polarization	Level (dBm)		
3421.40	Vertical	-36.43	-13.00	Pass
5132.10	V	-39.81		
6842.80	V	-37.96		
8553.50	V	-43.40		
10264.20	V	---		
3421.40	Horizontal	-39.44	-13.00	Pass
5132.10	H	-43.05		
6842.80	H	-44.88		
8553.50	H	-46.25		
10264.20	H	---		
Test mode:	LTE Band 4(1.4MHz)		Test channel:	Middle
Frequency (MHz)	Spurious Emission		Limit (dBm)	Result
	Polarization	Level (dBm)		
3465.00	Vertical	-37.13	-13.00	Pass
5197.50	V	-39.43		
6930.00	V	-38.03		
8662.50	V	-42.82		
10395.00	V	---		
3465.00	Horizontal	-39.58	-13.00	Pass
5197.50	H	-42.46		
6930.00	H	-45.03		
8662.50	H	-46.25		
10395.00	H	---		
Test mode:	LTE Band 4(1.4MHz)		Test channel:	Highest
Frequency (MHz)	Spurious Emission		Limit (dBm)	Result
	Polarization	Level (dBm)		
3508.60	Vertical	-36.50	-13.00	Pass
5262.90	V	-39.44		
7017.20	V	-38.13		
8771.50	V	-43.23		
10525.80	V	---		
3508.60	Horizontal	-39.07	-13.00	Pass
5262.90	H	-42.45		
7017.20	H	-44.99		
8771.50	H	-45.49		
10525.80	H	---		

Test mode:	LTE Band 5(1.4MHz)		Test channel:	Lowest
Frequency (MHz)	Spurious Emission		Limit (dBm)	Result
	Polarization	Level (dBm)		
1649.40	Vertical	-36.40	-13.00	Pass
2474.10	V	-39.00		
3298.80	V	-38.12		
4123.50	V	-43.22		
4948.20	V	---		
1649.40	Horizontal	-38.83	-13.00	Pass
2474.10	H	-42.85		
3298.80	H	-44.45		
4123.50	H	-45.86		
4948.20	H	---		
Test mode:	LTE Band 5(1.4MHz)		Test channel:	Middle
Frequency (MHz)	Spurious Emission		Limit (dBm)	Result
	Polarization	Level (dBm)		
1673.00	Vertical	-37.17	-13.00	Pass
2509.50	V	-39.21		
3346.00	V	-38.21		
4182.50	V	-43.10		
5019.00	V	---		
1673.00	Horizontal	-39.28	-13.00	Pass
2509.50	H	-42.85		
3346.00	H	-45.03		
4182.50	H	-46.06		
5019.00	H	---		
Test mode:	LTE Band 5(1.4MHz)		Test channel:	Highest
Frequency (MHz)	Spurious Emission		Limit (dBm)	Result
	Polarization	Level (dBm)		
1696.60	Vertical	-36.49	-13.00	Pass
2544.90	V	-39.60		
3393.20	V	-38.28		
4241.50	V	-43.13		
5089.80	V	---		
1696.60	Horizontal	-38.85	-13.00	Pass
2544.90	H	-42.72		
3393.20	H	-45.19		
4241.50	H	-45.88		
5089.80	H	---		