


Test Plots:

Occupied Bandwidth





Occupied Bandwidth

Channel



3MHz Bandwidth QPSK

3MHz Bandwidth 16QAM



Lowest



Middle




Highest



Occupied Bandwidth

Channel	5MHz Bandwidth QPSK	5MHz Bandwidth 16QAM																																																																						
Lowest	<table border="1"> <thead> <tr> <th>Type</th> <th>Ref</th> <th>Trc</th> <th>X-value</th> <th>Y-value</th> <th>Function</th> <th>Function Result</th> </tr> </thead> <tbody> <tr> <td>M1</td> <td>1</td> <td></td> <td>1.71002 GHz</td> <td>-9.94 dBm</td> <td></td> <td></td> </tr> <tr> <td>T1</td> <td>1</td> <td></td> <td>1.7102445 GHz</td> <td>12.82 dBm</td> <td>Occ Bw</td> <td>4.530938124 MHz</td> </tr> <tr> <td>T2</td> <td>1</td> <td></td> <td>1.7147754 GHz</td> <td>11.72 dBm</td> <td></td> <td></td> </tr> <tr> <td>D1</td> <td>M1</td> <td>1</td> <td>4.96 MHz</td> <td>0.93 dB</td> <td></td> <td></td> </tr> </tbody> </table> <p>Date: 31.AUG.2022 02:41:59</p>	Type	Ref	Trc	X-value	Y-value	Function	Function Result	M1	1		1.71002 GHz	-9.94 dBm			T1	1		1.7102445 GHz	12.82 dBm	Occ Bw	4.530938124 MHz	T2	1		1.7147754 GHz	11.72 dBm			D1	M1	1	4.96 MHz	0.93 dB			<table border="1"> <thead> <tr> <th>Type</th> <th>Ref</th> <th>Trc</th> <th>X-value</th> <th>Y-value</th> <th>Function</th> <th>Function Result</th> </tr> </thead> <tbody> <tr> <td>M1</td> <td>1</td> <td></td> <td>1.71002 GHz</td> <td>-10.69 dBm</td> <td></td> <td></td> </tr> <tr> <td>T1</td> <td>1</td> <td></td> <td>1.7102645 GHz</td> <td>11.28 dBm</td> <td>Occ Bw</td> <td>4.491017964 MHz</td> </tr> <tr> <td>T2</td> <td>1</td> <td></td> <td>1.7147555 GHz</td> <td>11.04 dBm</td> <td></td> <td></td> </tr> <tr> <td>D1</td> <td>M1</td> <td>1</td> <td>4.96 MHz</td> <td>0.26 dB</td> <td></td> <td></td> </tr> </tbody> </table> <p>Date: 31.AUG.2022 02:42:37</p>	Type	Ref	Trc	X-value	Y-value	Function	Function Result	M1	1		1.71002 GHz	-10.69 dBm			T1	1		1.7102645 GHz	11.28 dBm	Occ Bw	4.491017964 MHz	T2	1		1.7147555 GHz	11.04 dBm			D1	M1	1	4.96 MHz	0.26 dB		
Type	Ref	Trc	X-value	Y-value	Function	Function Result																																																																		
M1	1		1.71002 GHz	-9.94 dBm																																																																				
T1	1		1.7102445 GHz	12.82 dBm	Occ Bw	4.530938124 MHz																																																																		
T2	1		1.7147754 GHz	11.72 dBm																																																																				
D1	M1	1	4.96 MHz	0.93 dB																																																																				
Type	Ref	Trc	X-value	Y-value	Function	Function Result																																																																		
M1	1		1.71002 GHz	-10.69 dBm																																																																				
T1	1		1.7102645 GHz	11.28 dBm	Occ Bw	4.491017964 MHz																																																																		
T2	1		1.7147555 GHz	11.04 dBm																																																																				
D1	M1	1	4.96 MHz	0.26 dB																																																																				
Middle	<table border="1"> <thead> <tr> <th>Type</th> <th>Ref</th> <th>Trc</th> <th>X-value</th> <th>Y-value</th> <th>Function</th> <th>Function Result</th> </tr> </thead> <tbody> <tr> <td>M1</td> <td>1</td> <td></td> <td>1.72954 GHz</td> <td>-9.73 dBm</td> <td></td> <td></td> </tr> <tr> <td>T1</td> <td>1</td> <td></td> <td>1.7302445 GHz</td> <td>12.15 dBm</td> <td>Occ Bw</td> <td>4.510978044 MHz</td> </tr> <tr> <td>T2</td> <td>1</td> <td></td> <td>1.7347555 GHz</td> <td>12.81 dBm</td> <td></td> <td></td> </tr> <tr> <td>D1</td> <td>M1</td> <td>1</td> <td>5.72 MHz</td> <td>-0.16 dB</td> <td></td> <td></td> </tr> </tbody> </table> <p>Date: 31.AUG.2022 02:43:12</p>	Type	Ref	Trc	X-value	Y-value	Function	Function Result	M1	1		1.72954 GHz	-9.73 dBm			T1	1		1.7302445 GHz	12.15 dBm	Occ Bw	4.510978044 MHz	T2	1		1.7347555 GHz	12.81 dBm			D1	M1	1	5.72 MHz	-0.16 dB			<table border="1"> <thead> <tr> <th>Type</th> <th>Ref</th> <th>Trc</th> <th>X-value</th> <th>Y-value</th> <th>Function</th> <th>Function Result</th> </tr> </thead> <tbody> <tr> <td>M1</td> <td>1</td> <td></td> <td>1.72984 GHz</td> <td>-7.82 dBm</td> <td></td> <td></td> </tr> <tr> <td>T1</td> <td>1</td> <td></td> <td>1.7302445 GHz</td> <td>10.72 dBm</td> <td>Occ Bw</td> <td>4.530938124 MHz</td> </tr> <tr> <td>T2</td> <td>1</td> <td></td> <td>1.7347754 GHz</td> <td>11.31 dBm</td> <td></td> <td></td> </tr> <tr> <td>D1</td> <td>M1</td> <td>1</td> <td>5.14 MHz</td> <td>-1.54 dB</td> <td></td> <td></td> </tr> </tbody> </table> <p>Date: 31.AUG.2022 02:43:43</p>	Type	Ref	Trc	X-value	Y-value	Function	Function Result	M1	1		1.72984 GHz	-7.82 dBm			T1	1		1.7302445 GHz	10.72 dBm	Occ Bw	4.530938124 MHz	T2	1		1.7347754 GHz	11.31 dBm			D1	M1	1	5.14 MHz	-1.54 dB		
Type	Ref	Trc	X-value	Y-value	Function	Function Result																																																																		
M1	1		1.72954 GHz	-9.73 dBm																																																																				
T1	1		1.7302445 GHz	12.15 dBm	Occ Bw	4.510978044 MHz																																																																		
T2	1		1.7347555 GHz	12.81 dBm																																																																				
D1	M1	1	5.72 MHz	-0.16 dB																																																																				
Type	Ref	Trc	X-value	Y-value	Function	Function Result																																																																		
M1	1		1.72984 GHz	-7.82 dBm																																																																				
T1	1		1.7302445 GHz	10.72 dBm	Occ Bw	4.530938124 MHz																																																																		
T2	1		1.7347754 GHz	11.31 dBm																																																																				
D1	M1	1	5.14 MHz	-1.54 dB																																																																				
Highest	<table border="1"> <thead> <tr> <th>Type</th> <th>Ref</th> <th>Trc</th> <th>X-value</th> <th>Y-value</th> <th>Function</th> <th>Function Result</th> </tr> </thead> <tbody> <tr> <td>M1</td> <td>1</td> <td></td> <td>1.75004 GHz</td> <td>-8.85 dBm</td> <td></td> <td></td> </tr> <tr> <td>T1</td> <td>1</td> <td></td> <td>1.7502645 GHz</td> <td>12.75 dBm</td> <td>Occ Bw</td> <td>4.491017964 MHz</td> </tr> <tr> <td>T2</td> <td>1</td> <td></td> <td>1.7547555 GHz</td> <td>13.33 dBm</td> <td></td> <td></td> </tr> <tr> <td>D1</td> <td>M1</td> <td>1</td> <td>4.92 MHz</td> <td>0.56 dB</td> <td></td> <td></td> </tr> </tbody> </table> <p>Date: 31.AUG.2022 02:44:14</p>	Type	Ref	Trc	X-value	Y-value	Function	Function Result	M1	1		1.75004 GHz	-8.85 dBm			T1	1		1.7502645 GHz	12.75 dBm	Occ Bw	4.491017964 MHz	T2	1		1.7547555 GHz	13.33 dBm			D1	M1	1	4.92 MHz	0.56 dB			<table border="1"> <thead> <tr> <th>Type</th> <th>Ref</th> <th>Trc</th> <th>X-value</th> <th>Y-value</th> <th>Function</th> <th>Function Result</th> </tr> </thead> <tbody> <tr> <td>M1</td> <td>1</td> <td></td> <td>1.75002 GHz</td> <td>-10.19 dBm</td> <td></td> <td></td> </tr> <tr> <td>T1</td> <td>1</td> <td></td> <td>1.7502645 GHz</td> <td>10.28 dBm</td> <td>Occ Bw</td> <td>4.530938124 MHz</td> </tr> <tr> <td>T2</td> <td>1</td> <td></td> <td>1.7547754 GHz</td> <td>10.67 dBm</td> <td></td> <td></td> </tr> <tr> <td>D1</td> <td>M1</td> <td>1</td> <td>4.96 MHz</td> <td>0.37 dB</td> <td></td> <td></td> </tr> </tbody> </table> <p>Date: 31.AUG.2022 02:44:44</p>	Type	Ref	Trc	X-value	Y-value	Function	Function Result	M1	1		1.75002 GHz	-10.19 dBm			T1	1		1.7502645 GHz	10.28 dBm	Occ Bw	4.530938124 MHz	T2	1		1.7547754 GHz	10.67 dBm			D1	M1	1	4.96 MHz	0.37 dB		
Type	Ref	Trc	X-value	Y-value	Function	Function Result																																																																		
M1	1		1.75004 GHz	-8.85 dBm																																																																				
T1	1		1.7502645 GHz	12.75 dBm	Occ Bw	4.491017964 MHz																																																																		
T2	1		1.7547555 GHz	13.33 dBm																																																																				
D1	M1	1	4.92 MHz	0.56 dB																																																																				
Type	Ref	Trc	X-value	Y-value	Function	Function Result																																																																		
M1	1		1.75002 GHz	-10.19 dBm																																																																				
T1	1		1.7502645 GHz	10.28 dBm	Occ Bw	4.530938124 MHz																																																																		
T2	1		1.7547754 GHz	10.67 dBm																																																																				
D1	M1	1	4.96 MHz	0.37 dB																																																																				

Occupied Bandwidth





Occupied Bandwidth

Channel



15MHz Bandwidth QPSK

15MHz Bandwidth 16QAM



Lowest




Middle



Highest



Occupied Bandwidth





Spurious Emissions at Antenna Terminal



Channel

1.4MHz Bandwidth QPSK



Lowest




Middle




Highest




Spurious Emissions at Antenna Terminal



Spurious Emissions at Antenna Terminal



Spurious Emissions at Antenna Terminal





Spurious Emissions at Antenna Terminal



Channel

15MHz Bandwidth QPSK



Lowest




Middle




Highest




Spurious Emissions at Antenna Terminal




Out of band emission, Band Edge




Out of band emission, Band Edge



Out of band emission, Band Edge



Out of band emission, Band Edge



4.8 Antenna Port Test Data and Results for LTE Band 5

Serial Number:	CR22090005-RF-S1	Test Date:	2022-08-30~2022-08-31
Test Site:	RF	Test Mode:	Transmitting
Tester:	George Chan	Test Result:	Pass

Environmental Conditions:

Temperature: (°C)	25.1~25.8	Relative Humidity: (%)	52~60	ATM Pressure: (kPa)	100.1~100.8
----------------------	-----------	---------------------------	-------	------------------------	-------------

Test Equipment List and Details:

Manufacturer	Description	Model	Serial Number	Calibration Date	Calibration Due Date
R&S	Spectrum Analyzer	FSV40	101474	2022-07-15	2023-07-14
zhuoxiang	Coaxial Cable	SMA-178	211002	Each time	N/A
YINSAIGE	Coaxial Cable	SS402	SJ0100004	Each time	N/A
Mini-Circuits	DC Block	BLK-18-S+	1554404	Each time	N/A
Unknown	Coaxial tee connector	Unknown	2204006	Each time	N/A
Weinschel	Coaxial Attenuators	53-20-34	LN751	Each time	N/A
R&S	Wideband Radio Communication Tester	CMW500	149218	2022-07-15	2023-07-14
BACL	TEMP&HUMI Test Chamber	BTH-150-40	30174	2022-04-06	2023-04-05
UNI-T	Multimeter	UT39A+	C210582554	2021-09-30	2022-09-29
ZHAOXIN	DC Power Supply	RXN-6010D	21R6010D0912386	N/A	N/A

* Statement of Traceability: China Certification ICT Co., Ltd (Dongguan) attests that all calibrations have been performed, traceable to National Primary Standards and International System of Units (SI).

EUT Information@ LTE Band 5▲:

Antenna Gain (dBi):	0.5	Antenna Gain (dBd):	-1.65	Cable Loss (dB):	0.3
Operation Voltage(V _{DC}):					
Lowest:	3.3	Normal:	3.85	Highest:	4.4

Test Frequency For Each Mode:

Operation Bandwidth	Lowest Frequency (MHz)	Middle Frequency (MHz)	Highest Frequency (MHz)
1.4MHz	824.7	836.5	848.3
3MHz	825.5	836.5	847.5
5MHz	826.5	836.5	846.5
10MHz	829	836.5	844

Test Data:**FCC§2.1046;§ 22.913 (a)****RF Output Power:**

Test Bandwidth & Modulation	Resource Block & RB offset	Conducted Average Output Power(dBm)			Maximum ERP (dBm)	ERP Limit (dBm)
		Lowest Channel	Middle Channel	Highest Channel		
1.4MHz QPSK	RB1#0	23.75	23.75	23.64	21.99	38.45
	RB1#3	23.94	23.92	23.91		
	RB1#5	23.77	23.77	23.7		
	RB3#0	23.85	23.79	23.82		
	RB3#3	23.82	23.8	23.85		
	RB6#0	22.84	22.9	22.84		
1.4MHz 16QAM	RB1#0	22.75	22.9	22.74	21.1	38.45
	RB1#3	22.84	23.05	22.99		
	RB1#5	22.72	22.9	22.81		
	RB3#0	22.99	22.77	22.93		
	RB3#3	22.96	22.79	22.9		
	RB6#0	21.85	21.88	21.8		
3MHz QPSK	RB1#0	23.78	23.81	23.82	21.88	38.45
	RB1#8	23.76	23.83	23.72		
	RB1#14	23.76	23.8	23.78		
	RB6#0	22.8	22.85	22.74		
	RB6#9	22.77	22.85	22.8		
	RB15#0	22.83	22.81	22.83		
3MHz 16QAM	RB1#0	23.34	23.02	22.84	21.39	38.45
	RB1#8	23.3	22.97	22.82		
	RB1#14	23.26	22.91	22.8		
	RB6#0	21.85	21.8	21.73		
	RB6#9	21.83	21.85	21.77		
	RB15#0	21.82	21.76	21.88		
5MHz QPSK	RB1#0	23.68	23.7	23.74	21.91	38.45
	RB1#13	23.86	23.85	23.83		
	RB1#24	23.71	23.68	23.68		
	RB15#0	22.82	22.86	22.83		
	RB15#10	22.85	22.85	22.86		
	RB25#0	22.78	22.78	22.8		
5MHz 16QAM	RB1#0	22.79	22.66	22.96	21.25	38.45
	RB1#13	22.94	22.75	23.2		
	RB1#24	22.81	22.62	23.02		
	RB15#0	21.8	21.88	21.79		
	RB15#10	21.78	21.82	21.85		
	RB25#0	21.78	21.84	21.81		
10MHz QPSK	RB1#0	23.79	23.83	23.8	22.01	38.45
	RB1#25	23.96	23.95	23.93		

	RB1#49	23.83	23.83	23.8		
	RB25#0	22.83	22.89	22.92		
	RB25#25	22.93	22.84	22.88		
	RB50#0	22.88	22.85	22.89		
10MHz 16QAM	RB1#0	22.81	23.42	22.91	21.52	38.45
	RB1#25	22.98	23.47	23.06		
	RB1#49	22.88	23.28	23.01		
	RB25#0	21.88	21.93	21.89		
	RB25#25	21.97	21.87	21.93		
	RB50#0	21.89	21.83	21.87		

Note: ERP=Conducted Power(dBm) - L_c(dB) + G_T(dBd)

Result: **Pass**

Peak-to-average Ratio(PAR)

Test Bandwidth & Modulation	Resource Block & RB offset	Peak-to-average Ratio(dB)			Limit (dB)
		Lowest Channel	Middle Channel	Highest Channel	
10MHz QPSK	RB1#0	4.72	4.75	4.23	13
	RB50#0	5.01	5.07	4.61	13
10MHz 16QAM	RB1#0	5.68	5.83	5.07	13
	RB50#0	5.83	6.2	5.42	13
Result:					Pass

FCC §2.1049, §22.905:Occupied Bandwidth

Operation Mode	99% Occupied Bandwidth (MHz)			26 dB Occupied Bandwidth (MHz)		
	Low Channel	Middle channel	High Channel	Low Channel	Middle Channel	High Channel
1.4MHz QPSK	1.102	1.102	1.096	1.32	1.29	1.302
1.4MHz 16QAM	1.096	1.102	1.096	1.29	1.296	1.314
3MHz QPSK	2.683	2.683	2.683	2.892	2.868	2.868
3MHz 16QAM	2.683	2.671	2.683	2.88	2.892	2.88
5MHz QPSK	4.511	4.491	4.511	4.94	4.94	4.94
5MHz 16QAM	4.531	4.511	4.511	4.94	5.14	4.96
10MHz QPSK	8.942	8.942	8.982	9.6	9.6	9.68
10MHz 16QAM	8.982	8.942	8.942	9.6	9.64	9.68

Note: The test plots please refer to the Plots of Occupied Bandwidth

FCC §2.1051, §22.917(a):Spurious Emissions at Antenna Terminal**Result:** Pass, Please refer to the test plots of Spurious Emissions at Antenna Terminal.**FCC §2.1051, §22.917(a):Out of band emission, Band Edge****Result:** Pass, Please refer to the test plots of Out of band emission, Band Edge.**FCC §2.1055, §22.355: Frequency Stability**

Test Mode:	10 MHz QPSK		Test Channel:	836.5	MHz
Test Item	Temperature (°C)	Voltage (V _{DC})	Frequency Error		Limit
			(Hz)	(ppm)	(ppm)
Frequency Stability vs. Temperature	-30	3.85	-3.2	-0.004	2.5
	-20	3.85	-6.97	-0.008	2.5
	-10	3.85	-5.5	-0.007	2.5
	0	3.85	6.06	0.007	2.5
	10	3.85	9.8	0.012	2.5
	20	3.85	5.03	0.006	2.5
	30	3.85	-6.62	-0.008	2.5
	40	3.85	-8.73	-0.010	2.5
Frequency Stability vs. Voltage	20	3.3	8.99	0.011	2.5
	20	4.4	-7.17	-0.009	2.5
Result:				Pass	

Test Mode:	10 MHz 16QAM		Test Channel:	836.5	MHz
Test Item	Temperature (°C)	Voltage (V _{DC})	Frequency Error		Limit
			(Hz)	(ppm)	(ppm)
Frequency Stability vs. Temperature	-30	3.85	-6.48	-0.008	2.5
	-20	3.85	8.1	0.010	2.5
	-10	3.85	-8.59	-0.010	2.5
	0	3.85	9.33	0.011	2.5
	10	3.85	-6.94	-0.008	2.5
	20	3.85	7.54	0.009	2.5
	30	3.85	6.43	0.008	2.5
	40	3.85	-6.17	-0.007	2.5
Frequency Stability vs. Voltage	20	3.3	6.34	0.008	2.5
	20	4.4	-6.89	-0.008	2.5
Result:				Pass	

Test Plots:

Occupied Bandwidth

