

1. Effective (Isotropic) Radiated Power Output Data

1.1 Band5_ERP

1.1.1 Test Result

| Band: 5 | | | | | | | | | |
|---------|-----------|--------------|-----------------|-----------------------|------------|-----------|---------|---------|------|
| ENV | Mode | | Frequency (MHz) | Conducted Power (dBm) | Gain (dbi) | ERP (dBm) | | Verdict | |
| | Network | Subset | | | | Result | Limit | | |
| NTNV | RMC | 12.2kbps RMC | 826.4 | 23.12 | -0.12 | 20.85 | <=38.45 | Pass | |
| | | | 836.6 | 23.07 | -0.12 | 20.80 | <=38.45 | Pass | |
| | | | 846.6 | 23.02 | -0.12 | 20.75 | <=38.45 | Pass | |
| | HSDPA | Subtest 1 | 826.4 | 22.62 | -0.12 | 20.35 | <=38.45 | Pass | |
| | | Subtest 2 | 826.4 | 22.61 | -0.12 | 20.34 | <=38.45 | Pass | |
| | | Subtest 3 | 826.4 | 22.60 | -0.12 | 20.33 | <=38.45 | Pass | |
| | | Subtest 4 | 826.4 | 22.58 | -0.12 | 20.31 | <=38.45 | Pass | |
| | | Subtest 1 | 836.6 | 21.95 | -0.12 | 19.68 | <=38.45 | Pass | |
| | | Subtest 2 | 836.6 | 21.95 | -0.12 | 19.68 | <=38.45 | Pass | |
| | | Subtest 3 | 836.6 | 21.95 | -0.12 | 19.68 | <=38.45 | Pass | |
| | | Subtest 4 | 836.6 | 21.89 | -0.12 | 19.62 | <=38.45 | Pass | |
| | | Subtest 1 | 846.6 | 21.98 | -0.12 | 19.71 | <=38.45 | Pass | |
| | | Subtest 2 | 846.6 | 21.97 | -0.12 | 19.70 | <=38.45 | Pass | |
| | | Subtest 3 | 846.6 | 21.96 | -0.12 | 19.69 | <=38.45 | Pass | |
| | | Subtest 4 | 846.6 | 21.93 | -0.12 | 19.66 | <=38.45 | Pass | |
| | | HSUPA | Subtest 1 | 826.4 | 20.41 | -0.12 | 18.14 | <=38.45 | Pass |
| | | | Subtest 2 | 826.4 | 20.37 | -0.12 | 18.10 | <=38.45 | Pass |
| | | | Subtest 3 | 826.4 | 20.64 | -0.12 | 18.37 | <=38.45 | Pass |
| | | | Subtest 4 | 826.4 | 20.46 | -0.12 | 18.19 | <=38.45 | Pass |
| | | | Subtest 5 | 826.4 | 20.39 | -0.12 | 18.12 | <=38.45 | Pass |
| | Subtest 1 | | 836.6 | 19.47 | -0.12 | 17.20 | <=38.45 | Pass | |
| | Subtest 2 | | 836.6 | 19.51 | -0.12 | 17.24 | <=38.45 | Pass | |
| | Subtest 3 | | 836.6 | 19.96 | -0.12 | 17.69 | <=38.45 | Pass | |
| | Subtest 4 | | 836.6 | 19.72 | -0.12 | 17.45 | <=38.45 | Pass | |
| | Subtest 5 | | 836.6 | 19.44 | -0.12 | 17.17 | <=38.45 | Pass | |
| | Subtest 1 | | 846.6 | 19.49 | -0.12 | 17.22 | <=38.45 | Pass | |
| | Subtest 2 | | 846.6 | 19.97 | -0.12 | 17.70 | <=38.45 | Pass | |
| | Subtest 3 | | 846.6 | 19.46 | -0.12 | 17.19 | <=38.45 | Pass | |
| | Subtest 4 | 846.6 | 19.79 | -0.12 | 17.52 | <=38.45 | Pass | | |
| | Subtest 5 | 846.6 | 19.97 | -0.12 | 17.70 | <=38.45 | Pass | | |

Note1: ERP=Conducted Power+Antenna Gain-2.15

2. Frequency Stability

2.1 Band5

2.1.1 Test Result

| Band: 5 | | | | | | | |
|---------|-----------------|------------|---------------|------------------|-----------------------|-------------|---------|
| Network | Frequency (MHz) | Temp. (°C) | Voltage (VDC) | Freq. Error (Hz) | Freq. vs. Rated (ppm) | | Verdict |
| | | | | | Result | Limit | |
| RMC | 826.4 | 20 | 3.23 | 0.966 | 0.0012 | -2.5 to 2.5 | Pass |
| | | | 3.8 | -1.945 | -0.0024 | -2.5 to 2.5 | Pass |
| | | | 4.37 | 0.579 | 0.0007 | -2.5 to 2.5 | Pass |

| | | | | | | | |
|-------|-------|-------|--------|-------------|-------------|-------------|------|
| | 836.6 | -30 | 3.8 | -0.322 | -0.0004 | -2.5 to 2.5 | Pass |
| | | -20 | 3.8 | -2.460 | -0.0030 | -2.5 to 2.5 | Pass |
| | | -10 | 3.8 | 1.545 | 0.0019 | -2.5 to 2.5 | Pass |
| | | 0 | 3.8 | 0.300 | 0.0004 | -2.5 to 2.5 | Pass |
| | | 10 | 3.8 | -1.144 | -0.0014 | -2.5 to 2.5 | Pass |
| | | 30 | 3.8 | -1.867 | -0.0023 | -2.5 to 2.5 | Pass |
| | | 40 | 3.8 | 1.681 | 0.0020 | -2.5 to 2.5 | Pass |
| | | 50 | 3.8 | -1.030 | -0.0012 | -2.5 to 2.5 | Pass |
| | | 20 | 3.23 | -1.051 | -0.0013 | -2.5 to 2.5 | Pass |
| | | | 3.8 | 0.350 | 0.0004 | -2.5 to 2.5 | Pass |
| | | | 4.37 | 0.000 | 0.0000 | -2.5 to 2.5 | Pass |
| | | -30 | 3.8 | -0.200 | -0.0002 | -2.5 to 2.5 | Pass |
| | | -20 | 3.8 | -1.366 | -0.0016 | -2.5 to 2.5 | Pass |
| | | -10 | 3.8 | -0.787 | -0.0009 | -2.5 to 2.5 | Pass |
| | 0 | 3.8 | -0.129 | -0.0002 | -2.5 to 2.5 | Pass | |
| | 10 | 3.8 | 0.308 | 0.0004 | -2.5 to 2.5 | Pass | |
| | 30 | 3.8 | 0.823 | 0.0010 | -2.5 to 2.5 | Pass | |
| | 40 | 3.8 | 0.851 | 0.0010 | -2.5 to 2.5 | Pass | |
| | 50 | 3.8 | 1.545 | 0.0018 | -2.5 to 2.5 | Pass | |
| | 846.6 | 20 | 3.23 | -1.566 | -0.0018 | -2.5 to 2.5 | Pass |
| | | | 3.8 | -1.216 | -0.0014 | -2.5 to 2.5 | Pass |
| | | | 4.37 | -1.237 | -0.0015 | -2.5 to 2.5 | Pass |
| | | -30 | 3.8 | 1.001 | 0.0012 | -2.5 to 2.5 | Pass |
| | | -20 | 3.8 | -0.451 | -0.0005 | -2.5 to 2.5 | Pass |
| | | -10 | 3.8 | -1.345 | -0.0016 | -2.5 to 2.5 | Pass |
| | | 0 | 3.8 | -0.679 | -0.0008 | -2.5 to 2.5 | Pass |
| | | 10 | 3.8 | 1.688 | 0.0020 | -2.5 to 2.5 | Pass |
| | | 30 | 3.8 | 0.587 | 0.0007 | -2.5 to 2.5 | Pass |
| | | 40 | 3.8 | -0.029 | 0.0000 | -2.5 to 2.5 | Pass |
| | | 50 | 3.8 | -0.672 | -0.0008 | -2.5 to 2.5 | Pass |
| 826.4 | | 20 | 3.23 | 5.279 | 0.0064 | -2.5 to 2.5 | Pass |
| | | | 3.8 | 4.785 | 0.0058 | -2.5 to 2.5 | Pass |
| | | | 4.37 | 5.271 | 0.0064 | -2.5 to 2.5 | Pass |
| | -30 | 3.8 | 4.356 | 0.0053 | -2.5 to 2.5 | Pass | |
| | -20 | 3.8 | 4.148 | 0.0050 | -2.5 to 2.5 | Pass | |
| | -10 | 3.8 | 5.493 | 0.0066 | -2.5 to 2.5 | Pass | |
| | 0 | 3.8 | 4.749 | 0.0057 | -2.5 to 2.5 | Pass | |
| | 10 | 3.8 | 4.385 | 0.0053 | -2.5 to 2.5 | Pass | |
| | 30 | 3.8 | 5.336 | 0.0065 | -2.5 to 2.5 | Pass | |
| | 40 | 3.8 | 5.329 | 0.0064 | -2.5 to 2.5 | Pass | |
| | 50 | 3.8 | 5.772 | 0.0070 | -2.5 to 2.5 | Pass | |
| | 836.6 | 20 | 3.23 | 4.649 | 0.0056 | -2.5 to 2.5 | Pass |
| | | | 3.8 | 3.812 | 0.0046 | -2.5 to 2.5 | Pass |
| | | | 4.37 | 3.111 | 0.0037 | -2.5 to 2.5 | Pass |
| -30 | | 3.8 | 3.083 | 0.0037 | -2.5 to 2.5 | Pass | |
| -20 | | 3.8 | 3.226 | 0.0039 | -2.5 to 2.5 | Pass | |
| -10 | | 3.8 | 2.632 | 0.0031 | -2.5 to 2.5 | Pass | |
| 0 | | 3.8 | 3.304 | 0.0039 | -2.5 to 2.5 | Pass | |
| 10 | | 3.8 | 2.947 | 0.0035 | -2.5 to 2.5 | Pass | |
| 30 | | 3.8 | 3.419 | 0.0041 | -2.5 to 2.5 | Pass | |
| 40 | | 3.8 | 1.760 | 0.0021 | -2.5 to 2.5 | Pass | |
| 50 | | 3.8 | 2.389 | 0.0029 | -2.5 to 2.5 | Pass | |
| 846.6 | | 20 | 3.23 | 2.367 | 0.0028 | -2.5 to 2.5 | Pass |
| | | | 3.8 | 2.518 | 0.0030 | -2.5 to 2.5 | Pass |
| | | | 4.37 | 2.439 | 0.0029 | -2.5 to 2.5 | Pass |
| | -30 | 3.8 | 4.370 | 0.0052 | -2.5 to 2.5 | Pass | |
| -20 | 3.8 | 3.548 | 0.0042 | -2.5 to 2.5 | Pass | | |

| | | | | | | | |
|-------|-------|-----|--------|---------|-------------|-------------|------|
| | | -10 | 3.8 | 5.329 | 0.0063 | -2.5 to 2.5 | Pass |
| | | 0 | 3.8 | 2.060 | 0.0024 | -2.5 to 2.5 | Pass |
| | | 10 | 3.8 | 1.602 | 0.0019 | -2.5 to 2.5 | Pass |
| | | 30 | 3.8 | 3.941 | 0.0047 | -2.5 to 2.5 | Pass |
| | | 40 | 3.8 | 1.631 | 0.0019 | -2.5 to 2.5 | Pass |
| | | 50 | 3.8 | 3.090 | 0.0036 | -2.5 to 2.5 | Pass |
| HSUPA | 826.4 | 20 | 3.23 | -4.191 | -0.0051 | -2.5 to 2.5 | Pass |
| | | | 3.8 | -2.475 | -0.0030 | -2.5 to 2.5 | Pass |
| | | | 4.37 | -2.918 | -0.0035 | -2.5 to 2.5 | Pass |
| | | -30 | 3.8 | -2.046 | -0.0025 | -2.5 to 2.5 | Pass |
| | | -20 | 3.8 | -2.024 | -0.0024 | -2.5 to 2.5 | Pass |
| | | -10 | 3.8 | -3.183 | -0.0039 | -2.5 to 2.5 | Pass |
| | | 0 | 3.8 | -2.811 | -0.0034 | -2.5 to 2.5 | Pass |
| | | 10 | 3.8 | -3.176 | -0.0038 | -2.5 to 2.5 | Pass |
| | | 30 | 3.8 | -2.725 | -0.0033 | -2.5 to 2.5 | Pass |
| | | 40 | 3.8 | -4.456 | -0.0054 | -2.5 to 2.5 | Pass |
| | 50 | 3.8 | -2.618 | -0.0032 | -2.5 to 2.5 | Pass | |
| | 836.6 | 20 | 3.23 | -4.606 | -0.0055 | -2.5 to 2.5 | Pass |
| | | | 3.8 | -4.463 | -0.0053 | -2.5 to 2.5 | Pass |
| | | | 4.37 | -3.633 | -0.0043 | -2.5 to 2.5 | Pass |
| | | -30 | 3.8 | -4.456 | -0.0053 | -2.5 to 2.5 | Pass |
| | | -20 | 3.8 | -2.947 | -0.0035 | -2.5 to 2.5 | Pass |
| | | -10 | 3.8 | -3.777 | -0.0045 | -2.5 to 2.5 | Pass |
| | | 0 | 3.8 | -3.998 | -0.0048 | -2.5 to 2.5 | Pass |
| | | 10 | 3.8 | -3.340 | -0.0040 | -2.5 to 2.5 | Pass |
| | | 30 | 3.8 | -3.312 | -0.0040 | -2.5 to 2.5 | Pass |
| | | 40 | 3.8 | -2.568 | -0.0031 | -2.5 to 2.5 | Pass |
| | 50 | 3.8 | -1.380 | -0.0016 | -2.5 to 2.5 | Pass | |
| | 846.6 | 20 | 3.23 | -4.177 | -0.0049 | -2.5 to 2.5 | Pass |
| | | | 3.8 | -2.325 | -0.0027 | -2.5 to 2.5 | Pass |
| | | | 4.37 | -4.163 | -0.0049 | -2.5 to 2.5 | Pass |
| | | -30 | 3.8 | -3.805 | -0.0045 | -2.5 to 2.5 | Pass |
| | | -20 | 3.8 | -4.113 | -0.0049 | -2.5 to 2.5 | Pass |
| | | -10 | 3.8 | -4.735 | -0.0056 | -2.5 to 2.5 | Pass |
| | | 0 | 3.8 | -5.236 | -0.0062 | -2.5 to 2.5 | Pass |
| | | 10 | 3.8 | -4.685 | -0.0055 | -2.5 to 2.5 | Pass |
| | | 30 | 3.8 | -5.529 | -0.0065 | -2.5 to 2.5 | Pass |
| | | 40 | 3.8 | -3.226 | -0.0038 | -2.5 to 2.5 | Pass |
| | 50 | 3.8 | -5.178 | -0.0061 | -2.5 to 2.5 | Pass | |


3. Modulation Characteristics

3.1 Band5

3.1.1 Test Result

| Band: 5 | | | | | | |
|---------|---------|--------------|-----------------|----------------------------|-------|---------|
| ENV | Mode | | Frequency (MHz) | Modulation Characteristics | | Verdict |
| | Network | Subset | | Result | Limit | |
| NTNV | RMC | 12.2kbps RMC | 836.6 | Refer To Test Graph | | Pass |
| | HSDPA | Subtest 1 | 836.6 | Refer To Test Graph | | Pass |
| | HSUPA | Subtest 1 | 836.6 | Refer To Test Graph | | Pass |

3.1.2 Test Graph



Band5_HSUPA_MCH_836.6MHz_Subtest 1_NTNV

WCDMA UE TX Measurement - V3.7.22 - Base V 3.7.160

UL Frequency: 836.600000 MHz Ref. Level: 34.00 dBm Connector: RF1COM Meas. Period: Full Slot

WCDMA

Multi Evaluation
 TPC Measurement
 PRACH
 DPCCH Open Loop Power
 Out-of-Sync Handling

IQ

Statistic Count

20 / 20

| 1st Measured Slot No | 0 |
|-----------------------|---------------|
| Statistics @ Pre. ... | CurrentStdDev |
| Power [dBm] | 21.84 2.35 |
| Power Steps [dB] | NCAP NCAP |
| EVM RMS [%] | 3.97 1.41 |
| EVM Peak [%] | 75.97 38.48 |
| Magn. Error RMS [%] | 3.31 1.39 |
| Magn. Error Peak [%] | -75.62 39.70 |
| Phase Error RMS [°] | 2.01 0.43 |
| Phase Error Peak [°] | -12.86 3.23 |
| IQ Origin Offset [dB] | -46.20 1.10 |
| IQ Imbalance [dB] | -53.05 0.68 |
| CF Error [Hz] | 6.83 8.99 |
| Phase Disc. [°] | NCAP |

HSDPA+
 HSDPA
 CM
 Circuit Switched: Registered

Packet Switched: Connection Established

Power: ■

Sync: ■

Go To Local

Show Remote Screen

WCDMA 1 Signaling

ON



4. 99% & 26dB Bandwidth

4.1 Band5_OBW


4.1.1 Test Result

| Band: 5 | | | | | |
|---------|---------|--------------|-----------------|------------------------------|---------|
| ENV | Mode | | Frequency (MHz) | 99% Occupied Bandwidth (MHz) | Verdict |
| | Network | Subset | | Result | |
| NTNV | RMC | 12.2kbps RMC | 826.4 | 4.158 | Pass |
| | | | 836.6 | 4.167 | Pass |
| | | | 846.6 | 4.171 | Pass |
| | HSDPA | Subtest 1 | 826.4 | 4.161 | Pass |
| | | | 836.6 | 4.179 | Pass |
| | | | 846.6 | 4.145 | Pass |
| | HSUPA | Subtest 1 | 826.4 | 4.170 | Pass |
| | | | 836.6 | 4.177 | Pass |
| | | | 846.6 | 4.159 | Pass |


4.1.2 Test Graph




Band5_RMC_HCH_846.6MHz_12.2kbps RMC_NTNV




Band5_HSDPA_LCH_826.4MHz_Subtest 1_NTNV




Band5_HSDPA_MCH_836.6MHz_Subtest 1_NTNV




Band5_HSDPA_HCH_846.6MHz_Subtest 1_NTNV




Band5_HSUPA_LCH_826.4MHz_Subtest 1_NTNV



Band5_HSUPA_MCH_836.6MHz_Subtest 1_NTNV



Band5_HSUPA_HCH_846.6MHz_Subtest 1_NTNV




4.2 Band5_XDB


4.2.1 Test Result

| Band: 5 | | | | | |
|---------|---------|--------------|-----------------|-----------------------------|---------|
| ENV | Mode | | Frequency (MHz) | 26dB Bandwidth (MHz) Result | Verdict |
| | Network | Subset | | | |
| NTNV | RMC | 12.2kbps RMC | 826.4 | 4.690 | Pass |
| | | | 836.6 | 4.711 | Pass |
| | | | 846.6 | 4.718 | Pass |
| | HSDPA | Subtest 1 | 826.4 | 4.705 | Pass |
| | | | 836.6 | 4.724 | Pass |
| | | | 846.6 | 4.684 | Pass |
| | HSUPA | Subtest 1 | 826.4 | 4.696 | Pass |
| | | | 836.6 | 4.731 | Pass |
| | | | 846.6 | 4.724 | Pass |


4.2.2 Test Graph




Band5_RMC_HCH_846.6MHz_12.2kbps RMC_NTNV




Band5_HSDPA_LCH_826.4MHz_Subtest 1_NTNV




Band5_HSDPA_MCH_836.6MHz_Subtest 1_NTNV




Band5_HSDPA_HCH_846.6MHz_Subtest 1_NTNV




Band5_HSUPA_LCH_826.4MHz_Subtest 1_NTNV



Band5_HSUPA_MCH_836.6MHz_Subtest 1_NTNV



Band5_HSUPA_HCH_846.6MHz_Subtest 1_NTNV




5. Peak-Average Ratio

5.1 Band5


5.1.1 Test Result

| Band: 5 | | | | | | |
|---------|---------|--------------|-----------------|-------------------------|-------|---------|
| ENV | Mode | | Frequency (MHz) | Peak-Average Ratio (dB) | | Verdict |
| | Network | Subset | | Result | Limit | |
| NTNV | RMC | 12.2kbps RMC | 826.4 | 3.00 | <=13 | Pass |
| | | | 836.6 | 3.05 | <=13 | Pass |
| | | | 846.6 | 3.00 | <=13 | Pass |
| | HSDPA | Subtest 1 | 826.4 | 5.60 | <=13 | Pass |
| | | | 836.6 | 5.84 | <=13 | Pass |
| | | | 846.6 | 5.66 | <=13 | Pass |
| | HSUPA | Subtest 1 | 826.4 | 5.79 | <=13 | Pass |
| | | | 836.6 | 5.83 | <=13 | Pass |
| | | | 846.6 | 5.84 | <=13 | Pass |


5.1.2 Test Graph




Band5_RMC_HCH_846.6MHz_12.2kbps RMC_NTNV




Band5_HSDPA_LCH_826.4MHz_Subtest 1_NTNV




Band5_HSDPA_MCH_836.6MHz_Subtest 1_NTNV




Band5_HSDPA_HCH_846.6MHz_Subtest 1_NTNV




Band5_HSUPA_LCH_826.4MHz_Subtest 1_NTNV



Band5_HSUPA_MCH_836.6MHz_Subtest 1_NTNV



Band5_HSUPA_HCH_846.6MHz_Subtest 1_NTNV





6. Spurious Emission

6.1 Band5


6.1.1 Test Result

| Band: 5 | | | | | | |
|---------|---------|--------------|-----------------|---------------------|-------|---------|
| ENV | Mode | | Frequency (MHz) | Spurious Emission | | Verdict |
| | Network | Subset | | Result | Limit | |
| NTNV | RMC | 12.2kbps RMC | 826.4 | Refer To Test Graph | | Pass |
| | | | 836.6 | Refer To Test Graph | | Pass |
| | | | 846.6 | Refer To Test Graph | | Pass |
| | HSDPA | Subtest 1 | 826.4 | Refer To Test Graph | | Pass |
| | | | 836.6 | Refer To Test Graph | | Pass |
| | | | 846.6 | Refer To Test Graph | | Pass |
| | HSUPA | Subtest 1 | 826.4 | Refer To Test Graph | | Pass |
| | | | 836.6 | Refer To Test Graph | | Pass |
| | | | 846.6 | Refer To Test Graph | | Pass |


6.1.2 Test Graph




Band5_RMC_MCH_836.6MHz_12.2kbps RMC_NTNV




Band5_RMC_HCH_846.6MHz_12.2kbps RMC_NTNV




Band5_RMC_HCH_846.6MHz_12.2kbps RMC_NTNV




Band5_HSDPA_LCH_826.4MHz_Subtest 1_NTNV




Band5_HSDPA_LCH_826.4MHz_Subtest 1_NTNV




Band5_HSDPA_MCH_836.6MHz_Subtest 1_NTNV




Band5_HSDPA_HCH_846.6MHz_Subtest 1_NTNV




Band5_HSDPA_HCH_846.6MHz_Subtest 1_NTNV




Band5_HSUPA_LCH_826.4MHz_Subtest 1_NTNV




Band5_HSUPA_LCH_826.4MHz_Subtest 1_NTNV




Band5_HSUPA_MCH_836.6MHz_Subtest 1_NTNV



Band5_HSUPA_HCH_846.6MHz_Subtest 1_NTNV



Band5_HSUPA_HCH_846.6MHz_Subtest 1_NTNV



7. Form731

7.1 Form731_Power

7.1.1 Test Result

| Band | BW | Lower Freq | High Freq | MAX Power (W) | Value | Hz/ppm | Emission Designator | Rule Parts | MAX Power (dBm) |
|------|------|------------|-----------|---------------|--------|--------|---------------------|------------|-----------------|
| 5 | 3.84 | 826.4 | 846.6 | 0.2051 | 0.0070 | ppm | 4M18F9W | 24E | 23.12 |

7.2 Form731_ERP

7.2.1 Test Result

| Band | BW | Lower Freq | High Freq | MAX Power (W) | Value | Hz/ppm | Emission Designator | Rule Parts | MAX Power (dBm) |
|------|------|------------|-----------|---------------|--------|--------|---------------------|------------|-----------------|
| 5 | 3.84 | 826.4 | 846.6 | 0.1216 | 0.0070 | ppm | 4M18F9W | 24E | 20.85 |