




11A_Ant1_5280




11A_Ant1_5320




11A_Ant1_5500




11A_Ant1_5580




11A_Ant1_5700




11A_Ant1_5745




11A_Ant1_5785




11A_Ant1_5825




11N20SISO_Ant1_5180




11N20SISO_Ant1_5200




11N20SISO_Ant1_5240




11N20SISO_Ant1_5260




11N20SISO_Ant1_5280




11N20SISO_Ant1_5320




11N20SISO_Ant1_5500




11N20SISO_Ant1_5580




11N20SISO_Ant1_5700




11N20SISO_Ant1_5745




11N20SISO_Ant1_5785




11N20SISO_Ant1_5825




11N40SISO_Ant1_5190




11N40SISO_Ant1_5230




11N40SISO_Ant1_5270




11N40SISO_Ant1_5310




11N40SISO_Ant1_5510




11N40SISO_Ant1_5550




11N40SISO_Ant1_5670




11N40SISO_Ant1_5755




11N40SISO_Ant1_5795




11AC20SISO_Ant1_5180




11AC20SISO_Ant1_5200




11AC20SISO_Ant1_5240




11AC20SISO_Ant1_5260




11AC20SISO_Ant1_5280



11AC20SISO_Ant1_5320




11AC20SISO_Ant1_5500




Date: 23.MAR.2024 16:31:16

11AC20SISO_Ant1_5580




Date: 23.MAR.2024 16:41:05

11AC20SISO_Ant1_5700




Date: 23.MAR.2024 16:45:58


11AC20SISO_Ant1_5745




11AC20SISO_Ant1_5785




11AC20SISO_Ant1_5825




11AC40SISO_Ant1_5190




11AC40SISO_Ant1_5230



11AC40SISO_Ant1_5270




11AC40SISO_Ant1_5310




Date: 23.MAR.2024 17:30:41

11AC40SISO_Ant1_5510




Date: 23.MAR.2024 17:37:28

11AC40SISO_Ant1_5550




Date: 23.MAR.2024 17:43:50


11AC40SISO_Ant1_5670




11AC40SISO_Ant1_5755




11AC40SISO_Ant1_5795




11AC80SISO_Ant1_5210




11AC80SISO_Ant1_5290



11AC80SISO_Ant1_5530




11AC80SISO_Ant1_5610



Date: 23.MAR.2024 18:29:05

11AC80SISO_Ant1_5775






Date: 23.MAR.2024 18:35:13

APPENDIXG - POWER SPECTRAL DENSITY


TestMode	Antenna	Freq(MHz)	Result [dBm/MHz]	Limit[dBm/MHz]	Verdict
11A	Ant1	5180	0.63	≤11.00	PASS
		5200	1.94	≤11.00	PASS
		5240	1.40	≤11.00	PASS
		5260	1.37	≤11.00	PASS
		5280	0.79	≤11.00	PASS
		5320	0.22	≤11.00	PASS
		5500	-2.34	≤11.00	PASS
		5580	-2.08	≤11.00	PASS
		5700	-0.59	≤11.00	PASS
		5745	-3.35	≤30.00	PASS
		5785	-3.03	≤30.00	PASS
5825	-2.57	≤30.00	PASS		
11N20SISO	Ant1	5180	2.35	≤11.00	PASS
		5200	2.14	≤11.00	PASS
		5240	1.96	≤11.00	PASS
		5260	1.00	≤11.00	PASS
		5280	1.48	≤11.00	PASS
		5320	0.26	≤11.00	PASS
		5500	-1.95	≤11.00	PASS
		5580	-2.15	≤11.00	PASS
		5700	-0.19	≤11.00	PASS
		5745	-3.44	≤30.00	PASS
		5785	-3.11	≤30.00	PASS
5825	-2.53	≤30.00	PASS		
11N40SISO	Ant1	5190	-0.46	≤11.00	PASS
		5230	-0.65	≤11.00	PASS
		5270	-1.39	≤11.00	PASS
		5310	-2.17	≤11.00	PASS
		5510	-4.73	≤11.00	PASS
		5550	-4.88	≤11.00	PASS
		5670	-4.25	≤11.00	PASS
		5755	-6.36	≤30.00	PASS
5795	-6.17	≤30.00	PASS		
11AC20SISO	Ant1	5180	2.08	≤11.00	PASS
		5200	1.52	≤11.00	PASS
		5240	0.68	≤11.00	PASS
		5260	0.40	≤11.00	PASS
		5280	0.71	≤11.00	PASS
		5320	-0.69	≤11.00	PASS
		5500	-2.95	≤11.00	PASS
		5580	-2.36	≤11.00	PASS
		5700	-1.34	≤11.00	PASS
		5745	-3.49	≤30.00	PASS
5785	-3.17	≤30.00	PASS		
5825	-3.19	≤30.00	PASS		
11AC40SISO	Ant1	5190	-0.37	≤11.00	PASS
		5230	-0.09	≤11.00	PASS
		5270	-1.55	≤11.00	PASS
		5310	-2.41	≤11.00	PASS
		5510	-4.81	≤11.00	PASS
		5550	-4.37	≤11.00	PASS
		5670	-4.18	≤11.00	PASS
		5755	-6.26	≤30.00	PASS
5795	-4.98	≤30.00	PASS		
11AC80SISO	Ant1	5210	-3.73	≤11.00	PASS
		5290	-4.46	≤11.00	PASS
		5530	-7.96	≤11.00	PASS
		5610	-7.99	≤11.00	PASS
		5775	-9.37	≤30.00	PASS

Note: 1.The Result and Limit Unit is dBm/500 kHz in the band 5.725–5.85 GHz.
 2.The Duty Cycle Factorand RBW Factoriscompensatedinthegraph.


Test Graphs




11A_Ant1_5260




11A_Ant1_5280




11A_Ant1_5320




11A_Ant1_5500




11A_Ant1_5580



11A_Ant1_5700




11A_Ant1_5745



Date: 23.MAR.2024 13:16:29

11A_Ant1_5785




Date: 23.MAR.2024 13:24:09

11A_Ant1_5825




Date: 23.MAR.2024 13:31:54

11N20SISO_Ant1_5180




Date: 23.MAR.2024 13:38:04

11N20SISO_Ant1_5200




Date: 23.MAR.2024 13:45:24

11N20SISO_Ant1_5240




Date: 23.MAR.2024 13:50:42


11N20SISO_Ant1_5260




11N20SISO_Ant1_5280




11N20SISO_Ant1_5320




11N20SISO_Ant1_5500




11N20SISO_Ant1_5580



11N20SISO_Ant1_5700




11N20SISO_Ant1_5745




Date: 23.MAR.2024 14:33:34

11N20SISO_Ant1_5785




Date: 23.MAR.2024 14:40:00

11N20SISO_Ant1_5825



Date: 23.MAR.2024 14:44:58


11N40SISO_Ant1_5190




11N40SISO_Ant1_5230



11N40SISO_Ant1_5270




11N40SISO_Ant1_5310




Date: 23.MAR.2024 15:10:16

11N40SISO_Ant1_5510




Date: 23.MAR.2024 15:17:13

11N40SISO_Ant1_5550



Date: 23.MAR.2024 15:24:29


11N40SISO_Ant1_5670




11N40SISO_Ant1_5755




11N40SISO_Ant1_5795




11AC20SISO_Ant1_5180




11AC20SISO_Ant1_5200




11AC20SISO_Ant1_5240




11AC20SISO_Ant1_5260




11AC20SISO_Ant1_5280



11AC20SISO_Ant1_5320




11AC20SISO_Ant1_5500




Date: 23.MAR.2024 16:31:24

11AC20SISO_Ant1_5580




Date: 23.MAR.2024 16:41:14

11AC20SISO_Ant1_5700




Date: 23.MAR.2024 16:46:06

11AC20SISO_Ant1_5745




Date: 23.MAR.2024 16:53:11

11AC20SISO_Ant1_5785




Date: 23.MAR.2024 17:00:06

11AC20SISO_Ant1_5825




Date: 23.MAR.2024 17:05:39


11AC40SISO_Ant1_5190




11AC40SISO_Ant1_5230



11AC40SISO_Ant1_5270




11AC40SISO_Ant1_5310




Date: 23.MAR.2024 17:30:50

11AC40SISO_Ant1_5510




Date: 23.MAR.2024 17:37:37

11AC40SISO_Ant1_5550




Date: 23.MAR.2024 17:43:59


11AC40SISO_Ant1_5670




11AC40SISO_Ant1_5755




11AC40SISO_Ant1_5795




11AC80SISO_Ant1_5210




11AC80SISO_Ant1_5290




11AC80SISO_Ant1_5530



11AC80SISO_Ant1_5610



11AC80SISO_Ant1_5775



APPENDIX H - Frequency Stability

TestMode	Antenna	Freq(MHz)	Voltage		Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
			Voltage [Vdc]	Temperature (°C)				
11A	Ant1	5180	NV	NT	0.00	0.000000	20	PASS
			LV	NT	-20000.00	-3.861004	20	PASS
			HV	NT	-20000.00	-3.861004	20	PASS
		5200	NV	NT	-20000.00	-3.846154	20	PASS
			LV	NT	-20000.00	-3.846154	20	PASS
			HV	NT	0.00	0.000000	20	PASS
		5240	NV	NT	0.00	0.000000	20	PASS
			LV	NT	-20000.00	-3.816794	20	PASS
			HV	NT	-40000.00	-7.633588	20	PASS
		5260	NV	NT	-20000.00	-3.802281	20	PASS
			LV	NT	-20000.00	-3.802281	20	PASS
			HV	NT	-40000.00	-7.604563	20	PASS
		5280	NV	NT	-40000.00	-7.575758	20	PASS
			LV	NT	0.00	0.000000	20	PASS
			HV	NT	-20000.00	-3.787879	20	PASS
		5320	NV	NT	-40000.00	-7.518797	20	PASS
			LV	NT	-20000.00	-3.759398	20	PASS
			HV	NT	-20000.00	-3.759398	20	PASS
		5500	NV	NT	-20000.00	-3.636364	20	PASS
			LV	NT	-20000.00	-3.636364	20	PASS
			HV	NT	-20000.00	-3.636364	20	PASS
		5580	NV	NT	-40000.00	-7.168459	20	PASS
			LV	NT	-20000.00	-3.584229	20	PASS
			HV	NT	-20000.00	-3.584229	20	PASS
		5700	NV	NT	-20000.00	-3.508772	20	PASS
			LV	NT	-20000.00	-3.508772	20	PASS
			HV	NT	-20000.00	-3.508772	20	PASS
		5745	NV	NT	0.00	0.000000	20	PASS
			LV	NT	-20000.00	-3.481288	20	PASS
			HV	NT	-20000.00	-3.481288	20	PASS
		5785	NV	NT	-20000.00	-3.457217	20	PASS
			LV	NT	-20000.00	-3.457217	20	PASS
			HV	NT	-20000.00	-3.457217	20	PASS
		5825	NV	NT	0.00	0.000000	20	PASS
			LV	NT	0.00	0.000000	20	PASS
			HV	NT	-20000.00	-3.433476	20	PASS
11N20SISO	Ant1	5180	NV	NT	-40000.00	-7.722008	20	PASS
			LV	NT	0.00	0.000000	20	PASS
			HV	NT	-20000.00	-3.861004	20	PASS
		5200	NV	NT	0.00	0.000000	20	PASS
			LV	NT	0.00	0.000000	20	PASS
			HV	NT	0.00	0.000000	20	PASS
		5240	NV	NT	-20000.00	-3.816794	20	PASS
			LV	NT	-20000.00	-3.816794	20	PASS
			HV	NT	-20000.00	-3.816794	20	PASS
		5260	NV	NT	0.00	0.000000	20	PASS
			LV	NT	0.00	0.000000	20	PASS
			HV	NT	0.00	0.000000	20	PASS
		5280	NV	NT	-20000.00	-3.787879	20	PASS
			LV	NT	0.00	0.000000	20	PASS
			HV	NT	0.00	0.000000	20	PASS
		5320	NV	NT	-20000.00	-3.759398	20	PASS
			LV	NT	0.00	0.000000	20	PASS
			HV	NT	-20000.00	-3.759398	20	PASS
		5500	NV	NT	0.00	0.000000	20	PASS
			LV	NT	-20000.00	-3.636364	20	PASS
			HV	NT	-20000.00	-3.636364	20	PASS
		5580	NV	NT	20000.00	3.584229	20	PASS

		5700	LV	NT	0.00	0.000000	20	PASS		
			HV	NT	0.00	0.000000	20	PASS		
			NV	NT	-20000.00	-3.508772	20	PASS		
		5745	LV	NT	-20000.00	-3.508772	20	PASS		
			HV	NT	0.00	0.000000	20	PASS		
			NV	NT	0.00	0.000000	20	PASS		
		5785	LV	NT	-40000.00	-6.962576	20	PASS		
			HV	NT	-20000.00	-3.481288	20	PASS		
			NV	NT	-20000.00	-3.457217	20	PASS		
		5825	LV	NT	0.00	0.000000	20	PASS		
			HV	NT	0.00	0.000000	20	PASS		
			NV	NT	0.00	0.000000	20	PASS		
		11N40SISO	Ant1	5190	NV	NT	-40000.00	-7.707129	20	PASS
					LV	NT	0.00	0.000000	20	PASS
					HV	NT	0.00	0.000000	20	PASS
5230	NV			NT	0.00	0.000000	20	PASS		
	LV			NT	0.00	0.000000	20	PASS		
	HV			NT	-40000.00	-7.648184	20	PASS		
5270	NV			NT	-40000.00	-7.590133	20	PASS		
	LV			NT	0.00	0.000000	20	PASS		
	HV			NT	0.00	0.000000	20	PASS		
5310	NV			NT	-40000.00	-7.532957	20	PASS		
	LV			NT	0.00	0.000000	20	PASS		
	HV			NT	-40000.00	-7.532957	20	PASS		
5510	NV			NT	-40000.00	-7.259528	20	PASS		
	LV			NT	-80000.00	-14.519056	20	PASS		
	HV			NT	0.00	0.000000	20	PASS		
5550	NV			NT	0.00	0.000000	20	PASS		
	LV			NT	0.00	0.000000	20	PASS		
	HV			NT	-40000.00	-7.207207	20	PASS		
5670	NV			NT	-40000.00	-7.054674	20	PASS		
	LV			NT	0.00	0.000000	20	PASS		
	HV			NT	0.00	0.000000	20	PASS		
5755	NV			NT	-40000.00	-6.950478	20	PASS		
	LV			NT	0.00	0.000000	20	PASS		
	HV			NT	0.00	0.000000	20	PASS		
5795	NV			NT	-40000.00	-6.902502	20	PASS		
	LV			NT	-40000.00	-6.902502	20	PASS		
	HV			NT	0.00	0.000000	20	PASS		
11AC20SIS O	Ant1	5180	NV	NT	-20000.00	-3.861004	20	PASS		
			LV	NT	-40000.00	-7.722008	20	PASS		
			HV	NT	-20000.00	-3.861004	20	PASS		
		5200	NV	NT	-20000.00	-3.846154	20	PASS		
			LV	NT	-20000.00	-3.846154	20	PASS		
			HV	NT	-20000.00	-3.846154	20	PASS		
		5240	NV	NT	-40000.00	-7.633588	20	PASS		
			LV	NT	-40000.00	-7.633588	20	PASS		
			HV	NT	0.00	0.000000	20	PASS		
		5260	NV	NT	-40000.00	-7.604563	20	PASS		
			LV	NT	-40000.00	-7.604563	20	PASS		
			HV	NT	-40000.00	-7.604563	20	PASS		
		5280	NV	NT	-20000.00	-3.787879	20	PASS		
			LV	NT	-40000.00	-7.575758	20	PASS		
			HV	NT	-20000.00	-3.787879	20	PASS		
		5320	NV	NT	-20000.00	-3.759398	20	PASS		
			LV	NT	-40000.00	-7.518797	20	PASS		
			HV	NT	-40000.00	-7.518797	20	PASS		
		5500	NV	NT	-20000.00	-3.636364	20	PASS		
			LV	NT	-20000.00	-3.636364	20	PASS		
			HV	NT	-40000.00	-7.272727	20	PASS		
5580	NV	NT	-20000.00	-3.584229	20	PASS				
	LV	NT	-20000.00	-3.584229	20	PASS				
	HV	NT	-40000.00	-7.168459	20	PASS				
5700	NV	NT	-60000.00	-10.526316	20	PASS				
	LV	NT	-40000.00	-7.017544	20	PASS				

		5745	HV	NT	-20000.00	-3.508772	20	PASS
			NV	NT	-20000.00	-3.481288	20	PASS
			LV	NT	0.00	0.000000	20	PASS
		5785	HV	NT	20000.00	3.481288	20	PASS
			NV	NT	0.00	0.000000	20	PASS
			LV	NT	20000.00	3.457217	20	PASS
		5825	HV	NT	-20000.00	-3.457217	20	PASS
			NV	NT	0.00	0.000000	20	PASS
			LV	NT	-20000.00	-3.433476	20	PASS
11AC40SIS O	Ant1	5190	HV	NT	-20000.00	-3.433476	20	PASS
			NV	NT	0.00	0.000000	20	PASS
			LV	NT	0.00	0.000000	20	PASS
		5230	HV	NT	0.00	0.000000	20	PASS
			NV	NT	0.00	0.000000	20	PASS
			LV	NT	0.00	0.000000	20	PASS
		5270	HV	NT	0.00	0.000000	20	PASS
			NV	NT	-40000.00	-7.590133	20	PASS
			LV	NT	0.00	0.000000	20	PASS
		5310	HV	NT	0.00	0.000000	20	PASS
			NV	NT	-40000.00	-7.532957	20	PASS
			LV	NT	0.00	0.000000	20	PASS
		5510	HV	NT	0.00	0.000000	20	PASS
			NV	NT	-40000.00	-7.259528	20	PASS
			LV	NT	-40000.00	-7.259528	20	PASS
		5550	HV	NT	0.00	0.000000	20	PASS
			NV	NT	-40000.00	-7.207207	20	PASS
			LV	NT	0.00	0.000000	20	PASS
		5670	HV	NT	0.00	0.000000	20	PASS
			NV	NT	0.00	0.000000	20	PASS
			LV	NT	0.00	0.000000	20	PASS
		5755	HV	NT	0.00	0.000000	20	PASS
			NV	NT	-80000.00	-13.900956	20	PASS
			LV	NT	-40000.00	-6.950478	20	PASS
		5795	HV	NT	0.00	0.000000	20	PASS
			NV	NT	0.00	0.000000	20	PASS
			LV	NT	-40000.00	-6.902502	20	PASS
11AC80SIS O	Ant1	5210	HV	NT	0.00	0.000000	20	PASS
			NV	NT	0.00	0.000000	20	PASS
			LV	NT	0.00	0.000000	20	PASS
		5290	HV	NT	0.00	0.000000	20	PASS
			NV	NT	0.00	0.000000	20	PASS
			LV	NT	0.00	0.000000	20	PASS
		5530	HV	NT	0.00	0.000000	20	PASS
			NV	NT	0.00	0.000000	20	PASS
			LV	NT	0.00	0.000000	20	PASS
		5610	HV	NT	0.00	0.000000	20	PASS
			NV	NT	0.00	0.000000	20	PASS
			LV	NT	-80000.00	-14.260250	20	PASS
		5775	HV	NT	0.00	0.000000	20	PASS
			NV	NT	0.00	0.000000	20	PASS
			LV	NT	0.00	0.000000	20	PASS

Temperature								
TestMode	Antenna	Freq(MHz)	Voltage [Vdc]	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
11A	Ant1	5180	NV	-30	-40000.00	-7.722008	20	PASS
			NV	-20	-20000.00	-3.861004	20	PASS
			NV	-10	-20000.00	-3.861004	20	PASS
			NV	0	-20000.00	-3.861004	20	PASS
			NV	10	-20000.00	-3.861004	20	PASS
			NV	20	0.00	0.000000	20	PASS
			NV	30	-20000.00	-3.861004	20	PASS
			NV	40	0.00	0.000000	20	PASS
		NV	50	-20000.00	-3.861004	20	PASS	
		5200	NV	-30	-20000.00	-3.846154	20	PASS

		NV	-20	-20000.00	-3.846154	20	PASS
		NV	-10	-20000.00	-3.846154	20	PASS
		NV	0	0.00	0.000000	20	PASS
		NV	10	-20000.00	-3.846154	20	PASS
		NV	20	20000.00	3.846154	20	PASS
		NV	30	-40000.00	-7.692308	20	PASS
		NV	40	-20000.00	-3.846154	20	PASS
		NV	50	-20000.00	-3.846154	20	PASS
	5240	NV	-30	-20000.00	-3.816794	20	PASS
		NV	-20	-20000.00	-3.816794	20	PASS
		NV	-10	-20000.00	-3.816794	20	PASS
		NV	0	-40000.00	-7.633588	20	PASS
		NV	10	-20000.00	-3.816794	20	PASS
		NV	20	-40000.00	-7.633588	20	PASS
		NV	30	-20000.00	-3.816794	20	PASS
	5260	NV	40	-20000.00	-3.816794	20	PASS
		NV	50	-20000.00	-3.816794	20	PASS
		NV	-30	-40000.00	-7.604563	20	PASS
		NV	-20	-20000.00	-3.802281	20	PASS
		NV	-10	-20000.00	-3.802281	20	PASS
		NV	0	-20000.00	-3.802281	20	PASS
		NV	10	-20000.00	-3.802281	20	PASS
	5280	NV	20	-40000.00	-7.604563	20	PASS
		NV	30	0.00	0.000000	20	PASS
		NV	40	0.00	0.000000	20	PASS
		NV	50	-20000.00	-3.802281	20	PASS
		NV	-30	-20000.00	-3.787879	20	PASS
		NV	-20	-20000.00	-3.787879	20	PASS
		NV	-10	-20000.00	-3.787879	20	PASS
	5320	NV	0	-20000.00	-3.787879	20	PASS
		NV	10	-20000.00	-3.787879	20	PASS
		NV	20	-20000.00	-3.787879	20	PASS
		NV	30	-20000.00	-3.787879	20	PASS
		NV	40	0.00	0.000000	20	PASS
		NV	50	-20000.00	-3.787879	20	PASS
		5500	NV	-30	-20000.00	-3.759398	20
	NV		-20	-20000.00	-3.759398	20	PASS
	NV		-10	-20000.00	-3.759398	20	PASS
	NV		0	-20000.00	-3.759398	20	PASS
	NV		10	-20000.00	-3.759398	20	PASS
	NV		20	0.00	0.000000	20	PASS
	NV		30	0.00	0.000000	20	PASS
	5580	NV	40	0.00	0.000000	20	PASS
		NV	50	-40000.00	-7.518797	20	PASS
		NV	-30	-20000.00	-3.636364	20	PASS
		NV	-20	0.00	0.000000	20	PASS
		NV	-10	-20000.00	-3.636364	20	PASS
		NV	0	-20000.00	-3.636364	20	PASS
		NV	10	-20000.00	-3.636364	20	PASS
	5700	NV	20	0.00	0.000000	20	PASS
		NV	30	-20000.00	-3.636364	20	PASS
		NV	40	-20000.00	-3.636364	20	PASS
		NV	50	-20000.00	-3.636364	20	PASS
		NV	-30	-20000.00	-3.584229	20	PASS
		NV	-20	-20000.00	-3.584229	20	PASS
		NV	-10	-20000.00	-3.584229	20	PASS
	5700	NV	0	-40000.00	-7.168459	20	PASS
		NV	10	0.00	0.000000	20	PASS
		NV	20	-20000.00	-3.584229	20	PASS
		NV	30	-20000.00	-3.584229	20	PASS
	5700	NV	40	-20000.00	-3.584229	20	PASS
		NV	50	-20000.00	-3.584229	20	PASS
		NV	-30	-40000.00	-7.017544	20	PASS
		NV	-20	0.00	0.000000	20	PASS
	5700	NV	-10	-20000.00	-3.508772	20	PASS
		NV	0	-20000.00	-3.508772	20	PASS
		NV	10	-20000.00	-3.508772	20	PASS

11N20SI SO	Ant1	5745	NV	20	-20000.00	-3.508772	20	PASS	
			NV	30	-20000.00	-3.508772	20	PASS	
			NV	40	-20000.00	-3.508772	20	PASS	
			NV	50	-20000.00	-3.508772	20	PASS	
			NV	-30	-20000.00	-3.481288	20	PASS	
			NV	-20	0.00	0.000000	20	PASS	
			NV	-10	-20000.00	-3.481288	20	PASS	
			NV	0	-20000.00	-3.481288	20	PASS	
			NV	10	-20000.00	-3.481288	20	PASS	
			NV	20	-20000.00	-3.481288	20	PASS	
			NV	30	0.00	0.000000	20	PASS	
			NV	40	-20000.00	-3.481288	20	PASS	
		NV	50	-20000.00	-3.481288	20	PASS		
		5785	NV	-30	-20000.00	-3.457217	20	PASS	
			NV	-20	0.00	0.000000	20	PASS	
			NV	-10	20000.00	3.457217	20	PASS	
			NV	0	0.00	0.000000	20	PASS	
			NV	10	-20000.00	-3.457217	20	PASS	
			NV	20	-20000.00	-3.457217	20	PASS	
			NV	30	-20000.00	-3.457217	20	PASS	
			NV	40	-20000.00	-3.457217	20	PASS	
			NV	50	-20000.00	-3.457217	20	PASS	
			5825	NV	-30	-20000.00	-3.433476	20	PASS
				NV	-20	-20000.00	-3.433476	20	PASS
				NV	-10	-20000.00	-3.433476	20	PASS
		NV		0	-20000.00	-3.433476	20	PASS	
		NV		10	-20000.00	-3.433476	20	PASS	
		NV		20	-20000.00	-3.433476	20	PASS	
		NV		30	-20000.00	-3.433476	20	PASS	
		NV		40	-20000.00	-3.433476	20	PASS	
		5180	NV	50	-20000.00	-3.433476	20	PASS	
			NV	-30	-20000.00	-3.861004	20	PASS	
			NV	-20	-20000.00	-3.861004	20	PASS	
			NV	-10	0.00	0.000000	20	PASS	
			NV	0	-20000.00	-3.861004	20	PASS	
			NV	10	-20000.00	-3.861004	20	PASS	
			NV	20	0.00	0.000000	20	PASS	
			NV	30	-40000.00	-7.722008	20	PASS	
			NV	40	-20000.00	-3.861004	20	PASS	
			NV	50	0.00	0.000000	20	PASS	
			5200	NV	-30	0.00	0.000000	20	PASS
				NV	-20	-40000.00	-7.692308	20	PASS
		NV		-10	-20000.00	-3.846154	20	PASS	
		NV		0	-20000.00	-3.846154	20	PASS	
		NV		10	0.00	0.000000	20	PASS	
		NV		20	-20000.00	-3.846154	20	PASS	
		NV		30	0.00	0.000000	20	PASS	
		NV		40	-20000.00	-3.846154	20	PASS	
5240	NV	50	-20000.00	-3.846154	20	PASS			
	NV	-30	-20000.00	-3.816794	20	PASS			
	NV	-20	0.00	0.000000	20	PASS			
	NV	-10	-20000.00	-3.816794	20	PASS			
	NV	0	-40000.00	-7.633588	20	PASS			
	NV	10	0.00	0.000000	20	PASS			
	NV	20	0.00	0.000000	20	PASS			
	NV	30	-20000.00	-3.816794	20	PASS			
5260	NV	40	0.00	0.000000	20	PASS			
	NV	50	0.00	0.000000	20	PASS			
	NV	-30	-20000.00	-3.802281	20	PASS			
	NV	-20	0.00	0.000000	20	PASS			
	NV	-10	-20000.00	-3.802281	20	PASS			
	NV	0	0.00	0.000000	20	PASS			
	NV	10	0.00	0.000000	20	PASS			
	NV	20	-20000.00	-3.802281	20	PASS			
NV	30	-20000.00	-3.802281	20	PASS				
NV	40	0.00	0.000000	20	PASS				
NV	50	0.00	0.000000	20	PASS				

5280	NV	-30	-20000.00	-3.787879	20	PASS
	NV	-20	-20000.00	-3.787879	20	PASS
	NV	-10	0.00	0.000000	20	PASS
	NV	0	0.00	0.000000	20	PASS
	NV	10	-40000.00	-7.575758	20	PASS
	NV	20	-40000.00	-7.575758	20	PASS
	NV	30	0.00	0.000000	20	PASS
	NV	40	0.00	0.000000	20	PASS
	NV	50	0.00	0.000000	20	PASS
	5320	NV	-30	-20000.00	-3.759398	20
NV		-20	-20000.00	-3.759398	20	PASS
NV		-10	0.00	0.000000	20	PASS
NV		0	-20000.00	-3.759398	20	PASS
NV		10	0.00	0.000000	20	PASS
NV		20	0.00	0.000000	20	PASS
NV		30	-40000.00	-7.518797	20	PASS
NV		40	-20000.00	-3.759398	20	PASS
5500	NV	-30	-20000.00	-3.636364	20	PASS
	NV	-20	-40000.00	-7.272727	20	PASS
	NV	-10	0.00	0.000000	20	PASS
	NV	0	0.00	0.000000	20	PASS
	NV	10	-20000.00	-3.636364	20	PASS
	NV	20	-20000.00	-3.636364	20	PASS
	NV	30	-20000.00	-3.636364	20	PASS
	NV	40	0.00	0.000000	20	PASS
5580	NV	-30	0.00	0.000000	20	PASS
	NV	-20	0.00	0.000000	20	PASS
	NV	-10	0.00	0.000000	20	PASS
	NV	0	-20000.00	-3.584229	20	PASS
	NV	10	0.00	0.000000	20	PASS
	NV	20	20000.00	3.584229	20	PASS
	NV	30	0.00	0.000000	20	PASS
	NV	40	-40000.00	-7.168459	20	PASS
5700	NV	-30	0.00	0.000000	20	PASS
	NV	-20	-40000.00	-7.017544	20	PASS
	NV	-10	0.00	0.000000	20	PASS
	NV	0	-40000.00	-7.017544	20	PASS
	NV	10	20000.00	3.508772	20	PASS
	NV	20	-20000.00	-3.508772	20	PASS
	NV	30	-40000.00	-7.017544	20	PASS
	NV	40	0.00	0.000000	20	PASS
5745	NV	-30	-40000.00	-6.962576	20	PASS
	NV	-20	20000.00	3.481288	20	PASS
	NV	-10	-40000.00	-6.962576	20	PASS
	NV	0	0.00	0.000000	20	PASS
	NV	10	-20000.00	-3.481288	20	PASS
	NV	20	0.00	0.000000	20	PASS
	NV	30	-20000.00	-3.481288	20	PASS
	NV	40	-20000.00	-3.481288	20	PASS
5785	NV	-30	-40000.00	-6.914434	20	PASS
	NV	-20	-20000.00	-3.457217	20	PASS
	NV	-10	0.00	0.000000	20	PASS
	NV	0	0.00	0.000000	20	PASS
	NV	10	-20000.00	-3.457217	20	PASS
	NV	20	0.00	0.000000	20	PASS
	NV	30	0.00	0.000000	20	PASS
	NV	40	-20000.00	-3.457217	20	PASS
5825	NV	-30	0.00	0.000000	20	PASS
	NV	-20	0.00	0.000000	20	PASS
	NV	-10	-20000.00	-3.433476	20	PASS
	NV	0	0.00	0.000000	20	PASS

			NV	10	0.00	0.000000	20	PASS
			NV	20	0.00	0.000000	20	PASS
			NV	30	0.00	0.000000	20	PASS
			NV	40	0.00	0.000000	20	PASS
			NV	50	-20000.00	-3.433476	20	PASS
11N40SI SO	Ant1	5190	NV	-30	0.00	0.000000	20	PASS
			NV	-20	0.00	0.000000	20	PASS
			NV	-10	-40000.00	-7.707129	20	PASS
			NV	0	-40000.00	-7.707129	20	PASS
			NV	10	0.00	0.000000	20	PASS
			NV	20	0.00	0.000000	20	PASS
			NV	30	0.00	0.000000	20	PASS
			NV	40	-40000.00	-7.707129	20	PASS
			NV	50	0.00	0.000000	20	PASS
			NV	0	0.00	0.000000	20	PASS
		5230	NV	-30	0.00	0.000000	20	PASS
			NV	-20	0.00	0.000000	20	PASS
			NV	-10	0.00	0.000000	20	PASS
			NV	0	-40000.00	-7.648184	20	PASS
			NV	10	0.00	0.000000	20	PASS
			NV	20	0.00	0.000000	20	PASS
			NV	30	0.00	0.000000	20	PASS
			NV	40	-40000.00	-7.648184	20	PASS
			NV	50	0.00	0.000000	20	PASS
			NV	0	0.00	0.000000	20	PASS
		5270	NV	-30	0.00	0.000000	20	PASS
			NV	-20	0.00	0.000000	20	PASS
			NV	-10	0.00	0.000000	20	PASS
			NV	0	0.00	0.000000	20	PASS
			NV	10	0.00	0.000000	20	PASS
			NV	20	0.00	0.000000	20	PASS
			NV	30	0.00	0.000000	20	PASS
			NV	40	-40000.00	-7.590133	20	PASS
			NV	50	0.00	0.000000	20	PASS
			NV	0	0.00	0.000000	20	PASS
		5310	NV	-30	0.00	0.000000	20	PASS
			NV	-20	0.00	0.000000	20	PASS
			NV	-10	0.00	0.000000	20	PASS
			NV	0	0.00	0.000000	20	PASS
			NV	10	0.00	0.000000	20	PASS
			NV	20	0.00	0.000000	20	PASS
			NV	30	0.00	0.000000	20	PASS
			NV	40	-40000.00	-7.532957	20	PASS
			NV	50	0.00	0.000000	20	PASS
			NV	0	0.00	0.000000	20	PASS
		5510	NV	-30	-40000.00	-7.259528	20	PASS
			NV	-20	0.00	0.000000	20	PASS
			NV	-10	0.00	0.000000	20	PASS
			NV	0	-40000.00	-7.259528	20	PASS
			NV	10	-40000.00	-7.259528	20	PASS
			NV	20	-80000.00	-14.519056	20	PASS
			NV	30	-40000.00	-7.259528	20	PASS
			NV	40	-80000.00	-14.519056	20	PASS
			NV	50	0.00	0.000000	20	PASS
			NV	0	0.00	0.000000	20	PASS
		5550	NV	-30	0.00	0.000000	20	PASS
			NV	-20	0.00	0.000000	20	PASS
			NV	-10	0.00	0.000000	20	PASS
			NV	0	0.00	0.000000	20	PASS
			NV	10	-40000.00	-7.207207	20	PASS
			NV	20	-40000.00	-7.207207	20	PASS
			NV	30	-40000.00	-7.207207	20	PASS
			NV	40	-40000.00	-7.207207	20	PASS
			NV	50	0.00	0.000000	20	PASS
			NV	0	0.00	0.000000	20	PASS
5670	NV	-30	0.00	0.000000	20	PASS		
	NV	-20	0.00	0.000000	20	PASS		
	NV	-10	0.00	0.000000	20	PASS		
	NV	0	0.00	0.000000	20	PASS		
	NV	10	0.00	0.000000	20	PASS		
	NV	20	0.00	0.000000	20	PASS		
	NV	30	40000.00	7.054674	20	PASS		
	NV	40	0.00	0.000000	20	PASS		

	5755	NV	50	40000.00	7.054674	20	PASS	
		NV	-30	0.00	0.000000	20	PASS	
		NV	-20	0.00	0.000000	20	PASS	
		NV	-10	0.00	0.000000	20	PASS	
		NV	0	0.00	0.000000	20	PASS	
		NV	10	0.00	0.000000	20	PASS	
		NV	20	-40000.00	-6.950478	20	PASS	
		NV	30	0.00	0.000000	20	PASS	
		NV	40	0.00	0.000000	20	PASS	
		NV	50	0.00	0.000000	20	PASS	
		5795	NV	-30	0.00	0.000000	20	PASS
			NV	-20	-40000.00	-6.902502	20	PASS
			NV	-10	-40000.00	-6.902502	20	PASS
			NV	0	-40000.00	-6.902502	20	PASS
			NV	10	0.00	0.000000	20	PASS
			NV	20	0.00	0.000000	20	PASS
			NV	30	0.00	0.000000	20	PASS
			NV	40	0.00	0.000000	20	PASS
	NV		50	0.00	0.000000	20	PASS	
	5180	NV	-30	-40000.00	-7.722008	20	PASS	
		NV	-20	0.00	0.000000	20	PASS	
		NV	-10	-20000.00	-3.861004	20	PASS	
		NV	0	-20000.00	-3.861004	20	PASS	
		NV	10	0.00	0.000000	20	PASS	
		NV	20	-20000.00	-3.861004	20	PASS	
		NV	30	0.00	0.000000	20	PASS	
		NV	40	0.00	0.000000	20	PASS	
		NV	50	-20000.00	-3.861004	20	PASS	
5200		NV	-30	-20000.00	-3.846154	20	PASS	
		NV	-20	-20000.00	-3.846154	20	PASS	
		NV	-10	0.00	0.000000	20	PASS	
		NV	0	-20000.00	-3.846154	20	PASS	
		NV	10	0.00	0.000000	20	PASS	
	NV	20	-20000.00	-3.846154	20	PASS		
	NV	30	-20000.00	-3.846154	20	PASS		
	NV	40	-20000.00	-3.846154	20	PASS		
5240	NV	-30	-20000.00	-3.816794	20	PASS		
	NV	-20	-40000.00	-7.633588	20	PASS		
	NV	-10	0.00	0.000000	20	PASS		
	NV	0	-40000.00	-7.633588	20	PASS		
	NV	10	-40000.00	-7.633588	20	PASS		
	NV	20	-20000.00	-3.816794	20	PASS		
	NV	30	-20000.00	-3.816794	20	PASS		
	NV	40	-20000.00	-3.816794	20	PASS		
5260	NV	-30	-20000.00	-3.802281	20	PASS		
	NV	-20	-20000.00	-3.802281	20	PASS		
	NV	-10	-40000.00	-7.604563	20	PASS		
	NV	0	-20000.00	-3.802281	20	PASS		
	NV	10	-20000.00	-3.802281	20	PASS		
	NV	20	-20000.00	-3.802281	20	PASS		
	NV	30	0.00	0.000000	20	PASS		
	NV	40	-20000.00	-3.802281	20	PASS		
5280	NV	-30	-20000.00	-3.802281	20	PASS		
	NV	-20	-20000.00	-3.802281	20	PASS		
	NV	-10	0.00	0.000000	20	PASS		
	NV	0	-20000.00	-3.787879	20	PASS		
	NV	10	-20000.00	-3.787879	20	PASS		
	NV	20	-20000.00	-3.787879	20	PASS		
	NV	30	-60000.00	-11.363636	20	PASS		
	NV	40	-20000.00	-3.787879	20	PASS		
5320	NV	50	-40000.00	-7.575758	20	PASS		
	NV	-30	-20000.00	-3.759398	20	PASS		
	NV	-20	-40000.00	-7.518797	20	PASS		
		NV	-10	-40000.00	-7.518797	20	PASS	

			NV	0	-20000.00	-3.759398	20	PASS	
			NV	10	0.00	0.000000	20	PASS	
			NV	20	-40000.00	-7.518797	20	PASS	
			NV	30	-40000.00	-7.518797	20	PASS	
			NV	40	0.00	0.000000	20	PASS	
			NV	50	-40000.00	-7.518797	20	PASS	
		5500	NV	-30	-40000.00	-7.272727	20	PASS	
			NV	-20	0.00	0.000000	20	PASS	
			NV	-10	-40000.00	-7.272727	20	PASS	
			NV	0	-40000.00	-7.272727	20	PASS	
			NV	10	0.00	0.000000	20	PASS	
			NV	20	-20000.00	-3.636364	20	PASS	
			NV	30	-20000.00	-3.636364	20	PASS	
		5580	NV	40	-20000.00	-3.636364	20	PASS	
			NV	50	-20000.00	-3.636364	20	PASS	
			NV	-30	0.00	0.000000	20	PASS	
			NV	-20	-40000.00	-7.168459	20	PASS	
			NV	-10	0.00	0.000000	20	PASS	
			NV	0	-20000.00	-3.584229	20	PASS	
			NV	10	0.00	0.000000	20	PASS	
		5700	NV	20	-20000.00	-3.584229	20	PASS	
			NV	30	0.00	0.000000	20	PASS	
			NV	40	0.00	0.000000	20	PASS	
			NV	50	-40000.00	-7.168459	20	PASS	
			NV	-30	0.00	0.000000	20	PASS	
			NV	-20	-20000.00	-3.508772	20	PASS	
			NV	-10	-20000.00	-3.508772	20	PASS	
		5745	NV	0	-20000.00	-3.508772	20	PASS	
			NV	10	0.00	0.000000	20	PASS	
			NV	20	-40000.00	-7.017544	20	PASS	
			NV	30	0.00	0.000000	20	PASS	
			NV	40	-20000.00	-3.508772	20	PASS	
			NV	50	0.00	0.000000	20	PASS	
			5785	NV	-30	0.00	0.000000	20	PASS
		NV		-20	0.00	0.000000	20	PASS	
		NV		-10	-20000.00	-3.481288	20	PASS	
		NV		0	0.00	0.000000	20	PASS	
		NV		10	0.00	0.000000	20	PASS	
		NV		20	-20000.00	-3.481288	20	PASS	
		NV		30	-40000.00	-6.962576	20	PASS	
		5825	NV	40	-20000.00	-3.481288	20	PASS	
			NV	50	-40000.00	-6.962576	20	PASS	
			NV	-30	0.00	0.000000	20	PASS	
			NV	-20	-40000.00	-6.866953	20	PASS	
			NV	-10	-20000.00	-3.433476	20	PASS	
			NV	0	-20000.00	-3.433476	20	PASS	
			NV	10	-20000.00	-3.433476	20	PASS	
		5190	NV	20	20000.00	3.433476	20	PASS	
			NV	30	-20000.00	-3.433476	20	PASS	
			NV	40	-20000.00	-3.433476	20	PASS	
			NV	50	-20000.00	-3.433476	20	PASS	
11AC40 SISO	Ant1		5190	NV	-30	-40000.00	-7.707129	20	PASS
				NV	-20	0.00	0.000000	20	PASS
				NV	-10	0.00	0.000000	20	PASS
		NV		0	0.00	0.000000	20	PASS	
		NV		10	-40000.00	-7.707129	20	PASS	
		NV		20	0.00	0.000000	20	PASS	
			NV	30	-40000.00	-7.707129	20	PASS	

		NV	40	0.00	0.000000	20	PASS
		NV	50	-40000.00	-7.707129	20	PASS
	5230	NV	-30	-40000.00	-7.648184	20	PASS
		NV	-20	-40000.00	-7.648184	20	PASS
		NV	-10	0.00	0.000000	20	PASS
		NV	0	-40000.00	-7.648184	20	PASS
		NV	10	0.00	0.000000	20	PASS
		NV	20	-40000.00	-7.648184	20	PASS
		NV	30	-80000.00	-15.296367	20	PASS
		NV	40	0.00	0.000000	20	PASS
		NV	50	-40000.00	-7.648184	20	PASS
		5270	NV	-30	0.00	0.000000	20
	NV		-20	-40000.00	-7.590133	20	PASS
	NV		-10	-40000.00	-7.590133	20	PASS
	NV		0	-40000.00	-7.590133	20	PASS
	NV		10	0.00	0.000000	20	PASS
	NV		20	0.00	0.000000	20	PASS
	NV		30	-40000.00	-7.590133	20	PASS
	NV		40	0.00	0.000000	20	PASS
	NV		50	0.00	0.000000	20	PASS
	5310		NV	-30	0.00	0.000000	20
		NV	-20	-40000.00	-7.532957	20	PASS
		NV	-10	-40000.00	-7.532957	20	PASS
		NV	0	0.00	0.000000	20	PASS
		NV	10	0.00	0.000000	20	PASS
		NV	20	0.00	0.000000	20	PASS
		NV	30	0.00	0.000000	20	PASS
		NV	40	0.00	0.000000	20	PASS
		NV	50	0.00	0.000000	20	PASS
		5510	NV	-30	0.00	0.000000	20
	NV		-20	-40000.00	-7.259528	20	PASS
	NV		-10	-40000.00	-7.259528	20	PASS
	NV		0	0.00	0.000000	20	PASS
	NV		10	0.00	0.000000	20	PASS
	NV		20	-80000.00	-14.519056	20	PASS
	NV		30	-40000.00	-7.259528	20	PASS
	NV		40	0.00	0.000000	20	PASS
	NV		50	-40000.00	-7.259528	20	PASS
	5550		NV	-30	-40000.00	-7.207207	20
		NV	-20	0.00	0.000000	20	PASS
		NV	-10	-40000.00	-7.207207	20	PASS
		NV	0	0.00	0.000000	20	PASS
		NV	10	-40000.00	-7.207207	20	PASS
		NV	20	0.00	0.000000	20	PASS
		NV	30	40000.00	7.207207	20	PASS
		NV	40	0.00	0.000000	20	PASS
		NV	50	0.00	0.000000	20	PASS
		5670	NV	-30	0.00	0.000000	20
	NV		-20	40000.00	7.054674	20	PASS
	NV		-10	0.00	0.000000	20	PASS
	NV		0	0.00	0.000000	20	PASS
	NV		10	0.00	0.000000	20	PASS
	NV		20	40000.00	7.054674	20	PASS
	NV		30	0.00	0.000000	20	PASS
	NV		40	40000.00	7.054674	20	PASS
	NV		50	0.00	0.000000	20	PASS
	5755		NV	-30	0.00	0.000000	20
		NV	-20	-40000.00	-6.950478	20	PASS
		NV	-10	0.00	0.000000	20	PASS
		NV	0	0.00	0.000000	20	PASS
		NV	10	0.00	0.000000	20	PASS
		NV	20	-40000.00	-6.950478	20	PASS
		NV	30	0.00	0.000000	20	PASS
		NV	40	-40000.00	-6.950478	20	PASS
		NV	50	0.00	0.000000	20	PASS
		5795	NV	-30	0.00	0.000000	20
	NV		-20	0.00	0.000000	20	PASS

			NV	-10	0.00	0.000000	20	PASS		
			NV	0	0.00	0.000000	20	PASS		
			NV	10	0.00	0.000000	20	PASS		
			NV	20	0.00	0.000000	20	PASS		
			NV	30	0.00	0.000000	20	PASS		
			NV	40	0.00	0.000000	20	PASS		
			NV	50	-40000.00	-6.902502	20	PASS		
11AC80 SISO	Ant1	5210	NV	-30	0.00	0.000000	20	PASS		
			NV	-20	0.00	0.000000	20	PASS		
			NV	-10	0.00	0.000000	20	PASS		
			NV	0	0.00	0.000000	20	PASS		
			NV	10	0.00	0.000000	20	PASS		
			NV	20	0.00	0.000000	20	PASS		
			NV	30	0.00	0.000000	20	PASS		
			NV	40	0.00	0.000000	20	PASS		
		NV	50	0.00	0.000000	20	PASS			
				5290	NV	-30	0.00	0.000000	20	PASS
					NV	-20	0.00	0.000000	20	PASS
					NV	-10	0.00	0.000000	20	PASS
					NV	0	0.00	0.000000	20	PASS
					NV	10	0.00	0.000000	20	PASS
					NV	20	0.00	0.000000	20	PASS
					NV	30	0.00	0.000000	20	PASS
					NV	40	0.00	0.000000	20	PASS
				NV	50	0.00	0.000000	20	PASS	
				5530	NV	-30	0.00	0.000000	20	PASS
					NV	-20	0.00	0.000000	20	PASS
					NV	-10	0.00	0.000000	20	PASS
					NV	0	0.00	0.000000	20	PASS
					NV	10	0.00	0.000000	20	PASS
					NV	20	0.00	0.000000	20	PASS
					NV	30	0.00	0.000000	20	PASS
					NV	40	0.00	0.000000	20	PASS
				NV	50	0.00	0.000000	20	PASS	
				5610	NV	-30	0.00	0.000000	20	PASS
					NV	-20	0.00	0.000000	20	PASS
					NV	-10	0.00	0.000000	20	PASS
					NV	0	0.00	0.000000	20	PASS
					NV	10	0.00	0.000000	20	PASS
					NV	20	0.00	0.000000	20	PASS
					NV	30	0.00	0.000000	20	PASS
					NV	40	0.00	0.000000	20	PASS
				NV	50	0.00	0.000000	20	PASS	
				5775	NV	-30	0.00	0.000000	20	PASS
					NV	-20	0.00	0.000000	20	PASS
					NV	-10	0.00	0.000000	20	PASS
					NV	0	0.00	0.000000	20	PASS
					NV	10	0.00	0.000000	20	PASS
					NV	20	0.00	0.000000	20	PASS
					NV	30	0.00	0.000000	20	PASS
					NV	40	0.00	0.000000	20	PASS
				NV	50	0.00	0.000000	20	PASS	

End of Test Report