



Spurious Emissions at Antenna Terminal



Channel

20MHz Bandwidth QPSK



Lowest




Middle




Highest




Out of band emission, Band Edge




Out of band emission, Band Edge



Out of band emission, Band Edge



Out of band emission, Band Edge



4.8 Antenna Port Test Data and Results for LTE Band 5

Serial Number:	1OGW	Test Date:	2022/11/21
Test Site:	RF	Test Mode:	Transmitting
Tester:	George Chen	Test Result:	Pass

Environmental Conditions:

Temperature: (°C)	25.8	Relative Humidity: (%)	66	ATM Pressure: (kPa)	101.2
----------------------	------	------------------------------	----	------------------------	-------

Test Equipment List and Details:

Manufacturer	Description	Model	Serial Number	Calibration Date	Calibration Due Date
R&S	Spectrum Analyzer	FSV40	101474	2022/7/15	2023/7/14
zhuoxiang	Coaxial Cable	SMA-178	211002	Each time	N/A
YINSAIGE	Coaxial Cable	SS402	SJ0100002	Each time	N/A
Mini-Circuits	DC Block	BLK-18-S+	1554404	Each time	N/A
Weinschel	Power Splitter	1515	RA914	Each time	N/A
R&S	Wideband Radio Communication Tester	CMW500	149218	2022/7/15	2023/7/14
BACL	TEMP&HUMI Test Chamber	BTH-150-40	30174	2022/4/6	2023/4/5
UNI-T	Multimeter	UT39A+	C210582554	2022/9/29	2023/9/28
ZHAOXIN	DC Power Supply	RXN-6010D	21R6010D0912386	N/A	N/A

* Statement of Traceability: China Certification ICT Co., Ltd (Dongguan) attests that all calibrations have been performed, traceable to National Primary Standards and International System of Units (SI).

Test Frequency For Each Mode:

Operation Bandwidth	Lowest Frequency (MHz)	Middle Frequency (MHz)	Highest Frequency (MHz)
1.4MHz	824.7	836.5	848.3
3MHz	825.5	836.5	847.5
5MHz	826.5	836.5	846.5
10MHz	829	836.5	844

Test Data:**FCC §2.1046; § 22.913 (a)****RF Output Power:**

Test Bandwidth & Modulation	Resource Block & RB offset	Conducted Average Output Power(dBm)			Maximum ERP (dBm)	ERP Limit (dBm)
		Lowest Channel	Middle Channel	Highest Channel		
1.4MHz QPSK	RB1#0	22.97	22.94	22.94	20.13	38.45
	RB1#3	22.95	22.89	22.89		
	RB1#5	22.97	22.92	22.87		
	RB3#0	22.93	22.91	22.92		
	RB3#3	22.96	22.98	22.86		
	RB6#0	21.93	21.85	21.86		
1.4MHz 16QAM	RB1#0	22.01	21.88	22	19.28	38.45
	RB1#3	22.08	21.85	22.06		
	RB1#5	22.02	21.86	21.97		
	RB3#0	21.91	22.01	21.86		
	RB3#3	21.89	22.13	21.85		
	RB6#0	20.94	20.86	20.86		
3MHz QPSK	RB1#0	22.6	22.59	22.62	19.79	38.45
	RB1#8	22.59	22.64	22.57		
	RB1#14	22.52	22.63	22.53		
	RB6#0	21.6	21.67	21.63		
	RB6#9	21.64	21.56	21.6		
	RB15#0	21.61	21.57	21.58		
3MHz 16QAM	RB1#0	22.17	21.66	21.65	19.32	38.45
	RB1#8	22.17	21.73	21.58		
	RB1#14	22.15	21.71	21.53		
	RB6#0	20.69	20.67	20.5		
	RB6#9	20.63	20.59	20.51		
	RB15#0	20.67	20.53	20.6		
5MHz QPSK	RB1#0	22.78	22.6	22.73	19.93	38.45
	RB1#13	22.76	22.66	22.66		
	RB1#24	22.69	22.69	22.55		
	RB15#0	21.67	21.58	21.61		
	RB15#10	21.66	21.63	21.95		
	RB25#0	21.67	21.6	21.97		
5MHz 16QAM	RB1#0	21.99	21.67	22.06	19.21	38.45
	RB1#13	21.94	21.72	21.99		
	RB1#24	21.9	21.69	21.93		
	RB15#0	20.6	20.6	20.98		
	RB15#10	20.57	20.65	20.92		
	RB25#0	20.6	20.63	20.96		
10MHz QPSK	RB1#0	23.14	23.09	23.14	20.54	38.45
	RB1#25	22.89	22.86	22.99		
	RB1#49	23.39	23.31	23.18		

	RB25#0	21.98	21.89	21.98		
	RB25#25	22.12	22.1	21.99		
	RB50#0	22	21.93	22.07		
10MHz 16QAM	RB1#0	22.2	22.04	22.69	19.86	38.45
	RB1#25	22	21.83	22.54		
	RB1#49	22.42	22.28	22.71		
	RB25#0	21.01	21.03	21.02		
	RB25#25	21.13	21.14	21.08		
	RB50#0	20.99	20.94	21.05		

Note:

ERP= Conducted Power(dBm) - Lc(dB) + Gr(dBd)

Gr(dBd)=Gr(dBi)-2.15

Result:**Pass****Peak-to-average Ratio(PAR)**

Test Bandwidth & Modulation	Resource Block & RB offset	Peak-to-average Ratio(dB)			Limit(dB)
		Lowest Channel	Middle Channel	Highest Channel	
10MHz QPSK	RB1#0	5.97	5.68	5.91	13
	RB50#0	5.54	5.42	5.45	13
10MHz 16QAM	RB1#0	6.9	6.2	6.75	13
	RB50#0	6.38	6.29	6.32	13
Result:					Pass

FCC §2.1049, §22.905:Occupied Bandwidth

Operation Mode	99% Occupied Bandwidth (MHz)			26 dB Occupied Bandwidth (MHz)		
	Low Channel	Middle channel	High Channel	Low Channel	Middle Channel	High Channel
1.4MHz QPSK	1.108	1.102	1.108	1.32	1.314	1.32
1.4MHz 16QAM	1.096	1.108	1.102	1.302	1.32	1.296
3MHz QPSK	2.695	2.683	2.695	2.94	2.964	2.94
3MHz 16QAM	2.683	2.683	2.683	2.952	2.952	2.976
5MHz QPSK	4.511	4.531	4.511	5.02	5.04	5.02
5MHz 16QAM	4.531	4.511	4.511	5.02	5.04	5
10MHz QPSK	8.942	8.982	8.942	9.72	9.72	9.84
10MHz 16QAM	8.942	8.982	8.942	9.72	9.72	9.76

Note: The test plots please refer to the Plots of Occupied Bandwidth


FCC §2.1051, §22.917(a):Spurious Emissions at Antenna Terminal**Result:** Pass, Please refer to the test plots of Spurious Emissions at Antenna Terminal.**FCC §2.1051, §22.917(a):Out of band emission, Band Edge****Result:** Pass, Please refer to the test plots of Out of band emission, Band Edge.

FCC §2.1055, §2.355: Frequency Stability					
Test Mode:	10 MHz QPSK		Test Channel:	836.5	MHz
Test Item	Temperature (°C)	Voltage (V _{DC})	Frequency Error		Limit
			(Hz)	(ppm)	(ppm)
Frequency Stability vs. Temperature	-30	3.87	0.87	0.001	2.5
	-20	3.87	-6.97	-0.008	2.5
	-10	3.87	-5.5	-0.007	2.5
	0	3.87	6.06	0.007	2.5
	10	3.87	9.8	0.012	2.5
	20	3.87	5.03	0.006	2.5
	30	3.87	-6.62	-0.008	2.5
	40	3.87	-8.73	-0.010	2.5
Frequency Stability vs. Voltage	20	3.3	8.99	0.011	2.5
	20	4.45	-7.17	-0.009	2.5
				Result:	Pass


Test Mode:	10 MHz 16QAM		Test Channel:	836.5	MHz
Test Item	Temperature (°C)	Voltage (V _{DC})	Frequency Error		Limit
			(Hz)	(ppm)	(ppm)
Frequency Stability vs. Temperature	-30	3.87	0.19	0.000	2.5
	-20	3.87	8.1	0.010	2.5
	-10	3.87	-8.59	-0.010	2.5
	0	3.87	9.33	0.011	2.5
	10	3.87	-6.94	-0.008	2.5
	20	3.87	7.54	0.009	2.5
	30	3.87	6.43	0.008	2.5
	40	3.87	-6.17	-0.007	2.5
Frequency Stability vs. Voltage	20	3.3	6.34	0.008	2.5
	20	4.45	-6.89	-0.008	2.5
				Result:	Pass

Test Plots(Note: The 5.6dB is the Insertion loss of the RF cable, Power Splitter and DC Block, which was offset into the Spectrum Analyzer):

Occupied Bandwidth



Occupied Bandwidth





Occupied Bandwidth

Channel

5MHz Bandwidth QPSK

5MHz Bandwidth 16QAM



Lowest



Date: 21.NOV.2022 11:17:22

Date: 21.NOV.2022 11:17:55



Middle



Date: 21.NOV.2022 11:18:22

Date: 21.NOV.2022 11:18:56

Highest



Date: 21.NOV.2022 11:19:31

Date: 21.NOV.2022 11:19:57



Occupied Bandwidth

Channel

10MHz Bandwidth QPSK

10MHz Bandwidth 16QAM



Lowest



Date: 21.NOV.2022 11:21:19

Date: 21.NOV.2022 11:21:45



Middle



Date: 21.NOV.2022 11:22:23

Date: 21.NOV.2022 11:22:59

Highest



Date: 21.NOV.2022 11:23:30



Date: 21.NOV.2022 11:23:59

Spurious Emissions at Antenna Terminal



Channel

1.4MHz Bandwidth QPSK



Lowest



Middle



Highest





Spurious Emissions at Antenna Terminal

Channel

3MHz Bandwidth QPSK



Lowest



Date: 21.NOV.2022 13:41:50

Date: 21.NOV.2022 13:42:27



Middle



Date: 21.NOV.2022 13:43:04

Date: 21.NOV.2022 13:43:33

Highest



Date: 21.NOV.2022 13:43:58



Date: 21.NOV.2022 13:44:32

Spurious Emissions at Antenna Terminal

Channel

5MHz Bandwidth QPSK



Lowest



Date: 21.NOV.2022 13:46:01

Date: 21.NOV.2022 13:46:31



Middle



Date: 21.NOV.2022 13:47:07

Date: 21.NOV.2022 13:47:48

Highest



Date: 21.NOV.2022 13:48:25



Date: 21.NOV.2022 13:48:54

Spurious Emissions at Antenna Terminal



Channel

10MHz Bandwidth QPSK



Lowest




Middle




Highest




Out of band emission, Band Edge




Out of band emission, Band Edge



Out of band emission, Band Edge



Out of band emission, Band Edge



4.9 Antenna Port Test Data and Results for LTE Band 7

Serial Number:	1OGW	Test Date:	2022/11/21
Test Site:	RF	Test Mode:	Transmitting
Tester:	George Chen	Test Result:	Pass

Environmental Conditions:

Temperature: (°C)	25.8	Relative Humidity: (%)	66	ATM Pressure: (kPa)	101.2
----------------------	------	---------------------------	----	------------------------	-------

Test Equipment List and Details:

Manufacturer	Description	Model	Serial Number	Calibration Date	Calibration Due Date
R&S	Spectrum Analyzer	FSV40	101474	2022/7/15	2023/7/14
zhuoxiang	Coaxial Cable	SMA-178	211002	Each time	N/A
YINSAIGE	Coaxial Cable	SS402	SJ0100002	Each time	N/A
Mini-Circuits	DC Block	BLK-18-S+	1554404	Each time	N/A
Weinschel	Power Splitter	1515	RA914	Each time	N/A
R&S	Wideband Radio Communication Tester	CMW500	149218	2022/7/15	2023/7/14
BACL	TEMP&HUMI Test Chamber	BTH-150-40	30174	2022/4/6	2023/4/5
UNI-T	Multimeter	UT39A+	C210582554	2022/9/29	2023/9/28
ZHAOXIN	DC Power Supply	RXN-6010D	21R6010D0912386	N/A	N/A

* Statement of Traceability: China Certification ICT Co., Ltd (Dongguan) attests that all calibrations have been performed, traceable to National Primary Standards and International System of Units (SI).

Test Frequency For Each Mode:

Operation Bandwidth	Lowest Frequency (MHz)	Middle Frequency (MHz)	Highest Frequency (MHz)
5MHz	2502.5	2535	2567.5
10MHz	2505	2535	2565
15MHz	2507.5	2535	2562.5
20MHz	2510	2535	2560

Test Data:

FCC §2.1046; § 27.50(h)(2)						
RF Output Power:						
Test Bandwidth & Modulation	Resource Block & RB offset	Conducted Average Output Power(dBm)			Maximum EIRP (dBm)	EIRP Limit (dBm)
		Lowest Channel	Middle Channel	Highest Channel		
5MHz QPSK	RB1#0	21.77	21.83	21.57	21.93	33
	RB1#13	21.78	21.8	21.55		
	RB1#24	21.74	21.69	21.54		
	RB15#0	20.74	20.8	20.57		
	RB15#10	20.75	20.73	20.55		
	RB25#0	20.71	20.76	20.54		
5MHz 16QAM	RB1#0	20.87	21.08	20.7	21.18	33
	RB1#13	20.83	21.05	20.61		
	RB1#24	20.83	21.01	20.66		
	RB15#0	19.78	19.77	19.6		
	RB15#10	19.77	19.69	19.55		
	RB25#0	19.73	19.84	19.58		
10MHz QPSK	RB1#0	21.93	21.94	21.77	22.04	33
	RB1#25	21.74	21.68	21.52		
	RB1#49	21.86	21.83	21.62		
	RB25#0	20.77	20.8	20.64		
	RB25#25	20.65	20.73	20.55		
	RB50#0	20.77	20.78	20.56		
10MHz 16QAM	RB1#0	20.95	21.5	20.85	21.6	33
	RB1#25	20.75	21.33	20.58		
	RB1#49	20.78	21.41	20.74		
	RB25#0	19.86	19.82	19.67		
	RB25#25	19.74	19.84	19.51		
	RB50#0	19.76	19.88	19.53		
15MHz QPSK	RB1#0	21.8	21.93	21.57	22.03	33
	RB1#38	21.76	21.89	21.53		
	RB1#74	21.77	21.83	21.4		
	RB36#0	20.94	20.9	20.56		
	RB36#39	20.87	20.84	20.49		
	RB75#0	20.83	20.96	20.58		
15MHz 16QAM	RB1#0	20.88	21.49	20.71	21.59	33
	RB1#38	20.89	21.45	20.69		
	RB1#74	20.9	21.33	20.57		
	RB36#0	19.93	19.92	19.58		
	RB36#39	19.87	19.84	19.52		
	RB75#0	19.83	19.97	19.62		

20MHz QPSK	RB1#0	21.81	21.9	21.69	22	33
	RB1#50	21.71	21.88	21.53		
	RB1#99	21.81	21.73	21.39		
	RB50#0	20.88	20.88	20.63		
	RB50#50	20.88	20.84	20.48		
	RB100#0	20.85	20.91	20.51		
20MHz 16QAM	RB1#0	21.05	21.49	21.1	21.59	33
	RB1#50	21.07	21.49	20.85		
	RB1#99	21.01	21.3	20.72		
	RB50#0	19.85	19.89	19.63		
	RB50#50	19.86	19.78	19.49		
	RB100#0	19.83	19.94	19.52		
Note: EIRP=Conducted Power(dBm) - Lc(dB) + Gr(dBi)						
					Result:	Pass

Peak-to-average Ratio(PAR)

Test Bandwidth & Modulation	Resource Block & RB offset	Peak-to-average Ratio(dB)			Limit(dB)
		Lowest Channel	Middle Channel	Highest Channel	
20MHz QPSK	RB1#0	5.28	5.07	4.64	13
	RB100#0	4.06	4.12	4	13
20MHz 16QAM	RB1#0	6.14	5.51	5.45	13
	RB100#0	5.77	5.83	5.68	13
Result:					Pass

FCC §2.1049, §27.53:Occupied Bandwidth

Operation Mode	99% Occupied Bandwidth (MHz)			26 dB Occupied Bandwidth (MHz)		
	Low Channel	Middle channel	High Channel	Low Channel	Middle Channel	High Channel
5MHz QPSK	4.491	4.511	4.511	5.02	5	5.02
5MHz 16QAM	4.531	4.531	4.531	5.04	5.04	5.08
10MHz QPSK	8.942	8.942	8.942	9.8	9.72	9.76
10MHz 16QAM	8.942	8.942	8.942	9.76	9.68	9.68
15MHz QPSK	13.473	13.473	13.533	14.88	14.94	15
15MHz 16QAM	13.473	13.533	13.533	14.82	14.88	14.76
20MHz QPSK	17.964	17.964	17.964	19.44	19.44	19.36
20MHz 16QAM	17.964	17.964	17.964	19.52	19.44	19.6
Note: The test plots please refer to the Plots of Occupied Bandwidth						

FCC §2.1051, §27.53:Spurious Emissions at Antenna Terminal

Result:	Pass, Please refer to the test plots of Spurious Emissions at Antenna Terminal.
----------------	--

FCC §2.1051, §27.53: Out of band emission, Band Edge**Result: Pass, Please refer to the test plots of Out of band emission, Band Edge.****FCC §2.1055, §27.54: Frequency Stability**

Test Mode:	20M QPSK	Test Channel: Lowest for Lower Edge, Highest for Upper Edge				
Test Item	Temperature (°C)	Voltage (V _{DC})	Lower Edge (MHz)		Upper Edge (MHz)	
			Result	Limit	Result	Limit
Frequency Stability vs. Temperature	-30	3.87	2500.451	2500.00	2569.614	2570
	-20	3.87	2500.486	2500.00	2569.630	2570
	-10	3.87	2500.411	2500.00	2569.694	2570
	0	3.87	2500.425	2500.00	2569.681	2570
	10	3.87	2500.425	2500.00	2569.680	2570
	20	3.87	2500.458	2500.00	2569.622	2570
	30	3.87	2500.491	2500.00	2569.634	2570
	40	3.87	2500.465	2500.00	2569.693	2570
	50	3.87	2500.483	2500.00	2569.621	2570
Frequency Stability vs. Voltage	20	3.3	2500.447	2500.00	2569.631	2570
	20	4.45	2500.416	2500.00	2569.603	2570
Result:					Pass	

Test Mode:	20M 16QAM	Test Channel: Lowest for Lower Edge, Highest for Upper Edge				
Test Item	Temperature (°C)	Voltage (V _{DC})	Lower Edge (MHz)		Upper Edge (MHz)	
			Result	Limit	Result	Limit
Frequency Stability vs. Temperature	-30	3.87	2500.485	2500.00	2569.681	2570
	-20	3.87	2500.420	2500.00	2569.621	2570
	-10	3.87	2500.416	2500.00	2569.670	2570
	0	3.87	2500.475	2500.00	2569.686	2570
	10	3.87	2500.423	2500.00	2569.681	2570
	20	3.87	2500.458	2500.00	2569.642	2570
	30	3.87	2500.451	2500.00	2569.679	2570
	40	3.87	2500.498	2500.00	2569.653	2570
	50	3.87	2500.450	2500.00	2569.625	2570
Frequency Stability vs. Voltage	20	3.3	2500.495	2500.00	2569.660	2570
	20	4.45	2500.408	2500.00	2569.677	2570
Result:					Pass	