

APPENDIX 3: Photographs of test setup

Radiated Power




Photo 1




Photo 2

UL Japan, Inc.

Ise EMC Lab.

4383-326 Asama-cho, Ise-shi, Mie-ken 516-0021 JAPAN

Telephone : +81 596 24 8999

Facsimile : +81 596 24 8124

Field strength of spurious radiation
(Below 30 MHz)




Photo 1




Photo 2

UL Japan, Inc.

Ise EMC Lab.

4383-326 Asama-cho, Ise-shi, Mie-ken 516-0021 JAPAN

Telephone : +81 596 24 8999

Facsimile : +81 596 24 8124

Field strength of spurious radiation
(30 MHz - 1000 MHz)




Photo 1




Photo 2

UL Japan, Inc.

Ise EMC Lab.

4383-326 Asama-cho, Ise-shi, Mie-ken 516-0021 JAPAN

Telephone : +81 596 24 8999

Facsimile : +81 596 24 8124

Field strength of spurious radiation
(Above 1 GHz)




Photo 1





Photo 2


Worst Case Position

Frequency Range	Worst Case Position
Below 30 MHz	X-axis
30 MHz - 40 GHz	Horizontal: X-axis / Vertical: X-axis
Above 40 GHz	Horizontal: Y-axis / Vertical: X-axis

X-axis



Y-axis



Frequency Stability



Photo 1

End of Report

UL Japan, Inc.

Ise EMC Lab.

4383-326 Asama-cho, Ise-shi, Mie-ken 516-0021 JAPAN

Telephone : +81 596 24 8999

Facsimile : +81 596 24 8124