


Test Mode	UNII-2A_TX A Mode
-----------	-------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
52	5260	20.39	16.70
60	5300	20.20	16.70
64	5320	20.15	16.70

CH52




Date: 16.AUG.2021 20:44:02

CH60 26 dB Bandwidth




Date: 16.AUG.2021 20:44:44

CH64




Date: 16.AUG.2021 20:45:26


99 % Occupied Bandwidth



Date: 16.AUG.2021 20:43:38



Date: 16.AUG.2021 20:44:20




Date: 16.AUG.2021 20:45:03

Test Mode	UNII-2A_TX AC(VHT20) Mode
-----------	---------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
52	5260	20.80	17.70
60	5300	20.49	17.70
64	5320	20.55	17.70

CH52




Date: 16.AUG.2021 20:52:53

CH60 26 dB Bandwidth




Date: 16.AUG.2021 20:53:51

CH64




Date: 16.AUG.2021 20:54:31


99 % Occupied Bandwidth



Date: 16.AUG.2021 20:52:30



Date: 16.AUG.2021 20:53:28




Date: 16.AUG.2021 20:54:08

Test Mode	UNII-2A_TX AC(VHT40) Mode
-----------	---------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
54	5270	40.30	36.40
62	5310	39.80	36.40

CH54




Date: 16.AUG.2021 21:01:14

CH62 26 dB Bandwidth




Date: 16.AUG.2021 21:02:21



Date: 16.AUG.2021 21:01:03

99 % Occupied Bandwidth




Date: 16.AUG.2021 21:01:50

Test Mode	UNII-2A_TX AC(VHT80) Mode
-----------	---------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
58	5290	80.40	75.20

CH58 26 dB Bandwidth



Date: 16.AUG.2021 21:07:17

99 % Occupied Bandwidth




Date: 16.AUG.2021 21:06:49

Test Mode	UNII-2A_TX AX(HE20) Mode
-----------	--------------------------

Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
52	5260	26.90	19.10
60	5300	30.50	19.10
64	5320	27.09	19.20


CH52



Date: 16.AUG.2021 21:15:18


CH60

26 dB Bandwidth




Date: 16.AUG.2021 21:16:06

CH64




Date: 16.AUG.2021 21:17:00


99 % Occupied Bandwidth



Date: 16.AUG.2021 21:14:45



Date: 16.AUG.2021 21:15:35




Date: 16.AUG.2021 21:16:29

Test Mode	UNII-2A_TX AX(HE40) Mode
-----------	--------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
54	5270	39.50	37.60
62	5310	39.50	37.80

CH54




Date: 16.AUG.2021 21:23:53

CH62 26 dB Bandwidth




Date: 16.AUG.2021 21:24:46



Date: 16.AUG.2021 21:23:21

99 % Occupied Bandwidth




Date: 16.AUG.2021 21:24:14

Test Mode	UNII-2A_TX AX(HE80) Mode
-----------	--------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
58	5290	81.00	77.20

CH58 26 dB Bandwidth



Date: 31.AUG.2021 09:47:50

99 % Occupied Bandwidth




Date: 31.AUG.2021 09:47:25

Test Mode	UNII-2C_TX A Mode
-----------	-------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
100	5500	20.10	16.60
116	5580	20.19	16.80
140	5700	20.15	16.70

CH100




Date: 16.AUG.2021 20:46:20

CH116 26 dB Bandwidth




Date: 16.AUG.2021 20:47:14

CH140




Date: 16.AUG.2021 20:48:03


99 % Occupied Bandwidth



Date: 16.AUG.2021 20:45:57



Date: 16.AUG.2021 20:46:50




Date: 16.AUG.2021 20:47:39

Test Mode	UNII-2C_TX AC(VHT20) Mode
-----------	---------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
100	5500	20.50	17.80
116	5580	20.55	17.70
140	5700	20.50	17.70

CH100




Date: 16.AUG.2021 20:55:18

CH116 26 dB Bandwidth




Date: 16.AUG.2021 20:56:08

CH140




Date: 16.AUG.2021 20:56:51


99 % Occupied Bandwidth



Date: 16.AUG.2021 20:54:55



Date: 16.AUG.2021 20:55:44




Date: 16.AUG.2021 20:56:28

Test Mode	UNII-2C_TX AC(VHT40) Mode
-----------	---------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
102	5510	39.70	36.20
110	5550	40.00	36.40
134	5670	40.10	36.40

CH102




Date: 16.AUG.2021 21:03:22

CH110 26 dB Bandwidth




Date: 16.AUG.2021 21:04:11

CH134




Date: 16.AUG.2021 21:05:02


99 % Occupied Bandwidth



Date: 16.AUG.2021 21:02:51



Date: 16.AUG.2021 21:03:39




Date: 16.AUG.2021 21:04:32

Test Mode	UNII-2C_TX AC(VHT80) Mode
-----------	---------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
106	5530	80.40	75.20
122	5610	80.80	75.20

CH106




Date: 16.AUG.2021 21:09:36

CH122 26 dB Bandwidth




Date: 16.AUG.2021 21:10:22

99 % Occupied Bandwidth



Date: 16.AUG.2021 21:09:07




Date: 16.AUG.2021 21:09:54

Test Mode	UNII-2C_TX AX(HE20) Mode
-----------	--------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
100	5500	26.19	19.20
116	5580	24.09	19.20
140	5700	31.40	19.10

CH100




Date: 16.AUG.2021 21:18:12

CH116 26 dB Bandwidth




Date: 16.AUG.2021 21:18:59

CH140




Date: 16.AUG.2021 21:19:47


99 % Occupied Bandwidth



Date: 16.AUG.2021 21:17:41



Date: 16.AUG.2021 21:18:36




Date: 16.AUG.2021 21:19:22

Test Mode	UNII-2C_TX AX(HE40) Mode
-----------	--------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
102	5510	39.70	37.80
110	5550	39.51	37.80
134	5670	39.50	37.80

CH102




Date: 16.AUG.2021 21:25:57

CH110
26 dB Bandwidth




Date: 16.AUG.2021 21:26:44

CH134




Date: 16.AUG.2021 21:27:33


99 % Occupied Bandwidth



Date: 16.AUG.2021 21:25:25



Date: 16.AUG.2021 21:26:13




Date: 16.AUG.2021 21:27:02

Test Mode	UNII-2C_TX AX(HE80) Mode
-----------	--------------------------

Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
106	5530	81.00	76.80
122	5610	81.20	76.80


CH106




Date: 16.AUG.2021 21:30:09

CH122

26 dB Bandwidth




Date: 16.AUG.2021 21:31:02



Date: 16.AUG.2021 21:29:41

99 % Occupied Bandwidth




Date: 16.AUG.2021 21:30:35

Test Mode	UNII-3_TX A Mode
-----------	------------------


Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	6 dB Bandwidth Min. Limit (MHz)	Result
149	5745	15.05	23.40	0.50	Complies
157	5785	15.20	25.00	0.50	Complies
165	5825	15.05	24.80	0.50	Complies

CH149




Date: 2.MAR.2021 11:03:52

CH157
6 dB Bandwidth




Date: 2.MAR.2021 11:16:27

CH165




Date: 2.MAR.2021 11:29:13


99 % Occupied Bandwidth



Date: 2.MAR.2021 11:03:22



Date: 2.MAR.2021 11:15:56




Date: 2.MAR.2021 11:28:43

Test Mode	UNII-3_TX AC(VHT20) Mode
-----------	--------------------------

Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	6 dB Bandwidth Min. Limit (MHz)	Result
149	5745	15.15	24.20	0.50	Complies
157	5785	15.15	23.90	0.50	Complies
165	5825	15.20	22.90	0.50	Complies


CH149



Date: 2.MAR.2021 14:16:10


CH157

6 dB Bandwidth




Date: 2.MAR.2021 14:17:28

CH165




Date: 2.MAR.2021 14:18:35


99 % Occupied Bandwidth



Date: 2.MAR.2021 14:16:41



Date: 2.MAR.2021 14:16:58




Date: 2.MAR.2021 14:18:04

Test Mode UNII-3_TX AC(VHT40) Mode


Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	6 dB Bandwidth Min. Limit (MHz)	Result
151	5755	31.60	49.20	0.50	Complies
159	5795	31.50	50.40	0.50	Complies

CH151




Date: 2.MAR.2021 14:20:25

CH159 6 dB Bandwidth




Date: 2.MAR.2021 14:21:50



Date: 2.MAR.2021 14:19:53

99 % Occupied Bandwidth




Date: 2.MAR.2021 14:21:18

Test Mode	UNII-3_TX AC(VHT80) Mode
-----------	--------------------------


Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	6 dB Bandwidth Min. Limit (MHz)	Result
155	5775	62.00	112.00	0.50	Complies

CH155 6 dB Bandwidth



Date: 2.MAR.2021 14:26:15

99 % Occupied Bandwidth




Date: 2.MAR.2021 14:25:39

Test Mode	UNII-3_TX AX(HE20) Mode
-----------	-------------------------

Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	6 dB Bandwidth Min. Limit (MHz)	Result
149	5745	16.85	26.40	0.50	Complies
157	5785	15.20	26.20	0.50	Complies
165	5825	15.20	23.60	0.50	Complies


CH149



Date: 2.MAR.2021 14:28:52


CH157

6 dB Bandwidth




Date: 2.MAR.2021 14:30:20

CH165




Date: 2.MAR.2021 14:31:31


99 % Occupied Bandwidth



Date: 2.MAR.2021 14:28:20



Date: 2.MAR.2021 14:29:44




Date: 2.MAR.2021 14:30:57

Test Mode	UNII-3_TX AX(HE40) Mode
-----------	-------------------------


Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	6 dB Bandwidth Min. Limit (MHz)	Result
151	5755	35.30	51.20	0.50	Complies
159	5795	35.10	51.60	0.50	Complies

CH151




Date: 2.MAR.2021 14:33:22

CH159 6 dB Bandwidth




Date: 2.MAR.2021 14:34:35



Date: 2.MAR.2021 14:32:52

99 % Occupied Bandwidth




Date: 2.MAR.2021 14:34:07

Test Mode	UNII-3_TX AX(HE80) Mode
-----------	-------------------------


Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	6 dB Bandwidth Min. Limit (MHz)	Result
155	5775	68.40	111.20	0.50	Complies

CH155 6 dB Bandwidth



Date: 2.MAR.2021 14:38:40

99 % Occupied Bandwidth



Date: 2.MAR.2021 14:38:06

APPENDIX F - MAXIMUM OUTPUT POWER

Non Beamforming

Test Mode	UNII-1_TX A Mode_Ant. 1
-----------	-------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	18.56	0.19	18.75	30.00	1.0000	Complies
40	5200	18.02	0.19	18.21	30.00	1.0000	Complies
48	5240	15.01	0.19	15.20	30.00	1.0000	Complies

Test Mode	UNII-1_TX A Mode_Ant. 2
-----------	-------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	18.45	0.19	18.64	30.00	1.0000	Complies
40	5200	17.01	0.19	17.20	30.00	1.0000	Complies
48	5240	14.27	0.19	14.46	30.00	1.0000	Complies

Test Mode	UNII-1_TX A Mode_Total
-----------	------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	21.71	30.00	1.0000	Complies
40	5200	20.75	30.00	1.0000	Complies
48	5240	17.86	30.00	1.0000	Complies

Test Mode	UNII-1_TX N(HT20) Mode_Ant. 1
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	17.33	0.18	17.51	30.00	1.0000	Complies
40	5200	16.85	0.18	17.03	30.00	1.0000	Complies
48	5240	14.36	0.18	14.54	30.00	1.0000	Complies

Test Mode	UNII-1_TX N(HT20) Mode_Ant. 2
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	15.71	0.18	15.89	30.00	1.0000	Complies
40	5200	14.69	0.18	14.87	30.00	1.0000	Complies
48	5240	13.82	0.18	14.00	30.00	1.0000	Complies

Test Mode	UNII-1_TX N(HT20) Mode_Total
-----------	------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	19.79	30.00	1.0000	Complies
40	5200	19.09	30.00	1.0000	Complies
48	5240	17.29	30.00	1.0000	Complies

Test Mode	UNII-1_TX N(HT40) Mode_Ant. 1
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	17.25	0.38	17.63	30.00	1.0000	Complies
46	5230	15.23	0.38	15.61	30.00	1.0000	Complies

Test Mode	UNII-1_TX N(HT40) Mode_Ant. 2
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	16.87	0.38	17.25	30.00	1.0000	Complies
46	5230	14.97	0.38	15.35	30.00	1.0000	Complies

Test Mode	UNII-1_TX N(HT40) Mode_Total
-----------	------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	20.46	30.00	1.0000	Complies
46	5230	18.50	30.00	1.0000	Complies

Test Mode	UNII-1_TX AC(VHT20) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	17.36	0.19	17.55	30.00	1.0000	Complies
40	5200	16.89	0.19	17.08	30.00	1.0000	Complies
48	5240	14.37	0.19	14.56	30.00	1.0000	Complies

Test Mode	UNII-1_TX AC(VHT20) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	15.72	0.19	15.91	30.00	1.0000	Complies
40	5200	14.73	0.19	14.92	30.00	1.0000	Complies
48	5240	13.85	0.19	14.04	30.00	1.0000	Complies

Test Mode	UNII-1_TX AC(VHT20) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	19.82	30.00	1.0000	Complies
40	5200	19.15	30.00	1.0000	Complies
48	5240	17.32	30.00	1.0000	Complies

Test Mode	UNII-1_TX AC(VHT40) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	17.28	0.38	17.66	30.00	1.0000	Complies
46	5230	15.25	0.38	15.63	30.00	1.0000	Complies

Test Mode	UNII-1_TX AC(VHT40) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	16.88	0.38	17.26	30.00	1.0000	Complies
46	5230	14.98	0.38	15.36	30.00	1.0000	Complies

Test Mode	UNII-1_TX AC(VHT40) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	20.47	30.00	1.0000	Complies
46	5230	18.51	30.00	1.0000	Complies

Test Mode	UNII-1_TX AC(VHT80) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	13.54	0.74	14.28	30.00	1.0000	Complies

Test Mode	UNII-1_TX AC(VHT80) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	13.26	0.74	14.00	30.00	1.0000	Complies

Test Mode	UNII-1_TX AC(VHT80) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	17.15	30.00	1.0000	Complies

Test Mode	UNII-1_TX AX(HE20) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	18.24	0.75	18.99	30.00	1.0000	Complies
40	5200	17.09	0.75	17.84	30.00	1.0000	Complies
48	5240	14.35	0.75	15.10	30.00	1.0000	Complies

Test Mode	UNII-1_TX AX(HE20) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	17.92	0.75	18.67	30.00	1.0000	Complies
40	5200	16.76	0.75	17.51	30.00	1.0000	Complies
48	5240	14.09	0.75	14.84	30.00	1.0000	Complies

Test Mode	UNII-1_TX AX(HE20) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	21.84	30.00	1.0000	Complies
40	5200	20.68	30.00	1.0000	Complies
48	5240	17.98	30.00	1.0000	Complies

Test Mode	UNII-1_TX AX(HE40) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	16.22	0.76	16.98	30.00	1.0000	Complies
46	5230	15.43	0.76	16.19	30.00	1.0000	Complies

Test Mode	UNII-1_TX AX(HE40) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	15.85	0.76	16.61	30.00	1.0000	Complies
46	5230	15.16	0.76	15.92	30.00	1.0000	Complies

Test Mode	UNII-1_TX AX(HE40) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	19.81	30.00	1.0000	Complies
46	5230	19.06	30.00	1.0000	Complies

Test Mode	UNII-1_TX AX(HE80) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	13.26	0.80	14.06	30.00	1.0000	Complies

Test Mode	UNII-1_TX AX(HE80) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	13.05	0.80	13.85	30.00	1.0000	Complies

Test Mode	UNII-1_TX AX(HE80) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	16.97	30.00	1.0000	Complies

Test Mode	UNII-2A_TX A Mode_Ant. 1
-----------	--------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	15.95	0.19	16.14	23.98	0.2500	Complies
60	5300	14.21	0.19	14.40	23.98	0.2500	Complies
64	5320	13.22	0.19	13.41	23.98	0.2500	Complies

Test Mode	UNII-2A_TX A Mode_Ant. 2
-----------	--------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	14.44	0.19	14.63	23.98	0.2500	Complies
60	5300	13.41	0.19	13.60	23.98	0.2500	Complies
64	5320	12.83	0.19	13.02	23.98	0.2500	Complies

Test Mode	UNII-2A_TX A Mode_Total
-----------	-------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	18.46	23.98	0.2500	Complies
60	5300	17.03	23.98	0.2500	Complies
64	5320	16.23	23.98	0.2500	Complies

Test Mode	UNII-2A_TX N(HT20) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	15.51	0.18	15.69	23.98	0.2500	Complies
60	5300	11.98	0.18	12.16	23.98	0.2500	Complies
64	5320	12.50	0.18	12.68	23.98	0.2500	Complies

Test Mode	UNII-2A_TX N(HT20) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	14.43	0.18	14.61	23.98	0.2500	Complies
60	5300	11.61	0.18	11.79	23.98	0.2500	Complies
64	5320	12.16	0.18	12.34	23.98	0.2500	Complies

Test Mode	UNII-2A_TX N(HT20) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	18.20	23.98	0.2500	Complies
60	5300	14.99	23.98	0.2500	Complies
64	5320	15.53	23.98	0.2500	Complies

Test Mode	UNII-2A_TX N(HT40) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	14.83	0.38	15.21	23.98	0.2500	Complies
62	5310	13.67	0.38	14.05	23.98	0.2500	Complies

Test Mode	UNII-2A_TX N(HT40) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	14.61	0.38	14.99	23.98	0.2500	Complies
62	5310	13.31	0.38	13.69	23.98	0.2500	Complies

Test Mode	UNII-2A_TX N(HT40) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	18.12	23.98	0.2500	Complies
62	5310	16.89	23.98	0.2500	Complies

Test Mode	UNII-2A_TX AC(VHT20) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	15.54	0.19	15.73	23.98	0.2500	Complies
60	5300	12.01	0.19	12.20	23.98	0.2500	Complies
64	5320	12.51	0.19	12.70	23.98	0.2500	Complies

Test Mode	UNII-2A_TX AC(VHT20) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	14.45	0.19	14.64	23.98	0.2500	Complies
60	5300	11.63	0.19	11.82	23.98	0.2500	Complies
64	5320	12.18	0.19	12.37	23.98	0.2500	Complies

Test Mode	UNII-2A_TX AC(VHT20) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	18.23	23.98	0.2500	Complies
60	5300	15.03	23.98	0.2500	Complies
64	5320	15.55	23.98	0.2500	Complies

Test Mode	UNII-2A_TX AC(VHT40) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	14.86	0.38	15.24	23.98	0.2500	Complies
62	5310	13.69	0.38	14.07	23.98	0.2500	Complies

Test Mode	UNII-2A_TX AC(VHT40) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	14.63	0.38	15.01	23.98	0.2500	Complies
62	5310	13.32	0.38	13.70	23.98	0.2500	Complies

Test Mode	UNII-2A_TX AC(VHT40) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	18.13	23.98	0.2500	Complies
62	5310	16.90	23.98	0.2500	Complies

Test Mode	UNII-2A_TX AC(VHT80) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	13.18	0.74	13.92	23.98	0.2500	Complies

Test Mode	UNII-2A_TX AC(VHT80) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	12.98	0.74	13.72	23.98	0.2500	Complies

Test Mode	UNII-2A_TX AC(VHT80) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	16.83	23.98	0.2500	Complies

Test Mode	UNII-2A_TX AX(HE20) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	15.28	0.75	16.03	23.98	0.2500	Complies
60	5300	12.22	0.75	12.97	23.98	0.2500	Complies
64	5320	11.77	0.75	12.52	23.98	0.2500	Complies

Test Mode	UNII-2A_TX AX(HE20) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	15.05	0.75	15.80	23.98	0.2500	Complies
60	5300	11.93	0.75	12.68	23.98	0.2500	Complies
64	5320	11.64	0.75	12.39	23.98	0.2500	Complies

Test Mode	UNII-2A_TX AX(HE20) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	18.92	23.98	0.2500	Complies
60	5300	15.83	23.98	0.2500	Complies
64	5320	15.46	23.98	0.2500	Complies

Test Mode	UNII-2A_TX AX(HE40) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	14.79	0.76	15.55	23.98	0.2500	Complies
62	5310	13.73	0.76	14.49	23.98	0.2500	Complies

Test Mode	UNII-2A_TX AX(HE40) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	14.52	0.76	15.28	23.98	0.2500	Complies
62	5310	13.39	0.76	14.15	23.98	0.2500	Complies

Test Mode	UNII-2A_TX AX(HE40) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	18.42	23.98	0.2500	Complies
62	5310	17.33	23.98	0.2500	Complies

Test Mode	UNII-2A_TX AX(HE80) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	12.91	0.80	13.71	23.98	0.2500	Complies

Test Mode	UNII-2A_TX AX(HE80) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	12.72	0.80	13.52	23.98	0.2500	Complies

Test Mode	UNII-2A_TX AX(HE80) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	16.63	23.98	0.2500	Complies

Test Mode	UNII-2C_TX A Mode_Ant. 1
-----------	--------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	15.16	0.19	15.35	23.98	0.2500	Complies
116	5580	13.88	0.19	14.07	23.98	0.2500	Complies
140	5700	14.23	0.19	14.42	23.98	0.2500	Complies

Test Mode	UNII-2C_TX A Mode_Ant. 2
-----------	--------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	14.83	0.19	15.02	23.98	0.2500	Complies
116	5580	13.68	0.19	13.87	23.98	0.2500	Complies
140	5700	12.73	0.19	12.92	23.98	0.2500	Complies

Test Mode	UNII-2C_TX A Mode_Total
-----------	-------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	18.20	23.98	0.2500	Complies
116	5580	16.99	23.98	0.2500	Complies
140	5700	16.75	23.98	0.2500	Complies

Test Mode	UNII-2C_TX N(HT20) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	14.91	0.18	15.09	23.98	0.2500	Complies
116	5580	13.92	0.18	14.10	23.98	0.2500	Complies
140	5700	14.21	0.18	14.39	23.98	0.2500	Complies

Test Mode	UNII-2C_TX N(HT20) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	14.59	0.18	14.77	23.98	0.2500	Complies
116	5580	13.69	0.18	13.87	23.98	0.2500	Complies
140	5700	13.95	0.18	14.13	23.98	0.2500	Complies

Test Mode	UNII-2C_TX N(HT20) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	17.94	23.98	0.2500	Complies
116	5580	17.00	23.98	0.2500	Complies
140	5700	17.27	23.98	0.2500	Complies

Test Mode	UNII-2C_TX N(HT40) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	16.05	0.38	16.43	23.98	0.2500	Complies
110	5550	15.32	0.38	15.70	23.98	0.2500	Complies
134	5670	15.53	0.38	15.91	23.98	0.2500	Complies

Test Mode	UNII-2C_TX N(HT40) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	15.52	0.38	15.90	23.98	0.2500	Complies
110	5550	14.89	0.38	15.27	23.98	0.2500	Complies
134	5670	15.24	0.38	15.62	23.98	0.2500	Complies

Test Mode	UNII-2C_TX N(HT40) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	19.19	23.98	0.2500	Complies
110	5550	18.50	23.98	0.2500	Complies
134	5670	18.78	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AC(VHT20) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	14.93	0.19	15.12	23.98	0.2500	Complies
116	5580	13.94	0.19	14.13	23.98	0.2500	Complies
140	5700	14.23	0.19	14.42	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AC(VHT20) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	14.62	0.19	14.81	23.98	0.2500	Complies
116	5580	13.71	0.19	13.90	23.98	0.2500	Complies
140	5700	13.98	0.19	14.17	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AC(VHT20) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	17.98	23.98	0.2500	Complies
116	5580	17.03	23.98	0.2500	Complies
140	5700	17.31	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AC(VHT40) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	16.08	0.38	16.46	23.98	0.2500	Complies
110	5550	15.37	0.38	15.75	23.98	0.2500	Complies
134	5670	15.55	0.38	15.93	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AC(VHT40) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	15.56	0.38	15.94	23.98	0.2500	Complies
110	5550	14.92	0.38	15.30	23.98	0.2500	Complies
134	5670	15.27	0.38	15.65	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AC(VHT40) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	19.22	23.98	0.2500	Complies
110	5550	18.54	23.98	0.2500	Complies
134	5670	18.80	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AC(VHT80) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	12.58	0.74	13.32	23.98	0.2500	Complies
122	5610	18.22	0.74	18.96	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AC(VHT80) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	12.16	0.74	12.90	23.98	0.2500	Complies
122	5610	17.83	0.74	18.57	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AC(VHT80) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	16.12	23.98	0.2500	Complies
122	5610	21.78	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AX(HE20) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	14.38	0.75	15.13	23.98	0.2500	Complies
116	5580	13.71	0.75	14.46	23.98	0.2500	Complies
140	5700	14.47	0.75	15.22	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AX(HE20) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	14.05	0.75	14.80	23.98	0.2500	Complies
116	5580	13.38	0.75	14.13	23.98	0.2500	Complies
140	5700	14.25	0.75	15.00	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AX(HE20) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	17.97	23.98	0.2500	Complies
116	5580	17.30	23.98	0.2500	Complies
140	5700	18.12	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AX(HE40) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	15.61	0.76	16.37	23.98	0.2500	Complies
110	5550	15.12	0.76	15.88	23.98	0.2500	Complies
134	5670	15.23	0.76	15.99	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AX(HE40) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	15.26	0.76	16.02	23.98	0.2500	Complies
110	5550	14.89	0.76	15.65	23.98	0.2500	Complies
134	5670	15.08	0.76	15.84	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AX(HE40) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	19.21	23.98	0.2500	Complies
110	5550	18.77	23.98	0.2500	Complies
134	5670	18.92	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AX(HE80) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	12.18	0.80	12.98	23.98	0.2500	Complies
122	5610	17.71	0.80	18.51	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AX(HE80) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	11.97	0.80	12.77	23.98	0.2500	Complies
122	5610	17.45	0.80	18.25	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AX(HE80) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	15.89	23.98	0.2500	Complies
122	5610	21.40	23.98	0.2500	Complies

Test Mode	UNII-3_TX A Mode_Ant. 1
-----------	-------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	19.38	0.19	19.57	30.00	1.0000	Complies
157	5785	18.39	0.19	18.58	30.00	1.0000	Complies
165	5825	19.22	0.19	19.41	30.00	1.0000	Complies

Test Mode	UNII-3_TX A Mode_Ant. 2
-----------	-------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	18.94	0.19	19.13	30.00	1.0000	Complies
157	5785	18.42	0.19	18.61	30.00	1.0000	Complies
165	5825	19.59	0.19	19.78	30.00	1.0000	Complies

Test Mode	UNII-3_TX A Mode_Total
-----------	------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	22.37	30.00	1.0000	Complies
157	5785	21.61	30.00	1.0000	Complies
165	5825	22.61	30.00	1.0000	Complies

Test Mode	UNII-3_TX N(HT20) Mode_Ant. 1
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	18.15	0.18	18.33	30.00	1.0000	Complies
157	5785	17.94	0.18	18.12	30.00	1.0000	Complies
165	5825	17.63	0.18	17.81	30.00	1.0000	Complies

Test Mode	UNII-3_TX N(HT20) Mode_Ant. 2
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	18.09	0.18	18.27	30.00	1.0000	Complies
157	5785	18.12	0.18	18.30	30.00	1.0000	Complies
165	5825	17.66	0.18	17.84	30.00	1.0000	Complies

Test Mode	UNII-3_TX N(HT20) Mode_Total
-----------	------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	21.31	30.00	1.0000	Complies
157	5785	21.22	30.00	1.0000	Complies
165	5825	20.84	30.00	1.0000	Complies

Test Mode	UNII-3_TX N(HT40) Mode_Ant. 1
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	16.74	0.38	17.12	30.00	1.0000	Complies
159	5795	16.41	0.38	16.79	30.00	1.0000	Complies

Test Mode	UNII-3_TX N(HT40) Mode_Ant. 2
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	16.85	0.38	17.23	30.00	1.0000	Complies
159	5795	16.02	0.38	16.40	30.00	1.0000	Complies

Test Mode	UNII-3_TX N(HT40) Mode_Total
-----------	------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	20.19	30.00	1.0000	Complies
159	5795	19.61	30.00	1.0000	Complies

Test Mode	UNII-3_TX AC(VHT20) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	18.06	0.19	18.25	30.00	1.0000	Complies
157	5785	18.37	0.19	18.56	30.00	1.0000	Complies
165	5825	18.15	0.19	18.34	30.00	1.0000	Complies

Test Mode	UNII-3_TX AC(VHT20) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	17.89	0.19	18.08	30.00	1.0000	Complies
157	5785	18.62	0.19	18.81	30.00	1.0000	Complies
165	5825	18.44	0.19	18.63	30.00	1.0000	Complies

Test Mode	UNII-3_TX AC(VHT20) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	21.18	30.00	1.0000	Complies
157	5785	21.70	30.00	1.0000	Complies
165	5825	21.50	30.00	1.0000	Complies

Test Mode	UNII-3_TX AC(VHT40) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	18.04	0.38	18.42	30.00	1.0000	Complies
159	5795	18.34	0.38	18.72	30.00	1.0000	Complies

Test Mode	UNII-3_TX AC(VHT40) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	18.35	0.38	18.73	30.00	1.0000	Complies
159	5795	18.05	0.38	18.43	30.00	1.0000	Complies

Test Mode	UNII-3_TX AC(VHT40) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	21.59	30.00	1.0000	Complies
159	5795	21.59	30.00	1.0000	Complies

Test Mode	UNII-3_TX AC(VHT80) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	18.94	0.74	19.68	30.00	1.0000	Complies

Test Mode	UNII-3_TX AC(VHT80) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	18.71	0.74	19.45	30.00	1.0000	Complies

Test Mode	UNII-3_TX AC(VHT80) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	22.57	30.00	1.0000	Complies

Test Mode	UNII-3_TX AX(HE20) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	17.62	0.75	18.37	30.00	1.0000	Complies
157	5785	17.74	0.75	18.49	30.00	1.0000	Complies
165	5825	17.35	0.75	18.10	30.00	1.0000	Complies

Test Mode	UNII-3_TX AX(HE20) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	17.48	0.75	18.23	30.00	1.0000	Complies
157	5785	17.52	0.75	18.27	30.00	1.0000	Complies
165	5825	17.25	0.75	18.00	30.00	1.0000	Complies

Test Mode	UNII-3_TX AX(HE20) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	21.31	30.00	1.0000	Complies
157	5785	21.39	30.00	1.0000	Complies
165	5825	21.06	30.00	1.0000	Complies

Test Mode	UNII-3_TX AX(HE40) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	17.13	0.76	17.89	30.00	1.0000	Complies
159	5795	17.02	0.76	17.78	30.00	1.0000	Complies

Test Mode	UNII-3_TX AX(HE40) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	17.35	0.76	18.11	30.00	1.0000	Complies
159	5795	17.68	0.76	18.44	30.00	1.0000	Complies

Test Mode	UNII-3_TX AX(HE40) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	21.01	30.00	1.0000	Complies
159	5795	21.13	30.00	1.0000	Complies

Test Mode	UNII-3_TX AX(HE80) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	22.56	0.80	23.36	30.00	1.0000	Complies

Test Mode	UNII-3_TX AX(HE80) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	22.47	0.80	23.27	30.00	1.0000	Complies

Test Mode	UNII-3_TX AX(HE80) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	26.33	30.00	1.0000	Complies

Beamforming

Test Mode	UNII-1_TX N(HT20) Mode_Ant. 1
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	16.82	0.18	17.00	27.77	0.5984	Complies
40	5200	16.39	0.18	16.57	27.77	0.5984	Complies
48	5240	13.85	0.18	14.03	27.77	0.5984	Complies

Test Mode	UNII-1_TX N(HT20) Mode_Ant. 2
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	15.30	0.18	15.48	27.77	0.5984	Complies
40	5200	14.21	0.18	14.39	27.77	0.5984	Complies
48	5240	13.29	0.18	13.47	27.77	0.5984	Complies

Test Mode	UNII-1_TX N(HT20) Mode_Total
-----------	------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	19.32	27.77	0.5984	Complies
40	5200	18.63	27.77	0.5984	Complies
48	5240	16.77	27.77	0.5984	Complies

Test Mode	UNII-1_TX N(HT40) Mode_Ant. 1
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	16.79	0.38	17.17	27.77	0.5984	Complies
46	5230	14.72	0.38	15.10	27.77	0.5984	Complies

Test Mode	UNII-1_TX N(HT40) Mode_Ant. 2
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	16.41	0.38	16.79	27.77	0.5984	Complies
46	5230	14.49	0.38	14.87	27.77	0.5984	Complies

Test Mode	UNII-1_TX N(HT40) Mode_Total
-----------	------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	20.00	27.77	0.5984	Complies
46	5230	18.00	27.77	0.5984	Complies

Test Mode	UNII-1_TX AC(VHT20) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	16.85	0.19	17.04	27.77	0.5984	Complies
40	5200	16.41	0.19	16.60	27.77	0.5984	Complies
48	5240	13.88	0.19	14.07	27.77	0.5984	Complies

Test Mode	UNII-1_TX AC(VHT20) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	15.32	0.19	15.51	27.77	0.5984	Complies
40	5200	15.23	0.19	15.42	27.77	0.5984	Complies
48	5240	13.31	0.19	13.50	27.77	0.5984	Complies

Test Mode	UNII-1_TX AC(VHT20) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	19.36	27.77	0.5984	Complies
40	5200	19.06	27.77	0.5984	Complies
48	5240	16.81	27.77	0.5984	Complies

Test Mode	UNII-1_TX AC(VHT40) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	16.81	0.38	17.19	27.77	0.5984	Complies
46	5230	14.73	0.38	15.11	27.77	0.5984	Complies

Test Mode	UNII-1_TX AC(VHT40) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	16.42	0.38	16.80	27.77	0.5984	Complies
46	5230	14.51	0.38	14.89	27.77	0.5984	Complies

Test Mode	UNII-1_TX AC(VHT40) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	20.01	27.77	0.5984	Complies
46	5230	18.01	27.77	0.5984	Complies

Test Mode	UNII-1_TX AC(VHT80) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	13.11	0.74	13.85	27.77	0.5984	Complies

Test Mode	UNII-1_TX AC(VHT80) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	12.86	0.74	13.60	27.77	0.5984	Complies

Test Mode	UNII-1_TX AC(VHT80) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	16.73	27.77	0.5984	Complies

Test Mode	UNII-1_TX AX(HE20) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	17.81	0.75	18.56	27.77	0.5984	Complies
40	5200	16.69	0.75	17.44	27.77	0.5984	Complies
48	5240	13.85	0.75	14.60	27.77	0.5984	Complies

Test Mode	UNII-1_TX AX(HE20) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	17.52	0.75	18.27	27.77	0.5984	Complies
40	5200	16.36	0.75	17.11	27.77	0.5984	Complies
48	5240	13.51	0.75	14.26	27.77	0.5984	Complies

Test Mode	UNII-1_TX AX(HE20) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	21.42	27.77	0.5984	Complies
40	5200	20.28	27.77	0.5984	Complies
48	5240	17.44	27.77	0.5984	Complies

Test Mode	UNII-1_TX AX(HE40) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	15.82	0.76	16.58	27.77	0.5984	Complies
46	5230	14.93	0.76	15.69	27.77	0.5984	Complies

Test Mode	UNII-1_TX AX(HE40) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	15.45	0.76	16.21	27.77	0.5984	Complies
46	5230	14.76	0.76	15.52	27.77	0.5984	Complies

Test Mode	UNII-1_TX AX(HE40) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	19.41	27.77	0.5984	Complies
46	5230	18.61	27.77	0.5984	Complies

Test Mode	UNII-1_TX AX(HE80) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	12.83	0.80	13.63	27.77	0.5984	Complies

Test Mode	UNII-1_TX AX(HE80) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	12.61	0.80	13.41	27.77	0.5984	Complies

Test Mode	UNII-1_TX AX(HE80) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	16.54	27.77	0.5984	Complies

Test Mode	UNII-2A_TX N(HT20) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	14.92	0.18	15.10	21.75	0.1496	Complies
60	5300	11.53	0.18	11.71	21.75	0.1496	Complies
64	5320	11.93	0.18	12.11	21.75	0.1496	Complies

Test Mode	UNII-2A_TX N(HT20) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	13.98	0.18	14.16	21.75	0.1496	Complies
60	5300	11.21	0.18	11.39	21.75	0.1496	Complies
64	5320	11.71	0.18	11.89	21.75	0.1496	Complies

Test Mode	UNII-2A_TX N(HT20) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	17.67	21.75	0.1496	Complies
60	5300	14.56	21.75	0.1496	Complies
64	5320	15.01	21.75	0.1496	Complies

Test Mode	UNII-2A_TX N(HT40) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	14.38	0.38	14.76	21.75	0.1496	Complies
62	5310	13.19	0.38	13.57	21.75	0.1496	Complies

Test Mode	UNII-2A_TX N(HT40) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	14.18	0.38	14.56	21.75	0.1496	Complies
62	5310	12.89	0.38	13.27	21.75	0.1496	Complies

Test Mode	UNII-2A_TX N(HT40) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	17.67	21.75	0.1496	Complies
62	5310	16.44	21.75	0.1496	Complies

Test Mode	UNII-2A_TX AC(VHT20) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	14.96	0.19	15.15	21.75	0.1496	Complies
60	5300	11.55	0.19	11.74	21.75	0.1496	Complies
64	5320	12.01	0.19	12.20	21.75	0.1496	Complies

Test Mode	UNII-2A_TX AC(VHT20) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	14.01	0.19	14.20	21.75	0.1496	Complies
60	5300	11.23	0.19	11.42	21.75	0.1496	Complies
64	5320	11.72	0.19	11.91	21.75	0.1496	Complies

Test Mode	UNII-2A_TX AC(VHT20) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	17.71	21.75	0.1496	Complies
60	5300	14.60	21.75	0.1496	Complies
64	5320	15.07	21.75	0.1496	Complies

Test Mode	UNII-2A_TX AC(VHT40) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	14.41	0.38	14.79	21.75	0.1496	Complies
62	5310	13.21	0.38	13.59	21.75	0.1496	Complies

Test Mode	UNII-2A_TX AC(VHT40) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	14.22	0.38	14.60	21.75	0.1496	Complies
62	5310	12.91	0.38	13.29	21.75	0.1496	Complies

Test Mode	UNII-2A_TX AC(VHT40) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	17.70	21.75	0.1496	Complies
62	5310	16.45	21.75	0.1496	Complies

Test Mode	UNII-2A_TX AC(VHT80) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	12.78	0.74	13.52	21.75	0.1496	Complies

Test Mode	UNII-2A_TX AC(VHT80) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	12.58	0.74	13.32	21.75	0.1496	Complies

Test Mode	UNII-2A_TX AC(VHT80) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	16.43	21.75	0.1496	Complies

Test Mode	UNII-2A_TX AX(HE20) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	14.81	0.75	15.56	21.75	0.1496	Complies
60	5300	11.75	0.75	12.50	21.75	0.1496	Complies
64	5320	11.37	0.75	12.12	21.75	0.1496	Complies

Test Mode	UNII-2A_TX AX(HE20) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	14.56	0.75	15.31	21.75	0.1496	Complies
60	5300	11.53	0.75	12.28	21.75	0.1496	Complies
64	5320	11.14	0.75	11.89	21.75	0.1496	Complies

Test Mode	UNII-2A_TX AX(HE20) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	18.44	21.75	0.1496	Complies
60	5300	15.40	21.75	0.1496	Complies
64	5320	15.01	21.75	0.1496	Complies

Test Mode	UNII-2A_TX AX(HE40) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	14.31	0.76	15.07	21.75	0.1496	Complies
62	5310	13.26	0.76	14.02	21.75	0.1496	Complies

Test Mode	UNII-2A_TX AX(HE40) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	14.05	0.76	14.81	21.75	0.1496	Complies
62	5310	12.91	0.76	13.67	21.75	0.1496	Complies

Test Mode	UNII-2A_TX AX(HE40) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	17.95	21.75	0.1496	Complies
62	5310	16.86	21.75	0.1496	Complies

Test Mode	UNII-2A_TX AX(HE80) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	12.51	0.80	13.31	21.75	0.1496	Complies

Test Mode	UNII-2A_TX AX(HE80) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	12.26	0.80	13.06	21.75	0.1496	Complies

Test Mode	UNII-2A_TX AX(HE80) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	16.20	21.75	0.1496	Complies

Test Mode	UNII-2C_TX N(HT20) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	14.48	0.18	14.66	21.75	0.1496	Complies
116	5580	13.48	0.18	13.66	21.75	0.1496	Complies
140	5700	13.79	0.18	13.97	21.75	0.1496	Complies

Test Mode	UNII-2C_TX N(HT20) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	14.11	0.18	14.29	21.75	0.1496	Complies
116	5580	13.23	0.18	13.41	21.75	0.1496	Complies
140	5700	13.48	0.18	13.66	21.75	0.1496	Complies

Test Mode	UNII-2C_TX N(HT20) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	17.49	21.75	0.1496	Complies
116	5580	16.55	21.75	0.1496	Complies
140	5700	16.83	21.75	0.1496	Complies

Test Mode	UNII-2C_TX N(HT40) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	15.62	0.38	16.00	21.75	0.1496	Complies
110	5550	14.86	0.38	15.24	21.75	0.1496	Complies
134	5670	15.09	0.38	15.47	21.75	0.1496	Complies

Test Mode	UNII-2C_TX N(HT40) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	15.14	0.38	15.52	21.75	0.1496	Complies
110	5550	14.48	0.38	14.86	21.75	0.1496	Complies
134	5670	14.78	0.38	15.16	21.75	0.1496	Complies

Test Mode	UNII-2C_TX N(HT40) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	18.78	21.75	0.1496	Complies
110	5550	18.07	21.75	0.1496	Complies
134	5670	18.33	21.75	0.1496	Complies

Test Mode	UNII-2C_TX AC(VHT20) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	14.52	0.19	14.71	21.75	0.1496	Complies
116	5580	13.51	0.19	13.70	21.75	0.1496	Complies
140	5700	13.81	0.19	14.00	21.75	0.1496	Complies

Test Mode	UNII-2C_TX AC(VHT20) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	14.15	0.19	14.34	21.75	0.1496	Complies
116	5580	13.25	0.19	13.44	21.75	0.1496	Complies
140	5700	13.52	0.19	13.71	21.75	0.1496	Complies

Test Mode	UNII-2C_TX AC(VHT20) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	17.54	21.75	0.1496	Complies
116	5580	16.59	21.75	0.1496	Complies
140	5700	16.87	21.75	0.1496	Complies

Test Mode	UNII-2C_TX AC(VHT40) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	15.64	0.38	16.02	21.75	0.1496	Complies
110	5550	14.89	0.38	15.27	21.75	0.1496	Complies
134	5670	15.11	0.38	15.49	21.75	0.1496	Complies

Test Mode	UNII-2C_TX AC(VHT40) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	15.16	0.38	15.54	21.75	0.1496	Complies
110	5550	14.51	0.38	14.89	21.75	0.1496	Complies
134	5670	14.82	0.38	15.20	21.75	0.1496	Complies

Test Mode	UNII-2C_TX AC(VHT40) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	18.79	21.75	0.1496	Complies
110	5550	18.09	21.75	0.1496	Complies
134	5670	18.36	21.75	0.1496	Complies

Test Mode	UNII-2C_TX AC(VHT80) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	12.08	0.74	12.82	21.75	0.1496	Complies
122	5610	17.82	0.74	18.56	21.75	0.1496	Complies

Test Mode	UNII-2C_TX AC(VHT80) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	11.76	0.74	12.50	21.75	0.1496	Complies
122	5610	17.63	0.74	18.37	21.75	0.1496	Complies

Test Mode	UNII-2C_TX AC(VHT80) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	15.67	21.75	0.1496	Complies
122	5610	21.47	21.75	0.1496	Complies

Test Mode	UNII-2C_TX AX(HE20) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	13.95	0.75	14.70	21.75	0.1496	Complies
116	5580	13.31	0.75	14.06	21.75	0.1496	Complies
140	5700	13.97	0.75	14.72	21.75	0.1496	Complies

Test Mode	UNII-2C_TX AX(HE20) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	13.58	0.75	14.33	21.75	0.1496	Complies
116	5580	12.83	0.75	13.58	21.75	0.1496	Complies
140	5700	13.76	0.75	14.51	21.75	0.1496	Complies

Test Mode	UNII-2C_TX AX(HE20) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	17.53	21.75	0.1496	Complies
116	5580	16.83	21.75	0.1496	Complies
140	5700	17.62	21.75	0.1496	Complies

Test Mode	UNII-2C_TX AX(HE40) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	15.13	0.76	15.89	21.75	0.1496	Complies
110	5550	14.68	0.76	15.44	21.75	0.1496	Complies
134	5670	14.83	0.76	15.59	21.75	0.1496	Complies

Test Mode	UNII-2C_TX AX(HE40) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	14.82	0.76	15.58	21.75	0.1496	Complies
110	5550	14.41	0.76	15.17	21.75	0.1496	Complies
134	5670	14.62	0.76	15.38	21.75	0.1496	Complies

Test Mode	UNII-2C_TX AX(HE40) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	18.75	21.75	0.1496	Complies
110	5550	18.31	21.75	0.1496	Complies
134	5670	18.49	21.75	0.1496	Complies

Test Mode	UNII-2C_TX AX(HE80) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	11.72	0.80	12.52	21.75	0.1496	Complies
122	5610	17.31	0.80	18.11	21.75	0.1496	Complies

Test Mode	UNII-2C_TX AX(HE80) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	11.53	0.80	12.33	21.75	0.1496	Complies
122	5610	16.98	0.80	17.78	21.75	0.1496	Complies

Test Mode	UNII-2C_TX AX(HE80) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	15.44	21.75	0.1496	Complies
122	5610	20.96	21.75	0.1496	Complies

Test Mode	UNII-3_TX N(HT20) Mode_Ant. 1
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	17.74	0.18	17.92	27.77	0.5984	Complies
157	5785	17.45	0.18	17.63	27.77	0.5984	Complies
165	5825	17.03	0.18	17.21	27.77	0.5984	Complies

Test Mode	UNII-3_TX N(HT20) Mode_Ant. 2
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	17.59	0.18	17.77	27.77	0.5984	Complies
157	5785	17.63	0.18	17.81	27.77	0.5984	Complies
165	5825	17.18	0.18	17.36	27.77	0.5984	Complies

Test Mode	UNII-3_TX N(HT20) Mode_Total
-----------	------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	20.86	27.77	0.5984	Complies
157	5785	20.73	27.77	0.5984	Complies
165	5825	20.30	27.77	0.5984	Complies

Test Mode	UNII-3_TX N(HT40) Mode_Ant. 1
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	16.25	0.38	16.63	27.77	0.5984	Complies
159	5795	16.06	0.38	16.44	27.77	0.5984	Complies

Test Mode	UNII-3_TX N(HT40) Mode_Ant. 2
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	16.37	0.38	16.75	27.77	0.5984	Complies
159	5795	15.52	0.38	15.90	27.77	0.5984	Complies

Test Mode	UNII-3_TX N(HT40) Mode_Total
-----------	------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	19.70	27.77	0.5984	Complies
159	5795	19.19	27.77	0.5984	Complies

Test Mode	UNII-3_TX AC(VHT20) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	17.58	0.19	17.77	27.77	0.5984	Complies
157	5785	17.96	0.19	18.15	27.77	0.5984	Complies
165	5825	17.87	0.19	18.06	27.77	0.5984	Complies

Test Mode	UNII-3_TX AC(VHT20) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	17.32	0.19	17.51	27.77	0.5984	Complies
157	5785	18.25	0.19	18.44	27.77	0.5984	Complies
165	5825	17.94	0.19	18.13	27.77	0.5984	Complies

Test Mode	UNII-3_TX AC(VHT20) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	20.66	27.77	0.5984	Complies
157	5785	21.31	27.77	0.5984	Complies
165	5825	21.11	27.77	0.5984	Complies

Test Mode	UNII-3_TX AC(VHT40) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	17.75	0.38	18.13	27.77	0.5984	Complies
159	5795	17.85	0.38	18.23	27.77	0.5984	Complies

Test Mode	UNII-3_TX AC(VHT40) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	17.67	0.38	18.05	27.77	0.5984	Complies
159	5795	17.52	0.38	17.90	27.77	0.5984	Complies

Test Mode	UNII-3_TX AC(VHT40) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	21.10	27.77	0.5984	Complies
159	5795	21.08	27.77	0.5984	Complies

Test Mode	UNII-3_TX AC(VHT80) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	18.43	0.74	19.17	27.77	0.5984	Complies

Test Mode	UNII-3_TX AC(VHT80) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	18.22	0.74	18.96	27.77	0.5984	Complies

Test Mode	UNII-3_TX AC(VHT80) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	22.07	27.77	0.5984	Complies

Test Mode	UNII-3_TX AX(HE20) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	17.11	0.75	17.86	27.77	0.5984	Complies
157	5785	17.26	0.75	18.01	27.77	0.5984	Complies
165	5825	16.88	0.75	17.63	27.77	0.5984	Complies

Test Mode	UNII-3_TX AX(HE20) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	16.03	0.75	16.78	27.77	0.5984	Complies
157	5785	17.05	0.75	17.80	27.77	0.5984	Complies
165	5825	16.83	0.75	17.58	27.77	0.5984	Complies

Test Mode	UNII-3_TX AX(HE20) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	20.36	27.77	0.5984	Complies
157	5785	20.91	27.77	0.5984	Complies
165	5825	20.61	27.77	0.5984	Complies

Test Mode	UNII-3_TX AX(HE40) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	16.72	0.76	17.48	27.77	0.5984	Complies
159	5795	16.52	0.76	17.28	27.77	0.5984	Complies

Test Mode	UNII-3_TX AX(HE40) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	16.81	0.76	17.57	27.77	0.5984	Complies
159	5795	17.18	0.76	17.94	27.77	0.5984	Complies

Test Mode	UNII-3_TX AX(HE40) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	20.53	27.77	0.5984	Complies
159	5795	20.63	27.77	0.5984	Complies

Test Mode	UNII-3_TX AX(HE80) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	21.69	0.80	22.49	27.77	0.5984	Complies

Test Mode	UNII-3_TX AX(HE80) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	21.56	0.80	22.36	27.77	0.5984	Complies

Test Mode	UNII-3_TX AX(HE80) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	25.44	27.77	0.5984	Complies

APPENDIX G - POWER SPECTRAL DENSITY