



11AC80MIMO Ant1\_5610




11AC80MIMO Ant2\_5610



11AC80MIMO Ant1\_5775



11AC80MIMO Ant2 5775



## 10. Frequency Stability Measurement

### 10.1. Limit of Frequency Stability

Manufacturers of U-NII devices are responsible for ensuring frequency stability such that an emission is maintained within the band of operation under all conditions of normal operation as specified in the user's manual.


### 10.2. Measuring Instruments

The measuring equipment is listed in the section 4 of this test report.

### 10.3. Test procedures

- (1) To ensure emission at the band edge is maintained within the authorized band, those values shall be measured by radiation emissions at upper and lower frequency points, and finally compensated by frequency deviation as procedures below.
- (2) The EUT was operated at the maximum output power, and connected to the spectrum analyzer, which is set to maximum hold function and peak detector. The peak value of the power envelope was measured and noted. The upper and lower frequency points were respectively measured relatively 10 dB lower than the measured peak value.
- (3) The frequency deviation was calculated by adding the upper frequency point and the lower frequency point divided by two. Those detailed values of frequency deviation are provided in table below.

### 10.4. Test setup



10.5. Test result

Test Mode	Antenna	Frequency [MHz]	Voltage					Limit (ppm)	Verdict
			Voltage [Vdc]	Temperature (°C)	Deviation (Hz)	Deviation (ppm)			
11A-CDD	Ant1	5180	NV	NT	0.00	0.000000	20	PASS	
			LV	NT	-20000.00	-3.861004	20	PASS	
			HV	NT	-20000.00	-3.861004	20	PASS	
	Ant2	5180	NV	NT	-20000.00	-3.861004	20	PASS	
			LV	NT	0.00	0.000000	20	PASS	
			HV	NT	-40000.00	-7.722008	20	PASS	
	Ant1	5200	NV	NT	-40000.00	-7.692308	20	PASS	
			LV	NT	0.00	0.000000	20	PASS	
			HV	NT	-20000.00	-3.846154	20	PASS	
	Ant2	5200	NV	NT	-20000.00	-3.846154	20	PASS	
			LV	NT	-20000.00	-3.846154	20	PASS	
			HV	NT	-40000.00	-7.692308	20	PASS	
	Ant1	5240	NV	NT	-20000.00	-3.816794	20	PASS	
			LV	NT	-20000.00	-3.816794	20	PASS	
			HV	NT	-20000.00	-3.816794	20	PASS	
	Ant2	5240	NV	NT	0.00	0.000000	20	PASS	
			LV	NT	0.00	0.000000	20	PASS	
			HV	NT	-20000.00	-3.816794	20	PASS	
	Ant1	5260	NV	NT	-40000.00	-7.604563	20	PASS	
			LV	NT	-20000.00	-3.802281	20	PASS	
			HV	NT	-20000.00	-3.802281	20	PASS	
	Ant2	5260	NV	NT	-20000.00	-3.802281	20	PASS	
			LV	NT	-40000.00	-7.604563	20	PASS	
			HV	NT	-20000.00	-3.802281	20	PASS	
	Ant1	5280	NV	NT	-20000.00	-3.787879	20	PASS	
			LV	NT	-20000.00	-3.787879	20	PASS	
			HV	NT	-20000.00	-3.787879	20	PASS	
	Ant2	5280	NV	NT	-40000.00	-7.575758	20	PASS	
			LV	NT	-20000.00	-3.787879	20	PASS	
			HV	NT	-60000.00	-11.363636	20	PASS	
	Ant1	5320	NV	NT	-20000.00	-3.759398	20	PASS	
			LV	NT	-20000.00	-3.759398	20	PASS	
			HV	NT	-40000.00	-7.518797	20	PASS	
	Ant2	5320	NV	NT	-40000.00	-7.518797	20	PASS	
			LV	NT	-40000.00	-7.518797	20	PASS	
			HV	NT	-40000.00	-7.518797	20	PASS	
	Ant1	5500	NV	NT	-20000.00	-3.636364	20	PASS	
			LV	NT	-20000.00	-3.636364	20	PASS	
			HV	NT	0.00	0.000000	20	PASS	
	Ant2	5500	NV	NT	-20000.00	-3.636364	20	PASS	
			LV	NT	-20000.00	-3.636364	20	PASS	
			HV	NT	-20000.00	-3.636364	20	PASS	
	Ant1	5580	NV	NT	-40000.00	-7.168459	20	PASS	
			LV	NT	-40000.00	-7.168459	20	PASS	
			HV	NT	-20000.00	-3.584229	20	PASS	
	Ant2	5580	NV	NT	-20000.00	-3.584229	20	PASS	
			LV	NT	-20000.00	-3.584229	20	PASS	
			HV	NT	-20000.00	-3.584229	20	PASS	
Ant1	5700	NV	NT	-20000.00	-3.508772	20	PASS		
		LV	NT	-20000.00	-3.508772	20	PASS		
		HV	NT	0.00	0.000000	20	PASS		
Ant2	5700	NV	NT	-20000.00	-3.508772	20	PASS		
		LV	NT	-40000.00	-7.017544	20	PASS		
		HV	NT	-20000.00	-3.508772	20	PASS		
Ant1	5745	NV	NT	-20000.00	-3.481288	20	PASS		
		LV	NT	-20000.00	-3.481288	20	PASS		
		HV	NT	0.00	0.000000	20	PASS		
Ant2	5745	NV	NT	-40000.00	-6.962576	20	PASS		
		LV	NT	0.00	0.000000	20	PASS		

	Ant1	5785	HV	NT	-20000.00	-3.481288	20	PASS	
			NV	NT	-40000.00	-6.914434	20	PASS	
			LV	NT	-40000.00	-6.914434	20	PASS	
			HV	NT	0.00	0.000000	20	PASS	
	Ant2	5785	NV	NT	-20000.00	-3.457217	20	PASS	
			LV	NT	-20000.00	-3.457217	20	PASS	
			HV	NT	0.00	0.000000	20	PASS	
	Ant1	5825	NV	NT	-20000.00	-3.433476	20	PASS	
			LV	NT	0.00	0.000000	20	PASS	
			HV	NT	0.00	0.000000	20	PASS	
	Ant2	5825	NV	NT	0.00	0.000000	20	PASS	
			LV	NT	-20000.00	-3.433476	20	PASS	
			HV	NT	-20000.00	-3.433476	20	PASS	
	11N20MIMO	Ant1	5180	NV	NT	-20000.00	-3.861004	20	PASS
				LV	NT	-40000.00	-7.722008	20	PASS
				HV	NT	-20000.00	-3.861004	20	PASS
		Ant2	5180	NV	NT	-40000.00	-7.722008	20	PASS
				LV	NT	20000.00	3.861004	20	PASS
				HV	NT	-20000.00	-3.861004	20	PASS
		Ant1	5200	NV	NT	-40000.00	-7.692308	20	PASS
				LV	NT	-20000.00	-3.846154	20	PASS
				HV	NT	-40000.00	-7.692308	20	PASS
		Ant2	5200	NV	NT	-40000.00	-7.692308	20	PASS
				LV	NT	-40000.00	-7.692308	20	PASS
HV				NT	-40000.00	-7.692308	20	PASS	
Ant1		5240	NV	NT	-40000.00	-7.633588	20	PASS	
			LV	NT	-40000.00	-7.633588	20	PASS	
			HV	NT	0.00	0.000000	20	PASS	
Ant2		5240	NV	NT	-20000.00	-3.816794	20	PASS	
			LV	NT	-20000.00	-3.816794	20	PASS	
			HV	NT	-40000.00	-7.633588	20	PASS	
Ant1		5260	NV	NT	-40000.00	-7.604563	20	PASS	
			LV	NT	0.00	0.000000	20	PASS	
			HV	NT	-20000.00	-3.802281	20	PASS	
Ant2		5260	NV	NT	-40000.00	-7.604563	20	PASS	
			LV	NT	-40000.00	-7.604563	20	PASS	
			HV	NT	0.00	0.000000	20	PASS	
Ant1	5280	NV	NT	-20000.00	-3.787879	20	PASS		
		LV	NT	-40000.00	-7.575758	20	PASS		
		HV	NT	-60000.00	-11.363636	20	PASS		
Ant2	5280	NV	NT	-20000.00	-3.787879	20	PASS		
		LV	NT	-40000.00	-7.575758	20	PASS		
		HV	NT	-20000.00	-3.787879	20	PASS		
Ant1	5320	NV	NT	-20000.00	-3.759398	20	PASS		
		LV	NT	-40000.00	-7.518797	20	PASS		
		HV	NT	-20000.00	-3.759398	20	PASS		
Ant2	5320	NV	NT	-20000.00	-3.759398	20	PASS		
		LV	NT	-20000.00	-3.759398	20	PASS		
		HV	NT	-40000.00	-7.518797	20	PASS		
Ant1	5500	NV	NT	-40000.00	-7.272727	20	PASS		
		LV	NT	-20000.00	-3.636364	20	PASS		
		HV	NT	-20000.00	-3.636364	20	PASS		
Ant2	5500	NV	NT	0.00	0.000000	20	PASS		
		LV	NT	0.00	0.000000	20	PASS		
		HV	NT	0.00	0.000000	20	PASS		
Ant1	5580	NV	NT	-20000.00	-3.584229	20	PASS		
		LV	NT	0.00	0.000000	20	PASS		
		HV	NT	0.00	0.000000	20	PASS		
Ant2	5580	NV	NT	-20000.00	-3.584229	20	PASS		
		LV	NT	-20000.00	-3.584229	20	PASS		
		HV	NT	-20000.00	-3.584229	20	PASS		
Ant1	5700	NV	NT	-20000.00	-3.508772	20	PASS		
		LV	NT	-20000.00	-3.508772	20	PASS		
		HV	NT	-20000.00	-3.508772	20	PASS		



	Ant2	5700	NV	NT	-20000.00	-3.508772	20	PASS	
			LV	NT	0.00	0.000000	20	PASS	
			HV	NT	-20000.00	-3.508772	20	PASS	
	Ant1	5745	NV	NT	-20000.00	-3.481288	20	PASS	
			LV	NT	-20000.00	-3.481288	20	PASS	
			HV	NT	-40000.00	-6.962576	20	PASS	
	Ant2	5745	NV	NT	-60000.00	-10.443864	20	PASS	
			LV	NT	0.00	0.000000	20	PASS	
			HV	NT	-40000.00	-6.962576	20	PASS	
	Ant1	5785	NV	NT	-40000.00	-6.914434	20	PASS	
			LV	NT	-40000.00	-6.914434	20	PASS	
			HV	NT	-40000.00	-6.914434	20	PASS	
	Ant2	5785	NV	NT	-40000.00	-6.914434	20	PASS	
			LV	NT	-40000.00	-6.914434	20	PASS	
			HV	NT	-20000.00	-3.457217	20	PASS	
	Ant1	5825	NV	NT	-40000.00	-6.866953	20	PASS	
			LV	NT	0.00	0.000000	20	PASS	
			HV	NT	-20000.00	-3.433476	20	PASS	
	Ant2	5825	NV	NT	-20000.00	-3.433476	20	PASS	
			LV	NT	-40000.00	-6.866953	20	PASS	
			HV	NT	-20000.00	-3.433476	20	PASS	
	11N40MIMO	Ant1	5190	NV	NT	-40000.00	-7.707129	20	PASS
				LV	NT	-40000.00	-7.707129	20	PASS
				HV	NT	-40000.00	-7.707129	20	PASS
		Ant2	5190	NV	NT	-40000.00	-7.707129	20	PASS
				LV	NT	-40000.00	-7.707129	20	PASS
				HV	NT	-40000.00	-7.707129	20	PASS
		Ant1	5230	NV	NT	0.00	0.000000	20	PASS
				LV	NT	-80000.00	-15.296367	20	PASS
				HV	NT	-40000.00	-7.648184	20	PASS
Ant2		5230	NV	NT	0.00	0.000000	20	PASS	
			LV	NT	0.00	0.000000	20	PASS	
			HV	NT	0.00	0.000000	20	PASS	
Ant1		5270	NV	NT	-40000.00	-7.590133	20	PASS	
			LV	NT	-40000.00	-7.590133	20	PASS	
			HV	NT	0.00	0.000000	20	PASS	
Ant2		5270	NV	NT	-40000.00	-7.590133	20	PASS	
			LV	NT	0.00	0.000000	20	PASS	
			HV	NT	-40000.00	-7.590133	20	PASS	
Ant1		5310	NV	NT	-80000.00	-15.065913	20	PASS	
			LV	NT	0.00	0.000000	20	PASS	
			HV	NT	-40000.00	-7.532957	20	PASS	
Ant2		5310	NV	NT	0.00	0.000000	20	PASS	
			LV	NT	-40000.00	-7.532957	20	PASS	
			HV	NT	0.00	0.000000	20	PASS	
Ant1		5510	NV	NT	0.00	0.000000	20	PASS	
			LV	NT	-40000.00	-7.259528	20	PASS	
			HV	NT	0.00	0.000000	20	PASS	
Ant2		5510	NV	NT	-40000.00	-7.259528	20	PASS	
			LV	NT	0.00	0.000000	20	PASS	
			HV	NT	-40000.00	-7.259528	20	PASS	
Ant1	5550	NV	NT	-40000.00	-7.207207	20	PASS		
		LV	NT	-40000.00	-7.207207	20	PASS		
		HV	NT	-40000.00	-7.207207	20	PASS		
Ant2	5550	NV	NT	-40000.00	-7.207207	20	PASS		
		LV	NT	-40000.00	-7.207207	20	PASS		
		HV	NT	40000.00	7.207207	20	PASS		
Ant1	5670	NV	NT	0.00	0.000000	20	PASS		
		LV	NT	0.00	0.000000	20	PASS		
		HV	NT	-40000.00	-7.054674	20	PASS		
Ant2	5670	NV	NT	0.00	0.000000	20	PASS		
		LV	NT	-80000.00	-14.109347	20	PASS		
		HV	NT	-40000.00	-7.054674	20	PASS		
Ant1	5755	NV	NT	0.00	0.000000	20	PASS		

	Ant2	5755	LV	NT	0.00	0.000000	20	PASS	
			HV	NT	-40000.00	-6.950478	20	PASS	
			NV	NT	0.00	0.000000	20	PASS	
	Ant1	5795	LV	NT	-80000.00	-13.900956	20	PASS	
			HV	NT	-40000.00	-6.950478	20	PASS	
			NV	NT	-40000.00	-6.902502	20	PASS	
	Ant2	5795	LV	NT	0.00	0.000000	20	PASS	
			HV	NT	-40000.00	-6.902502	20	PASS	
			NV	NT	-80000.00	-13.805004	20	PASS	
	11AC20MIMO	Ant1	5180	LV	NT	-80000.00	-13.805004	20	PASS
				HV	NT	-80000.00	-13.805004	20	PASS
				NV	NT	-40000.00	-7.722008	20	PASS
Ant2		5180	LV	NT	-40000.00	-7.722008	20	PASS	
			HV	NT	-20000.00	-3.861004	20	PASS	
			NV	NT	-20000.00	-3.861004	20	PASS	
Ant1		5200	LV	NT	0.00	0.000000	20	PASS	
			HV	NT	-20000.00	-3.861004	20	PASS	
			NV	NT	-40000.00	-7.692308	20	PASS	
Ant2		5200	LV	NT	-20000.00	-3.846154	20	PASS	
			HV	NT	-60000.00	-11.538462	20	PASS	
			NV	NT	-20000.00	-3.846154	20	PASS	
Ant1	5240	LV	NT	0.00	0.000000	20	PASS		
		HV	NT	-40000.00	-7.692308	20	PASS		
		NV	NT	-20000.00	-3.816794	20	PASS		
Ant2	5240	LV	NT	-20000.00	-3.816794	20	PASS		
		HV	NT	-20000.00	-3.816794	20	PASS		
		NV	NT	-20000.00	-3.816794	20	PASS		
Ant1	5260	LV	NT	-60000.00	-11.450382	20	PASS		
		HV	NT	0.00	0.000000	20	PASS		
		NV	NT	-40000.00	-7.604563	20	PASS		
Ant2	5260	LV	NT	-20000.00	-3.802281	20	PASS		
		HV	NT	-20000.00	-3.802281	20	PASS		
		NV	NT	-40000.00	-7.604563	20	PASS		
Ant1	5280	LV	NT	-60000.00	-11.406844	20	PASS		
		HV	NT	-20000.00	-3.802281	20	PASS		
		NV	NT	-40000.00	-7.575758	20	PASS		
Ant2	5280	LV	NT	-20000.00	-3.787879	20	PASS		
		HV	NT	-20000.00	-3.787879	20	PASS		
		NV	NT	-20000.00	-3.787879	20	PASS		
Ant1	5320	LV	NT	-20000.00	-3.759398	20	PASS		
		HV	NT	-20000.00	-3.759398	20	PASS		
		NV	NT	-20000.00	-3.759398	20	PASS		
Ant2	5320	LV	NT	0.00	0.000000	20	PASS		
		HV	NT	-20000.00	-3.759398	20	PASS		
		NV	NT	-20000.00	-3.759398	20	PASS		
Ant1	5500	LV	NT	0.00	0.000000	20	PASS		
		HV	NT	-20000.00	-3.636364	20	PASS		
		NV	NT	-40000.00	-7.272727	20	PASS		
Ant2	5500	LV	NT	-20000.00	-3.636364	20	PASS		
		HV	NT	0.00	0.000000	20	PASS		
		NV	NT	-60000.00	-10.752688	20	PASS		
Ant1	5580	LV	NT	-40000.00	-7.168459	20	PASS		
		HV	NT	-40000.00	-7.168459	20	PASS		
		NV	NT	-40000.00	-7.168459	20	PASS		
Ant2	5580	LV	NT	-40000.00	-7.168459	20	PASS		
		HV	NT	-20000.00	-3.584229	20	PASS		
		NV	NT	0.00	0.000000	20	PASS		
Ant1	5700	LV	NT	-20000.00	-3.508772	20	PASS		
		HV	NT	-20000.00	-3.508772	20	PASS		
		NV	NT	-40000.00	-7.017544	20	PASS		
Ant2	5700	LV	NT	-40000.00	-7.017544	20	PASS		

11AC40MIMO	Ant1	5745	HV	NT	-20000.00	-3.508772	20	PASS
			NV	NT	0.00	0.000000	20	PASS
			LV	NT	-40000.00	-6.962576	20	PASS
	Ant2	5745	HV	NT	-20000.00	-3.481288	20	PASS
			NV	NT	-40000.00	-6.962576	20	PASS
			LV	NT	-20000.00	-3.481288	20	PASS
	Ant1	5785	HV	NT	-20000.00	-3.457217	20	PASS
			NV	NT	-20000.00	-3.457217	20	PASS
			LV	NT	-20000.00	-3.457217	20	PASS
	Ant2	5785	HV	NT	-20000.00	-3.457217	20	PASS
			NV	NT	-20000.00	-3.457217	20	PASS
			LV	NT	-40000.00	-6.914434	20	PASS
	Ant1	5825	HV	NT	-40000.00	-6.914434	20	PASS
			NV	NT	0.00	0.000000	20	PASS
			LV	NT	0.00	0.000000	20	PASS
	Ant2	5825	HV	NT	-20000.00	-3.433476	20	PASS
			NV	NT	0.00	0.000000	20	PASS
			LV	NT	-20000.00	-3.433476	20	PASS
	Ant1	5190	HV	NT	0.00	0.000000	20	PASS
			NV	NT	0.00	0.000000	20	PASS
			LV	NT	-40000.00	-7.707129	20	PASS
	Ant2	5190	HV	NT	80000.00	15.414258	20	PASS
			NV	NT	0.00	0.000000	20	PASS
			LV	NT	-40000.00	-7.707129	20	PASS
	Ant1	5230	HV	NT	-40000.00	-7.707129	20	PASS
			NV	NT	0.00	0.000000	20	PASS
			LV	NT	-40000.00	-7.648184	20	PASS
	Ant2	5230	HV	NT	-80000.00	-15.296367	20	PASS
			NV	NT	-40000.00	-7.648184	20	PASS
			LV	NT	-40000.00	-7.648184	20	PASS
Ant1	5270	HV	NT	0.00	0.000000	20	PASS	
		NV	NT	-40000.00	-7.590133	20	PASS	
		LV	NT	-40000.00	-7.590133	20	PASS	
Ant2	5270	HV	NT	-40000.00	-7.590133	20	PASS	
		NV	NT	-40000.00	-7.590133	20	PASS	
		LV	NT	-80000.00	-15.180266	20	PASS	
Ant1	5310	HV	NT	-40000.00	-7.590133	20	PASS	
		NV	NT	0.00	0.000000	20	PASS	
		LV	NT	0.00	0.000000	20	PASS	
Ant2	5310	HV	NT	-40000.00	-7.532957	20	PASS	
		NV	NT	0.00	0.000000	20	PASS	
		LV	NT	-40000.00	-7.532957	20	PASS	
Ant1	5510	HV	NT	0.00	0.000000	20	PASS	
		NV	NT	-40000.00	-7.259528	20	PASS	
		LV	NT	-40000.00	-7.259528	20	PASS	
Ant2	5510	HV	NT	0.00	0.000000	20	PASS	
		NV	NT	0.00	0.000000	20	PASS	
		LV	NT	-40000.00	-7.259528	20	PASS	
Ant1	5550	HV	NT	-40000.00	-7.259528	20	PASS	
		NV	NT	-40000.00	-7.207207	20	PASS	
		LV	NT	-40000.00	-7.207207	20	PASS	
Ant2	5550	HV	NT	-80000.00	-14.414414	20	PASS	
		NV	NT	-40000.00	-7.207207	20	PASS	
		LV	NT	-40000.00	-7.207207	20	PASS	
Ant1	5670	HV	NT	-40000.00	-7.207207	20	PASS	
		NV	NT	-40000.00	-7.054674	20	PASS	
		LV	NT	-40000.00	-7.054674	20	PASS	
Ant2	5670	HV	NT	0.00	0.000000	20	PASS	
		NV	NT	0.00	0.000000	20	PASS	
		LV	NT	-40000.00	-7.054674	20	PASS	
Ant1	5755	HV	NT	-80000.00	-14.109347	20	PASS	
		NV	NT	-40000.00	-7.054674	20	PASS	
		LV	NT	-40000.00	-7.054674	20	PASS	
Ant2	5755	HV	NT	0.00	0.000000	20	PASS	
		NV	NT	0.00	0.000000	20	PASS	
		LV	NT	-40000.00	-6.950478	20	PASS	
			HV	NT	-40000.00	-6.950478	20	PASS



	Ant2	5755	NV	NT	0.00	0.000000	20	PASS	
			LV	NT	0.00	0.000000	20	PASS	
			HV	NT	-40000.00	-6.950478	20	PASS	
	Ant1	5795	NV	NT	0.00	0.000000	20	PASS	
			LV	NT	-40000.00	-6.902502	20	PASS	
			HV	NT	-80000.00	-13.805004	20	PASS	
	Ant2	5795	NV	NT	-40000.00	-6.902502	20	PASS	
			LV	NT	-80000.00	-13.805004	20	PASS	
			HV	NT	0.00	0.000000	20	PASS	
	11AC80MIMO	Ant1	5210	NV	NT	0.00	0.000000	20	PASS
				LV	NT	0.00	0.000000	20	PASS
				HV	NT	0.00	0.000000	20	PASS
Ant2		5210	NV	NT	0.00	0.000000	20	PASS	
			LV	NT	0.00	0.000000	20	PASS	
			HV	NT	0.00	0.000000	20	PASS	
Ant1		5290	NV	NT	0.00	0.000000	20	PASS	
			LV	NT	0.00	0.000000	20	PASS	
			HV	NT	0.00	0.000000	20	PASS	
Ant2		5290	NV	NT	0.00	0.000000	20	PASS	
			LV	NT	0.00	0.000000	20	PASS	
			HV	NT	0.00	0.000000	20	PASS	
Ant1		5530	NV	NT	0.00	0.000000	20	PASS	
			LV	NT	0.00	0.000000	20	PASS	
			HV	NT	0.00	0.000000	20	PASS	
Ant2		5530	NV	NT	0.00	0.000000	20	PASS	
			LV	NT	0.00	0.000000	20	PASS	
			HV	NT	-80000.00	-14.466546	20	PASS	
Ant1		5610	NV	NT	0.00	0.000000	20	PASS	
			LV	NT	0.00	0.000000	20	PASS	
			HV	NT	0.00	0.000000	20	PASS	
Ant2		5610	NV	NT	0.00	0.000000	20	PASS	
			LV	NT	0.00	0.000000	20	PASS	
			HV	NT	0.00	0.000000	20	PASS	
Ant1		5775	NV	NT	0.00	0.000000	20	PASS	
			LV	NT	0.00	0.000000	20	PASS	
			HV	NT	0.00	0.000000	20	PASS	
Ant2		5775	NV	NT	0.00	0.000000	20	PASS	
			LV	NT	0.00	0.000000	20	PASS	
			HV	NT	0.00	0.000000	20	PASS	

Temperature								
TestMode	Antenna	Frequency [MHz]	Voltage [Vdc]	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
11A-CDD	Ant1	5180	NV	-30	-20000.00	-3.861004	20	PASS
			NV	-20	-40000.00	-7.722008	20	PASS
			NV	-10	0.00	0.000000	20	PASS
			NV	0	-20000.00	-3.861004	20	PASS
			NV	10	-40000.00	-7.722008	20	PASS
			NV	20	-20000.00	-3.861004	20	PASS
			NV	30	-20000.00	-3.861004	20	PASS
			NV	40	-20000.00	-3.861004	20	PASS
			NV	50	-20000.00	-3.861004	20	PASS
			NV	60	-20000.00	-3.861004	20	PASS
			NV	65	-20000.00	-3.861004	20	PASS
			Ant2	5180	NV	-30	0.00	0.000000
	NV	-20			-20000.00	-3.861004	20	PASS
	NV	-10			-20000.00	-3.861004	20	PASS
	NV	0			-20000.00	-3.861004	20	PASS
	NV	10			-40000.00	-7.722008	20	PASS
	NV	20			-20000.00	-3.861004	20	PASS
	NV	30			-40000.00	-7.722008	20	PASS
	NV	40			-20000.00	-3.861004	20	PASS
	NV	50			-20000.00	-3.861004	20	PASS
	NV	60			-20000.00	-3.861004	20	PASS
	NV	60			-20000.00	-3.861004	20	PASS

Ant1	5200	NV	65	-20000.00	-3.861004	20	PASS
		NV	-30	-40000.00	-7.692308	20	PASS
		NV	-20	-20000.00	-3.846154	20	PASS
		NV	-10	0.00	0.000000	20	PASS
		NV	0	-20000.00	-3.846154	20	PASS
		NV	10	0.00	0.000000	20	PASS
		NV	20	-40000.00	-7.692308	20	PASS
		NV	30	-20000.00	-3.846154	20	PASS
		NV	40	-40000.00	-7.692308	20	PASS
		NV	50	-40000.00	-7.692308	20	PASS
		NV	60	-40000.00	-7.692308	20	PASS
		NV	65	-40000.00	-7.692308	20	PASS
Ant2	5200	NV	-30	-20000.00	-3.846154	20	PASS
		NV	-20	-40000.00	-7.692308	20	PASS
		NV	-10	-20000.00	-3.846154	20	PASS
		NV	0	-20000.00	-3.846154	20	PASS
		NV	10	-20000.00	-3.846154	20	PASS
		NV	20	0.00	0.000000	20	PASS
		NV	30	-20000.00	-3.846154	20	PASS
		NV	40	-60000.00	-11.538462	20	PASS
		NV	50	-40000.00	-7.692308	20	PASS
		NV	60	-20000.00	-3.846154	20	PASS
Ant1	5260	NV	-30	-20000.00	-3.816794	20	PASS
		NV	-20	-40000.00	-7.633588	20	PASS
		NV	-10	-20000.00	-3.816794	20	PASS
		NV	0	-20000.00	-3.816794	20	PASS
		NV	10	-60000.00	-11.450382	20	PASS
		NV	20	0.00	0.000000	20	PASS
		NV	30	-20000.00	-3.816794	20	PASS
		NV	40	-20000.00	-3.816794	20	PASS
		NV	50	-40000.00	-7.633588	20	PASS
		NV	60	-20000.00	-3.816794	20	PASS
Ant2	5240	NV	-30	-20000.00	-3.816794	20	PASS
		NV	-20	-40000.00	-7.633588	20	PASS
		NV	-10	-40000.00	-7.633588	20	PASS
		NV	0	0.00	0.000000	20	PASS
		NV	10	-40000.00	-7.633588	20	PASS
		NV	20	-20000.00	-3.816794	20	PASS
		NV	30	-40000.00	-7.633588	20	PASS
		NV	40	0.00	0.000000	20	PASS
		NV	50	0.00	0.000000	20	PASS
		NV	60	0.00	0.000000	20	PASS
Ant1	5260	NV	-30	-40000.00	-7.604563	20	PASS
		NV	-20	-40000.00	-7.604563	20	PASS
		NV	-10	-20000.00	-3.802281	20	PASS
		NV	0	-20000.00	-3.802281	20	PASS
		NV	10	0.00	0.000000	20	PASS
		NV	20	0.00	0.000000	20	PASS
		NV	30	-20000.00	-3.802281	20	PASS
		NV	40	-20000.00	-3.802281	20	PASS
		NV	50	-20000.00	-3.802281	20	PASS
		NV	60	-20000.00	-3.802281	20	PASS
Ant2	5260	NV	65	-20000.00	-3.802281	20	PASS
		NV	-30	-20000.00	-3.802281	20	PASS
		NV	-20	-40000.00	-7.604563	20	PASS
		NV	-10	-20000.00	-3.802281	20	PASS
		NV	0	-40000.00	-7.604563	20	PASS
		NV	10	0.00	0.000000	20	PASS
		NV	20	-20000.00	-3.802281	20	PASS
NV	30	-40000.00	-7.604563	20	PASS		
NV	40	-20000.00	-3.802281	20	PASS		

Ant1	5280	NV	50	-20000.00	-3.802281	20	PASS
		NV	60	-20000.00	-3.802281	20	PASS
		NV	65	-40000.00	-7.604563	20	PASS
		NV	-30	0.00	0.000000	20	PASS
		NV	-20	-20000.00	-3.787879	20	PASS
		NV	-10	-20000.00	-3.787879	20	PASS
		NV	0	0.00	0.000000	20	PASS
		NV	10	-20000.00	-3.787879	20	PASS
		NV	20	-20000.00	-3.787879	20	PASS
		NV	30	0.00	0.000000	20	PASS
		NV	40	-20000.00	-3.787879	20	PASS
		NV	50	-20000.00	-3.787879	20	PASS
		NV	60	-20000.00	-3.787879	20	PASS
		NV	65	-20000.00	-3.787879	20	PASS
Ant2	5280	NV	-30	-20000.00	-3.787879	20	PASS
		NV	-20	-20000.00	-3.787879	20	PASS
		NV	-10	-20000.00	-3.787879	20	PASS
		NV	0	-20000.00	-3.787879	20	PASS
		NV	10	0.00	0.000000	20	PASS
		NV	20	-20000.00	-3.787879	20	PASS
		NV	30	-20000.00	-3.787879	20	PASS
		NV	40	-20000.00	-3.787879	20	PASS
		NV	50	-20000.00	-3.787879	20	PASS
		NV	60	-20000.00	-3.787879	20	PASS
Ant1	5320	NV	-30	0.00	0.000000	20	PASS
		NV	-20	-20000.00	-3.759398	20	PASS
		NV	-10	0.00	0.000000	20	PASS
		NV	0	0.00	0.000000	20	PASS
		NV	10	-40000.00	-7.518797	20	PASS
		NV	20	-20000.00	-3.759398	20	PASS
		NV	30	-40000.00	-7.518797	20	PASS
		NV	40	-20000.00	-3.759398	20	PASS
		NV	50	-20000.00	-3.759398	20	PASS
		NV	60	-20000.00	-3.759398	20	PASS
Ant2	5320	NV	65	-20000.00	-3.759398	20	PASS
		NV	-30	-20000.00	-3.759398	20	PASS
		NV	-20	-40000.00	-7.518797	20	PASS
		NV	-10	-40000.00	-7.518797	20	PASS
		NV	0	-40000.00	-7.518797	20	PASS
		NV	10	-40000.00	-7.518797	20	PASS
		NV	20	-40000.00	-7.518797	20	PASS
		NV	30	-20000.00	-3.759398	20	PASS
		NV	40	-40000.00	-7.518797	20	PASS
		NV	50	-40000.00	-7.518797	20	PASS
Ant1	5500	NV	60	-40000.00	-7.518797	20	PASS
		NV	65	-40000.00	-7.518797	20	PASS
		NV	-30	-20000.00	3.636364	20	PASS
		NV	-20	-40000.00	-7.272727	20	PASS
		NV	-10	-40000.00	-7.272727	20	PASS
		NV	0	0.00	0.000000	20	PASS
		NV	10	-20000.00	-3.636364	20	PASS
		NV	20	-20000.00	-3.636364	20	PASS
		NV	30	-40000.00	-7.272727	20	PASS
		NV	40	-40000.00	-7.272727	20	PASS
Ant2	5500	NV	50	-20000.00	-3.636364	20	PASS
		NV	60	-40000.00	-7.272727	20	PASS
		NV	65	-40000.00	-7.272727	20	PASS
		NV	-30	-40000.00	-7.272727	20	PASS
		NV	-20	-20000.00	-3.636364	20	PASS
		NV	-10	-20000.00	-3.636364	20	PASS
Ant1	5500	NV	0	-20000.00	-3.636364	20	PASS
		NV	10	-20000.00	-3.636364	20	PASS
		NV	20	-20000.00	-3.636364	20	PASS
		NV	20	-20000.00	-3.636364	20	PASS

			NV	30	0.00	0.000000	20	PASS		
			NV	40	0.00	0.000000	20	PASS		
			NV	50	-40000.00	-7.272727	20	PASS		
			NV	60	0.00	0.000000	20	PASS		
			NV	65	0.00	0.000000	20	PASS		
	Ant1	5580	NV	-30	-40000.00	-7.168459	20	PASS		
			NV	-20	-20000.00	-3.584229	20	PASS		
			NV	-10	-40000.00	-7.168459	20	PASS		
			NV	0	-20000.00	-3.584229	20	PASS		
			NV	10	-20000.00	-3.584229	20	PASS		
			NV	20	-20000.00	-3.584229	20	PASS		
			NV	30	-20000.00	-3.584229	20	PASS		
			NV	40	-40000.00	-7.168459	20	PASS		
			NV	50	-20000.00	-3.584229	20	PASS		
			NV	60	-40000.00	-7.168459	20	PASS		
			NV	65	-20000.00	-3.584229	20	PASS		
			Ant2	5580	NV	-30	-20000.00	-3.584229	20	PASS
					NV	-20	-40000.00	-7.168459	20	PASS
					NV	-10	-20000.00	-3.584229	20	PASS
	NV	0			-20000.00	-3.584229	20	PASS		
	NV	10			-20000.00	-3.584229	20	PASS		
	NV	20			-40000.00	-7.168459	20	PASS		
	NV	30			-20000.00	-3.584229	20	PASS		
	NV	40			-40000.00	-7.168459	20	PASS		
	NV	50			-20000.00	-3.584229	20	PASS		
	NV	60			-40000.00	-7.168459	20	PASS		
	Ant1	5700	NV	65	-20000.00	-3.584229	20	PASS		
			NV	-30	-20000.00	-3.508772	20	PASS		
			NV	-20	-20000.00	-3.508772	20	PASS		
			NV	-10	-40000.00	-7.017544	20	PASS		
			NV	0	-20000.00	-3.508772	20	PASS		
			NV	10	-20000.00	-3.508772	20	PASS		
			NV	20	0.00	0.000000	20	PASS		
			NV	30	-20000.00	-3.508772	20	PASS		
			NV	40	-20000.00	-3.508772	20	PASS		
			NV	50	0.00	0.000000	20	PASS		
	Ant2	5700	NV	60	-20000.00	-3.508772	20	PASS		
			NV	65	-20000.00	-3.508772	20	PASS		
			NV	-30	-20000.00	-3.508772	20	PASS		
			NV	-20	0.00	0.000000	20	PASS		
			NV	-10	-20000.00	-3.508772	20	PASS		
			NV	0	-40000.00	-7.017544	20	PASS		
			NV	10	-20000.00	-3.508772	20	PASS		
			NV	20	-20000.00	-3.508772	20	PASS		
			NV	30	-40000.00	-7.017544	20	PASS		
			NV	40	-20000.00	-3.508772	20	PASS		
	Ant1	5745	NV	50	-20000.00	-3.508772	20	PASS		
			NV	60	-20000.00	-3.508772	20	PASS		
			NV	65	-20000.00	-3.508772	20	PASS		
			NV	-30	-20000.00	-3.481288	20	PASS		
			NV	-20	0.00	0.000000	20	PASS		
			NV	-10	-20000.00	-3.481288	20	PASS		
			NV	0	-20000.00	-3.481288	20	PASS		
			NV	10	0.00	0.000000	20	PASS		
			NV	20	-20000.00	-3.481288	20	PASS		
			NV	30	-20000.00	-3.481288	20	PASS		
	Ant2	5745	NV	40	0.00	0.000000	20	PASS		
			NV	50	0.00	0.000000	20	PASS		
			NV	60	0.00	0.000000	20	PASS		
			NV	65	0.00	0.000000	20	PASS		
			NV	-30	-40000.00	-6.962576	20	PASS		
			NV	-20	-20000.00	-3.481288	20	PASS		
			NV	-10	-20000.00	-3.481288	20	PASS		
			NV	0	0.00	0.000000	20	PASS		



11N20MIMO	Ant1	5785	NV	10	-40000.00	-6.962576	20	PASS
			NV	20	-40000.00	-6.962576	20	PASS
			NV	30	-40000.00	-6.962576	20	PASS
			NV	40	-40000.00	-6.962576	20	PASS
			NV	50	-20000.00	-3.481288	20	PASS
			NV	60	-40000.00	-6.962576	20	PASS
			NV	65	-20000.00	-3.481288	20	PASS
	Ant2	5785	NV	-30	-20000.00	-3.457217	20	PASS
			NV	-20	-20000.00	-3.457217	20	PASS
			NV	-10	-40000.00	-6.914434	20	PASS
			NV	0	-20000.00	-3.457217	20	PASS
			NV	10	-20000.00	-3.457217	20	PASS
			NV	20	-20000.00	-3.457217	20	PASS
			NV	30	-20000.00	-3.457217	20	PASS
			NV	40	-20000.00	-3.457217	20	PASS
			NV	50	0.00	0.000000	20	PASS
			NV	60	-20000.00	-3.457217	20	PASS
	Ant1	5825	NV	-30	-20000.00	-3.433476	20	PASS
			NV	-20	-20000.00	-3.433476	20	PASS
			NV	-10	-20000.00	-3.433476	20	PASS
			NV	0	-20000.00	-3.433476	20	PASS
			NV	10	0.00	0.000000	20	PASS
			NV	20	0.00	0.000000	20	PASS
			NV	30	0.00	0.000000	20	PASS
			NV	40	-20000.00	-3.433476	20	PASS
			NV	50	-20000.00	-3.433476	20	PASS
			NV	60	-20000.00	-3.433476	20	PASS
	Ant2	5825	NV	-30	-20000.00	-3.433476	20	PASS
			NV	-20	-40000.00	-6.866953	20	PASS
			NV	-10	-20000.00	-3.433476	20	PASS
			NV	0	0.00	0.000000	20	PASS
			NV	10	-40000.00	-6.866953	20	PASS
			NV	20	-20000.00	-3.433476	20	PASS
			NV	30	-20000.00	-3.433476	20	PASS
			NV	40	-40000.00	-6.866953	20	PASS
			NV	50	-20000.00	-3.433476	20	PASS
			NV	60	-20000.00	-3.433476	20	PASS
	Ant1	5180	NV	-30	-20000.00	-3.861004	20	PASS
			NV	-20	20000.00	3.861004	20	PASS
			NV	-10	-20000.00	-3.861004	20	PASS
			NV	0	-20000.00	-3.861004	20	PASS
			NV	10	-20000.00	-3.861004	20	PASS
			NV	20	-40000.00	-7.722008	20	PASS
			NV	30	-20000.00	-3.861004	20	PASS
			NV	40	-20000.00	-3.861004	20	PASS
NV			50	-20000.00	-3.861004	20	PASS	
NV			60	-20000.00	-3.861004	20	PASS	
Ant2	5180	NV	-30	-40000.00	-7.722008	20	PASS	
		NV	-20	-20000.00	-3.861004	20	PASS	

			NV	-10	-20000.00	-3.861004	20	PASS
			NV	0	0.00	0.000000	20	PASS
			NV	10	-20000.00	-3.861004	20	PASS
			NV	20	0.00	0.000000	20	PASS
			NV	30	-20000.00	-3.861004	20	PASS
			NV	40	0.00	0.000000	20	PASS
			NV	50	-40000.00	-7.722008	20	PASS
			NV	60	0.00	0.000000	20	PASS
			NV	65	-40000.00	-7.722008	20	PASS
	Ant1	5200	NV	-30	-40000.00	-7.692308	20	PASS
			NV	-20	-20000.00	-3.846154	20	PASS
			NV	-10	0.00	0.000000	20	PASS
			NV	0	-20000.00	-3.846154	20	PASS
			NV	10	0.00	0.000000	20	PASS
			NV	20	-60000.00	-11.538462	20	PASS
			NV	30	-60000.00	-11.538462	20	PASS
			NV	40	-60000.00	-11.538462	20	PASS
			NV	50	-20000.00	-3.846154	20	PASS
			NV	60	-60000.00	-11.538462	20	PASS
			NV	65	-20000.00	-3.846154	20	PASS
	Ant2	5200	NV	-30	-20000.00	-3.846154	20	PASS
			NV	-20	-20000.00	-3.846154	20	PASS
			NV	-10	-40000.00	-7.692308	20	PASS
			NV	0	-40000.00	-7.692308	20	PASS
			NV	10	-20000.00	-3.846154	20	PASS
			NV	20	-20000.00	-3.846154	20	PASS
			NV	30	-40000.00	-7.692308	20	PASS
			NV	40	-40000.00	-7.692308	20	PASS
			NV	50	-40000.00	-7.692308	20	PASS
			NV	60	-40000.00	-7.692308	20	PASS
			NV	65	-40000.00	-7.692308	20	PASS
	Ant1	5240	NV	-30	-40000.00	-7.633588	20	PASS
			NV	-20	-40000.00	-7.633588	20	PASS
			NV	-10	-60000.00	-11.450382	20	PASS
			NV	0	-40000.00	-7.633588	20	PASS
			NV	10	-20000.00	-3.816794	20	PASS
			NV	20	-20000.00	-3.816794	20	PASS
			NV	30	-40000.00	-7.633588	20	PASS
			NV	40	-40000.00	-7.633588	20	PASS
			NV	50	0.00	0.000000	20	PASS
			NV	60	-40000.00	-7.633588	20	PASS
			NV	65	0.00	0.000000	20	PASS
	Ant2	5240	NV	-30	-20000.00	-3.816794	20	PASS
			NV	-20	-20000.00	-3.816794	20	PASS
			NV	-10	0.00	0.000000	20	PASS
			NV	0	-20000.00	-3.816794	20	PASS
			NV	10	-40000.00	-7.633588	20	PASS
			NV	20	-40000.00	-7.633588	20	PASS
			NV	30	-40000.00	-7.633588	20	PASS
			NV	40	-20000.00	-3.816794	20	PASS
			NV	50	-60000.00	-11.450382	20	PASS
			NV	60	-40000.00	-7.633588	20	PASS
			NV	65	-20000.00	-3.816794	20	PASS
	Ant1	5260	NV	-30	-40000.00	-7.604563	20	PASS
			NV	-20	-40000.00	-7.604563	20	PASS
			NV	-10	-40000.00	-7.604563	20	PASS
			NV	0	-40000.00	-7.604563	20	PASS
			NV	10	-40000.00	-7.604563	20	PASS
			NV	20	-20000.00	-3.802281	20	PASS
			NV	30	-40000.00	-7.604563	20	PASS
			NV	40	0.00	0.000000	20	PASS
			NV	50	0.00	0.000000	20	PASS
			NV	60	0.00	0.000000	20	PASS
			NV	65	0.00	0.000000	20	PASS

Ant2	5260	NV	-30	-20000.00	-3.802281	20	PASS
		NV	-20	-40000.00	-7.604563	20	PASS
		NV	-10	-20000.00	-3.802281	20	PASS
		NV	0	-40000.00	-7.604563	20	PASS
		NV	10	-40000.00	-7.604563	20	PASS
		NV	20	0.00	0.000000	20	PASS
		NV	30	-20000.00	-3.802281	20	PASS
		NV	40	-20000.00	-3.802281	20	PASS
		NV	50	-40000.00	-7.604563	20	PASS
		NV	60	-20000.00	-3.802281	20	PASS
Ant1	5280	NV	65	-20000.00	-3.802281	20	PASS
		NV	-30	-40000.00	-7.575758	20	PASS
		NV	-20	0.00	0.000000	20	PASS
		NV	-10	-20000.00	-3.787879	20	PASS
		NV	0	0.00	0.000000	20	PASS
		NV	10	0.00	0.000000	20	PASS
		NV	20	-40000.00	-7.575758	20	PASS
		NV	30	-40000.00	-7.575758	20	PASS
Ant2	5280	NV	40	-40000.00	-7.575758	20	PASS
		NV	50	0.00	0.000000	20	PASS
		NV	60	-40000.00	-7.575758	20	PASS
		NV	65	-40000.00	-7.575758	20	PASS
		NV	-30	0.00	0.000000	20	PASS
		NV	-20	-40000.00	-7.575758	20	PASS
		NV	-10	-40000.00	-7.575758	20	PASS
		NV	0	-40000.00	-7.575758	20	PASS
		NV	10	-40000.00	-7.575758	20	PASS
		NV	20	-40000.00	-7.575758	20	PASS
Ant1	5320	NV	30	-40000.00	-7.575758	20	PASS
		NV	40	-20000.00	-3.787879	20	PASS
		NV	50	-20000.00	-3.787879	20	PASS
		NV	60	-20000.00	-3.787879	20	PASS
		NV	65	-20000.00	-3.787879	20	PASS
		NV	-30	-40000.00	-7.518797	20	PASS
		NV	-20	-40000.00	-7.518797	20	PASS
		NV	-10	0.00	0.000000	20	PASS
		NV	0	-20000.00	-3.759398	20	PASS
		NV	10	0.00	0.000000	20	PASS
Ant2	5320	NV	20	-20000.00	-3.759398	20	PASS
		NV	30	-20000.00	-3.759398	20	PASS
		NV	40	-20000.00	-3.759398	20	PASS
		NV	50	-20000.00	-3.759398	20	PASS
		NV	60	-20000.00	-3.759398	20	PASS
		NV	65	-20000.00	-3.759398	20	PASS
		NV	-30	-20000.00	-3.759398	20	PASS
		NV	-20	-20000.00	-3.759398	20	PASS
		NV	-10	-20000.00	-3.759398	20	PASS
		NV	0	-40000.00	-7.518797	20	PASS
Ant1	5500	NV	10	-40000.00	-7.518797	20	PASS
		NV	20	-20000.00	-3.759398	20	PASS
		NV	30	-40000.00	-7.518797	20	PASS
		NV	40	-40000.00	-7.518797	20	PASS
		NV	50	-20000.00	-3.759398	20	PASS
		NV	60	-40000.00	-7.518797	20	PASS
		NV	65	-40000.00	-7.518797	20	PASS
		NV	-30	-20000.00	-3.636364	20	PASS
NV	-20	-20000.00	-3.636364	20	PASS		
NV	-10	-20000.00	-3.636364	20	PASS		
NV	0	-40000.00	-7.272727	20	PASS		
NV	10	-20000.00	-3.636364	20	PASS		
NV	20	0.00	0.000000	20	PASS		
NV	30	-40000.00	-7.272727	20	PASS		
NV	40	-40000.00	-7.272727	20	PASS		
NV	50	-20000.00	-3.636364	20	PASS		

			NV	60	-40000.00	-7.272727	20	PASS
			NV	65	-40000.00	-7.272727	20	PASS
	Ant2	5500	NV	-30	-40000.00	-7.272727	20	PASS
			NV	-20	-20000.00	-3.636364	20	PASS
			NV	-10	0.00	0.000000	20	PASS
			NV	0	-40000.00	-7.272727	20	PASS
			NV	10	0.00	0.000000	20	PASS
			NV	20	-20000.00	-3.636364	20	PASS
			NV	30	-20000.00	-3.636364	20	PASS
			NV	40	-60000.00	-10.909091	20	PASS
			NV	50	-20000.00	-3.636364	20	PASS
			NV	60	-20000.00	-3.636364	20	PASS
			NV	65	-20000.00	-3.636364	20	PASS
			Ant1	5580	NV	-30	-40000.00	-7.168459
	NV	-20			-40000.00	-7.168459	20	PASS
	NV	-10			0.00	0.000000	20	PASS
	NV	0			0.00	0.000000	20	PASS
	NV	10			-40000.00	-7.168459	20	PASS
	NV	20			0.00	0.000000	20	PASS
	NV	30			-60000.00	-10.752688	20	PASS
	NV	40			-40000.00	-7.168459	20	PASS
	NV	50			0.00	0.000000	20	PASS
	NV	60			-40000.00	-7.168459	20	PASS
	Ant2	5580	NV	-30	-40000.00	-7.168459	20	PASS
			NV	-20	-20000.00	-3.584229	20	PASS
			NV	-10	-60000.00	-10.752688	20	PASS
			NV	0	-20000.00	-3.584229	20	PASS
			NV	10	-20000.00	-3.584229	20	PASS
			NV	20	-60000.00	-10.752688	20	PASS
			NV	30	-40000.00	-7.168459	20	PASS
			NV	40	-20000.00	-3.584229	20	PASS
			NV	50	0.00	0.000000	20	PASS
			NV	60	-40000.00	-7.168459	20	PASS
	Ant1	5700	NV	-30	0.00	0.000000	20	PASS
			NV	-20	-20000.00	-3.508772	20	PASS
			NV	-10	-60000.00	-10.526316	20	PASS
			NV	0	0.00	0.000000	20	PASS
			NV	10	0.00	0.000000	20	PASS
			NV	20	-60000.00	-10.526316	20	PASS
			NV	30	-20000.00	-3.508772	20	PASS
			NV	40	-20000.00	-3.508772	20	PASS
			NV	50	-20000.00	-3.508772	20	PASS
			NV	60	-20000.00	-3.508772	20	PASS
	Ant2	5700	NV	65	-20000.00	-3.508772	20	PASS
			NV	-30	-40000.00	-7.017544	20	PASS
			NV	-20	-20000.00	-3.508772	20	PASS
			NV	-10	-40000.00	-7.017544	20	PASS
			NV	0	-40000.00	-7.017544	20	PASS
			NV	10	-20000.00	-3.508772	20	PASS
			NV	20	-20000.00	-3.508772	20	PASS
			NV	30	-20000.00	-3.508772	20	PASS
			NV	40	-20000.00	-3.508772	20	PASS
			NV	50	-40000.00	-7.017544	20	PASS
	Ant1	5745	NV	60	-20000.00	-3.508772	20	PASS
			NV	65	-20000.00	-3.508772	20	PASS
			NV	-30	-40000.00	-6.962576	20	PASS
			NV	-20	-40000.00	-6.962576	20	PASS
			NV	-10	-20000.00	-3.481288	20	PASS
			NV	0	0.00	0.000000	20	PASS
			NV	10	0.00	0.000000	20	PASS
			NV	20	-20000.00	-3.481288	20	PASS
			NV	30	-20000.00	-3.481288	20	PASS



	Ant2	5745	NV	40	-40000.00	-6.962576	20	PASS
			NV	50	0.00	0.000000	20	PASS
			NV	60	-20000.00	-3.481288	20	PASS
			NV	65	-20000.00	-3.481288	20	PASS
			NV	-30	-20000.00	-3.481288	20	PASS
			NV	-20	-20000.00	-3.481288	20	PASS
			NV	-10	0.00	0.000000	20	PASS
			NV	0	-20000.00	-3.481288	20	PASS
			NV	10	-40000.00	-6.962576	20	PASS
			NV	20	0.00	0.000000	20	PASS
			NV	30	-60000.00	-10.443864	20	PASS
			NV	40	-20000.00	-3.481288	20	PASS
			NV	50	-20000.00	-3.481288	20	PASS
			NV	60	-20000.00	-3.481288	20	PASS
			NV	65	-20000.00	-3.481288	20	PASS
			NV	-30	-40000.00	-6.914434	20	PASS
	NV	-20	-40000.00	-6.914434	20	PASS		
	NV	-10	-40000.00	-6.914434	20	PASS		
	NV	0	-40000.00	-6.914434	20	PASS		
	NV	10	-40000.00	-6.914434	20	PASS		
	NV	20	-40000.00	-6.914434	20	PASS		
	NV	30	-40000.00	-6.914434	20	PASS		
	NV	40	-60000.00	-10.371651	20	PASS		
	NV	50	0.00	0.000000	20	PASS		
	NV	60	-40000.00	-6.914434	20	PASS		
	NV	65	-40000.00	-6.914434	20	PASS		
	NV	-30	-40000.00	-6.914434	20	PASS		
	NV	-20	-20000.00	-3.457217	20	PASS		
	NV	-10	-40000.00	-6.914434	20	PASS		
	NV	0	-20000.00	-3.457217	20	PASS		
	NV	10	-20000.00	-3.457217	20	PASS		
	NV	20	-20000.00	-3.457217	20	PASS		
	NV	30	-20000.00	-3.457217	20	PASS		
	NV	40	-20000.00	-3.457217	20	PASS		
	NV	50	-40000.00	-6.914434	20	PASS		
	NV	60	-20000.00	-3.457217	20	PASS		
	NV	65	-20000.00	-3.457217	20	PASS		
	NV	-30	-20000.00	-3.433476	20	PASS		
	NV	-20	-40000.00	-6.866953	20	PASS		
	NV	-10	-40000.00	-6.866953	20	PASS		
	NV	0	-20000.00	-3.433476	20	PASS		
	NV	10	-40000.00	-6.866953	20	PASS		
	NV	20	-40000.00	-6.866953	20	PASS		
	NV	30	0.00	0.000000	20	PASS		
NV	40	-20000.00	-3.433476	20	PASS			
NV	50	0.00	0.000000	20	PASS			
NV	60	-20000.00	-3.433476	20	PASS			
NV	65	0.00	0.000000	20	PASS			
NV	-30	-20000.00	-3.433476	20	PASS			
NV	-20	0.00	0.000000	20	PASS			
NV	-10	-40000.00	-6.866953	20	PASS			
NV	0	-40000.00	-6.866953	20	PASS			
NV	10	0.00	0.000000	20	PASS			
NV	20	0.00	0.000000	20	PASS			
NV	30	-40000.00	-6.866953	20	PASS			
NV	40	-40000.00	-6.866953	20	PASS			
NV	50	-20000.00	-3.433476	20	PASS			
NV	60	-20000.00	-3.433476	20	PASS			
NV	65	-20000.00	-3.433476	20	PASS			
11N40MIMO	Ant1	5190	NV	-30	0.00	0.000000	20	PASS
			NV	-20	-40000.00	-7.707129	20	PASS
			NV	-10	0.00	0.000000	20	PASS
			NV	0	0.00	0.000000	20	PASS
			NV	10	-40000.00	-7.707129	20	PASS

Ant2	5190	NV	20	-40000.00	-7.707129	20	PASS	
		NV	30	-80000.00	-15.414258	20	PASS	
		NV	40	-40000.00	-7.707129	20	PASS	
		NV	50	-40000.00	-7.707129	20	PASS	
		NV	60	-40000.00	-7.707129	20	PASS	
		NV	65	-40000.00	-7.707129	20	PASS	
	Ant1	5230	NV	-30	0.00	0.000000	20	PASS
			NV	-20	-40000.00	-7.707129	20	PASS
			NV	-10	-80000.00	-15.414258	20	PASS
			NV	0	-40000.00	-7.707129	20	PASS
			NV	10	-40000.00	-7.707129	20	PASS
			NV	20	0.00	0.000000	20	PASS
			NV	30	0.00	0.000000	20	PASS
			NV	40	-40000.00	-7.707129	20	PASS
			NV	50	0.00	0.000000	20	PASS
			NV	60	0.00	0.000000	20	PASS
			NV	65	0.00	0.000000	20	PASS
			Ant2	5230	NV	-30	-80000.00	-15.296367
NV	-20	0.00			0.000000	20	PASS	
NV	-10	0.00			0.000000	20	PASS	
NV	0	-40000.00			-7.648184	20	PASS	
NV	10	0.00			0.000000	20	PASS	
NV	20	-40000.00			-7.648184	20	PASS	
NV	30	-80000.00			-15.296367	20	PASS	
NV	40	-40000.00			-7.648184	20	PASS	
NV	50	-40000.00			-7.648184	20	PASS	
NV	60	-40000.00			-7.648184	20	PASS	
NV	65	-40000.00			-7.648184	20	PASS	
Ant1	5270	NV			-30	40000.00	7.648184	20
		NV	-20	-40000.00	-7.648184	20	PASS	
		NV	-10	-40000.00	-7.648184	20	PASS	
		NV	0	-40000.00	-7.648184	20	PASS	
		NV	10	-80000.00	-15.296367	20	PASS	
		NV	20	-40000.00	-7.648184	20	PASS	
		NV	30	-80000.00	-15.296367	20	PASS	
		NV	40	0.00	0.000000	20	PASS	
		NV	50	-40000.00	-7.648184	20	PASS	
		NV	60	0.00	0.000000	20	PASS	
		NV	65	-40000.00	-7.648184	20	PASS	
		Ant2	5270	NV	-30	-40000.00	-7.590133	20
NV	-20			40000.00	7.590133	20	PASS	
NV	-10			-40000.00	-7.590133	20	PASS	
NV	0			-40000.00	-7.590133	20	PASS	
NV	10			0.00	0.000000	20	PASS	
NV	20			0.00	0.000000	20	PASS	
NV	30			0.00	0.000000	20	PASS	
NV	40			0.00	0.000000	20	PASS	
NV	50			0.00	0.000000	20	PASS	
NV	60			0.00	0.000000	20	PASS	
NV	65			0.00	0.000000	20	PASS	
Ant1	5310			NV	-30	-40000.00	-7.590133	20
		NV	-20	-40000.00	-7.590133	20	PASS	
		NV	-10	0.00	0.000000	20	PASS	
		NV	0	-40000.00	-7.590133	20	PASS	
		NV	10	-40000.00	-7.590133	20	PASS	
		NV	20	-80000.00	-15.180266	20	PASS	
		NV	30	-40000.00	-7.590133	20	PASS	
		NV	40	0.00	0.000000	20	PASS	
		NV	50	-40000.00	-7.590133	20	PASS	
		NV	60	0.00	0.000000	20	PASS	
		NV	65	-40000.00	-7.590133	20	PASS	
		Ant1	5310	NV	-30	0.00	0.000000	20
NV	-20			0.00	0.000000	20	PASS	
NV	-10			-40000.00	-7.532957	20	PASS	

			NV	0	0.00	0.000000	20	PASS
			NV	10	-40000.00	-7.532957	20	PASS
			NV	20	-40000.00	-7.532957	20	PASS
			NV	30	-40000.00	-7.532957	20	PASS
			NV	40	-40000.00	-7.532957	20	PASS
			NV	50	-40000.00	-7.532957	20	PASS
			NV	60	-40000.00	-7.532957	20	PASS
			NV	65	-40000.00	-7.532957	20	PASS
	Ant2	5310	NV	-30	-40000.00	-7.532957	20	PASS
			NV	-20	-40000.00	-7.532957	20	PASS
			NV	-10	-40000.00	-7.532957	20	PASS
			NV	0	0.00	0.000000	20	PASS
			NV	10	0.00	0.000000	20	PASS
			NV	20	-40000.00	-7.532957	20	PASS
			NV	30	-80000.00	-15.065913	20	PASS
			NV	40	-40000.00	-7.532957	20	PASS
			NV	50	0.00	0.000000	20	PASS
			NV	60	-40000.00	-7.532957	20	PASS
			NV	65	0.00	0.000000	20	PASS
	Ant1	5510	NV	-30	-40000.00	-7.259528	20	PASS
			NV	-20	0.00	0.000000	20	PASS
			NV	-10	0.00	0.000000	20	PASS
			NV	0	-40000.00	-7.259528	20	PASS
			NV	10	-40000.00	-7.259528	20	PASS
			NV	20	0.00	0.000000	20	PASS
			NV	30	0.00	0.000000	20	PASS
			NV	40	-40000.00	-7.259528	20	PASS
			NV	50	0.00	0.000000	20	PASS
			NV	60	0.00	0.000000	20	PASS
			NV	65	0.00	0.000000	20	PASS
	Ant2	5510	NV	-30	0.00	0.000000	20	PASS
			NV	-20	0.00	0.000000	20	PASS
			NV	-10	0.00	0.000000	20	PASS
			NV	0	-40000.00	-7.259528	20	PASS
			NV	10	0.00	0.000000	20	PASS
			NV	20	-40000.00	-7.259528	20	PASS
			NV	30	0.00	0.000000	20	PASS
			NV	40	-40000.00	-7.259528	20	PASS
			NV	50	-40000.00	-7.259528	20	PASS
			NV	60	-40000.00	-7.259528	20	PASS
			NV	65	-40000.00	-7.259528	20	PASS
	Ant1	5550	NV	-30	-40000.00	-7.207207	20	PASS
			NV	-20	0.00	0.000000	20	PASS
			NV	-10	-40000.00	-7.207207	20	PASS
			NV	0	-40000.00	-7.207207	20	PASS
			NV	10	-40000.00	-7.207207	20	PASS
			NV	20	-80000.00	-14.414414	20	PASS
			NV	30	-40000.00	-7.207207	20	PASS
			NV	40	-40000.00	-7.207207	20	PASS
			NV	50	-40000.00	-7.207207	20	PASS
			NV	60	-40000.00	-7.207207	20	PASS
			NV	65	-40000.00	-7.207207	20	PASS
	Ant2	5550	NV	-30	-40000.00	-7.207207	20	PASS
			NV	-20	-80000.00	-14.414414	20	PASS
			NV	-10	-40000.00	-7.207207	20	PASS
			NV	0	0.00	0.000000	20	PASS
			NV	10	-40000.00	-7.207207	20	PASS
			NV	20	40000.00	7.207207	20	PASS
			NV	30	-40000.00	-7.207207	20	PASS
			NV	40	-40000.00	-7.207207	20	PASS
			NV	50	0.00	0.000000	20	PASS
			NV	60	-40000.00	-7.207207	20	PASS
			NV	65	-40000.00	-7.207207	20	PASS
	Ant1	5670	NV	-30	0.00	0.000000	20	PASS

			NV	-20	0.00	0.000000	20	PASS
			NV	-10	-80000.00	-14.109347	20	PASS
			NV	0	40000.00	7.054674	20	PASS
			NV	10	-40000.00	-7.054674	20	PASS
			NV	20	0.00	0.000000	20	PASS
			NV	30	-40000.00	-7.054674	20	PASS
			NV	40	-40000.00	-7.054674	20	PASS
			NV	50	-40000.00	-7.054674	20	PASS
			NV	60	-40000.00	-7.054674	20	PASS
			NV	65	-40000.00	-7.054674	20	PASS
	Ant2	5670	NV	-30	-80000.00	-14.109347	20	PASS
			NV	-20	-40000.00	-7.054674	20	PASS
			NV	-10	-40000.00	-7.054674	20	PASS
			NV	0	0.00	0.000000	20	PASS
			NV	10	-40000.00	-7.054674	20	PASS
			NV	20	-40000.00	-7.054674	20	PASS
			NV	30	-40000.00	-7.054674	20	PASS
			NV	40	-80000.00	-14.109347	20	PASS
			NV	50	-40000.00	-7.054674	20	PASS
			NV	60	-40000.00	-7.054674	20	PASS
			NV	65	-40000.00	-7.054674	20	PASS
	Ant1		NV	-30	0.00	0.000000	20	PASS
			NV	-20	0.00	0.000000	20	PASS
			NV	-10	-40000.00	-6.950478	20	PASS
			NV	0	-40000.00	-6.950478	20	PASS
			NV	10	0.00	0.000000	20	PASS
			NV	20	0.00	0.000000	20	PASS
			NV	30	-40000.00	-6.950478	20	PASS
			NV	40	40000.00	6.950478	20	PASS
			NV	50	0.00	0.000000	20	PASS
			NV	60	-40000.00	-6.950478	20	PASS
			NV	65	40000.00	6.950478	20	PASS
	Ant2	5755	NV	-30	0.00	0.000000	20	PASS
			NV	-20	0.00	0.000000	20	PASS
			NV	-10	-40000.00	-6.950478	20	PASS
			NV	0	-40000.00	-6.950478	20	PASS
			NV	10	-40000.00	-6.950478	20	PASS
			NV	20	-40000.00	-6.950478	20	PASS
			NV	30	-40000.00	-6.950478	20	PASS
			NV	40	-40000.00	-6.950478	20	PASS
			NV	50	-80000.00	-13.900956	20	PASS
			NV	60	-40000.00	-6.950478	20	PASS
			NV	65	-40000.00	-6.950478	20	PASS
	Ant1	5795	NV	-30	-40000.00	-6.902502	20	PASS
			NV	-20	-40000.00	-6.902502	20	PASS
			NV	-10	0.00	0.000000	20	PASS
			NV	0	-40000.00	-6.902502	20	PASS
			NV	10	0.00	0.000000	20	PASS
			NV	20	-40000.00	-6.902502	20	PASS
			NV	30	0.00	0.000000	20	PASS
			NV	40	-80000.00	-13.805004	20	PASS
			NV	50	-40000.00	-6.902502	20	PASS
			NV	60	-40000.00	-6.902502	20	PASS
			NV	65	-40000.00	-6.902502	20	PASS
	Ant2	5795	NV	-30	-40000.00	-6.902502	20	PASS
			NV	-20	-40000.00	-6.902502	20	PASS
			NV	-10	-40000.00	-6.902502	20	PASS
			NV	0	-40000.00	-6.902502	20	PASS
			NV	10	0.00	0.000000	20	PASS
			NV	20	-40000.00	-6.902502	20	PASS
			NV	30	-40000.00	-6.902502	20	PASS
			NV	40	-40000.00	-6.902502	20	PASS
			NV	50	0.00	0.000000	20	PASS
			NV	60	0.00	0.000000	20	PASS



11AC20MIMO	Ant1	5180	NV	65	0.00	0.000000	20	PASS
			NV	-30	-20000.00	-3.861004	20	PASS
			NV	-20	-40000.00	-7.722008	20	PASS
			NV	-10	-20000.00	-3.861004	20	PASS
			NV	0	-40000.00	-7.722008	20	PASS
			NV	10	-20000.00	-3.861004	20	PASS
			NV	20	-20000.00	-3.861004	20	PASS
			NV	30	-40000.00	-7.722008	20	PASS
			NV	40	-20000.00	-3.861004	20	PASS
			NV	50	-60000.00	-11.583012	20	PASS
			NV	60	-40000.00	-7.722008	20	PASS
			NV	65	-20000.00	-3.861004	20	PASS
	Ant2	5180	NV	-30	-40000.00	-7.722008	20	PASS
			NV	-20	0.00	0.000000	20	PASS
			NV	-10	20000.00	3.861004	20	PASS
			NV	0	-20000.00	-3.861004	20	PASS
			NV	10	-40000.00	-7.722008	20	PASS
			NV	20	-20000.00	-3.861004	20	PASS
			NV	30	0.00	0.000000	20	PASS
			NV	40	-20000.00	-3.861004	20	PASS
			NV	50	-40000.00	-7.722008	20	PASS
			NV	60	-20000.00	-3.861004	20	PASS
			NV	65	-40000.00	-7.722008	20	PASS
			Ant1	5200	NV	-30	-20000.00	-3.846154
	NV	-20			-20000.00	-3.846154	20	PASS
	NV	-10			-40000.00	-7.692308	20	PASS
	NV	0			-20000.00	-3.846154	20	PASS
	NV	10			-20000.00	-3.846154	20	PASS
	NV	20			-40000.00	-7.692308	20	PASS
	NV	30			-40000.00	-7.692308	20	PASS
	NV	40			-20000.00	-3.846154	20	PASS
	NV	50			-40000.00	-7.692308	20	PASS
	NV	60			-40000.00	-7.692308	20	PASS
	NV	65			-40000.00	-7.692308	20	PASS
	Ant2	5200			NV	-30	-60000.00	-11.538462
			NV	-20	-20000.00	-3.846154	20	PASS
			NV	-10	-20000.00	-3.846154	20	PASS
			NV	0	0.00	0.000000	20	PASS
			NV	10	0.00	0.000000	20	PASS
			NV	20	-20000.00	-3.846154	20	PASS
			NV	30	-60000.00	-11.538462	20	PASS
			NV	40	-20000.00	-3.846154	20	PASS
			NV	50	-40000.00	-7.692308	20	PASS
			NV	60	-20000.00	-3.846154	20	PASS
			NV	65	-40000.00	-7.692308	20	PASS
			Ant1	5240	NV	-30	0.00	0.000000
	NV	-20			-20000.00	-3.816794	20	PASS
	NV	-10			-40000.00	-7.633588	20	PASS
NV	0	-40000.00			-7.633588	20	PASS	
NV	10	-20000.00			-3.816794	20	PASS	
NV	20	-40000.00			-7.633588	20	PASS	
NV	30	-20000.00			-3.816794	20	PASS	
NV	40	-40000.00			-7.633588	20	PASS	
NV	50	0.00			0.000000	20	PASS	
NV	60	-20000.00			-3.816794	20	PASS	
NV	65	-40000.00			-7.633588	20	PASS	
Ant2	5240	NV			-30	0.00	0.000000	20
		NV	-20	-40000.00	-7.633588	20	PASS	
		NV	-10	0.00	0.000000	20	PASS	
		NV	0	-40000.00	-7.633588	20	PASS	
		NV	10	-20000.00	-3.816794	20	PASS	
		NV	20	-40000.00	-7.633588	20	PASS	
		NV	30	-40000.00	-7.633588	20	PASS	
		NV	40	-20000.00	-3.816794	20	PASS	

Ant1	5260	NV	50	-20000.00	-3.816794	20	PASS		
		NV	60	-20000.00	-3.816794	20	PASS		
		NV	65	-20000.00	-3.816794	20	PASS		
		NV	-30	-20000.00	-3.802281	20	PASS		
		NV	-20	-40000.00	-7.604563	20	PASS		
		NV	-10	-60000.00	-11.406844	20	PASS		
		NV	0	-20000.00	-3.802281	20	PASS		
		NV	10	-20000.00	-3.802281	20	PASS		
		NV	20	-20000.00	-3.802281	20	PASS		
		NV	30	-20000.00	-3.802281	20	PASS		
		NV	40	-20000.00	-3.802281	20	PASS		
		NV	50	0.00	0.000000	20	PASS		
		NV	60	-20000.00	-3.802281	20	PASS		
		NV	65	-20000.00	-3.802281	20	PASS		
		Ant2	5260	NV	-30	-20000.00	-3.802281	20	PASS
NV	-20			-40000.00	-7.604563	20	PASS		
NV	-10			-20000.00	-3.802281	20	PASS		
NV	0			-60000.00	-11.406844	20	PASS		
NV	10			-40000.00	-7.604563	20	PASS		
NV	20			-20000.00	-3.802281	20	PASS		
NV	30			-60000.00	-11.406844	20	PASS		
NV	40			-20000.00	-3.802281	20	PASS		
NV	50			-20000.00	-3.802281	20	PASS		
NV	60			-20000.00	-3.802281	20	PASS		
NV	65			-20000.00	-3.802281	20	PASS		
Ant1	5280			NV	-30	-20000.00	-3.787879	20	PASS
				NV	-20	-40000.00	-7.575758	20	PASS
				NV	-10	-40000.00	-7.575758	20	PASS
				NV	0	0.00	0.000000	20	PASS
		NV	10	-40000.00	-7.575758	20	PASS		
		NV	20	-20000.00	-3.787879	20	PASS		
		NV	30	-20000.00	-3.787879	20	PASS		
		NV	40	0.00	0.000000	20	PASS		
		NV	50	-40000.00	-7.575758	20	PASS		
		NV	60	0.00	0.000000	20	PASS		
		NV	65	-40000.00	-7.575758	20	PASS		
		Ant2	5280	NV	-30	-40000.00	-7.575758	20	PASS
				NV	-20	-20000.00	-3.787879	20	PASS
				NV	-10	-40000.00	-7.575758	20	PASS
				NV	0	-40000.00	-7.575758	20	PASS
NV	10			-20000.00	-3.787879	20	PASS		
NV	20			-40000.00	-7.575758	20	PASS		
NV	30			-40000.00	-7.575758	20	PASS		
NV	40			-20000.00	-3.787879	20	PASS		
NV	50			-60000.00	-11.363636	20	PASS		
NV	60			-40000.00	-7.575758	20	PASS		
NV	65			-20000.00	-3.787879	20	PASS		
Ant1	5320			NV	-30	-20000.00	-3.759398	20	PASS
				NV	-20	-20000.00	-3.759398	20	PASS
				NV	-10	-20000.00	-3.759398	20	PASS
				NV	0	-20000.00	-3.759398	20	PASS
		NV	10	-20000.00	-3.759398	20	PASS		
		NV	20	-40000.00	-7.518797	20	PASS		
		NV	30	-40000.00	-7.518797	20	PASS		
		NV	40	0.00	0.000000	20	PASS		
		NV	50	-40000.00	-7.518797	20	PASS		
		NV	60	-40000.00	-7.518797	20	PASS		
		NV	65	-40000.00	-7.518797	20	PASS		
		Ant2	5320	NV	-30	-60000.00	-11.278195	20	PASS
				NV	-20	-60000.00	-11.278195	20	PASS
				NV	-10	0.00	0.000000	20	PASS
				NV	0	-40000.00	-7.518797	20	PASS
NV	10			-40000.00	-7.518797	20	PASS		
NV	20			-20000.00	-3.759398	20	PASS		

			NV	30	-60000.00	-11.278195	20	PASS		
			NV	40	-40000.00	-7.518797	20	PASS		
			NV	50	-40000.00	-7.518797	20	PASS		
			NV	60	-40000.00	-7.518797	20	PASS		
			NV	65	-40000.00	-7.518797	20	PASS		
	Ant1	5500	NV	-30	-40000.00	-7.272727	20	PASS		
			NV	-20	-40000.00	-7.272727	20	PASS		
			NV	-10	-20000.00	-3.636364	20	PASS		
			NV	0	0.00	0.000000	20	PASS		
			NV	10	-20000.00	-3.636364	20	PASS		
			NV	20	-40000.00	-7.272727	20	PASS		
			NV	30	-20000.00	-3.636364	20	PASS		
			NV	40	0.00	0.000000	20	PASS		
			NV	50	-20000.00	-3.636364	20	PASS		
			NV	60	0.00	0.000000	20	PASS		
			NV	65	-20000.00	-3.636364	20	PASS		
			Ant2	5500	NV	-30	0.00	0.000000	20	PASS
					NV	-20	0.00	0.000000	20	PASS
					NV	-10	-20000.00	-3.636364	20	PASS
					NV	0	0.00	0.000000	20	PASS
	NV	10			-40000.00	-7.272727	20	PASS		
	NV	20			0.00	0.000000	20	PASS		
	NV	30			0.00	0.000000	20	PASS		
	NV	40			-20000.00	-3.636364	20	PASS		
	NV	50			-60000.00	-10.909091	20	PASS		
	NV	60			0.00	0.000000	20	PASS		
	Ant1	5580	NV	65	-20000.00	-3.636364	20	PASS		
			NV	-30	-20000.00	-3.584229	20	PASS		
			NV	-20	-40000.00	-7.168459	20	PASS		
			NV	-10	-20000.00	-3.584229	20	PASS		
			NV	0	-20000.00	-3.584229	20	PASS		
			NV	10	0.00	0.000000	20	PASS		
			NV	20	-20000.00	-3.584229	20	PASS		
			NV	30	0.00	0.000000	20	PASS		
			NV	40	0.00	0.000000	20	PASS		
			NV	50	-40000.00	-7.168459	20	PASS		
	Ant2	5580	NV	60	0.00	0.000000	20	PASS		
			NV	65	0.00	0.000000	20	PASS		
			NV	-30	-20000.00	-3.584229	20	PASS		
			NV	-20	-40000.00	-7.168459	20	PASS		
			NV	-10	-40000.00	-7.168459	20	PASS		
			NV	0	-20000.00	-3.584229	20	PASS		
			NV	10	-40000.00	-7.168459	20	PASS		
			NV	20	-40000.00	-7.168459	20	PASS		
			NV	30	-40000.00	-7.168459	20	PASS		
			NV	40	-40000.00	-7.168459	20	PASS		
	Ant1	5700	NV	50	-20000.00	-3.584229	20	PASS		
			NV	60	-40000.00	-7.168459	20	PASS		
			NV	65	-40000.00	-7.168459	20	PASS		
			NV	-30	-20000.00	-3.508772	20	PASS		
			NV	-20	-40000.00	-7.017544	20	PASS		
			NV	-10	-20000.00	-3.508772	20	PASS		
			NV	0	-40000.00	-7.017544	20	PASS		
			NV	10	-40000.00	-7.017544	20	PASS		
			NV	20	-40000.00	-7.017544	20	PASS		
			NV	30	-40000.00	-7.017544	20	PASS		
	Ant2	5700	NV	40	-20000.00	-3.508772	20	PASS		
			NV	50	-20000.00	-3.508772	20	PASS		
			NV	60	-20000.00	-3.508772	20	PASS		
			NV	65	-20000.00	-3.508772	20	PASS		
			NV	0	-40000.00	-7.017544	20	PASS		

			NV	10	-60000.00	-10.526316	20	PASS
			NV	20	-20000.00	-3.508772	20	PASS
			NV	30	-40000.00	-7.017544	20	PASS
			NV	40	0.00	0.000000	20	PASS
			NV	50	-60000.00	-10.526316	20	PASS
			NV	60	-20000.00	-3.508772	20	PASS
			NV	65	-40000.00	-7.017544	20	PASS
	Ant1	5745	NV	-30	-20000.00	-3.481288	20	PASS
			NV	-20	-40000.00	-6.962576	20	PASS
			NV	-10	-20000.00	-3.481288	20	PASS
			NV	0	0.00	0.000000	20	PASS
			NV	10	-20000.00	-3.481288	20	PASS
			NV	20	0.00	0.000000	20	PASS
			NV	30	-20000.00	-3.481288	20	PASS
			NV	40	0.00	0.000000	20	PASS
			NV	50	-20000.00	-3.481288	20	PASS
			NV	60	0.00	0.000000	20	PASS
			NV	65	-20000.00	-3.481288	20	PASS
	Ant2	5745	NV	-30	-40000.00	-6.962576	20	PASS
			NV	-20	-20000.00	-3.481288	20	PASS
			NV	-10	-20000.00	-3.481288	20	PASS
			NV	0	-40000.00	-6.962576	20	PASS
			NV	10	-20000.00	-3.481288	20	PASS
			NV	20	-20000.00	-3.481288	20	PASS
			NV	30	-40000.00	-6.962576	20	PASS
			NV	40	-20000.00	-3.481288	20	PASS
			NV	50	-20000.00	-3.481288	20	PASS
			NV	60	-20000.00	-3.481288	20	PASS
			NV	65	-20000.00	-3.481288	20	PASS
	Ant1	5785	NV	-30	0.00	0.000000	20	PASS
			NV	-20	0.00	0.000000	20	PASS
			NV	-10	-20000.00	-3.457217	20	PASS
			NV	0	-40000.00	-6.914434	20	PASS
			NV	10	0.00	0.000000	20	PASS
			NV	20	-20000.00	-3.457217	20	PASS
			NV	30	-40000.00	-6.914434	20	PASS
			NV	40	-40000.00	-6.914434	20	PASS
			NV	50	0.00	0.000000	20	PASS
			NV	60	-40000.00	-6.914434	20	PASS
			NV	65	-40000.00	-6.914434	20	PASS
	Ant2	5785	NV	-30	-40000.00	-6.914434	20	PASS
			NV	-20	-60000.00	-10.371651	20	PASS
			NV	-10	-40000.00	-6.914434	20	PASS
			NV	0	-40000.00	-6.914434	20	PASS
			NV	10	-40000.00	-6.914434	20	PASS
			NV	20	-40000.00	-6.914434	20	PASS
			NV	30	0.00	0.000000	20	PASS
			NV	40	-20000.00	-3.457217	20	PASS
			NV	50	-20000.00	-3.457217	20	PASS
			NV	60	-20000.00	-3.457217	20	PASS
			NV	65	-20000.00	-3.457217	20	PASS
	Ant1	5825	NV	-30	-40000.00	-6.866953	20	PASS
			NV	-20	-40000.00	-6.866953	20	PASS
			NV	-10	-20000.00	-3.433476	20	PASS
			NV	0	-20000.00	-3.433476	20	PASS
			NV	10	-40000.00	-6.866953	20	PASS
			NV	20	-20000.00	-3.433476	20	PASS
			NV	30	-40000.00	-6.866953	20	PASS
			NV	40	-40000.00	-6.866953	20	PASS
			NV	50	-40000.00	-6.866953	20	PASS
			NV	60	-40000.00	-6.866953	20	PASS
			NV	65	-40000.00	-6.866953	20	PASS
	Ant2	5825	NV	-30	-20000.00	-3.433476	20	PASS
			NV	-20	-20000.00	-3.433476	20	PASS



			NV	-10	-40000.00	-6.866953	20	PASS
			NV	0	-20000.00	-3.433476	20	PASS
			NV	10	0.00	0.000000	20	PASS
			NV	20	0.00	0.000000	20	PASS
			NV	30	-20000.00	-3.433476	20	PASS
			NV	40	-40000.00	-6.866953	20	PASS
			NV	50	0.00	0.000000	20	PASS
			NV	60	-40000.00	-6.866953	20	PASS
			NV	65	0.00	0.000000	20	PASS
			NV	-30	-40000.00	-7.707129	20	PASS
			NV	-20	-40000.00	-7.707129	20	PASS
			NV	-10	-40000.00	-7.707129	20	PASS
			NV	0	-40000.00	-7.707129	20	PASS
			NV	10	-40000.00	-7.707129	20	PASS
			NV	20	-40000.00	-7.707129	20	PASS
			NV	30	-40000.00	-7.707129	20	PASS
			NV	40	-40000.00	-7.707129	20	PASS
			NV	50	-40000.00	-7.707129	20	PASS
			NV	60	-40000.00	-7.707129	20	PASS
			NV	65	-40000.00	-7.707129	20	PASS
	Ant1	5190	NV	-30	-40000.00	-7.707129	20	PASS
	Ant1	5190	NV	-20	-40000.00	-7.707129	20	PASS
	Ant1	5190	NV	-10	-40000.00	-7.707129	20	PASS
	Ant1	5190	NV	0	-40000.00	-7.707129	20	PASS
	Ant1	5190	NV	10	-40000.00	-7.707129	20	PASS
	Ant1	5190	NV	20	-40000.00	-7.707129	20	PASS
	Ant1	5190	NV	30	-40000.00	-7.707129	20	PASS
	Ant1	5190	NV	40	-40000.00	-7.707129	20	PASS
	Ant1	5190	NV	50	-40000.00	-7.707129	20	PASS
	Ant1	5190	NV	60	-40000.00	-7.707129	20	PASS
	Ant1	5190	NV	65	-40000.00	-7.707129	20	PASS
	Ant2	5190	NV	-30	-40000.00	-7.707129	20	PASS
	Ant2	5190	NV	-20	-40000.00	-7.707129	20	PASS
	Ant2	5190	NV	-10	-40000.00	-7.707129	20	PASS
	Ant2	5190	NV	0	-40000.00	-7.707129	20	PASS
	Ant2	5190	NV	10	0.00	0.000000	20	PASS
	Ant2	5190	NV	20	-40000.00	-7.707129	20	PASS
	Ant2	5190	NV	30	0.00	0.000000	20	PASS
	Ant2	5190	NV	40	-40000.00	-7.707129	20	PASS
	Ant2	5190	NV	50	0.00	0.000000	20	PASS
	Ant2	5190	NV	60	-40000.00	-7.707129	20	PASS
	Ant2	5190	NV	65	0.00	0.000000	20	PASS
	Ant1	5230	NV	-30	-40000.00	-7.648184	20	PASS
	Ant1	5230	NV	-20	-40000.00	-7.648184	20	PASS
	Ant1	5230	NV	-10	0.00	0.000000	20	PASS
	Ant1	5230	NV	0	-80000.00	-15.296367	20	PASS
	Ant1	5230	NV	10	-40000.00	-7.648184	20	PASS
	Ant1	5230	NV	20	-40000.00	-7.648184	20	PASS
	Ant1	5230	NV	30	-40000.00	-7.648184	20	PASS
	Ant1	5230	NV	40	0.00	0.000000	20	PASS
	Ant1	5230	NV	50	-40000.00	-7.648184	20	PASS
	Ant1	5230	NV	60	-40000.00	-7.648184	20	PASS
	Ant1	5230	NV	65	-40000.00	-7.648184	20	PASS
	Ant2	5230	NV	-30	-40000.00	-7.648184	20	PASS
	Ant2	5230	NV	-20	-40000.00	-7.648184	20	PASS
	Ant2	5230	NV	-10	0.00	0.000000	20	PASS
	Ant2	5230	NV	0	-40000.00	-7.648184	20	PASS
	Ant2	5230	NV	10	-40000.00	-7.648184	20	PASS
	Ant2	5230	NV	20	-40000.00	-7.648184	20	PASS
	Ant2	5230	NV	30	0.00	0.000000	20	PASS
	Ant2	5230	NV	40	-40000.00	-7.648184	20	PASS
	Ant2	5230	NV	50	-40000.00	-7.648184	20	PASS
	Ant2	5230	NV	60	-40000.00	-7.648184	20	PASS
	Ant2	5230	NV	65	-40000.00	-7.648184	20	PASS
	Ant1	5270	NV	-30	40000.00	7.590133	20	PASS
	Ant1	5270	NV	-20	-40000.00	-7.590133	20	PASS
	Ant1	5270	NV	-10	-40000.00	-7.590133	20	PASS
	Ant1	5270	NV	0	-40000.00	-7.590133	20	PASS
	Ant1	5270	NV	10	-80000.00	-15.180266	20	PASS
	Ant1	5270	NV	20	-40000.00	-7.590133	20	PASS
	Ant1	5270	NV	30	0.00	0.000000	20	PASS
	Ant1	5270	NV	40	-40000.00	-7.590133	20	PASS
	Ant1	5270	NV	50	-40000.00	-7.590133	20	PASS
	Ant1	5270	NV	60	-40000.00	-7.590133	20	PASS
	Ant1	5270	NV	65	-40000.00	-7.590133	20	PASS

11AC40MIMO

Ant2	5270	NV	-30	0.00	0.000000	20	PASS
		NV	-20	0.00	0.000000	20	PASS
		NV	-10	-40000.00	-7.590133	20	PASS
		NV	0	-40000.00	-7.590133	20	PASS
		NV	10	-40000.00	-7.590133	20	PASS
		NV	20	0.00	0.000000	20	PASS
		NV	30	0.00	0.000000	20	PASS
		NV	40	0.00	0.000000	20	PASS
		NV	50	-40000.00	-7.590133	20	PASS
		NV	60	0.00	0.000000	20	PASS
Ant1	5310	NV	65	0.00	0.000000	20	PASS
		NV	-30	0.00	0.000000	20	PASS
		NV	-20	0.00	0.000000	20	PASS
		NV	-10	0.00	0.000000	20	PASS
		NV	0	-40000.00	-7.532957	20	PASS
		NV	10	-40000.00	-7.532957	20	PASS
		NV	20	-40000.00	-7.532957	20	PASS
		NV	30	-40000.00	-7.532957	20	PASS
Ant2	5310	NV	40	0.00	0.000000	20	PASS
		NV	50	0.00	0.000000	20	PASS
		NV	60	0.00	0.000000	20	PASS
		NV	65	0.00	0.000000	20	PASS
		NV	-30	0.00	0.000000	20	PASS
		NV	-20	0.00	0.000000	20	PASS
		NV	-10	-40000.00	-7.532957	20	PASS
		NV	0	-40000.00	-7.532957	20	PASS
		NV	10	-40000.00	-7.532957	20	PASS
		NV	20	-80000.00	-15.065913	20	PASS
Ant1	5510	NV	30	-40000.00	-7.532957	20	PASS
		NV	40	0.00	0.000000	20	PASS
		NV	50	-40000.00	-7.532957	20	PASS
		NV	60	-40000.00	-7.532957	20	PASS
		NV	65	-40000.00	-7.532957	20	PASS
		NV	-30	-40000.00	-7.259528	20	PASS
		NV	-20	-40000.00	-7.259528	20	PASS
		NV	-10	0.00	0.000000	20	PASS
		NV	0	-40000.00	-7.259528	20	PASS
		NV	10	-40000.00	-7.259528	20	PASS
Ant2	5510	NV	20	0.00	0.000000	20	PASS
		NV	30	-40000.00	-7.259528	20	PASS
		NV	40	-40000.00	-7.259528	20	PASS
		NV	50	-40000.00	-7.259528	20	PASS
		NV	60	-40000.00	-7.259528	20	PASS
		NV	65	-40000.00	-7.259528	20	PASS
		NV	-30	0.00	0.000000	20	PASS
		NV	-20	0.00	0.000000	20	PASS
		NV	-10	-40000.00	-7.259528	20	PASS
		NV	0	0.00	0.000000	20	PASS
Ant1	5550	NV	10	-40000.00	-7.259528	20	PASS
		NV	20	40000.00	7.259528	20	PASS
		NV	30	0.00	0.000000	20	PASS
		NV	40	0.00	0.000000	20	PASS
		NV	50	-80000.00	-14.519056	20	PASS
		NV	60	0.00	0.000000	20	PASS
		NV	65	0.00	0.000000	20	PASS
		NV	-30	-40000.00	-7.207207	20	PASS
		NV	-20	0.00	0.000000	20	PASS
		NV	-10	-40000.00	-7.207207	20	PASS
Ant1	5550	NV	0	-40000.00	-7.207207	20	PASS
		NV	10	-40000.00	-7.207207	20	PASS
		NV	20	0.00	0.000000	20	PASS
		NV	30	-80000.00	-14.414414	20	PASS
		NV	40	-40000.00	-7.207207	20	PASS
		NV	50	-40000.00	-7.207207	20	PASS
		NV	50	-40000.00	-7.207207	20	PASS

			NV	60	-40000.00	-7.207207	20	PASS
			NV	65	-40000.00	-7.207207	20	PASS
	Ant2	5550	NV	-30	0.00	0.000000	20	PASS
			NV	-20	-80000.00	-14.414414	20	PASS
			NV	-10	0.00	0.000000	20	PASS
			NV	0	-40000.00	-7.207207	20	PASS
			NV	10	-80000.00	-14.414414	20	PASS
			NV	20	-40000.00	-7.207207	20	PASS
			NV	30	0.00	0.000000	20	PASS
			NV	40	-80000.00	-14.414414	20	PASS
			NV	50	-40000.00	-7.207207	20	PASS
			NV	60	-80000.00	-14.414414	20	PASS
			NV	65	-40000.00	-7.207207	20	PASS
			Ant1	5670	NV	-30	-80000.00	-14.109347
	NV	-20			-40000.00	-7.054674	20	PASS
	NV	-10			-40000.00	-7.054674	20	PASS
	NV	0			0.00	0.000000	20	PASS
	NV	10			-40000.00	-7.054674	20	PASS
	NV	20			0.00	0.000000	20	PASS
	NV	30			40000.00	7.054674	20	PASS
	NV	40			-40000.00	-7.054674	20	PASS
	NV	50			0.00	0.000000	20	PASS
	NV	60			-40000.00	-7.054674	20	PASS
	Ant2	5670	NV	-30	-40000.00	-7.054674	20	PASS
			NV	-20	-40000.00	-7.054674	20	PASS
			NV	-10	-40000.00	-7.054674	20	PASS
			NV	0	-80000.00	-14.109347	20	PASS
			NV	10	0.00	0.000000	20	PASS
			NV	20	-80000.00	-14.109347	20	PASS
			NV	30	-40000.00	-7.054674	20	PASS
			NV	40	-40000.00	-7.054674	20	PASS
			NV	50	0.00	0.000000	20	PASS
			NV	60	-40000.00	-7.054674	20	PASS
	Ant1	5755	NV	-30	0.00	0.000000	20	PASS
			NV	-20	0.00	0.000000	20	PASS
			NV	-10	-40000.00	-6.950478	20	PASS
			NV	0	-40000.00	-6.950478	20	PASS
			NV	10	-80000.00	-13.900956	20	PASS
			NV	20	-40000.00	-6.950478	20	PASS
			NV	30	0.00	0.000000	20	PASS
			NV	40	0.00	0.000000	20	PASS
			NV	50	0.00	0.000000	20	PASS
			NV	60	0.00	0.000000	20	PASS
	Ant2	5755	NV	-30	0.00	0.000000	20	PASS
			NV	-20	-40000.00	-6.950478	20	PASS
			NV	-10	0.00	0.000000	20	PASS
			NV	0	0.00	0.000000	20	PASS
			NV	10	0.00	0.000000	20	PASS
			NV	20	0.00	0.000000	20	PASS
			NV	30	-40000.00	-6.950478	20	PASS
			NV	40	-40000.00	-6.950478	20	PASS
			NV	50	-40000.00	-6.950478	20	PASS
			NV	60	-40000.00	-6.950478	20	PASS
	Ant1	5795	NV	-30	-80000.00	-13.805004	20	PASS
			NV	-20	-40000.00	-6.902502	20	PASS
			NV	-10	-40000.00	-6.902502	20	PASS
			NV	0	-40000.00	-6.902502	20	PASS
			NV	10	0.00	0.000000	20	PASS
			NV	20	-40000.00	-6.902502	20	PASS
			NV	30	-40000.00	-6.902502	20	PASS

			NV	40	0.00	0.000000	20	PASS			
			NV	50	0.00	0.000000	20	PASS			
			NV	60	0.00	0.000000	20	PASS			
			NV	65	0.00	0.000000	20	PASS			
	Ant2	5795	NV	-30	-40000.00	-6.902502	20	PASS			
				NV	-20	0.00	0.000000	20	PASS		
				NV	-10	0.00	0.000000	20	PASS		
				NV	0	0.00	0.000000	20	PASS		
				NV	10	-80000.00	-13.805004	20	PASS		
				NV	20	0.00	0.000000	20	PASS		
				NV	30	-40000.00	-6.902502	20	PASS		
				NV	40	0.00	0.000000	20	PASS		
				NV	50	0.00	0.000000	20	PASS		
				NV	60	0.00	0.000000	20	PASS		
				NV	65	0.00	0.000000	20	PASS		
			Ant1	5210	NV	-30	0.00	0.000000	20	PASS	
						NV	-20	0.00	0.000000	20	PASS
						NV	-10	-80000.00	-15.355086	20	PASS
		NV			0	-80000.00	-15.355086	20	PASS		
		NV			10	-80000.00	-15.355086	20	PASS		
		NV			20	0.00	0.000000	20	PASS		
		NV			30	-80000.00	-15.355086	20	PASS		
		NV			40	0.00	0.000000	20	PASS		
		NV			50	-80000.00	-15.355086	20	PASS		
		NV			60	0.00	0.000000	20	PASS		
	Ant2	5210	NV	65	-80000.00	-15.355086	20	PASS			
				NV	-30	0.00	0.000000	20	PASS		
				NV	-20	-80000.00	-15.355086	20	PASS		
				NV	-10	0.00	0.000000	20	PASS		
				NV	0	0.00	0.000000	20	PASS		
				NV	10	0.00	0.000000	20	PASS		
				NV	20	0.00	0.000000	20	PASS		
				NV	30	0.00	0.000000	20	PASS		
				NV	40	0.00	0.000000	20	PASS		
				NV	50	0.00	0.000000	20	PASS		
	Ant1	5290	NV	60	0.00	0.000000	20	PASS			
				NV	65	0.00	0.000000	20	PASS		
				NV	-30	0.00	0.000000	20	PASS		
				NV	-20	0.00	0.000000	20	PASS		
				NV	-10	0.00	0.000000	20	PASS		
				NV	0	0.00	0.000000	20	PASS		
				NV	10	0.00	0.000000	20	PASS		
				NV	20	0.00	0.000000	20	PASS		
				NV	30	0.00	0.000000	20	PASS		
				NV	40	0.00	0.000000	20	PASS		
	Ant2	5290	NV	50	0.00	0.000000	20	PASS			
				NV	60	0.00	0.000000	20	PASS		
				NV	65	0.00	0.000000	20	PASS		
				NV	-30	0.00	0.000000	20	PASS		
				NV	-20	-80000.00	-15.122873	20	PASS		
				NV	-10	0.00	0.000000	20	PASS		
				NV	0	0.00	0.000000	20	PASS		
				NV	10	0.00	0.000000	20	PASS		
				NV	20	80000.00	15.122873	20	PASS		
				NV	30	0.00	0.000000	20	PASS		
	Ant1	5530	NV	40	0.00	0.000000	20	PASS			
				NV	50	0.00	0.000000	20	PASS		
				NV	60	0.00	0.000000	20	PASS		
				NV	65	0.00	0.000000	20	PASS		
				NV	-30	0.00	0.000000	20	PASS		
				NV	-20	0.00	0.000000	20	PASS		
			NV	-10	0.00	0.000000	20	PASS			
			NV	0	0.00	0.000000	20	PASS			
			NV	10	-80000.00	-14.466546	20	PASS			




Ant2	5530	NV	20	-80000.00	-14.466546	20	PASS
		NV	30	0.00	0.000000	20	PASS
		NV	40	0.00	0.000000	20	PASS
		NV	50	0.00	0.000000	20	PASS
		NV	60	0.00	0.000000	20	PASS
		NV	65	0.00	0.000000	20	PASS
		NV	-30	0.00	0.000000	20	PASS
		NV	-20	0.00	0.000000	20	PASS
		NV	-10	0.00	0.000000	20	PASS
		NV	0	0.00	0.000000	20	PASS
Ant1	5610	NV	10	0.00	0.000000	20	PASS
		NV	20	-80000.00	-14.260250	20	PASS
		NV	30	-80000.00	-14.260250	20	PASS
		NV	40	-80000.00	-14.260250	20	PASS
		NV	50	0.00	0.000000	20	PASS
		NV	60	-80000.00	-14.260250	20	PASS
		NV	65	0.00	0.000000	20	PASS
		NV	-30	0.00	0.000000	20	PASS
		NV	-20	0.00	0.000000	20	PASS
		NV	-10	0.00	0.000000	20	PASS
Ant2	5610	NV	0	-80000.00	-14.260250	20	PASS
		NV	10	0.00	0.000000	20	PASS
		NV	20	0.00	0.000000	20	PASS
		NV	30	-80000.00	-14.260250	20	PASS
		NV	40	0.00	0.000000	20	PASS
		NV	50	0.00	0.000000	20	PASS
		NV	60	0.00	0.000000	20	PASS
		NV	65	0.00	0.000000	20	PASS
		NV	-30	0.00	0.000000	20	PASS
		NV	-20	0.00	0.000000	20	PASS
Ant1	5775	NV	-10	0.00	0.000000	20	PASS
		NV	0	0.00	0.000000	20	PASS
		NV	10	0.00	0.000000	20	PASS
		NV	20	0.00	0.000000	20	PASS
		NV	30	-80000.00	-13.852814	20	PASS
		NV	40	0.00	0.000000	20	PASS
		NV	50	0.00	0.000000	20	PASS
		NV	60	0.00	0.000000	20	PASS
		NV	65	0.00	0.000000	20	PASS
		NV	-30	0.00	0.000000	20	PASS
Ant2	5775	NV	-20	0.00	0.000000	20	PASS
		NV	-10	0.00	0.000000	20	PASS
		NV	0	0.00	0.000000	20	PASS
		NV	10	0.00	0.000000	20	PASS
		NV	20	0.00	0.000000	20	PASS
		NV	30	0.00	0.000000	20	PASS
		NV	40	0.00	0.000000	20	PASS
		NV	50	-80000.00	-13.852814	20	PASS
		NV	60	0.00	0.000000	20	PASS
		NV	65	0.00	0.000000	20	PASS


## 11. Emissions in Restricted Frequency Bands

### 11.1. Block diagram of test setup


In 3 m Anechoic Chamber, test setup diagram for 9 kHz - 30 MHz:



In 3 m Anechoic Chamber, test setup diagram for 30 MHz - 1 GHz:



In 3 m Anechoic Chamber, test setup diagram for frequency above 1 GHz:



Note: For harmonic emissions test an appropriate high pass filter was inserted in the input port of AMP.

### 11.2. Limit

(1) FCC 15.205 Restricted frequency band

MHz	MHz	MHz	GHz
0.090-0.110	16.42-16.423	399.9-410	4.5-5.15
10.495-0.505	16.69475-16.69525	608-614	5.35-5.46
2.1735-2.1905	16.80425-16.80475	960-1240	7.25-7.75
4.125-4.128	25.5-25.67	1300-1427	8.025-8.5
4.1772&4.17775	37.5-38.25	1435-1626.5	9.0-9.2
4.2072&4.20775	73-74.6	1645.5-1646.5	9.3-9.5
6.215-6.218	74.8-75.2	1660-1710	10.6-12.7
6.26775-6.26825	108-121.94	1718.8-1722.2	13.25-13.4
6.31175-6.31225	123-138	2200-2300	14.47-14.5
8.291-8.294	149.9-150.05	2310-2390	15.35-16.2
8.362-8.366	156.52475-156.52525	2483.5-2500	17.7-21.4
8.37625-8.38675	156.7-156.9	2690-2900	22.01-23.12
8.41425-8.41475	162.0125-167.17	3260-3267	23.6-24.0
12.29-12.293	167.72-173.2	3332-3339	31.2-31.8
12.51975-12.52025	240-285	3345.8-3358	36.43-36.5
12.57675-12.57725	322-335.4	3600-4400	( <sup>2</sup> )
13.36-13.41			

<sup>1</sup>Until February 1, 1999, this restricted band shall be 0.490-0.510 MHz.

<sup>2</sup>Above 38.6.

(2) FCC 15.209 Limit

FREQUENCY MHz	DISTANCE Meters	FIELD STRENGTHS LIMIT	
		$\mu\text{V}/\text{m}$	$\text{dB}(\mu\text{V})/\text{m}$
0.009 ~ 0.490	300	2400/F(kHz)	67.6-20log(F)
0.490 ~ 1.705	30	24000/F(kHz)	87.6-20log(F)
1.705 ~ 30.0	30	30	29.54
30 ~ 88	3	100	40.0
88 ~ 216	3	150	43.5
216 ~ 960	3	200	46.0
960 ~ 1000	3	500	54.0
Above 1000	3	74.0 dB( $\mu\text{V}$ )/m (Peak) 54.0 dB( $\mu\text{V}$ )/m (Average)	

Note: (1) The emission limits shown in the above table are based on measurements employing a CISPR QP detector except for the frequency bands 9 - 90 kHz, 110 - 490 kHz and above 1000 MHz. Radiated emissions limits in these three bands are based on measurements employing an average detector.

(2) At frequencies below 30 MHz, measurement may be performed at a distance closer than that specified, and the limit at closer measurement distance can be extrapolated by below formula:

$$\text{Limit}_{3\text{m}}(\text{dB}\mu\text{V}/\text{m}) = \text{Limit}_{30\text{m}}(\text{dB}\mu\text{V}/\text{m}) + 40\text{Log}(30\text{m}/3\text{m})$$

(3) Limit for this EUT

The emissions appearing within 15.205 restricted frequency bands shall not exceed the limits shown in 15.209, all the other emissions shall be at least 20 dB below the fundamental emissions or comply with 15.209 limits.

### 11.3. Test Procedure

- (1) EUT height should be 0 m for below 1 GHz at a semi - anechoic chamber while EUT height should be 0 m for above 1GHz at full chamber or semi - anechoic chamber ground with absorbers
- (2) Setup EUT and assistant system according clause 2.3 and 8.2
- (3) Test antenna was located 3m from the EUT on an adjustable mast, and the antenna used as below table.

Test frequency range	Test antenna used	Test distance
9 kHz-30 MHz	Active Loop antenna	3 m
30 MHz-1 GHz	Trilog Broadband Antenna	3 m
1 GHz-18 GHz	Double Ridged Horn Antenna(1GHz-18GHz)	3 m
18 GHz-40 GHz	Horn Antenna(18GHz-40GHz)	1 m

According ANSI C63.10:2013 clause 6.4.4.2 and 6.5.3, for measurements below 30 MHz, the loop antenna was positioned with its plane vertical from the EUT and rotated about its vertical



axis for maximum response at each azimuth position around the EUT. And the loop antenna also be positioned with its plane horizontal at the specified distance from the EUT. The center of the loop is 1 m above the ground. for measurement above 30 MHz, the Trilog Broadband Antenna or Horn Antenna was located 3m from EUT, Measurements were made with the antenna positioned in both the horizontal and vertical planes of Polarization, and the measurement antenna was varied from 1 m to 4 m. in height above the reference ground plane to obtain the maximum signal strength.

(4) Below pre-scan procedure was first performed in order to find prominent frequency spectrum radiated emissions from 9 kHz to 40 GHz:

(a) Scanning the peak frequency spectrum with the antenna specified in step (3), and the EUT was rotated 360 degree, the antenna height was varied from 1 m to 4 m (Except loop antenna, it's fixed 1m above ground.)

(b) Change work frequency or channel of device if practicable.

(c) Change modulation type of device if practicable.

(d) Change power supply range from 85% to 115% of the rated supply voltage

(e) Rotated EUT though three orthogonal axes to determine the attitude of EUT arrangement produces highest emissions.

Spectrum frequency from 9 kHz to 40 GHz (tenth harmonic of fundamental frequency) was investigated, and no any obvious emission were detected from 9 kHz to 30 MHz and 18 GHz to 40 GHz, so below final test was performed with frequency range from 30 MHz to 18 GHz.

(5) For final emissions measurements at each frequency of interest, the EUT was rotated and the antenna height was varied between 1m and 4m in order to maximize the emission.

Measurements in both horizontal and vertical polarities were made and the data was recorded. In order to find the maximum emission, the relative positions of equipments and all of the interface cables were changed according to ANSI C63.10:2013 on Radiated Emission test.

(6) The emissions from 9 kHz to 1 GHz were measured based on CISPR QP detector except for the frequency bands 9-90 kHz, 110-490 kHz, for emissions from 9 kHz-90kHz,110kHz-490kHz and above 1GHz were measured based on average detector, for emissions above 1 GHz, peak emissions also be measured and need comply with Peak limit.

(7) The emissions from 9 kHz to 1 GHz, QP or average values were measured with EMI receiver with below RBW

Frequency band	RBW
9 kHz-150 kHz	200 Hz
150 kHz-30 MHz	9 kHz
30 MHz-1 GHz	120 kHz

(8) For emissions above 1 GHz, both Peak and Average level were measured with Spectrum Analyzer, and the RBW is set at 1 MHz, VBW is set at 3MHz for Peak measure, the RBW is

set at 1 MHz, VBW is set at 10 Hz for AV value.

#### 11.4. Test result

##### Pass. (See below detailed test result)

All the emissions except fundamental emission from 9 kHz to 25 GHz were comply with 15.209 limits.


Note1: According exploratory test no any obvious emission was detected from 9 kHz to 30 MHz and 18 GHz to 40 GHz, so the final test was performed with frequency range from 30 MHz to 18 GHz and recorded in below.

Note2: For emissions below 1 GHz, according exploratory explorer test, when change Tx mode and channel, have no distinct influence on emissions level, so for emissions below 1 GHz, the final test was only performed with EUT working in 802.11N20 mode.

Note3: For emissions above 1 GHz. If peak results comply with AV limit, AV Result is deemed to comply with AV limit.

## Radiated Emission test (below 1GHz) TR-4-E-009 Radiated Emission Test Result

<b>Test Date:</b>	2022-12-08	<b>Tested By:</b>	Johnson Huang
<b>EUT:</b>	Wireless Bridge	<b>Model Number:</b>	RG-EST310 V2
<b>Test Mode:</b>	TX Mode	<b>Power Supply:</b>	AC 120V/60Hz
<b>Condition:</b>	Temp:23.1°C;Humi:53.5%;Press:100.3kPa	<b>Test Site:</b>	DDT 3# Chamber
<b>File Path:</b>	d:\ts\2022 report data\Q22112913-2E RG-EST310 V2\FCC BELOW 1G\20221208-101053_H		
<b>Memo:</b>	5G WIFI		



Final Data List								
NO.	Freq. [MHz]	Reading [dBµV/m]	Factor [dB]	Result [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Detector	Polarity
1	42.03	39.59	-19.01	20.58	40.00	19.42	QP	Horizontal
2	55.41	39.34	-18.74	20.60	40.00	19.40	QP	Horizontal
3	71.71	45.46	-23.23	22.23	40.00	17.77	QP	Horizontal
4	92.86	53.06	-21.06	32.00	43.50	11.50	QP	Horizontal
5	154.55	44.19	-22.90	21.29	43.50	22.21	QP	Horizontal
6	849.84	27.93	-6.43	21.50	46.00	24.50	QP	Horizontal

**Note:**

1. Result Level = Read Level + Factor
2. If Peak Result complies with QP limit, QP Result is deemed to comply with QP limit.
3. Test setup: RBW: 120 kHz, VBW: 300 kHz, Sweep time: auto.