


Test Mode	UNII-2C_TX AC(VHT20) Mode 5500 MHz	Polarization	Horizontal
-----------	------------------------------------	--------------	------------




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	11000.0000	37.20	12.78	49.98	74.00	-24.02	Peak	
2 *	11000.0000	26.27	12.78	39.05	54.00	-14.95	AVG	

## REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-2C_TX AC(VHT20) Mode 5580 MHz	Polarization	Vertical
-----------	------------------------------------	--------------	----------

130 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5581.0000	86.81	16.71	103.52	999.00	-895.48	AVG	No Limit
2 *	5583.0000	94.43	16.71	111.14	68.20	42.94	Peak	No Limit

## REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-2C_TX AC(VHT20) Mode 5580 MHz	Polarization	Vertical
-----------	------------------------------------	--------------	----------




No.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
	MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB		
1	11158.2400	37.40	12.90	50.30	74.00	-23.70	Peak	
2 *	11162.1750	26.38	12.90	39.28	54.00	-14.72	AVG	

**REMARKS:**

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-2C_TX AC(VHT20) Mode 5580 MHz	Polarization	Horizontal
-----------	------------------------------------	--------------	------------

130 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	5578.0000	86.34	16.71	103.05	68.20	34.85	Peak	No Limit
2	5582.0000	77.28	16.71	93.99	999.00	-905.01	AVG	No Limit

## REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-2C_TX AC(VHT20) Mode 5580 MHz	Polarization	Horizontal
-----------	------------------------------------	--------------	------------




No.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
	MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB		
1	11160.0000	37.75	12.90	50.65	74.00	-23.35	Peak	
2 *	11160.0000	26.45	12.90	39.35	54.00	-14.65	AVG	

**REMARKS:**

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-2C_TX AC(VHT20) Mode 5700 MHz	Polarization	Vertical
-----------	------------------------------------	--------------	----------

130 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5697.6000	87.52	16.78	104.30	999.00	-894.70	AVG	No Limit
2 *	5702.2000	96.05	16.78	112.83	68.20	44.63	Peak	No Limit
3	5725.0000	38.14	16.80	54.94	68.20	-13.26	Peak	

## REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-2C_TX AC(VHT20) Mode 5700 MHz	Polarization	Vertical
-----------	------------------------------------	--------------	----------




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	11398.9800	38.41	13.08	51.49	74.00	-22.51	Peak	
2 *	11400.3099	26.55	13.08	39.63	54.00	-14.37	AVG	

**REMARKS:**

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-2C_TX AC(VHT20) Mode 5700 MHz	Polarization	Horizontal
-----------	------------------------------------	--------------	------------

130 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	5698.4000	87.36	16.78	104.14	68.20	35.94	Peak	No Limit
2	5698.8000	78.18	16.78	94.96	999.00	-904.04	AVG	No Limit
3	5725.0000	36.46	16.80	53.26	68.20	-14.94	Peak	

## REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-2C_TX AC(VHT20) Mode 5700 MHz	Polarization	Horizontal
-----------	------------------------------------	--------------	------------




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	11400.0000	37.97	13.08	51.05	74.00	-22.95	Peak	
2 *	11400.0000	26.50	13.08	39.58	54.00	-14.42	AVG	

**REMARKS:**

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-2C_TX AC(VHT40) Mode 5510 MHz	Polarization	Vertical
-----------	------------------------------------	--------------	----------

130 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5460.0000	40.99	16.62	57.61	74.00	-16.39	Peak	
2	5460.0000	30.69	16.62	47.31	54.00	-6.69	AVG	
3	5470.0000	41.41	16.63	58.04	68.20	-10.16	Peak	
4	5507.8000	82.17	16.67	98.84	999.00	-900.16	AVG	No Limit
5 *	5514.8000	93.08	16.67	109.75	68.20	41.55	Peak	No Limit

## REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.  
(2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-2C_TX AC(VHT40) Mode 5510 MHz	Polarization	Vertical
-----------	------------------------------------	--------------	----------




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	11020.0000	37.52	12.79	50.31	74.00	-23.69	Peak	
2 *	11020.0000	26.39	12.79	39.18	54.00	-14.82	AVG	

**REMARKS:**

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-2C_TX AC(VHT40) Mode 5510 MHz	Polarization	Horizontal
-----------	------------------------------------	--------------	------------

130 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5460.0000	35.98	16.62	52.60	74.00	-21.40	Peak	
2	5460.0000	28.95	16.62	45.57	54.00	-8.43	AVG	
3	5470.0000	37.21	16.63	53.84	68.20	-14.36	Peak	
4	5512.4000	72.60	16.67	89.27	999.00	-909.73	AVG	No Limit
5 *	5512.6000	84.11	16.67	100.78	68.20	32.58	Peak	No Limit

## REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-2C_TX AC(VHT40) Mode 5510 MHz	Polarization	Horizontal
-----------	------------------------------------	--------------	------------




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	11020.0000	38.18	12.79	50.97	74.00	-23.03	Peak	
2 *	11020.0000	26.33	12.79	39.12	54.00	-14.88	AVG	

**REMARKS:**

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-2C_TX AC(VHT40) Mode 5550 MHz	Polarization	Vertical
-----------	------------------------------------	--------------	----------

130 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5552.0000	80.78	16.70	97.48	999.00	-901.52	AVG	No Limit
2 *	5555.2000	92.87	16.70	109.57	68.20	41.37	Peak	No Limit

## REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-2C_TX AC(VHT40) Mode 5550 MHz	Polarization	Vertical
-----------	------------------------------------	--------------	----------




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	11100.0000	37.35	12.85	50.20	74.00	-23.80	Peak	
2 *	11100.0000	26.41	12.85	39.26	54.00	-14.74	AVG	

**REMARKS:**

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-2C_TX AC(VHT40) Mode 5550 MHz	Polarization	Horizontal
-----------	------------------------------------	--------------	------------

130 dBuV/m




No.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
	MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB		
1 *	5540.6000	82.11	16.69	98.80	68.20	30.60	Peak	No Limit
2	5548.6000	72.04	16.69	88.73	999.00	-910.27	AVG	No Limit

## REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-2C_TX AC(VHT40) Mode 5550 MHz	Polarization	Horizontal
-----------	------------------------------------	--------------	------------




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	11100.0000	37.50	12.85	50.35	74.00	-23.65	Peak	
2 *	11100.0000	26.47	12.85	39.32	54.00	-14.68	AVG	

**REMARKS:**

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-2C_TX AC(VHT40) Mode 5670 MHz	Polarization	Vertical
-----------	------------------------------------	--------------	----------

130 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	5663.8000	93.94	16.76	110.70	68.20	42.50	Peak	No Limit
2	5673.6000	81.88	16.77	98.65	999.00	-900.35	AVG	No Limit
3	5725.0000	37.10	16.80	53.90	68.20	-14.30	Peak	

## REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-2C_TX AC(VHT40) Mode 5670 MHz	Polarization	Vertical
-----------	------------------------------------	--------------	----------




No.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
	MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB		
1	11340.0000	37.86	13.03	50.89	74.00	-23.11	Peak	
2 *	11340.0000	26.31	13.03	39.34	54.00	-14.66	AVG	

**REMARKS:**

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-2C_TX AC(VHT40) Mode 5670 MHz	Polarization	Horizontal
-----------	------------------------------------	--------------	------------

130 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	5672.8000	85.57	16.77	102.34	68.20	34.14	Peak	No Limit
2	5673.4000	74.41	16.77	91.18	999.00	-907.82	AVG	No Limit
3	5725.0000	37.00	16.80	53.80	68.20	-14.40	Peak	

## REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-2C_TX AC(VHT40) Mode 5670 MHz	Polarization	Horizontal
-----------	------------------------------------	--------------	------------




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	11340.0000	36.74	13.03	49.77	74.00	-24.23	Peak	
2 *	11340.0000	26.31	13.03	39.34	54.00	-14.66	AVG	

**REMARKS:**

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-2C_TX AC(VHT80) Mode 5530 MHz	Polarization	Vertical
-----------	------------------------------------	--------------	----------

130 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5452.8000	40.57	16.61	57.18	74.00	-16.82	Peak	
2	5452.8000	32.87	16.61	49.48	54.00	-4.52	AVG	
3	5460.0000	40.71	16.62	57.33	74.00	-16.67	Peak	
4	5460.0000	32.18	16.62	48.80	54.00	-5.20	AVG	
5	5470.0000	41.94	16.63	58.57	68.20	-9.63	Peak	
6 *	5522.8000	90.31	16.68	106.99	68.20	38.79	Peak	No Limit
7	5526.4000	77.71	16.68	94.39	999.00	-904.61	AVG	No Limit

## REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-2C_TX AC(VHT80) Mode 5530 MHz	Polarization	Vertical
-----------	------------------------------------	--------------	----------




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	11060.0000	37.66	12.82	50.48	74.00	-23.52	Peak	
2 *	11060.0000	26.32	12.82	39.14	54.00	-14.86	AVG	

**REMARKS:**

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-2C_TX AC(VHT80) Mode 5530 MHz	Polarization	Horizontal
-----------	------------------------------------	--------------	------------

130 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5460.0000	36.33	16.62	52.95	74.00	-21.05	Peak	
2	5460.0000	28.70	16.62	45.32	54.00	-8.68	AVG	
3	5470.0000	37.08	16.63	53.71	68.20	-14.49	Peak	
4	5526.4000	69.46	16.68	86.14	999.00	-912.86	AVG	No Limit
5 *	5539.2000	81.19	16.69	97.88	68.20	29.68	Peak	No Limit

## REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.  
(2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-2C_TX AC(VHT80) Mode 5530 MHz	Polarization	Horizontal
-----------	------------------------------------	--------------	------------




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	11060.0000	39.82	12.82	52.64	74.00	-21.36	Peak	
2 *	11060.0000	26.46	12.82	39.28	54.00	-14.72	AVG	

**REMARKS:**

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-2C_TX AC(VHT80) Mode 5610 MHz	Polarization	Vertical
-----------	------------------------------------	--------------	----------

130 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5601.2000	77.73	16.72	94.45	999.00	-904.55	AVG	No Limit
2 *	5602.0000	89.69	16.73	106.42	68.20	38.22	Peak	No Limit
3	5725.0000	36.17	16.80	52.97	68.20	-15.23	Peak	

## REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-2C_TX AC(VHT80) Mode 5610 MHz	Polarization	Vertical
-----------	------------------------------------	--------------	----------




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	11220.0000	38.23	12.94	51.17	74.00	-22.83	Peak	
2 *	11220.0000	26.55	12.94	39.49	54.00	-14.51	AVG	

**REMARKS:**

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-2C_TX AC(VHT80) Mode 5610 MHz	Polarization	Horizontal
-----------	------------------------------------	--------------	------------

130 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure- ment dBuV/m	Limit dB	Margin Detector	Comment	
1 *	5602.4000	79.91	16.73	96.64	68.20	28.44	Peak	No Limit
2	5606.4000	68.95	16.73	85.68	999.00	-913.32	AVG	No Limit
3	5725.0000	35.04	16.80	51.84	68.20	-16.36	Peak	

## REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-2C_TX AC(VHT80) Mode 5610 MHz	Polarization	Horizontal
-----------	------------------------------------	--------------	------------




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	11220.0000	38.73	12.94	51.67	74.00	-22.33	Peak	
2 *	11220.0000	26.55	12.94	39.49	54.00	-14.51	AVG	

**REMARKS:**

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-2C_TX AX(HE20) Mode 5500 MHz	Polarization	Vertical
-----------	-----------------------------------	--------------	----------

130 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5460.0000	38.59	16.62	55.21	74.00	-18.79	Peak	
2	5460.0000	30.86	16.62	47.48	54.00	-6.52	AVG	
3	5470.0000	39.56	16.63	56.19	68.20	-12.01	Peak	
4 *	5499.0000	94.89	16.66	111.55	68.20	43.35	Peak	No Limit
5	5500.4000	84.22	16.67	100.89	999.00	-898.11	AVG	No Limit

## REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-2C_TX AX(HE20) Mode 5500 MHz	Polarization	Vertical
-----------	-----------------------------------	--------------	----------




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	10999.2260	38.00	13.78	51.78	74.00	-22.22	Peak	
2 *	11000.5460	26.06	13.78	39.84	54.00	-14.16	AVG	

**REMARKS:**

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-2C_TX AX(HE20) Mode 5500 MHz	Polarization	Horizontal
-----------	-----------------------------------	--------------	------------

130 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5460.0000	37.70	16.62	54.32	74.00	-19.68	Peak	
2	5460.0000	28.55	16.62	45.17	54.00	-8.83	AVG	
3	5470.0000	37.28	16.63	53.91	68.20	-14.29	Peak	
4	5498.8000	74.46	16.66	91.12	999.00	-907.88	AVG	No Limit
5 *	5500.4000	83.97	16.67	100.64	68.20	32.44	Peak	No Limit

## REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-2C_TX AX(HE20) Mode 5500 MHz	Polarization	Horizontal
-----------	-----------------------------------	--------------	------------




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	10999.2520	26.03	13.78	39.81	54.00	-14.19	Avg	
2	11000.8440	37.44	13.78	51.22	74.00	-22.78	Peak	

**REMARKS:**

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-2C_TX AX(HE20) Mode 5580 MHz	Polarization	Vertical
-----------	-----------------------------------	--------------	----------

130 dBuV/m




No.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
	MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB		
1 *	5577.0000	92.91	16.71	109.62	68.20	41.42	Peak	No Limit
2	5578.8000	83.81	16.71	100.52	999.00	-898.48	AVG	No Limit

## REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-2C_TX AX(HE20) Mode 5580 MHz	Polarization	Vertical
-----------	-----------------------------------	--------------	----------




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	11159.5660	26.14	14.06	40.20	54.00	-13.80	AVG	
2	11159.9540	37.68	14.06	51.74	74.00	-22.26	Peak	

**REMARKS:**

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-2C_TX AX(HE20) Mode 5580 MHz	Polarization	Horizontal
-----------	-----------------------------------	--------------	------------

130 dBuV/m




No.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
	MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB		
1 *	5579.0000	84.56	16.71	101.27	68.20	33.07	Peak	No Limit
2	5579.2000	75.35	16.71	92.06	999.00	-906.94	AVG	No Limit

## REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-2C_TX AX(HE20) Mode 5580 MHz	Polarization	Horizontal
-----------	-----------------------------------	--------------	------------




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	11159.1820	25.94	14.06	40.00	54.00	-14.00	Avg	
2	11160.3580	37.30	14.06	51.36	74.00	-22.64	Peak	

**REMARKS:**

- (1) Measurement Value = Reading Level + Correct Factor.  
(2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-2C_TX AX(HE20) Mode 5700 MHz	Polarization	Vertical
-----------	-----------------------------------	--------------	----------

130 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5700.8000	84.20	16.78	100.98	999.00	-898.02	AVG	No Limit
2 *	5704.4000	93.76	16.79	110.55	68.20	42.35	Peak	No Limit
3	5725.0000	37.14	16.80	53.94	68.20	-14.26	Peak	

## REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-2C_TX AX(HE20) Mode 5700 MHz	Polarization	Vertical
-----------	-----------------------------------	--------------	----------




No.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
	MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB		
1	11399.1980	38.47	14.48	52.95	74.00	-21.05	Peak	
2 *	11400.8179	26.28	14.48	40.76	54.00	-13.24	AVG	

**REMARKS:**

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-2C_TX AX(HE20) Mode 5700 MHz	Polarization	Horizontal
-----------	-----------------------------------	--------------	------------

130 dBuV/m




No.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
	MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB		
1 *	5698.2000	86.81	16.78	103.59	68.20	35.39	Peak	No Limit
2	5698.8000	75.73	16.78	92.51	999.00	-906.49	AVG	No Limit

## REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-2C_TX AX(HE20) Mode 5700 MHz	Polarization	Horizontal
-----------	-----------------------------------	--------------	------------




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	11399.4680	26.40	14.48	40.88	54.00	-13.12	Avg	
2	11400.9160	37.68	14.48	52.16	74.00	-21.84	Peak	

**REMARKS:**

- (1) Measurement Value = Reading Level + Correct Factor.  
(2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-2C_TX AX(HE40) Mode 5510 MHz	Polarization	Vertical
-----------	-----------------------------------	--------------	----------

130 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5460.0000	38.53	16.62	55.15	74.00	-18.85	Peak	
2	5460.0000	30.88	16.62	47.50	54.00	-6.50	AVG	
3	5470.0000	39.23	16.63	55.86	68.20	-12.34	Peak	
4	5508.6000	81.50	16.67	98.17	999.00	-900.83	AVG	No Limit
5 *	5509.0000	93.02	16.67	109.69	68.20	41.49	Peak	No Limit

## REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.  
 (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-2C_TX AX(HE40) Mode 5510 MHz	Polarization	Vertical
-----------	-----------------------------------	--------------	----------




No.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
	MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB		
1	11019.0640	38.01	13.81	51.82	74.00	-22.18	Peak	
2 *	11020.4280	26.31	13.82	40.13	54.00	-13.87	AVG	

**REMARKS:**

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-2C_TX AX(HE40) Mode 5510 MHz	Polarization	Horizontal
-----------	-----------------------------------	--------------	------------

130 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5460.0000	37.77	16.62	54.39	74.00	-19.61	Peak	
2	5460.0000	28.45	16.62	45.07	54.00	-8.93	AVG	
3	5470.0000	37.87	16.63	54.50	68.20	-13.70	Peak	
4	5512.0000	71.71	16.67	88.38	999.00	-910.62	AVG	No Limit
5 *	5514.4000	82.46	16.67	99.13	68.20	30.93	Peak	No Limit

## REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-2C_TX AX(HE40) Mode 5510 MHz	Polarization	Horizontal
-----------	-----------------------------------	--------------	------------




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	11019.0880	26.17	13.81	39.98	54.00	-14.02	Avg	
2	11020.8360	37.13	13.82	50.95	74.00	-23.05	Peak	

**REMARKS:**

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-2C_TX AX(HE40) Mode 5550 MHz	Polarization	Vertical
-----------	-----------------------------------	--------------	----------

130 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	5547.6000	91.16	16.69	107.85	68.20	39.65	Peak	No Limit
2	5548.6000	80.94	16.69	97.63	999.00	-901.37	AVG	No Limit

## REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-2C_TX AX(HE40) Mode 5550 MHz	Polarization	Vertical
-----------	-----------------------------------	--------------	----------




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	11099.1220	37.13	13.95	51.08	74.00	-22.92	Peak	
2 *	11099.5279	26.09	13.95	40.04	54.00	-13.96	AVG	

**REMARKS:**

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-2C_TX AX(HE40) Mode 5550 MHz	Polarization	Horizontal
-----------	-----------------------------------	--------------	------------

130 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	5549.0000	82.99	16.69	99.68	68.20	31.48	Peak	No Limit
2	5549.2000	71.30	16.69	87.99	999.00	-911.01	AVG	No Limit

## REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-2C_TX AX(HE40) Mode 5550 MHz	Polarization	Horizontal
-----------	-----------------------------------	--------------	------------




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	11099.8800	37.40	13.95	51.35	74.00	-22.65	Peak	
2 *	11100.0439	26.12	13.95	40.07	54.00	-13.93	AVG	

**REMARKS:**

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-2C_TX AX(HE40) Mode 5670 MHz	Polarization	Vertical
-----------	-----------------------------------	--------------	----------

130 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5668.8000	81.89	16.76	98.65	999.00	-900.35	AVG	No Limit
2 *	5671.0000	92.36	16.77	109.13	68.20	40.93	Peak	No Limit
3	5725.0000	36.48	16.80	53.28	68.20	-14.92	Peak	

## REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-2C_TX AX(HE40) Mode 5670 MHz	Polarization	Vertical
-----------	-----------------------------------	--------------	----------




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	11340.3339	37.73	14.38	52.11	74.00	-21.89	Peak	
2 *	11340.7680	26.10	14.38	40.48	54.00	-13.52	AVG	

**REMARKS:**

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-2C_TX AX(HE40) Mode 5670 MHz	Polarization	Horizontal
-----------	-----------------------------------	--------------	------------

130 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	5672.4000	85.24	16.77	102.01	68.20	33.81	Peak	No Limit
2	5672.6000	74.21	16.77	90.98	999.00	-908.02	AVG	No Limit
3	5725.0000	35.95	16.80	52.75	68.20	-15.45	Peak	

## REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-2C_TX AX(HE40) Mode 5670 MHz	Polarization	Horizontal
-----------	-----------------------------------	--------------	------------




No.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
	MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB		
1	11340.7080	37.43	14.38	51.81	74.00	-22.19	Peak	
2 *	11340.8620	26.36	14.38	40.74	54.00	-13.26	AVG	

**REMARKS:**

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-2C_TX AX(HE80) Mode 5530 MHz	Polarization	Vertical
-----------	-----------------------------------	--------------	----------

130 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5458.0000	42.11	16.62	58.73	74.00	-15.27	Peak	
2	5458.0000	34.08	16.62	50.70	54.00	-3.30	AVG	
3	5460.0000	42.37	16.62	58.99	74.00	-15.01	Peak	
4	5460.0000	32.76	16.62	49.38	54.00	-4.62	AVG	
5	5470.0000	46.40	16.63	63.03	68.20	-5.17	Peak	
6 *	5524.0000	91.78	16.68	108.46	68.20	40.26	Peak	No Limit
7	5524.0000	78.36	16.68	95.04	999.00	-903.96	AVG	No Limit

## REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-2C_TX AX(HE80) Mode 5530 MHz	Polarization	Vertical
-----------	-----------------------------------	--------------	----------




No.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
	MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB		
1 *	11059.0400	26.31	13.88	40.19	54.00	-13.81	AVG	
2	11060.7340	38.18	13.89	52.07	74.00	-21.93	Peak	

**REMARKS:**

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-2C_TX AX(HE80) Mode 5530 MHz	Polarization	Horizontal
-----------	-----------------------------------	--------------	------------

130 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure- ment dBuV/m	Limit dB	Margin dB	Detector		Comment
							Detector		
1	5460.0000	35.71	16.62	52.33	74.00	-21.67	Peak		
2	5460.0000	29.10	16.62	45.72	54.00	-8.28	AVG		
3	5470.0000	37.20	16.63	53.83	68.20	-14.37	Peak		
4 *	5520.4000	81.64	16.68	98.32	68.20	30.12	Peak	No Limit	
5	5523.6000	69.24	16.68	85.92	999.00	-913.08	AVG	No Limit	

## REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-2C_TX AX(HE80) Mode 5530 MHz	Polarization	Horizontal
-----------	-----------------------------------	--------------	------------




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	11059.1040	26.26	13.88	40.14	54.00	-13.86	AVG	
2	11060.3160	38.24	13.89	52.13	74.00	-21.87	Peak	

**REMARKS:**

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-2C_TX AX(HE80) Mode 5610 MHz	Polarization	Vertical
-----------	-----------------------------------	--------------	----------

130 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	5600.4000	91.44	16.72	108.16	68.20	39.96	Peak	No Limit
2	5604.4000	78.17	16.73	94.90	999.00	-904.10	AVG	No Limit
3	5725.0000	35.38	16.80	52.18	68.20	-16.02	Peak	

## REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-2C_TX AX(HE80) Mode 5610 MHz	Polarization	Vertical
-----------	-----------------------------------	--------------	----------




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	11219.4400	37.72	14.16	51.88	74.00	-22.12	Peak	
2 *	11220.0460	26.33	14.16	40.49	54.00	-13.51	AVG	

**REMARKS:**

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-2C_TX AX(HE80) Mode 5610 MHz	Polarization	Horizontal
-----------	-----------------------------------	--------------	------------

130 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5607.2000	68.75	16.73	85.48	999.00	-913.52	AVG	No Limit
2 *	5615.6000	80.58	16.73	97.31	68.20	29.11	Peak	No Limit
3	5725.0000	34.92	16.80	51.72	68.20	-16.48	Peak	

## REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-2C_TX AX(HE80) Mode 5610 MHz	Polarization	Horizontal
-----------	-----------------------------------	--------------	------------




No.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
	MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB		
1	11219.1020	38.26	14.16	52.42	74.00	-21.58	Peak	
2 *	11220.8500	26.37	14.17	40.54	54.00	-13.46	AVG	

**REMARKS:**

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-3_TX A Mode 5745 MHz	Polarization	Vertical
-----------	---------------------------	--------------	----------

130 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5715.0000	52.24	16.79	69.03	109.40	-40.37	Peak	
2	5725.0000	61.31	16.80	78.11	122.20	-44.09	Peak	
3 *	5745.8000	98.40	16.81	115.21	122.20	-6.99	Peak	No Limit

## REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-3_TX A Mode 5745 MHz	Polarization	Vertical
-----------	---------------------------	--------------	----------




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	11487.8800	26.51	13.15	39.66	54.00	-14.34	Avg	
2	11488.9400	37.61	13.15	50.76	74.00	-23.24	Peak	

**REMARKS:**

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-3_TX A Mode 5745 MHz	Polarization	Horizontal
-----------	---------------------------	--------------	------------

130 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5715.0000	40.13	16.79	56.92	109.40	-52.48	Peak	
2	5725.0000	50.94	16.80	67.74	122.20	-54.46	Peak	
3 *	5744.0000	86.59	16.81	103.40	122.20	-18.80	Peak	No Limit

## REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-3_TX A Mode 5745 MHz	Polarization	Horizontal
-----------	---------------------------	--------------	------------




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	11490.0000	37.67	13.15	50.82	74.00	-23.18	Peak	
2 *	11490.0000	26.51	13.15	39.66	54.00	-14.34	AVG	

**REMARKS:**

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-3_TX A Mode 5785 MHz	Polarization	Vertical
-----------	---------------------------	--------------	----------




No.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
	MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB		
1 *	5786.0000	96.99	16.83	113.82	122.20	-8.38	Peak	No Limit

**REMARKS:**

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-3_TX A Mode 5785 MHz	Polarization	Vertical
-----------	---------------------------	--------------	----------




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	11567.5950	37.99	13.20	51.19	74.00	-22.81	Peak	
2 *	11567.9800	26.41	13.20	39.61	54.00	-14.39	AVG	

**REMARKS:**

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-3_TX A Mode 5785 MHz	Polarization	Horizontal
-----------	---------------------------	--------------	------------




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	5785.8000	88.23	16.83	105.06	122.20	-17.14	Peak	No Limit

**REMARKS:**

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-3_TX A Mode 5785 MHz	Polarization	Horizontal
-----------	---------------------------	--------------	------------




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	11570.0000	38.79	13.20	51.99	74.00	-22.01	Peak	
2 *	11570.0000	26.49	13.20	39.69	54.00	-14.31	AVG	

**REMARKS:**

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-3_TX A Mode 5825 MHz	Polarization	Vertical
-----------	---------------------------	--------------	----------




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	5828.2000	96.21	16.86	113.07	122.20	-9.13	Peak	No Limit
2	5850.0000	52.48	16.87	69.35	122.20	-52.85	Peak	
3	5860.0000	51.04	16.88	67.92	109.40	-41.48	Peak	

## REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-3_TX A Mode 5825 MHz	Polarization	Vertical
-----------	---------------------------	--------------	----------




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	11647.8300	26.41	13.25	39.66	54.00	-14.34	Avg	
2	11651.0650	37.55	13.25	50.80	74.00	-23.20	Peak	

**REMARKS:**

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-3_TX A Mode 5825 MHz	Polarization	Horizontal
-----------	---------------------------	--------------	------------



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	5827.2000	85.38	16.86	102.24	122.20	-19.96	Peak	No Limit
2	5850.0000	44.75	16.87	61.62	122.20	-60.58	Peak	
3	5860.0000	40.93	16.88	57.81	109.40	-51.59	Peak	

## REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-3_TX A Mode 5825 MHz	Polarization	Horizontal
-----------	---------------------------	--------------	------------




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	11650.0000	37.83	13.25	51.08	74.00	-22.92	Peak	
2 *	11650.0000	26.54	13.25	39.79	54.00	-14.21	AVG	

**REMARKS:**

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-3_TX AC(VHT20) Mode 5745 MHz	Polarization	Vertical
-----------	-----------------------------------	--------------	----------

130 dBuV/m




No.	Freq. MHz	Reading Level	Correct Factor	Measure ment	Limit	Margin	Detector	Comment
		dBuV/m	dB	dBuV/m	dBuV/m	dB		
1	5715.0000	48.65	16.79	65.44	109.40	-43.96	Peak	
2	5725.0000	58.46	16.80	75.26	122.20	-46.94	Peak	
3 *	5748.6000	100.48	16.81	117.29	122.20	-4.91	Peak	No Limit

## REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-3_TX AC(VHT20) Mode 5745 MHz	Polarization	Vertical
-----------	-----------------------------------	--------------	----------




No.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	
	MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB	Detector Comment
1 *	11488.8550	26.50	13.15	39.65	54.00	-14.35	AVG
2	11490.7250	38.34	13.15	51.49	74.00	-22.51	Peak

**REMARKS:**

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-3_TX AC(VHT20) Mode 5745 MHz	Polarization	Horizontal
-----------	-----------------------------------	--------------	------------

130 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5715.0000	41.25	16.79	58.04	109.40	-51.36	Peak	
2	5725.0000	54.33	16.80	71.13	122.20	-51.07	Peak	
3 *	5748.4000	94.30	16.81	111.11	122.20	-11.09	Peak	No Limit

## REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-3_TX AC(VHT20) Mode 5745 MHz	Polarization	Horizontal
-----------	-----------------------------------	--------------	------------




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	11490.0000	37.67	13.15	50.82	74.00	-23.18	Peak	
2 *	11490.0000	26.62	13.15	39.77	54.00	-14.23	AVG	

**REMARKS:**

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-3_TX AC(VHT20) Mode 5785 MHz	Polarization	Vertical
-----------	-----------------------------------	--------------	----------

130 dBuV/m




No.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
	MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB		
1 *	5784.0000	100.37	16.83	117.20	122.20	-5.00	Peak	No Limit

## REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-3_TX AC(VHT20) Mode 5785 MHz	Polarization	Vertical
-----------	-----------------------------------	--------------	----------




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	11570.7200	38.45	13.20	51.65	74.00	-22.35	Peak	
2 *	11571.2100	26.48	13.20	39.68	54.00	-14.32	AVG	

**REMARKS:**

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-3_TX AC(VHT20) Mode 5785 MHz	Polarization	Horizontal
-----------	-----------------------------------	--------------	------------

130 dBuV/m




No.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
	MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB		
1 *	5785.6000	93.23	16.83	110.06	122.20	-12.14	Peak	No Limit

## REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-3_TX AC(VHT20) Mode 5785 MHz	Polarization	Horizontal
-----------	-----------------------------------	--------------	------------




No.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	
	MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB	Detector
1	11570.0000	38.53	13.20	51.73	74.00	-22.27	Peak
2 *	11570.0000	26.45	13.20	39.65	54.00	-14.35	AVG

**REMARKS:**

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-3_TX AC(VHT20) Mode 5825 MHz	Polarization	Vertical
-----------	-----------------------------------	--------------	----------

130 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	5824.2000	99.09	16.86	115.95	122.20	-6.25	Peak	No Limit
2	5850.0000	46.77	16.87	63.64	122.20	-58.56	Peak	
3	5860.0000	44.78	16.88	61.66	109.40	-47.74	Peak	

## REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-3_TX AC(VHT20) Mode 5825 MHz	Polarization	Vertical
-----------	-----------------------------------	--------------	----------




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	11648.7300	26.37	13.25	39.62	54.00	-14.38	AVG	
2	11649.0500	38.57	13.25	51.82	74.00	-22.18	Peak	

**REMARKS:**

- (1) Measurement Value = Reading Level + Correct Factor.  
(2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-3_TX AC(VHT20) Mode 5825 MHz	Polarization	Horizontal
-----------	-----------------------------------	--------------	------------




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	5826.2000	92.69	16.86	109.55	122.20	-12.65	Peak	No Limit
2	5850.0000	45.01	16.87	61.88	122.20	-60.32	Peak	
3	5860.0000	41.07	16.88	57.95	109.40	-51.45	Peak	

**REMARKS:**

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-3_TX AC(VHT20) Mode 5825 MHz	Polarization	Horizontal
-----------	-----------------------------------	--------------	------------




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	11650.0000	38.60	13.25	51.85	74.00	-22.15	Peak	
2 *	11650.0000	26.53	13.25	39.78	54.00	-14.22	AVG	

**REMARKS:**

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-3_TX AC(VHT40) Mode 5755 MHz	Polarization	Vertical
-----------	-----------------------------------	--------------	----------

130 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5715.0000	58.78	16.79	75.57	109.40	-33.83	Peak	
2	5725.0000	60.48	16.80	77.28	122.20	-44.92	Peak	
3 *	5758.2000	99.48	16.82	116.30	122.20	-5.90	Peak	No Limit

## REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-3_TX AC(VHT40) Mode 5755 MHz	Polarization	Vertical
-----------	-----------------------------------	--------------	----------




No.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
	MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB		
1	11510.0000	38.54	13.16	51.70	74.00	-22.30	Peak	
2 *	11510.0000	26.50	13.16	39.66	54.00	-14.34	AVG	

**REMARKS:**

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-3_TX AC(VHT40) Mode 5755 MHz	Polarization	Horizontal
-----------	-----------------------------------	--------------	------------

130 dBuV/m




No.	Freq. MHz	Reading Level	Correct Factor	Measure ment	Limit	Margin	Detector	Comment
		dBuV/m	dB	dBuV/m	dBuV/m	dB		
1	5715.0000	47.56	16.79	64.35	109.40	-45.05	Peak	
2	5725.0000	54.46	16.80	71.26	122.20	-50.94	Peak	
3 *	5758.0000	92.13	16.82	108.95	122.20	-13.25	Peak	No Limit

## REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-3_TX AC(VHT40) Mode 5755 MHz	Polarization	Horizontal
-----------	-----------------------------------	--------------	------------




No.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
	MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB		
1	11510.0000	37.63	13.16	50.79	74.00	-23.21	Peak	
2 *	11510.0000	26.49	13.16	39.65	54.00	-14.35	AVG	

**REMARKS:**

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-3_TX AC(VHT40) Mode 5795 MHz	Polarization	Vertical
-----------	-----------------------------------	--------------	----------




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	5798.6000	98.39	16.84	115.23	122.20	-6.97	Peak	No Limit
2	5850.0000	49.32	16.87	66.19	122.20	-56.01	Peak	
3	5860.0000	48.60	16.88	65.48	109.40	-43.92	Peak	

**REMARKS:**

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-3_TX AC(VHT40) Mode 5795 MHz	Polarization	Vertical
-----------	-----------------------------------	--------------	----------




No.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
	MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB		
1	11590.0000	37.43	13.21	50.64	74.00	-23.36	Peak	
2 *	11590.0000	26.51	13.21	39.72	54.00	-14.28	AVG	

**REMARKS:**

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-3_TX AC(VHT40) Mode 5795 MHz	Polarization	Horizontal
-----------	-----------------------------------	--------------	------------




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	5793.2000	90.63	16.84	107.47	122.20	-14.73	Peak	No Limit
2	5850.0000	42.80	16.87	59.67	122.20	-62.53	Peak	
3	5860.0000	41.83	16.88	58.71	109.40	-50.69	Peak	

**REMARKS:**

- (1) Measurement Value = Reading Level + Correct Factor.  
(2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-3_TX AC(VHT40) Mode 5795 MHz	Polarization	Horizontal
-----------	-----------------------------------	--------------	------------




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	11590.0000	38.03	13.21	51.24	74.00	-22.76	Peak	
2 *	11590.0000	26.51	13.21	39.72	54.00	-14.28	AVG	

**REMARKS:**

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-3_TX AC(VHT80) Mode 5775 MHz	Polarization	Vertical
-----------	-----------------------------------	--------------	----------

130 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	5625.4000	48.03	16.74	64.77	68.20	-3.43	Peak	
2	5715.0000	57.34	16.79	74.13	109.40	-35.27	Peak	
3	5725.0000	68.55	16.80	85.35	122.20	-36.85	Peak	
4	5767.4000	97.84	16.82	114.66	122.20	-7.54	Peak	No Limit
5	5850.0000	53.69	16.87	70.56	122.20	-51.64	Peak	
6	5860.0000	49.99	16.88	66.87	109.40	-42.53	Peak	

## REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.  
(2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-3_TX AC(VHT80) Mode 5775 MHz	Polarization	Vertical
-----------	-----------------------------------	--------------	----------




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	11550.0000	37.64	13.19	50.83	74.00	-23.17	Peak	
2 *	11550.0000	26.45	13.19	39.64	54.00	-14.36	AVG	

**REMARKS:**

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-3_TX AC(VHT80) Mode 5775 MHz	Polarization	Horizontal
-----------	-----------------------------------	--------------	------------

130 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5715.0000	52.55	16.79	69.34	109.40	-40.06	Peak	
2	5725.0000	55.22	16.80	72.02	122.20	-50.18	Peak	
3 *	5768.6000	90.06	16.82	106.88	122.20	-15.32	Peak	No Limit
4	5850.0000	54.44	16.87	71.31	122.20	-50.89	Peak	
5	5860.0000	49.24	16.88	66.12	109.40	-43.28	Peak	

## REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.  
(2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-3_TX AC(VHT80) Mode 5775 MHz	Polarization	Horizontal
-----------	-----------------------------------	--------------	------------




No.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
	MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB		
1	11550.0000	38.01	13.19	51.20	74.00	-22.80	Peak	
2 *	11550.0000	26.53	13.19	39.72	54.00	-14.28	AVG	

**REMARKS:**

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-3_TX AX(HE20) Mode 5745 MHz	Polarization	Vertical
-----------	----------------------------------	--------------	----------

130 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5715.0000	45.12	16.79	61.91	109.40	-47.49	Peak	
2	5725.0000	65.44	16.80	82.24	122.20	-39.96	Peak	
3 *	5748.0000	99.62	16.81	116.43	122.20	-5.77	Peak	No Limit

## REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-3_TX AX(HE20) Mode 5745 MHz	Polarization	Vertical
-----------	----------------------------------	--------------	----------




No.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
	MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB		
1	11489.3580	37.96	14.64	52.60	74.00	-21.40	Peak	
2 *	11490.4400	26.45	14.64	41.09	54.00	-12.91	AVG	

**REMARKS:**

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-3_TX AX(HE20) Mode 5745 MHz	Polarization	Horizontal
-----------	----------------------------------	--------------	------------

130 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5715.0000	38.54	16.79	55.33	109.40	-54.07	Peak	
2	5725.0000	53.74	16.80	70.54	122.20	-51.66	Peak	
3 *	5743.8000	91.20	16.81	108.01	122.20	-14.19	Peak	No Limit

## REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-3_TX AX(HE20) Mode 5745 MHz	Polarization	Horizontal
-----------	----------------------------------	--------------	------------




No.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	
	MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB	Detector
1	11489.2720	37.79	14.64	52.43	74.00	-21.57	Peak
2 *	11489.4640	26.30	14.64	40.94	54.00	-13.06	AVG

**REMARKS:**

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-3_TX AX(HE20) Mode 5785 MHz	Polarization	Vertical
-----------	----------------------------------	--------------	----------

130 dBuV/m




No.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
	MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB		
1 *	5784.2000	98.72	16.83	115.55	122.20	-6.65	Peak	No Limit

## REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-3_TX AX(HE20) Mode 5785 MHz	Polarization	Vertical
-----------	----------------------------------	--------------	----------




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	11570.0439	37.98	14.71	52.69	74.00	-21.31	Peak	
2 *	11570.0620	26.28	14.71	40.99	54.00	-13.01	AVG	

**REMARKS:**

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-3_TX AX(HE20) Mode 5785 MHz	Polarization	Horizontal
-----------	----------------------------------	--------------	------------

130 dBuV/m



No.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	
	MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB	Detector
1 *	5787.6000	91.80	16.83	108.63	122.20	-13.57	Peak
							Comment
							No Limit

## REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-3_TX AX(HE20) Mode 5785 MHz	Polarization	Horizontal
-----------	----------------------------------	--------------	------------




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	11569.0640	38.27	14.71	52.98	74.00	-21.02	Peak	
2 *	11570.5820	26.24	14.71	40.95	54.00	-13.05	AVG	

**REMARKS:**

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-3_TX AX(HE20) Mode 5825 MHz	Polarization	Vertical
-----------	----------------------------------	--------------	----------

130 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	5827.4000	97.90	16.86	114.76	122.20	-7.44	Peak	No Limit
2	5850.0000	42.66	16.87	59.53	122.20	-62.67	Peak	
3	5860.0000	37.59	16.88	54.47	109.40	-54.93	Peak	

## REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-3_TX AX(HE20) Mode 5825 MHz	Polarization	Vertical
-----------	----------------------------------	--------------	----------




No.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
	MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB		
1	11650.6000	37.67	14.78	52.45	74.00	-21.55	Peak	
2 *	11650.9980	26.39	14.78	41.17	54.00	-12.83	AVG	

**REMARKS:**

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-3_TX AX(HE20) Mode 5825 MHz	Polarization	Horizontal
-----------	----------------------------------	--------------	------------




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	5825.4000	89.83	16.86	106.69	122.20	-15.51	Peak	No Limit
2	5850.0000	38.94	16.87	55.81	122.20	-66.39	Peak	
3	5860.0000	36.43	16.88	53.31	109.40	-56.09	Peak	

**REMARKS:**

- (1) Measurement Value = Reading Level + Correct Factor.  
(2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-3_TX AX(HE20) Mode 5825 MHz	Polarization	Horizontal
-----------	----------------------------------	--------------	------------




No.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	
	MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB	Detector Comment
1	11649.2100	38.19	14.78	52.97	74.00	-21.03	Peak
2 *	11649.8520	26.23	14.78	41.01	54.00	-12.99	AVG

**REMARKS:**

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-3_TX AX(HE40) Mode 5755 MHz	Polarization	Vertical
-----------	----------------------------------	--------------	----------

130 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5715.0000	56.03	16.79	72.82	109.40	-36.58	Peak	
2	5725.0000	57.98	16.80	74.78	122.20	-47.42	Peak	
3 *	5752.2000	98.86	16.81	115.67	122.20	-6.53	Peak	No Limit

## REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-3_TX AX(HE40) Mode 5755 MHz	Polarization	Vertical
-----------	----------------------------------	--------------	----------




No.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
	MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB		
1 *	11510.1460	26.23	14.66	40.89	54.00	-13.11	AVG	
2	11510.3240	38.41	14.66	53.07	74.00	-20.93	Peak	

**REMARKS:**

- (1) Measurement Value = Reading Level + Correct Factor.  
(2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-3_TX AX(HE40) Mode 5755 MHz	Polarization	Horizontal
-----------	----------------------------------	--------------	------------

130 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5715.0000	46.66	16.79	63.45	109.40	-45.95	Peak	
2	5725.0000	54.29	16.80	71.09	122.20	-51.11	Peak	
3 *	5759.2000	91.01	16.82	107.83	122.20	-14.37	Peak	No Limit

## REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-3_TX AX(HE40) Mode 5755 MHz	Polarization	Horizontal
-----------	----------------------------------	--------------	------------




No.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
	MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB		
1 *	11510.3220	26.24	14.66	40.90	54.00	-13.10	AVG	
2	11510.4300	37.63	14.66	52.29	74.00	-21.71	Peak	

**REMARKS:**

- (1) Measurement Value = Reading Level + Correct Factor.  
(2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-3_TX AX(HE40) Mode 5795 MHz	Polarization	Vertical
-----------	----------------------------------	--------------	----------




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	5796.4000	97.95	16.84	114.79	122.20	-7.41	Peak	No Limit
2	5850.0000	42.87	16.87	59.74	122.20	-62.46	Peak	
3	5860.0000	41.84	16.88	58.72	109.40	-50.68	Peak	

## REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.  
(2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-3_TX AX(HE40) Mode 5795 MHz	Polarization	Vertical
-----------	----------------------------------	--------------	----------




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	11589.8179	37.89	14.73	52.62	74.00	-21.38	Peak	
2 *	11589.9240	26.09	14.73	40.82	54.00	-13.18	AVG	

**REMARKS:**

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-3_TX AX(HE40) Mode 5795 MHz	Polarization	Horizontal
-----------	----------------------------------	--------------	------------




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	5799.6000	89.62	16.84	106.46	122.20	-15.74	Peak	No Limit
2	5850.0000	42.96	16.87	59.83	122.20	-62.37	Peak	
3	5860.0000	41.19	16.88	58.07	109.40	-51.33	Peak	

**REMARKS:**

- (1) Measurement Value = Reading Level + Correct Factor.  
(2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-3_TX AX(HE40) Mode 5795 MHz	Polarization	Horizontal
-----------	----------------------------------	--------------	------------




No.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
	MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB		
1 *	11590.4360	26.29	14.73	41.02	54.00	-12.98	AVG	
2	11590.7960	37.49	14.73	52.22	74.00	-21.78	Peak	

**REMARKS:**

- (1) Measurement Value = Reading Level + Correct Factor.  
(2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-3_TX AX(HE80) Mode 5775 MHz	Polarization	Vertical
-----------	----------------------------------	--------------	----------

130 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5715.0000	56.35	16.79	73.14	109.40	-36.26	Peak	
2	5725.0000	68.48	16.80	85.28	122.20	-36.92	Peak	
3 *	5787.4000	97.08	16.83	113.91	122.20	-8.29	Peak	No Limit
4	5850.0000	52.49	16.87	69.36	122.20	-52.84	Peak	
5	5860.0000	50.94	16.88	67.82	109.40	-41.58	Peak	

## REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.  
 (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-3_TX AX(HE80) Mode 5775 MHz	Polarization	Vertical
-----------	----------------------------------	--------------	----------




No.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
	MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB		
1	11550.4220	38.81	14.70	53.51	74.00	-20.49	Peak	
2 *	11550.7779	26.30	14.70	41.00	54.00	-13.00	AVG	

**REMARKS:**

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-3_TX AX(HE80) Mode 5775 MHz	Polarization	Horizontal
-----------	----------------------------------	--------------	------------

130 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5715.0000	50.61	16.79	67.40	109.40	-42.00	Peak	
2	5725.0000	54.61	16.80	71.41	122.20	-50.79	Peak	
3 *	5771.4000	90.41	16.83	107.24	122.20	-14.96	Peak	No Limit
4	5850.0000	49.10	16.87	65.97	122.20	-56.23	Peak	
5	5860.0000	48.12	16.88	65.00	109.40	-44.40	Peak	

## REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-3_TX AX(HE80) Mode 5775 MHz	Polarization	Horizontal
-----------	----------------------------------	--------------	------------



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	11549.0580	38.60	14.70	53.30	74.00	-20.70	Peak	
2 *	11550.2200	26.23	14.70	40.93	54.00	-13.07	AVG	


**REMARKS:**

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.


## APPENDIX E - BANDWIDTH

Test Mode	UNII-1_TX A Mode
-----------	------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
36	5180	20.10	16.60
40	5200	20.30	16.60
48	5240	20.20	16.60

**CH36**


Date: 21.AUG.2021 15:48:50

**CH40  
26 dB Bandwidth**


Date: 21.AUG.2021 15:49:26

**CH48**


Date: 21.AUG.2021 15:50:03

**99 % Occupied Bandwidth**

Date: 21.AUG.2021 15:48:29



Date: 21.AUG.2021 15:49:06




Date: 21.AUG.2021 15:49:42

Test Mode UNII-1\_TX AC(VHT20) Mode


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
36	5180	20.55	17.60
40	5200	20.60	17.60
48	5240	20.45	17.70

CH36




Date: 21.AUG.2021 16:01:24

CH40  
26 dB Bandwidth




Date: 21.AUG.2021 16:02:01

CH48




Date: 21.AUG.2021 16:02:37


99 % Occupied Bandwidth



Date: 21.AUG.2021 16:01:03





Date: 21.AUG.2021 16:01:40



Date: 21.AUG.2021 16:02:16



Test Mode	UNII-1_TX AC(VHT40) Mode
-----------	--------------------------

Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
38	5190	39.90	36.20
46	5230	39.90	36.20

**CH38**
**CH46**  
**26 dB Bandwidth**


Date: 21.AUG.2021 16:11:150

Date: 21.AUG.2021 16:12:27



**99 % Occupied Bandwidth**


Date: 21.AUG.2021 16:11:23

Date: 21.AUG.2021 16:12:05

Test Mode	UNII-1_TX AC(VHT80) Mode
-----------	--------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
42	5210	80.40	75.20



Test Mode UNII-1\_TX AX(HE20) Mode


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
36	5180	24.49	19.10
40	5200	26.89	19.00
48	5240	20.05	18.80

CH36




Date: 21.AUG.2021 16:31:29

CH40  
26 dB Bandwidth




Date: 21.AUG.2021 16:32:03

CH48




Date: 21.AUG.2021 16:32:38


99 % Occupied Bandwidth



Date: 21.AUG.2021 16:31:10




Date: 21.AUG.2021 16:31:45




Date: 21.AUG.2021 16:32:17

Test Mode	UNII-1_TX AX(HE40) Mode
-----------	-------------------------

Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
38	5190	39.50	37.80
46	5230	39.70	37.80

**CH38****CH46**  
**26 dB Bandwidth**


Date: 21.AUG.2021 16:42:23



Date: 21.AUG.2021 16:42:59

**99 % Occupied Bandwidth**


Date: 21.AUG.2021 16:41:56




Date: 21.AUG.2021 16:42:38

Test Mode	UNII-1_TX AX(HE80) Mode
-----------	-------------------------

Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
42	5210	80.60	76.80





Date: 21.AUG.2021 16:51:36



Date: 21.AUG.2021 16:51:11

Test Mode	UNII-2A_TX A Mode
-----------	-------------------




Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
52	5260	20.15	16.70
60	5300	20.15	16.70
64	5320	20.25	16.70

**CH52****CH60  
26 dB Bandwidth****CH64**

Date: 21.AUG.2021 15:50:47

Date: 21.AUG.2021 15:51:25

Date: 21.AUG.2021 15:52:03

**99 % Occupied Bandwidth**

Date: 21.AUG.2021 15:50:26


Date: 21.AUG.2021 15:51:04

Date: 21.AUG.2021 15:51:43

Test Mode UNII-2A\_TX AC(VHT20) Mode


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
52	5260	20.55	17.70
60	5300	20.49	17.70
64	5320	20.55	17.60

CH52




Date: 21.AUG.2021 16:03:13

CH60  
26 dB Bandwidth




Date: 21.AUG.2021 16:03:48

CH64




Date: 21.AUG.2021 16:04:24


99 % Occupied Bandwidth



Date: 21.AUG.2021 16:02:52





Date: 21.AUG.2021 16:03:26



Date: 21.AUG.2021 16:04:04



Test Mode	UNII-2A_TX AC(VHT40) Mode
-----------	---------------------------

Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
54	5270	40.10	36.20
62	5310	39.80	36.40

**CH54**
**CH62**  
**26 dB Bandwidth**


Date: 21.AUG.2021 16:13:13

Date: 21.AUG.2021 16:14:00

**99 % Occupied Bandwidth**


Date: 21.AUG.2021 16:12:14

Date: 21.AUG.2021 16:13:32

Test Mode	UNII-2A_TX AC(VHT80) Mode
-----------	---------------------------

Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
58	5290	80.40	75.20

