


Test Mode	UNII-2A_TX AX(HE20) Mode
-----------	--------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
52	5260	23.90	19.10
60	5300	26.00	19.00
64	5320	27.49	19.00

CH52




Date: 21.AUG.2021 16:33:22

CH60
26 dB Bandwidth




Date: 21.AUG.2021 16:33:58

CH64




Date: 21.AUG.2021 16:34:30


99 % Occupied Bandwidth



Date: 21.AUG.2021 16:33:03



Date: 21.AUG.2021 16:33:38




Date: 21.AUG.2021 16:34:12

Test Mode	UNII-2A_TX AX(HE40) Mode
-----------	--------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
54	5270	39.61	37.80
62	5310	39.80	38.00

CH54




Date: 21.AUG.2021 16:43:45

CH62 26 dB Bandwidth




Date: 21.AUG.2021 16:44:24

99 % Occupied Bandwidth



Date: 21.AUG.2021 16:43:19




Date: 21.AUG.2021 16:43:57

Test Mode	UNII-2A_TX AX(HE80) Mode
-----------	--------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
58	5290	81.00	77.20

CH58 26 dB Bandwidth



Date: 21.AUG.2021 16:52:42

99 % Occupied Bandwidth




Date: 21.AUG.2021 16:52:17

Test Mode	UNII-2C_TX A Mode
-----------	-------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
100	5500	20.20	16.60
116	5580	20.25	16.70
140	5700	20.11	16.70

CH100




Date: 21.AUG.2021 15:52:53

CH116 26 dB Bandwidth




Date: 21.AUG.2021 15:53:37

CH140




Date: 21.AUG.2021 15:54:14


99 % Occupied Bandwidth



Date: 21.AUG.2021 15:52:53



Date: 21.AUG.2021 15:53:16




Date: 21.AUG.2021 15:53:54

Test Mode	UNII-2C_TX AC(VHT20) Mode
-----------	---------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
100	5500	20.50	17.70
116	5580	20.50	17.70
140	5700	20.45	17.60

CH100




Date: 21.AUG.2021 16:05:04

CH116
26 dB Bandwidth




Date: 21.AUG.2021 16:05:142

CH140




Date: 21.AUG.2021 16:06:19


99 % Occupied Bandwidth



Date: 21.AUG.2021 16:04:43



Date: 21.AUG.2021 16:05:121




Date: 21.AUG.2021 16:05:58

Test Mode	UNII-2C_TX AC(VHT40) Mode
-----------	---------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
102	5510	40.19	36.20
110	5550	40.30	36.20
134	5670	39.90	36.20

CH102




Date: 21.AUG.2021 16:14:36

CH110 26 dB Bandwidth




Date: 21.AUG.2021 16:15:39

CH134




Date: 21.AUG.2021 16:16:26


99 % Occupied Bandwidth



Date: 21.AUG.2021 16:14:27



Date: 21.AUG.2021 16:15:11




Date: 21.AUG.2021 16:15:57

Test Mode	UNII-2C_TX AC(VHT80) Mode
-----------	---------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
106	5530	80.80	75.20
122	5610	80.20	75.20

CH106




Date: 21.AUG.2021 16:27:20

CH122 26 dB Bandwidth




Date: 21.AUG.2021 16:28:07



Date: 21.AUG.2021 16:26:55

99 % Occupied Bandwidth




Date: 21.AUG.2021 16:27:42

Test Mode	UNII-2C_TX AX(HE20) Mode
-----------	--------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
100	5500	26.29	19.00
116	5580	29.15	19.00
140	5700	29.75	19.10

CH100




Date: 21.AUG.2021 16:35:19

CH116
26 dB Bandwidth




Date: 21.AUG.2021 16:35:52

CH140




Date: 21.AUG.2021 16:36:35


99 % Occupied Bandwidth



Date: 21.AUG.2021 16:34:58



Date: 21.AUG.2021 16:35:35




Date: 21.AUG.2021 16:36:11

Test Mode	UNII-2C_TX AX(HE40) Mode
-----------	--------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
102	5510	39.60	37.80
110	5550	39.40	37.80
134	5670	39.60	37.80

CH102




Date: 21.AUG.2021 16:45:15

CH110
26 dB Bandwidth




Date: 21.AUG.2021 16:45:56

CH134




Date: 21.AUG.2021 16:46:40


99 % Occupied Bandwidth



Date: 21.AUG.2021 16:44:46



Date: 21.AUG.2021 16:45:27




Date: 21.AUG.2021 16:46:12

Test Mode	UNII-2C_TX AX(HE80) Mode
-----------	--------------------------

Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
106	5530	81.00	76.80
122	5610	81.00	76.80


CH106




Date: 21.AUG.2021 16:53:12

CH122

26 dB Bandwidth




Date: 21.AUG.2021 16:54:41



Date: 21.AUG.2021 16:53:06

99 % Occupied Bandwidth




Date: 21.AUG.2021 16:54:15

Test Mode	UNII-3_TX A Mode
-----------	------------------

Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	6 dB Bandwidth Min. Limit (MHz)	Result
149	5745	15.20	17.00	0.50	Complies
157	5785	14.19	17.00	0.50	Complies
165	5825	15.05	17.10	0.50	Complies


CH149



Date: 21.AUG.2021 15:55:24


CH157

6 dB Bandwidth




Date: 21.AUG.2021 15:56:05

CH165




Date: 21.AUG.2021 15:57:47


99 % Occupied Bandwidth



Date: 21.AUG.2021 15:55:02



Date: 21.AUG.2021 15:55:39




Date: 21.AUG.2021 15:57:24

Test Mode UNII-3_TX AC(VHT20) Mode

Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	6 dB Bandwidth Min. Limit (MHz)	Result
149	5745	15.20	18.10	0.50	Complies
157	5785	15.20	18.00	0.50	Complies
165	5825	15.09	17.90	0.50	Complies


CH149



Date: 21.AUG.2021 16:07:27


CH157

6 dB Bandwidth




Date: 21.AUG.2021 16:08:10

CH165




Date: 21.AUG.2021 16:09:03


99 % Occupied Bandwidth



Date: 21.AUG.2021 16:07:05



Date: 21.AUG.2021 16:07:46




Date: 21.AUG.2021 16:08:41

Test Mode UNII-3_TX AC(VHT40) Mode


Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	6 dB Bandwidth Min. Limit (MHz)	Result
151	5755	30.30	36.80	0.50	Complies
159	5795	34.21	36.80	0.50	Complies

CH151




Date: 21.AUG.2021 16:20:20

CH159 6 dB Bandwidth




Date: 21.AUG.2021 16:21:05

99 % Occupied Bandwidth



Date: 21.AUG.2021 16:19:50




Date: 21.AUG.2021 16:20:36

Test Mode	UNII-3_TX AC(VHT80) Mode
-----------	--------------------------


Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	6 dB Bandwidth Min. Limit (MHz)	Result
155	5775	75.40	75.60	0.50	Complies

CH155 6 dB Bandwidth



Date: 21.AUG.2021 16:29:13

99 % Occupied Bandwidth




Date: 21.AUG.2021 16:28:46

Test Mode	UNII-3_TX AX(HE20) Mode
-----------	-------------------------


Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	6 dB Bandwidth Min. Limit (MHz)	Result
149	5745	17.10	19.10	0.50	Complies
157	5785	18.30	19.10	0.50	Complies
165	5825	18.55	19.10	0.50	Complies

CH149




Date: 21.AUG.2021 16:37:42

CH157




Date: 21.AUG.2021 16:38:19

CH165




Date: 21.AUG.2021 16:38:55


99 % Occupied Bandwidth



Date: 21.AUG.2021 16:37:19



Date: 21.AUG.2021 16:37:56




Date: 21.AUG.2021 16:38:33

Test Mode	UNII-3_TX AX(HE40) Mode
-----------	-------------------------


Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	6 dB Bandwidth Min. Limit (MHz)	Result
151	5755	34.39	38.00	0.50	Complies
159	5795	36.90	38.00	0.50	Complies

CH151




Date: 21.AUG.2021 16:48:02

CH159 6 dB Bandwidth




Date: 21.AUG.2021 16:48:51

99 % Occupied Bandwidth



Date: 21.AUG.2021 16:47:25




Date: 21.AUG.2021 16:48:22

Test Mode	UNII-3_TX AX(HE80) Mode
-----------	-------------------------


Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	6 dB Bandwidth Min. Limit (MHz)	Result
155	5775	75.40	77.20	0.50	Complies

CH155 6 dB Bandwidth



Date: 21.AUG.2021 16:55:25

99 % Occupied Bandwidth



Date: 21.AUG.2021 16:54:57

APPENDIX F - MAXIMUM OUTPUT POWER

Non Beamforming

Test Mode	UNII-1_TX A Mode_Ant. 1
-----------	-------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	13.25	0.60	13.85	26.00	0.3981	Complies
40	5200	13.46	0.60	14.06	26.00	0.3981	Complies
48	5240	13.67	0.60	14.27	26.00	0.3981	Complies

Test Mode	UNII-1_TX A Mode_Ant. 2
-----------	-------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	12.28	0.60	12.88	26.00	0.3981	Complies
40	5200	12.33	0.60	12.93	26.00	0.3981	Complies
48	5240	13.56	0.60	14.16	26.00	0.3981	Complies

Test Mode	UNII-1_TX A Mode_Ant. 3
-----------	-------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	13.86	0.60	14.46	26.00	0.3981	Complies
40	5200	14.37	0.60	14.97	26.00	0.3981	Complies
48	5240	14.52	0.60	15.12	26.00	0.3981	Complies

Test Mode	UNII-1_TX A Mode_Ant. 4
-----------	-------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	14.34	0.60	14.94	26.00	0.3981	Complies
40	5200	14.36	0.60	14.96	26.00	0.3981	Complies
48	5240	14.56	0.60	15.16	26.00	0.3981	Complies

Test Mode	UNII-1_TX A Mode_Total
-----------	------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	20.12	26.00	0.3981	Complies
40	5200	20.33	26.00	0.3981	Complies
48	5240	20.72	26.00	0.3981	Complies

Test Mode	UNII-1_TX N(HT20) Mode_Ant. 1
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	13.88	0.61	14.49	26.00	0.3981	Complies
40	5200	13.89	0.61	14.50	26.00	0.3981	Complies
48	5240	14.11	0.61	14.72	26.00	0.3981	Complies

Test Mode	UNII-1_TX N(HT20) Mode_Ant. 2
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	13.09	0.61	13.70	26.00	0.3981	Complies
40	5200	13.11	0.61	13.72	26.00	0.3981	Complies
48	5240	13.38	0.61	13.99	26.00	0.3981	Complies

Test Mode	UNII-1_TX N(HT20) Mode_Ant. 3
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	14.67	0.61	15.28	26.00	0.3981	Complies
40	5200	14.75	0.61	15.36	26.00	0.3981	Complies
48	5240	14.98	0.61	15.59	26.00	0.3981	Complies

Test Mode	UNII-1_TX N(HT20) Mode_Ant. 4
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	14.58	0.61	15.19	26.00	0.3981	Complies
40	5200	14.62	0.61	15.23	26.00	0.3981	Complies
48	5240	14.93	0.61	15.54	26.00	0.3981	Complies

Test Mode	UNII-1_TX N(HT20) Mode_Total
-----------	------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	20.73	26.00	0.3981	Complies
40	5200	20.77	26.00	0.3981	Complies
48	5240	21.03	26.00	0.3981	Complies

Test Mode	UNII-1_TX N(HT40) Mode_Ant. 1
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	15.53	1.19	16.72	26.00	0.3981	Complies
46	5230	15.82	1.19	17.01	26.00	0.3981	Complies

Test Mode	UNII-1_TX N(HT40) Mode_Ant. 2
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	14.57	1.19	15.76	26.00	0.3981	Complies
46	5230	15.19	1.19	16.38	26.00	0.3981	Complies

Test Mode	UNII-1_TX N(HT40) Mode_Ant. 3
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	16.40	1.19	17.59	26.00	0.3981	Complies
46	5230	16.45	1.19	17.64	26.00	0.3981	Complies

Test Mode	UNII-1_TX N(HT40) Mode_Ant. 4
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	16.37	1.19	17.56	26.00	0.3981	Complies
46	5230	16.13	1.19	17.32	26.00	0.3981	Complies

Test Mode	UNII-1_TX N(HT40) Mode_Total
-----------	------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	22.99	26.00	0.3981	Complies
46	5230	23.13	26.00	0.3981	Complies

Test Mode	UNII-1_TX AC(VHT20) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	13.98	0.61	14.59	26.00	0.3981	Complies
40	5200	13.95	0.61	14.56	26.00	0.3981	Complies
48	5240	14.14	0.61	14.75	26.00	0.3981	Complies

Test Mode	UNII-1_TX AC(VHT20) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	13.16	0.61	13.77	26.00	0.3981	Complies
40	5200	13.14	0.61	13.75	26.00	0.3981	Complies
48	5240	13.38	0.61	13.99	26.00	0.3981	Complies

Test Mode	UNII-1_TX AC(VHT20) Mode_Ant. 3
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	14.87	0.61	15.48	26.00	0.3981	Complies
40	5200	14.85	0.61	15.46	26.00	0.3981	Complies
48	5240	15.01	0.61	15.62	26.00	0.3981	Complies

Test Mode	UNII-1_TX AC(VHT20) Mode_Ant. 4
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	14.68	0.61	15.29	26.00	0.3981	Complies
40	5200	14.63	0.61	15.24	26.00	0.3981	Complies
48	5240	14.96	0.61	15.57	26.00	0.3981	Complies

Test Mode	UNII-1_TX AC(VHT20) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	20.85	26.00	0.3981	Complies
40	5200	20.82	26.00	0.3981	Complies
48	5240	21.05	26.00	0.3981	Complies

Test Mode	UNII-1_TX AC(VHT40) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	15.65	1.17	16.82	26.00	0.3981	Complies
46	5230	15.93	1.17	17.10	26.00	0.3981	Complies

Test Mode	UNII-1_TX AC(VHT40) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	14.84	1.17	16.01	26.00	0.3981	Complies
46	5230	15.36	1.17	16.53	26.00	0.3981	Complies

Test Mode	UNII-1_TX AC(VHT40) Mode_Ant. 3
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	16.59	1.17	17.76	26.00	0.3981	Complies
46	5230	16.68	1.17	17.85	26.00	0.3981	Complies

Test Mode	UNII-1_TX AC(VHT40) Mode_Ant. 4
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	16.60	1.17	17.77	26.00	0.3981	Complies
46	5230	16.33	1.17	17.50	26.00	0.3981	Complies

Test Mode	UNII-1_TX AC(VHT40) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	23.18	26.00	0.3981	Complies
46	5230	23.30	26.00	0.3981	Complies

Test Mode	UNII-1_TX AC(VHT80) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	16.34	2.12	18.46	26.00	0.3981	Complies

Test Mode	UNII-1_TX AC(VHT80) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	15.59	2.12	17.71	26.00	0.3981	Complies

Test Mode	UNII-1_TX AC(VHT80) Mode_Ant. 3
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	17.32	2.12	19.44	26.00	0.3981	Complies

Test Mode	UNII-1_TX AC(VHT80) Mode_Ant. 4
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	17.02	2.12	19.14	26.00	0.3981	Complies

Test Mode	UNII-1_TX AC(VHT80) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	24.76	26.00	0.3981	Complies

Test Mode	UNII-1_TX AX(HE20) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	12.48	2.11	14.59	26.00	0.3981	Complies
40	5200	12.13	2.11	14.24	26.00	0.3981	Complies
48	5240	12.34	2.11	14.45	26.00	0.3981	Complies

Test Mode	UNII-1_TX AX(HE20) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	10.42	2.11	12.53	26.00	0.3981	Complies
40	5200	10.24	2.11	12.35	26.00	0.3981	Complies
48	5240	11.85	2.11	13.96	26.00	0.3981	Complies

Test Mode	UNII-1_TX AX(HE20) Mode_Ant. 3
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	13.31	2.11	15.42	26.00	0.3981	Complies
40	5200	13.11	2.11	15.22	26.00	0.3981	Complies
48	5240	13.07	2.11	15.18	26.00	0.3981	Complies

Test Mode	UNII-1_TX AX(HE20) Mode_Ant. 4
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	13.01	2.11	15.12	26.00	0.3981	Complies
40	5200	12.87	2.11	14.98	26.00	0.3981	Complies
48	5240	12.81	2.11	14.92	26.00	0.3981	Complies

Test Mode	UNII-1_TX AX(HE20) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	20.57	26.00	0.3981	Complies
40	5200	20.35	26.00	0.3981	Complies
48	5240	20.67	26.00	0.3981	Complies

Test Mode	UNII-1_TX AX(HE40) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	15.66	2.18	17.84	26.00	0.3981	Complies
46	5230	15.96	2.18	18.14	26.00	0.3981	Complies

Test Mode	UNII-1_TX AX(HE40) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	14.85	2.18	17.03	26.00	0.3981	Complies
46	5230	15.45	2.18	17.63	26.00	0.3981	Complies

Test Mode	UNII-1_TX AX(HE40) Mode_Ant. 3
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	16.66	2.18	18.84	26.00	0.3981	Complies
46	5230	16.71	2.18	18.89	26.00	0.3981	Complies

Test Mode	UNII-1_TX AX(HE40) Mode_Ant. 4
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	16.55	2.18	18.73	26.00	0.3981	Complies
46	5230	16.34	2.18	18.52	26.00	0.3981	Complies

Test Mode	UNII-1_TX AX(HE40) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	24.19	26.00	0.3981	Complies
46	5230	24.34	26.00	0.3981	Complies

Test Mode	UNII-1_TX AX(HE80) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	14.45	2.24	16.69	26.00	0.3981	Complies

Test Mode	UNII-1_TX AX(HE80) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	14.38	2.24	16.62	26.00	0.3981	Complies

Test Mode	UNII-1_TX AX(HE80) Mode_Ant. 3
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	14.28	2.24	16.52	26.00	0.3981	Complies

Test Mode	UNII-1_TX AX(HE80) Mode_Ant. 4
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	14.26	2.24	16.50	26.00	0.3981	Complies

Test Mode	UNII-1_TX AX(HE80) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	22.61	26.00	0.3981	Complies

Test Mode	UNII-2A_TX A Mode_Ant. 1
-----------	--------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	9.17	0.60	9.77	19.98	0.0995	Complies
60	5300	8.25	0.60	8.85	19.98	0.0995	Complies
64	5320	7.37	0.60	7.97	19.98	0.0995	Complies

Test Mode	UNII-2A_TX A Mode_Ant. 2
-----------	--------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	8.49	0.60	9.09	19.98	0.0995	Complies
60	5300	7.74	0.60	8.34	19.98	0.0995	Complies
64	5320	6.94	0.60	7.54	19.98	0.0995	Complies

Test Mode	UNII-2A_TX A Mode_Ant. 3
-----------	--------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	8.55	0.60	9.15	19.98	0.0995	Complies
60	5300	7.38	0.60	7.98	19.98	0.0995	Complies
64	5320	6.46	0.60	7.06	19.98	0.0995	Complies

Test Mode	UNII-2A_TX A Mode_Ant. 4
-----------	--------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	9.53	0.60	10.13	19.98	0.0995	Complies
60	5300	8.86	0.60	9.46	19.98	0.0995	Complies
64	5320	8.17	0.60	8.77	19.98	0.0995	Complies

Test Mode	UNII-2A_TX A Mode_Total
-----------	-------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	15.58	19.98	0.0995	Complies
60	5300	14.72	19.98	0.0995	Complies
64	5320	13.90	19.98	0.0995	Complies

Test Mode	UNII-2A_TX N(HT20) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	8.91	0.61	9.52	19.98	0.0995	Complies
60	5300	7.88	0.61	8.49	19.98	0.0995	Complies
64	5320	8.02	0.61	8.63	19.98	0.0995	Complies

Test Mode	UNII-2A_TX N(HT20) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	8.18	0.61	8.79	19.98	0.0995	Complies
60	5300	7.36	0.61	7.97	19.98	0.0995	Complies
64	5320	7.65	0.61	8.26	19.98	0.0995	Complies

Test Mode	UNII-2A_TX N(HT20) Mode_Ant. 3
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	8.19	0.61	8.80	19.98	0.0995	Complies
60	5300	7.11	0.61	7.72	19.98	0.0995	Complies
64	5320	7.39	0.61	8.00	19.98	0.0995	Complies

Test Mode	UNII-2A_TX N(HT20) Mode_Ant. 4
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	9.26	0.61	9.87	19.98	0.0995	Complies
60	5300	8.56	0.61	9.17	19.98	0.0995	Complies
64	5320	8.96	0.61	9.57	19.98	0.0995	Complies

Test Mode	UNII-2A_TX N(HT20) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	15.29	19.98	0.0995	Complies
60	5300	14.40	19.98	0.0995	Complies
64	5320	14.68	19.98	0.0995	Complies

Test Mode	UNII-2A_TX N(HT40) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	10.59	1.19	11.78	19.98	0.0995	Complies
62	5310	9.95	1.19	11.14	19.98	0.0995	Complies

Test Mode	UNII-2A_TX N(HT40) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	8.98	1.19	10.17	19.98	0.0995	Complies
62	5310	8.19	1.19	9.38	19.98	0.0995	Complies

Test Mode	UNII-2A_TX N(HT40) Mode_Ant. 3
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	11.15	1.19	12.34	19.98	0.0995	Complies
62	5310	10.04	1.19	11.23	19.98	0.0995	Complies

Test Mode	UNII-2A_TX N(HT40) Mode_Ant. 4
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	11.28	1.19	12.47	19.98	0.0995	Complies
62	5310	10.33	1.19	11.52	19.98	0.0995	Complies

Test Mode	UNII-2A_TX N(HT40) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	17.80	19.98	0.0995	Complies
62	5310	16.91	19.98	0.0995	Complies

Test Mode	UNII-2A_TX AC(VHT20) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	8.99	0.61	9.60	19.98	0.0995	Complies
60	5300	7.95	0.61	8.56	19.98	0.0995	Complies
64	5320	8.12	0.61	8.73	19.98	0.0995	Complies

Test Mode	UNII-2A_TX AC(VHT20) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	8.23	0.61	8.84	19.98	0.0995	Complies
60	5300	7.46	0.61	8.07	19.98	0.0995	Complies
64	5320	7.66	0.61	8.27	19.98	0.0995	Complies

Test Mode	UNII-2A_TX AC(VHT20) Mode_Ant. 3
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	8.22	0.61	8.83	19.98	0.0995	Complies
60	5300	7.15	0.61	7.76	19.98	0.0995	Complies
64	5320	7.47	0.61	8.08	19.98	0.0995	Complies

Test Mode	UNII-2A_TX AC(VHT20) Mode_Ant. 4
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	9.36	0.61	9.97	19.98	0.0995	Complies
60	5300	8.66	0.61	9.27	19.98	0.0995	Complies
64	5320	9.05	0.61	9.66	19.98	0.0995	Complies

Test Mode	UNII-2A_TX AC(VHT20) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	15.36	19.98	0.0995	Complies
60	5300	14.47	19.98	0.0995	Complies
64	5320	14.75	19.98	0.0995	Complies

Test Mode	UNII-2A_TX AC(VHT40) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	10.69	1.17	11.86	19.98	0.0995	Complies
62	5310	10.05	1.17	11.22	19.98	0.0995	Complies

Test Mode	UNII-2A_TX AC(VHT40) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	9.27	1.17	10.44	19.98	0.0995	Complies
62	5310	8.34	1.17	9.51	19.98	0.0995	Complies

Test Mode	UNII-2A_TX AC(VHT40) Mode_Ant. 3
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	11.32	1.17	12.49	19.98	0.0995	Complies
62	5310	10.23	1.17	11.40	19.98	0.0995	Complies

Test Mode	UNII-2A_TX AC(VHT40) Mode_Ant. 4
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	11.40	1.17	12.57	19.98	0.0995	Complies
62	5310	10.45	1.17	11.62	19.98	0.0995	Complies

Test Mode	UNII-2A_TX AC(VHT40) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	17.94	19.98	0.0995	Complies
62	5310	17.04	19.98	0.0995	Complies

Test Mode	UNII-2A_TX AC(VHT80) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	11.69	2.12	13.81	19.98	0.0995	Complies

Test Mode	UNII-2A_TX AC(VHT80) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	10.93	2.12	13.05	19.98	0.0995	Complies

Test Mode	UNII-2A_TX AC(VHT80) Mode_Ant. 3
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	11.99	2.12	14.11	19.98	0.0995	Complies

Test Mode	UNII-2A_TX AC(VHT80) Mode_Ant. 4
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	11.97	2.12	14.09	19.98	0.0995	Complies

Test Mode	UNII-2A_TX AC(VHT80) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	19.81	19.98	0.0995	Complies

Test Mode	UNII-2A_TX AX(HE20) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	7.17	2.11	9.28	19.98	0.0995	Complies
60	5300	6.44	2.11	8.55	19.98	0.0995	Complies
64	5320	6.19	2.11	8.30	19.98	0.0995	Complies

Test Mode	UNII-2A_TX AX(HE20) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	6.69	2.11	8.80	19.98	0.0995	Complies
60	5300	5.93	2.11	8.04	19.98	0.0995	Complies
64	5320	5.81	2.11	7.92	19.98	0.0995	Complies

Test Mode	UNII-2A_TX AX(HE20) Mode_Ant. 3
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	6.79	2.11	8.90	19.98	0.0995	Complies
60	5300	5.64	2.11	7.75	19.98	0.0995	Complies
64	5320	5.54	2.11	7.65	19.98	0.0995	Complies

Test Mode	UNII-2A_TX AX(HE20) Mode_Ant. 4
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	7.77	2.11	9.88	19.98	0.0995	Complies
60	5300	7.01	2.11	9.12	19.98	0.0995	Complies
64	5320	7.17	2.11	9.28	19.98	0.0995	Complies

Test Mode	UNII-2A_TX AX(HE20) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	15.26	19.98	0.0995	Complies
60	5300	14.42	19.98	0.0995	Complies
64	5320	14.35	19.98	0.0995	Complies

Test Mode	UNII-2A_TX AX(HE40) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	10.72	2.18	12.90	19.98	0.0995	Complies
62	5310	10.05	2.18	12.23	19.98	0.0995	Complies

Test Mode	UNII-2A_TX AX(HE40) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	9.16	2.18	11.34	19.98	0.0995	Complies
62	5310	8.45	2.18	10.63	19.98	0.0995	Complies

Test Mode	UNII-2A_TX AX(HE40) Mode_Ant. 3
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	11.41	2.18	13.59	19.98	0.0995	Complies
62	5310	10.18	2.18	12.36	19.98	0.0995	Complies

Test Mode	UNII-2A_TX AX(HE40) Mode_Ant. 4
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	11.51	2.18	13.69	19.98	0.0995	Complies
62	5310	10.52	2.18	12.70	19.98	0.0995	Complies

Test Mode	UNII-2A_TX AX(HE40) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	18.99	19.98	0.0995	Complies
62	5310	18.07	19.98	0.0995	Complies

Test Mode	UNII-2A_TX AX(HE80) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	10.46	2.24	12.70	19.98	0.0995	Complies

Test Mode	UNII-2A_TX AX(HE80) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	10.12	2.24	12.36	19.98	0.0995	Complies

Test Mode	UNII-2A_TX AX(HE80) Mode_Ant. 3
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	11.39	2.24	13.63	19.98	0.0995	Complies

Test Mode	UNII-2A_TX AX(HE80) Mode_Ant. 4
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	11.77	2.24	14.01	19.98	0.0995	Complies

Test Mode	UNII-2A_TX AX(HE80) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	19.25	19.98	0.0995	Complies

Test Mode	UNII-2C_TX A Mode_Ant. 1
-----------	--------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	8.66	0.60	9.26	19.98	0.0995	Complies
116	5580	7.07	0.60	7.67	19.98	0.0995	Complies
140	5700	7.25	0.60	7.85	19.98	0.0995	Complies

Test Mode	UNII-2C_TX A Mode_Ant. 2
-----------	--------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	7.88	0.60	8.48	19.98	0.0995	Complies
116	5580	6.64	0.60	7.24	19.98	0.0995	Complies
140	5700	6.59	0.60	7.19	19.98	0.0995	Complies

Test Mode	UNII-2C_TX A Mode_Ant. 3
-----------	--------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	8.39	0.60	8.99	19.98	0.0995	Complies
116	5580	7.59	0.60	8.19	19.98	0.0995	Complies
140	5700	7.99	0.60	8.59	19.98	0.0995	Complies

Test Mode	UNII-2C_TX A Mode_Ant. 4
-----------	--------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	8.36	0.60	8.96	19.98	0.0995	Complies
116	5580	7.71	0.60	8.31	19.98	0.0995	Complies
140	5700	7.29	0.60	7.89	19.98	0.0995	Complies

Test Mode	UNII-2C_TX A Mode_Total
-----------	-------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	14.95	19.98	0.0995	Complies
116	5580	13.90	19.98	0.0995	Complies
140	5700	13.93	19.98	0.0995	Complies

Test Mode	UNII-2C_TX N(HT20) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	8.66	0.61	9.27	19.98	0.0995	Complies
116	5580	8.71	0.61	9.32	19.98	0.0995	Complies
140	5700	8.81	0.61	9.42	19.98	0.0995	Complies

Test Mode	UNII-2C_TX N(HT20) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	7.76	0.61	8.37	19.98	0.0995	Complies
116	5580	7.83	0.61	8.44	19.98	0.0995	Complies
140	5700	8.13	0.61	8.74	19.98	0.0995	Complies

Test Mode	UNII-2C_TX N(HT20) Mode_Ant. 3
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	8.25	0.61	8.86	19.98	0.0995	Complies
116	5580	8.43	0.61	9.04	19.98	0.0995	Complies
140	5700	8.96	0.61	9.57	19.98	0.0995	Complies

Test Mode	UNII-2C_TX N(HT20) Mode_Ant. 4
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	8.31	0.61	8.92	19.98	0.0995	Complies
116	5580	8.35	0.61	8.96	19.98	0.0995	Complies
140	5700	8.84	0.61	9.45	19.98	0.0995	Complies

Test Mode	UNII-2C_TX N(HT20) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	14.89	19.98	0.0995	Complies
116	5580	14.97	19.98	0.0995	Complies
140	5700	15.33	19.98	0.0995	Complies

Test Mode	UNII-2C_TX N(HT40) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	10.09	1.19	11.28	19.98	0.0995	Complies
110	5550	9.32	1.19	10.51	19.98	0.0995	Complies
134	5670	10.18	1.19	11.37	19.98	0.0995	Complies

Test Mode	UNII-2C_TX N(HT40) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	9.42	1.19	10.61	19.98	0.0995	Complies
110	5550	8.97	1.19	10.16	19.98	0.0995	Complies
134	5670	9.83	1.19	11.02	19.98	0.0995	Complies

Test Mode	UNII-2C_TX N(HT40) Mode_Ant. 3
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	10.04	1.19	11.23	19.98	0.0995	Complies
110	5550	10.75	1.19	11.94	19.98	0.0995	Complies
134	5670	10.13	1.19	11.32	19.98	0.0995	Complies

Test Mode	UNII-2C_TX N(HT40) Mode_Ant. 4
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	10.16	1.19	11.35	19.98	0.0995	Complies
110	5550	9.84	1.19	11.03	19.98	0.0995	Complies
134	5670	10.28	1.19	11.47	19.98	0.0995	Complies

Test Mode	UNII-2C_TX N(HT40) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	17.15	19.98	0.0995	Complies
110	5550	16.98	19.98	0.0995	Complies
134	5670	17.32	19.98	0.0995	Complies

Test Mode	UNII-2C_TX AC(VHT20) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	8.76	0.61	9.37	19.98	0.0995	Complies
116	5580	8.78	0.61	9.39	19.98	0.0995	Complies
140	5700	8.68	0.61	9.29	19.98	0.0995	Complies

Test Mode	UNII-2C_TX AC(VHT20) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	7.84	0.61	8.45	19.98	0.0995	Complies
116	5580	7.93	0.61	8.54	19.98	0.0995	Complies
140	5700	8.03	0.61	8.64	19.98	0.0995	Complies

Test Mode	UNII-2C_TX AC(VHT20) Mode_Ant. 3
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	8.45	0.61	9.06	19.98	0.0995	Complies
116	5580	8.52	0.61	9.13	19.98	0.0995	Complies
140	5700	9.55	0.61	10.16	19.98	0.0995	Complies

Test Mode	UNII-2C_TX AC(VHT20) Mode_Ant. 4
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	8.39	0.61	9.00	19.98	0.0995	Complies
116	5580	8.46	0.61	9.07	19.98	0.0995	Complies
140	5700	8.94	0.61	9.55	19.98	0.0995	Complies

Test Mode	UNII-2C_TX AC(VHT20) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	15.00	19.98	0.0995	Complies
116	5580	15.06	19.98	0.0995	Complies
140	5700	15.46	19.98	0.0995	Complies

Test Mode	UNII-2C_TX AC(VHT40) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	10.22	1.17	11.39	19.98	0.0995	Complies
110	5550	9.44	1.17	10.61	19.98	0.0995	Complies
134	5670	10.31	1.17	11.48	19.98	0.0995	Complies

Test Mode	UNII-2C_TX AC(VHT40) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	9.66	1.17	10.83	19.98	0.0995	Complies
110	5550	9.08	1.17	10.25	19.98	0.0995	Complies
134	5670	10.00	1.17	11.17	19.98	0.0995	Complies

Test Mode	UNII-2C_TX AC(VHT40) Mode_Ant. 3
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	10.31	1.17	11.48	19.98	0.0995	Complies
110	5550	10.99	1.17	12.16	19.98	0.0995	Complies
134	5670	10.34	1.17	11.51	19.98	0.0995	Complies

Test Mode	UNII-2C_TX AC(VHT40) Mode_Ant. 4
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	10.27	1.17	11.44	19.98	0.0995	Complies
110	5550	9.95	1.17	11.12	19.98	0.0995	Complies
134	5670	10.39	1.17	11.56	19.98	0.0995	Complies

Test Mode	UNII-2C_TX AC(VHT40) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	17.32	19.98	0.0995	Complies
110	5550	17.12	19.98	0.0995	Complies
134	5670	17.46	19.98	0.0995	Complies

Test Mode	UNII-2C_TX AC(VHT80) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	10.89	2.12	13.01	19.98	0.0995	Complies
122	5610	11.48	2.12	13.60	19.98	0.0995	Complies

Test Mode	UNII-2C_TX AC(VHT80) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	10.52	2.12	12.64	19.98	0.0995	Complies
122	5610	11.07	2.12	13.19	19.98	0.0995	Complies

Test Mode	UNII-2C_TX AC(VHT80) Mode_Ant. 3
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	11.48	2.12	13.60	19.98	0.0995	Complies
122	5610	11.88	2.12	14.00	19.98	0.0995	Complies

Test Mode	UNII-2C_TX AC(VHT80) Mode_Ant. 4
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	11.26	2.12	13.38	19.98	0.0995	Complies
122	5610	11.59	2.12	13.71	19.98	0.0995	Complies

Test Mode	UNII-2C_TX AC(VHT80) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	19.20	19.98	0.0995	Complies
122	5610	19.66	19.98	0.0995	Complies

Test Mode	UNII-2C_TX AX(HE20) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	6.38	2.11	8.49	19.98	0.0995	Complies
116	5580	5.43	2.11	7.54	19.98	0.0995	Complies
140	5700	6.63	2.11	8.74	19.98	0.0995	Complies

Test Mode	UNII-2C_TX AX(HE20) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	5.63	2.11	7.74	19.98	0.0995	Complies
116	5580	4.97	2.11	7.08	19.98	0.0995	Complies
140	5700	5.79	2.11	7.90	19.98	0.0995	Complies

Test Mode	UNII-2C_TX AX(HE20) Mode_Ant. 3
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	6.01	2.11	8.12	19.98	0.0995	Complies
116	5580	5.97	2.11	8.08	19.98	0.0995	Complies
140	5700	7.37	2.11	9.48	19.98	0.0995	Complies

Test Mode	UNII-2C_TX AX(HE20) Mode_Ant. 4
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	6.18	2.11	8.29	19.98	0.0995	Complies
116	5580	6.06	2.11	8.17	19.98	0.0995	Complies
140	5700	6.67	2.11	8.78	19.98	0.0995	Complies

Test Mode	UNII-2C_TX AX(HE20) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	14.19	19.98	0.0995	Complies
116	5580	13.76	19.98	0.0995	Complies
140	5700	14.78	19.98	0.0995	Complies

Test Mode	UNII-2C_TX AX(HE40) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	10.22	2.18	12.40	19.98	0.0995	Complies
110	5550	9.45	2.18	11.63	19.98	0.0995	Complies
134	5670	10.29	2.18	12.47	19.98	0.0995	Complies

Test Mode	UNII-2C_TX AX(HE40) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	9.68	2.18	11.86	19.98	0.0995	Complies
110	5550	9.17	2.18	11.35	19.98	0.0995	Complies
134	5670	10.06	2.18	12.24	19.98	0.0995	Complies

Test Mode	UNII-2C_TX AX(HE40) Mode_Ant. 3
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	10.28	2.18	12.46	19.98	0.0995	Complies
110	5550	10.93	2.18	13.11	19.98	0.0995	Complies
134	5670	10.29	2.18	12.47	19.98	0.0995	Complies

Test Mode	UNII-2C_TX AX(HE40) Mode_Ant. 4
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	10.41	2.18	12.59	19.98	0.0995	Complies
110	5550	10.12	2.18	12.30	19.98	0.0995	Complies
134	5670	10.47	2.18	12.65	19.98	0.0995	Complies

Test Mode	UNII-2C_TX AX(HE40) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	18.35	19.98	0.0995	Complies
110	5550	18.17	19.98	0.0995	Complies
134	5670	18.48	19.98	0.0995	Complies

Test Mode	UNII-2C_TX AX(HE80) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	12.15	2.24	14.39	19.98	0.0995	Complies
122	5610	11.12	2.24	13.36	19.98	0.0995	Complies

Test Mode	UNII-2C_TX AX(HE80) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	11.18	2.24	13.42	19.98	0.0995	Complies
122	5610	11.05	2.24	13.29	19.98	0.0995	Complies

Test Mode	UNII-2C_TX AX(HE80) Mode_Ant. 3
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	11.59	2.24	13.83	19.98	0.0995	Complies
122	5610	11.14	2.24	13.38	19.98	0.0995	Complies

Test Mode	UNII-2C_TX AX(HE80) Mode_Ant. 4
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	11.58	2.24	13.82	19.98	0.0995	Complies
122	5610	11.04	2.24	13.28	19.98	0.0995	Complies

Test Mode	UNII-2C_TX AX(HE80) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	19.90	19.98	0.0995	Complies
122	5610	19.35	19.98	0.0995	Complies

Test Mode	UNII-3_TX A Mode_Ant. 1
-----------	-------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	19.03	0.60	19.63	26.00	0.3981	Complies
157	5785	19.13	0.60	19.73	26.00	0.3981	Complies
165	5825	19.34	0.60	19.94	26.00	0.3981	Complies

Test Mode	UNII-3_TX A Mode_Ant. 2
-----------	-------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	19.11	0.60	19.71	26.00	0.3981	Complies
157	5785	19.24	0.60	19.84	26.00	0.3981	Complies
165	5825	18.96	0.60	19.56	26.00	0.3981	Complies

Test Mode	UNII-3_TX A Mode_Ant. 3
-----------	-------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	19.08	0.60	19.68	26.00	0.3981	Complies
157	5785	19.18	0.60	19.78	26.00	0.3981	Complies
165	5825	19.11	0.60	19.71	26.00	0.3981	Complies

Test Mode	UNII-3_TX A Mode_Ant. 4
-----------	-------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	19.11	0.60	19.71	26.00	0.3981	Complies
157	5785	19.31	0.60	19.91	26.00	0.3981	Complies
165	5825	19.32	0.60	19.92	26.00	0.3981	Complies

Test Mode	UNII-3_TX A Mode_Total
-----------	------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	25.70	26.00	0.3981	Complies
157	5785	25.84	26.00	0.3981	Complies
165	5825	25.81	26.00	0.3981	Complies

Test Mode	UNII-3_TX N(HT20) Mode_Ant. 1
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	19.04	0.61	19.65	26.00	0.3981	Complies
157	5785	18.76	0.61	19.37	26.00	0.3981	Complies
165	5825	19.01	0.61	19.62	26.00	0.3981	Complies

Test Mode	UNII-3_TX N(HT20) Mode_Ant. 2
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	19.36	0.61	19.97	26.00	0.3981	Complies
157	5785	18.41	0.61	19.02	26.00	0.3981	Complies
165	5825	19.09	0.61	19.70	26.00	0.3981	Complies

Test Mode	UNII-3_TX N(HT20) Mode_Ant. 3
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	19.16	0.61	19.77	26.00	0.3981	Complies
157	5785	19.12	0.61	19.73	26.00	0.3981	Complies
165	5825	19.18	0.61	19.79	26.00	0.3981	Complies

Test Mode	UNII-3_TX N(HT20) Mode_Ant. 4
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	19.32	0.61	19.93	26.00	0.3981	Complies
157	5785	19.45	0.61	20.06	26.00	0.3981	Complies
165	5825	19.12	0.61	19.73	26.00	0.3981	Complies

Test Mode	UNII-3_TX N(HT20) Mode_Total
-----------	------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	25.86	26.00	0.3981	Complies
157	5785	25.59	26.00	0.3981	Complies
165	5825	25.73	26.00	0.3981	Complies

Test Mode	UNII-3_TX N(HT40) Mode_Ant. 1
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	16.96	1.19	18.15	26.00	0.3981	Complies
159	5795	17.00	1.19	18.19	26.00	0.3981	Complies

Test Mode	UNII-3_TX N(HT40) Mode_Ant. 2
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	17.65	1.19	18.84	26.00	0.3981	Complies
159	5795	17.73	1.19	18.92	26.00	0.3981	Complies

Test Mode	UNII-3_TX N(HT40) Mode_Ant. 3
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	17.41	1.19	18.60	26.00	0.3981	Complies
159	5795	17.79	1.19	18.98	26.00	0.3981	Complies

Test Mode	UNII-3_TX N(HT40) Mode_Ant. 4
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	17.40	1.19	18.59	26.00	0.3981	Complies
159	5795	17.80	1.19	18.99	26.00	0.3981	Complies

Test Mode	UNII-3_TX N(HT40) Mode_Total
-----------	------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	24.57	26.00	0.3981	Complies
159	5795	24.80	26.00	0.3981	Complies

Test Mode	UNII-3_TX AC(VHT20) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	19.14	0.61	19.75	26.00	0.3981	Complies
157	5785	18.85	0.61	19.46	26.00	0.3981	Complies
165	5825	19.09	0.61	19.70	26.00	0.3981	Complies

Test Mode	UNII-3_TX AC(VHT20) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	19.46	0.61	20.07	26.00	0.3981	Complies
157	5785	18.49	0.61	19.10	26.00	0.3981	Complies
165	5825	19.18	0.61	19.79	26.00	0.3981	Complies

Test Mode	UNII-3_TX AC(VHT20) Mode_Ant. 3
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	19.16	0.61	19.77	26.00	0.3981	Complies
157	5785	19.42	0.61	20.03	26.00	0.3981	Complies
165	5825	19.21	0.61	19.82	26.00	0.3981	Complies

Test Mode	UNII-3_TX AC(VHT20) Mode_Ant. 4
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	19.41	0.61	20.02	26.00	0.3981	Complies
157	5785	19.53	0.61	20.14	26.00	0.3981	Complies
165	5825	19.15	0.61	19.76	26.00	0.3981	Complies

Test Mode	UNII-3_TX AC(VHT20) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	25.92	26.00	0.3981	Complies
157	5785	25.72	26.00	0.3981	Complies
165	5825	25.79	26.00	0.3981	Complies

Test Mode	UNII-3_TX AC(VHT40) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	17.07	1.17	18.24	26.00	0.3981	Complies
159	5795	17.13	1.17	18.30	26.00	0.3981	Complies

Test Mode	UNII-3_TX AC(VHT40) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	17.83	1.17	19.00	26.00	0.3981	Complies
159	5795	18.01	1.17	19.18	26.00	0.3981	Complies

Test Mode	UNII-3_TX AC(VHT40) Mode_Ant. 3
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	17.57	1.17	18.74	26.00	0.3981	Complies
159	5795	17.94	1.17	19.11	26.00	0.3981	Complies

Test Mode	UNII-3_TX AC(VHT40) Mode_Ant. 4
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	17.52	1.17	18.69	26.00	0.3981	Complies
159	5795	18.05	1.17	19.22	26.00	0.3981	Complies

Test Mode	UNII-3_TX AC(VHT40) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	24.70	26.00	0.3981	Complies
159	5795	24.99	26.00	0.3981	Complies

Test Mode	UNII-3_TX AC(VHT80) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	17.62	2.12	19.74	26.00	0.3981	Complies

Test Mode	UNII-3_TX AC(VHT80) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	17.76	2.12	19.88	26.00	0.3981	Complies

Test Mode	UNII-3_TX AC(VHT80) Mode_Ant. 3
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	17.78	2.12	19.90	26.00	0.3981	Complies

Test Mode	UNII-3_TX AC(VHT80) Mode_Ant. 4
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	17.83	2.12	19.95	26.00	0.3981	Complies

Test Mode	UNII-3_TX AC(VHT80) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	25.89	26.00	0.3981	Complies

Test Mode	UNII-3_TX AX(HE20) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	15.12	2.11	17.23	26.00	0.3981	Complies
157	5785	17.12	2.11	19.23	26.00	0.3981	Complies
165	5825	17.99	2.11	20.10	26.00	0.3981	Complies

Test Mode	UNII-3_TX AX(HE20) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	15.46	2.11	17.57	26.00	0.3981	Complies
157	5785	18.01	2.11	20.12	26.00	0.3981	Complies
165	5825	17.63	2.11	19.74	26.00	0.3981	Complies

Test Mode	UNII-3_TX AX(HE20) Mode_Ant. 3
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	15.16	2.11	17.27	26.00	0.3981	Complies
157	5785	17.65	2.11	19.76	26.00	0.3981	Complies
165	5825	17.66	2.11	19.77	26.00	0.3981	Complies

Test Mode	UNII-3_TX AX(HE20) Mode_Ant. 4
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	15.41	2.11	17.52	26.00	0.3981	Complies
157	5785	17.79	2.11	19.90	26.00	0.3981	Complies
165	5825	17.85	2.11	19.96	26.00	0.3981	Complies

Test Mode	UNII-3_TX AX(HE20) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	23.42	26.00	0.3981	Complies
157	5785	25.78	26.00	0.3981	Complies
165	5825	25.91	26.00	0.3981	Complies

Test Mode	UNII-3_TX AX(HE40) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	17.11	2.18	19.29	26.00	0.3981	Complies
159	5795	17.14	2.18	19.32	26.00	0.3981	Complies

Test Mode	UNII-3_TX AX(HE40) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	17.76	2.18	19.94	26.00	0.3981	Complies
159	5795	17.79	2.18	19.97	26.00	0.3981	Complies

Test Mode	UNII-3_TX AX(HE40) Mode_Ant. 3
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	17.61	2.18	19.79	26.00	0.3981	Complies
159	5795	17.98	2.18	20.16	26.00	0.3981	Complies

Test Mode	UNII-3_TX AX(HE40) Mode_Ant. 4
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	17.58	2.18	19.76	26.00	0.3981	Complies
159	5795	18.03	2.18	20.21	26.00	0.3981	Complies

Test Mode	UNII-3_TX AX(HE40) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	25.72	26.00	0.3981	Complies
159	5795	25.95	26.00	0.3981	Complies

Test Mode	UNII-3_TX AX(HE80) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	17.45	2.24	19.69	26.00	0.3981	Complies

Test Mode	UNII-3_TX AX(HE80) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	17.73	2.24	19.97	26.00	0.3981	Complies

Test Mode	UNII-3_TX AX(HE80) Mode_Ant. 3
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	17.69	2.24	19.93	26.00	0.3981	Complies

Test Mode	UNII-3_TX AX(HE80) Mode_Ant. 4
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	17.95	2.24	20.19	26.00	0.3981	Complies

Test Mode	UNII-3_TX AX(HE80) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	25.97	26.00	0.3981	Complies

Beamforming

Test Mode	UNII-1_TX N(HT20) Mode_Ant. 1
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	13.59	0.61	14.20	27.86	0.6109	Complies
40	5200	13.64	0.61	14.25	27.86	0.6109	Complies
48	5240	13.81	0.61	14.42	27.86	0.6109	Complies

Test Mode	UNII-1_TX N(HT20) Mode_Ant. 2
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	12.67	0.61	13.28	27.86	0.6109	Complies
40	5200	12.84	0.61	13.45	27.86	0.6109	Complies
48	5240	13.12	0.61	13.73	27.86	0.6109	Complies

Test Mode	UNII-1_TX N(HT20) Mode_Ant. 3
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	14.14	0.61	14.75	27.86	0.6109	Complies
40	5200	14.28	0.61	14.89	27.86	0.6109	Complies
48	5240	14.54	0.61	15.15	27.86	0.6109	Complies

Test Mode	UNII-1_TX N(HT20) Mode_Ant. 4
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	14.05	0.61	14.66	27.86	0.6109	Complies
40	5200	14.33	0.61	14.94	27.86	0.6109	Complies
48	5240	14.64	0.61	15.25	27.86	0.6109	Complies

Test Mode	UNII-1_TX N(HT20) Mode_Total
-----------	------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	20.28	27.86	0.6109	Complies
40	5200	20.45	27.86	0.6109	Complies
48	5240	20.70	27.86	0.6109	Complies

Test Mode	UNII-1_TX N(HT40) Mode_Ant. 1
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	15.19	1.19	16.38	27.86	0.6109	Complies
46	5230	15.40	1.19	16.59	27.86	0.6109	Complies

Test Mode	UNII-1_TX N(HT40) Mode_Ant. 2
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	14.12	1.19	15.31	27.86	0.6109	Complies
46	5230	14.73	1.19	15.92	27.86	0.6109	Complies

Test Mode	UNII-1_TX N(HT40) Mode_Ant. 3
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	15.94	1.19	17.13	27.86	0.6109	Complies
46	5230	16.09	1.19	17.28	27.86	0.6109	Complies

Test Mode	UNII-1_TX N(HT40) Mode_Ant. 4
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	15.91	1.19	17.10	27.86	0.6109	Complies
46	5230	15.66	1.19	16.85	27.86	0.6109	Complies

Test Mode	UNII-1_TX N(HT40) Mode_Total
-----------	------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	22.56	27.86	0.6109	Complies
46	5230	22.71	27.86	0.6109	Complies

Test Mode	UNII-1_TX AC(VHT20) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	13.69	0.61	14.30	27.86	0.6109	Complies
40	5200	13.60	0.61	14.21	27.86	0.6109	Complies
48	5240	13.91	0.61	14.52	27.86	0.6109	Complies

Test Mode	UNII-1_TX AC(VHT20) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	12.65	0.61	13.26	27.86	0.6109	Complies
40	5200	12.69	0.61	13.30	27.86	0.6109	Complies
48	5240	12.89	0.61	13.50	27.86	0.6109	Complies

Test Mode	UNII-1_TX AC(VHT20) Mode_Ant. 3
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	14.47	0.61	15.08	27.86	0.6109	Complies
40	5200	14.30	0.61	14.91	27.86	0.6109	Complies
48	5240	14.59	0.61	15.20	27.86	0.6109	Complies

Test Mode	UNII-1_TX AC(VHT20) Mode_Ant. 4
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	14.44	0.61	15.05	27.86	0.6109	Complies
40	5200	14.22	0.61	14.83	27.86	0.6109	Complies
48	5240	14.55	0.61	15.16	27.86	0.6109	Complies

Test Mode	UNII-1_TX AC(VHT20) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	20.50	27.86	0.6109	Complies
40	5200	20.38	27.86	0.6109	Complies
48	5240	20.67	27.86	0.6109	Complies

Test Mode	UNII-1_TX AC(VHT40) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	15.36	1.17	16.53	27.86	0.6109	Complies
46	5230	15.43	1.17	16.60	27.86	0.6109	Complies

Test Mode	UNII-1_TX AC(VHT40) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	14.38	1.17	15.55	27.86	0.6109	Complies
46	5230	14.97	1.17	16.14	27.86	0.6109	Complies

Test Mode	UNII-1_TX AC(VHT40) Mode_Ant. 3
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	16.26	1.17	17.43	27.86	0.6109	Complies
46	5230	16.19	1.17	17.36	27.86	0.6109	Complies

Test Mode	UNII-1_TX AC(VHT40) Mode_Ant. 4
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	16.22	1.17	17.39	27.86	0.6109	Complies
46	5230	15.82	1.17	16.99	27.86	0.6109	Complies

Test Mode	UNII-1_TX AC(VHT40) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	22.82	27.86	0.6109	Complies
46	5230	22.82	27.86	0.6109	Complies

Test Mode	UNII-1_TX AC(VHT80) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	15.92	2.12	18.04	27.86	0.6109	Complies

Test Mode	UNII-1_TX AC(VHT80) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	15.04	2.12	17.16	27.86	0.6109	Complies

Test Mode	UNII-1_TX AC(VHT80) Mode_Ant. 3
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	16.88	2.12	19.00	27.86	0.6109	Complies

Test Mode	UNII-1_TX AC(VHT80) Mode_Ant. 4
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	16.68	2.12	18.80	27.86	0.6109	Complies

Test Mode	UNII-1_TX AC(VHT80) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	24.33	27.86	0.6109	Complies

Test Mode	UNII-1_TX AX(HE20) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	12.06	2.11	14.17	27.86	0.6109	Complies
40	5200	11.60	2.11	13.71	27.86	0.6109	Complies
48	5240	11.94	2.11	14.05	27.86	0.6109	Complies

Test Mode	UNII-1_TX AX(HE20) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	9.94	2.11	12.05	27.86	0.6109	Complies
40	5200	9.95	2.11	12.06	27.86	0.6109	Complies
48	5240	11.42	2.11	13.53	27.86	0.6109	Complies

Test Mode	UNII-1_TX AX(HE20) Mode_Ant. 3
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	13.02	2.11	15.13	27.86	0.6109	Complies
40	5200	12.76	2.11	14.87	27.86	0.6109	Complies
48	5240	12.55	2.11	14.66	27.86	0.6109	Complies

Test Mode	UNII-1_TX AX(HE20) Mode_Ant. 4
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	12.79	2.11	14.90	27.86	0.6109	Complies
40	5200	12.64	2.11	14.75	27.86	0.6109	Complies
48	5240	12.38	2.11	14.49	27.86	0.6109	Complies

Test Mode	UNII-1_TX AX(HE20) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	20.24	27.86	0.6109	Complies
40	5200	20.00	27.86	0.6109	Complies
48	5240	20.22	27.86	0.6109	Complies

Test Mode	UNII-1_TX AX(HE40) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	15.15	2.18	17.33	27.86	0.6109	Complies
46	5230	15.65	2.18	17.83	27.86	0.6109	Complies

Test Mode	UNII-1_TX AX(HE40) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	14.41	2.18	16.59	27.86	0.6109	Complies
46	5230	15.12	2.18	17.30	27.86	0.6109	Complies

Test Mode	UNII-1_TX AX(HE40) Mode_Ant. 3
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	16.26	2.18	18.44	27.86	0.6109	Complies
46	5230	16.32	2.18	18.50	27.86	0.6109	Complies

Test Mode	UNII-1_TX AX(HE40) Mode_Ant. 4
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	16.34	2.18	18.52	27.86	0.6109	Complies
46	5230	15.98	2.18	18.16	27.86	0.6109	Complies

Test Mode	UNII-1_TX AX(HE40) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	23.81	27.86	0.6109	Complies
46	5230	23.99	27.86	0.6109	Complies

Test Mode	UNII-1_TX AX(HE80) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	14.18	2.24	16.42	27.86	0.6109	Complies

Test Mode	UNII-1_TX AX(HE80) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	14.01	2.24	16.25	27.86	0.6109	Complies

Test Mode	UNII-1_TX AX(HE80) Mode_Ant. 3
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	13.82	2.24	16.06	27.86	0.6109	Complies

Test Mode	UNII-1_TX AX(HE80) Mode_Ant. 4
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	13.79	2.24	16.03	27.86	0.6109	Complies

Test Mode	UNII-1_TX AX(HE80) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	22.22	27.86	0.6109	Complies

Test Mode	UNII-2A_TX N(HT20) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	8.61	0.61	9.22	21.84	0.1528	Complies
60	5300	7.43	0.61	8.04	21.84	0.1528	Complies
64	5320	7.80	0.61	8.41	21.84	0.1528	Complies

Test Mode	UNII-2A_TX N(HT20) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	7.64	0.61	8.25	21.84	0.1528	Complies
60	5300	6.91	0.61	7.52	21.84	0.1528	Complies
64	5320	7.29	0.61	7.90	21.84	0.1528	Complies

Test Mode	UNII-2A_TX N(HT20) Mode_Ant. 3
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	7.65	0.61	8.26	21.84	0.1528	Complies
60	5300	6.65	0.61	7.26	21.84	0.1528	Complies
64	5320	7.11	0.61	7.72	21.84	0.1528	Complies

Test Mode	UNII-2A_TX N(HT20) Mode_Ant. 4
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	8.86	0.61	9.47	21.84	0.1528	Complies
60	5300	8.31	0.61	8.92	21.84	0.1528	Complies
64	5320	8.66	0.61	9.27	21.84	0.1528	Complies

Test Mode	UNII-2A_TX N(HT20) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	14.86	21.84	0.1528	Complies
60	5300	14.01	21.84	0.1528	Complies
64	5320	14.39	21.84	0.1528	Complies

Test Mode	UNII-2A_TX N(HT40) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	10.34	1.19	11.53	21.84	0.1528	Complies
62	5310	9.47	1.19	10.66	21.84	0.1528	Complies

Test Mode	UNII-2A_TX N(HT40) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	8.49	1.19	9.68	21.84	0.1528	Complies
62	5310	7.86	1.19	9.05	21.84	0.1528	Complies

Test Mode	UNII-2A_TX N(HT40) Mode_Ant. 3
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	10.65	1.19	11.84	21.84	0.1528	Complies
62	5310	9.55	1.19	10.74	21.84	0.1528	Complies

Test Mode	UNII-2A_TX N(HT40) Mode_Ant. 4
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	10.96	1.19	12.15	21.84	0.1528	Complies
62	5310	10.04	1.19	11.23	21.84	0.1528	Complies

Test Mode	UNII-2A_TX N(HT40) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	17.42	21.84	0.1528	Complies
62	5310	16.51	21.84	0.1528	Complies

Test Mode	UNII-2A_TX AC(VHT20) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	8.77	0.61	9.38	21.84	0.1528	Complies
60	5300	7.66	0.61	8.27	21.84	0.1528	Complies
64	5320	7.81	0.61	8.42	21.84	0.1528	Complies

Test Mode	UNII-2A_TX AC(VHT20) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	7.85	0.61	8.46	21.84	0.1528	Complies
60	5300	6.92	0.61	7.53	21.84	0.1528	Complies
64	5320	7.18	0.61	7.79	21.84	0.1528	Complies

Test Mode	UNII-2A_TX AC(VHT20) Mode_Ant. 3
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	7.80	0.61	8.41	21.84	0.1528	Complies
60	5300	6.73	0.61	7.34	21.84	0.1528	Complies
64	5320	7.23	0.61	7.84	21.84	0.1528	Complies

Test Mode	UNII-2A_TX AC(VHT20) Mode_Ant. 4
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	8.84	0.61	9.45	21.84	0.1528	Complies
60	5300	8.25	0.61	8.86	21.84	0.1528	Complies
64	5320	8.70	0.61	9.31	21.84	0.1528	Complies

Test Mode	UNII-2A_TX AC(VHT20) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	14.97	21.84	0.1528	Complies
60	5300	14.06	21.84	0.1528	Complies
64	5320	14.40	21.84	0.1528	Complies

Test Mode	UNII-2A_TX AC(VHT40) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	10.16	1.17	11.33	21.84	0.1528	Complies
62	5310	9.66	1.17	10.83	21.84	0.1528	Complies

Test Mode	UNII-2A_TX AC(VHT40) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	8.73	1.17	9.90	21.84	0.1528	Complies
62	5310	7.84	1.17	9.01	21.84	0.1528	Complies

Test Mode	UNII-2A_TX AC(VHT40) Mode_Ant. 3
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	10.88	1.17	12.05	21.84	0.1528	Complies
62	5310	9.71	1.17	10.88	21.84	0.1528	Complies

Test Mode	UNII-2A_TX AC(VHT40) Mode_Ant. 4
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	11.09	1.17	12.26	21.84	0.1528	Complies
62	5310	10.18	1.17	11.35	21.84	0.1528	Complies

Test Mode	UNII-2A_TX AC(VHT40) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	17.50	21.84	0.1528	Complies
62	5310	16.63	21.84	0.1528	Complies

Test Mode	UNII-2A_TX AC(VHT80) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	11.45	2.12	13.57	21.84	0.1528	Complies

Test Mode	UNII-2A_TX AC(VHT80) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	10.57	2.12	12.69	21.84	0.1528	Complies

Test Mode	UNII-2A_TX AC(VHT80) Mode_Ant. 3
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	11.62	2.12	13.74	21.84	0.1528	Complies

Test Mode	UNII-2A_TX AC(VHT80) Mode_Ant. 4
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	11.48	2.12	13.60	21.84	0.1528	Complies

Test Mode	UNII-2A_TX AC(VHT80) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	19.44	21.84	0.1528	Complies

Test Mode	UNII-2A_TX AX(HE20) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	6.74	2.11	8.85	21.84	0.1528	Complies
60	5300	5.96	2.11	8.07	21.84	0.1528	Complies
64	5320	5.73	2.11	7.84	21.84	0.1528	Complies

Test Mode	UNII-2A_TX AX(HE20) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	6.43	2.11	8.54	21.84	0.1528	Complies
60	5300	5.56	2.11	7.67	21.84	0.1528	Complies
64	5320	5.60	2.11	7.71	21.84	0.1528	Complies

Test Mode	UNII-2A_TX AX(HE20) Mode_Ant. 3
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	6.47	2.11	8.58	21.84	0.1528	Complies
60	5300	5.13	2.11	7.24	21.84	0.1528	Complies
64	5320	5.25	2.11	7.36	21.84	0.1528	Complies

Test Mode	UNII-2A_TX AX(HE20) Mode_Ant. 4
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	7.42	2.11	9.53	21.84	0.1528	Complies
60	5300	6.60	2.11	8.71	21.84	0.1528	Complies
64	5320	6.85	2.11	8.96	21.84	0.1528	Complies

Test Mode	UNII-2A_TX AX(HE20) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	14.91	21.84	0.1528	Complies
60	5300	13.98	21.84	0.1528	Complies
64	5320	14.03	21.84	0.1528	Complies

Test Mode	UNII-2A_TX AX(HE40) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	10.34	2.18	12.52	21.84	0.1528	Complies
62	5310	9.78	2.18	11.96	21.84	0.1528	Complies

Test Mode	UNII-2A_TX AX(HE40) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	8.88	2.18	11.06	21.84	0.1528	Complies
62	5310	8.01	2.18	10.19	21.84	0.1528	Complies

Test Mode	UNII-2A_TX AX(HE40) Mode_Ant. 3
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	10.98	2.18	13.16	21.84	0.1528	Complies
62	5310	9.89	2.18	12.07	21.84	0.1528	Complies

Test Mode	UNII-2A_TX AX(HE40) Mode_Ant. 4
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	11.15	2.18	13.33	21.84	0.1528	Complies
62	5310	10.27	2.18	12.45	21.84	0.1528	Complies

Test Mode	UNII-2A_TX AX(HE40) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	18.62	21.84	0.1528	Complies
62	5310	17.77	21.84	0.1528	Complies

Test Mode	UNII-2A_TX AX(HE80) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	10.14	2.24	12.38	21.84	0.1528	Complies

Test Mode	UNII-2A_TX AX(HE80) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	9.67	2.24	11.91	21.84	0.1528	Complies

Test Mode	UNII-2A_TX AX(HE80) Mode_Ant. 3
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	11.17	2.24	13.41	21.84	0.1528	Complies

Test Mode	UNII-2A_TX AX(HE80) Mode_Ant. 4
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	11.49	2.24	13.73	21.84	0.1528	Complies

Test Mode	UNII-2A_TX AX(HE80) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	18.94	21.84	0.1528	Complies

Test Mode	UNII-2C_TX N(HT20) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	8.32	0.61	8.93	21.84	0.1528	Complies
116	5580	8.21	0.61	8.82	21.84	0.1528	Complies
140	5700	8.27	0.61	8.88	21.84	0.1528	Complies

Test Mode	UNII-2C_TX N(HT20) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	7.53	0.61	8.14	21.84	0.1528	Complies
116	5580	7.45	0.61	8.06	21.84	0.1528	Complies
140	5700	7.78	0.61	8.39	21.84	0.1528	Complies

Test Mode	UNII-2C_TX N(HT20) Mode_Ant. 3
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	7.78	0.61	8.39	21.84	0.1528	Complies
116	5580	7.89	0.61	8.50	21.84	0.1528	Complies
140	5700	8.47	0.61	9.08	21.84	0.1528	Complies

Test Mode	UNII-2C_TX N(HT20) Mode_Ant. 4
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	8.09	0.61	8.70	21.84	0.1528	Complies
116	5580	7.88	0.61	8.49	21.84	0.1528	Complies
140	5700	8.42	0.61	9.03	21.84	0.1528	Complies

Test Mode	UNII-2C_TX N(HT20) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	14.57	21.84	0.1528	Complies
116	5580	14.50	21.84	0.1528	Complies
140	5700	14.88	21.84	0.1528	Complies

Test Mode	UNII-2C_TX N(HT40) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	9.67	1.19	10.86	21.84	0.1528	Complies
110	5550	9.02	1.19	10.21	21.84	0.1528	Complies
134	5670	9.67	1.19	10.86	21.84	0.1528	Complies

Test Mode	UNII-2C_TX N(HT40) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	9.06	1.19	10.25	21.84	0.1528	Complies
110	5550	8.50	1.19	9.69	21.84	0.1528	Complies
134	5670	9.29	1.19	10.48	21.84	0.1528	Complies

Test Mode	UNII-2C_TX N(HT40) Mode_Ant. 3
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	9.82	1.19	11.01	21.84	0.1528	Complies
110	5550	10.24	1.19	11.43	21.84	0.1528	Complies
134	5670	9.67	1.19	10.86	21.84	0.1528	Complies

Test Mode	UNII-2C_TX N(HT40) Mode_Ant. 4
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	9.69	1.19	10.88	21.84	0.1528	Complies
110	5550	9.40	1.19	10.59	21.84	0.1528	Complies
134	5670	10.06	1.19	11.25	21.84	0.1528	Complies

Test Mode	UNII-2C_TX N(HT40) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	16.78	21.84	0.1528	Complies
110	5550	16.55	21.84	0.1528	Complies
134	5670	16.89	21.84	0.1528	Complies

Test Mode	UNII-2C_TX AC(VHT20) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	8.30	0.61	8.91	21.84	0.1528	Complies
116	5580	8.23	0.61	8.84	21.84	0.1528	Complies
140	5700	8.43	0.61	9.04	21.84	0.1528	Complies

Test Mode	UNII-2C_TX AC(VHT20) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	7.35	0.61	7.96	21.84	0.1528	Complies
116	5580	7.43	0.61	8.04	21.84	0.1528	Complies
140	5700	7.71	0.61	8.32	21.84	0.1528	Complies

Test Mode	UNII-2C_TX AC(VHT20) Mode_Ant. 3
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	7.90	0.61	8.51	21.84	0.1528	Complies
116	5580	8.13	0.61	8.74	21.84	0.1528	Complies
140	5700	9.10	0.61	9.71	21.84	0.1528	Complies

Test Mode	UNII-2C_TX AC(VHT20) Mode_Ant. 4
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	7.96	0.61	8.57	21.84	0.1528	Complies
116	5580	8.04	0.61	8.65	21.84	0.1528	Complies
140	5700	8.52	0.61	9.13	21.84	0.1528	Complies

Test Mode	UNII-2C_TX AC(VHT20) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	14.52	21.84	0.1528	Complies
116	5580	14.60	21.84	0.1528	Complies
140	5700	15.10	21.84	0.1528	Complies

Test Mode	UNII-2C_TX AC(VHT40) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	9.88	1.17	11.05	21.84	0.1528	Complies
110	5550	9.23	1.17	10.40	21.84	0.1528	Complies
134	5670	9.92	1.17	11.09	21.84	0.1528	Complies

Test Mode	UNII-2C_TX AC(VHT40) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	9.35	1.17	10.52	21.84	0.1528	Complies
110	5550	8.76	1.17	9.93	21.84	0.1528	Complies
134	5670	9.55	1.17	10.72	21.84	0.1528	Complies

Test Mode	UNII-2C_TX AC(VHT40) Mode_Ant. 3
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	9.94	1.17	11.11	21.84	0.1528	Complies
110	5550	10.50	1.17	11.67	21.84	0.1528	Complies
134	5670	10.01	1.17	11.18	21.84	0.1528	Complies

Test Mode	UNII-2C_TX AC(VHT40) Mode_Ant. 4
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	10.00	1.17	11.17	21.84	0.1528	Complies
110	5550	9.66	1.17	10.83	21.84	0.1528	Complies
134	5670	10.10	1.17	11.27	21.84	0.1528	Complies

Test Mode	UNII-2C_TX AC(VHT40) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	17.00	21.84	0.1528	Complies
110	5550	16.78	21.84	0.1528	Complies
134	5670	17.10	21.84	0.1528	Complies

Test Mode	UNII-2C_TX AC(VHT80) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	10.55	2.12	12.67	21.84	0.1528	Complies
122	5610	11.13	2.12	13.25	21.84	0.1528	Complies

Test Mode	UNII-2C_TX AC(VHT80) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	10.27	2.12	12.39	21.84	0.1528	Complies
122	5610	10.68	2.12	12.80	21.84	0.1528	Complies

Test Mode	UNII-2C_TX AC(VHT80) Mode_Ant. 3
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	10.94	2.12	13.06	21.84	0.1528	Complies
122	5610	11.59	2.12	13.71	21.84	0.1528	Complies

Test Mode	UNII-2C_TX AC(VHT80) Mode_Ant. 4
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	10.86	2.12	12.98	21.84	0.1528	Complies
122	5610	11.28	2.12	13.40	21.84	0.1528	Complies

Test Mode	UNII-2C_TX AC(VHT80) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	18.81	21.84	0.1528	Complies
122	5610	19.33	21.84	0.1528	Complies

Test Mode	UNII-2C_TX AX(HE20) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	5.84	2.11	7.95	21.84	0.1528	Complies
116	5580	4.89	2.11	7.00	21.84	0.1528	Complies
140	5700	6.34	2.11	8.45	21.84	0.1528	Complies

Test Mode	UNII-2C_TX AX(HE20) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	5.38	2.11	7.49	21.84	0.1528	Complies
116	5580	4.50	2.11	6.61	21.84	0.1528	Complies
140	5700	5.27	2.11	7.38	21.84	0.1528	Complies

Test Mode	UNII-2C_TX AX(HE20) Mode_Ant. 3
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	5.66	2.11	7.77	21.84	0.1528	Complies
116	5580	5.69	2.11	7.80	21.84	0.1528	Complies
140	5700	6.98	2.11	9.09	21.84	0.1528	Complies

Test Mode	UNII-2C_TX AX(HE20) Mode_Ant. 4
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	5.87	2.11	7.98	21.84	0.1528	Complies
116	5580	5.59	2.11	7.70	21.84	0.1528	Complies
140	5700	6.27	2.11	8.38	21.84	0.1528	Complies

Test Mode	UNII-2C_TX AX(HE20) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	13.82	21.84	0.1528	Complies
116	5580	13.32	21.84	0.1528	Complies
140	5700	14.39	21.84	0.1528	Complies

Test Mode	UNII-2C_TX AX(HE40) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	10.02	2.18	12.20	21.84	0.1528	Complies
110	5550	9.06	2.18	11.24	21.84	0.1528	Complies
134	5670	10.05	2.18	12.23	21.84	0.1528	Complies

Test Mode	UNII-2C_TX AX(HE40) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	9.30	2.18	11.48	21.84	0.1528	Complies
110	5550	8.92	2.18	11.10	21.84	0.1528	Complies
134	5670	9.64	2.18	11.82	21.84	0.1528	Complies

Test Mode	UNII-2C_TX AX(HE40) Mode_Ant. 3
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	9.88	2.18	12.06	21.84	0.1528	Complies
110	5550	10.69	2.18	12.87	21.84	0.1528	Complies
134	5670	9.96	2.18	12.14	21.84	0.1528	Complies

Test Mode	UNII-2C_TX AX(HE40) Mode_Ant. 4
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	9.96	2.18	12.14	21.84	0.1528	Complies
110	5550	9.88	2.18	12.06	21.84	0.1528	Complies
134	5670	10.19	2.18	12.37	21.84	0.1528	Complies

Test Mode	UNII-2C_TX AX(HE40) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	18.00	21.84	0.1528	Complies
110	5550	17.89	21.84	0.1528	Complies
134	5670	18.16	21.84	0.1528	Complies

Test Mode	UNII-2C_TX AX(HE80) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	11.92	2.24	14.16	21.84	0.1528	Complies
122	5610	10.57	2.24	12.81	21.84	0.1528	Complies

Test Mode	UNII-2C_TX AX(HE80) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	10.81	2.24	13.05	21.84	0.1528	Complies
122	5610	10.50	2.24	12.74	21.84	0.1528	Complies

Test Mode	UNII-2C_TX AX(HE80) Mode_Ant. 3
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	11.12	2.24	13.36	21.84	0.1528	Complies
122	5610	10.91	2.24	13.15	21.84	0.1528	Complies

Test Mode	UNII-2C_TX AX(HE80) Mode_Ant. 4
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	11.09	2.24	13.33	21.84	0.1528	Complies
122	5610	10.73	2.24	12.97	21.84	0.1528	Complies

Test Mode	UNII-2C_TX AX(HE80) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	19.52	21.84	0.1528	Complies
122	5610	18.94	21.84	0.1528	Complies

Test Mode	UNII-3_TX N(HT20) Mode_Ant. 1
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	18.69	0.61	19.30	27.86	0.6109	Complies
157	5785	18.49	0.61	19.10	27.86	0.6109	Complies
165	5825	18.71	0.61	19.32	27.86	0.6109	Complies

Test Mode	UNII-3_TX N(HT20) Mode_Ant. 2
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	18.95	0.61	19.56	27.86	0.6109	Complies
157	5785	18.07	0.61	18.68	27.86	0.6109	Complies
165	5825	18.87	0.61	19.48	27.86	0.6109	Complies

Test Mode	UNII-3_TX N(HT20) Mode_Ant. 3
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	18.91	0.61	19.52	27.86	0.6109	Complies
157	5785	18.92	0.61	19.53	27.86	0.6109	Complies
165	5825	18.78	0.61	19.39	27.86	0.6109	Complies

Test Mode	UNII-3_TX N(HT20) Mode_Ant. 4
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	19.08	0.61	19.69	27.86	0.6109	Complies
157	5785	19.20	0.61	19.81	27.86	0.6109	Complies
165	5825	18.90	0.61	19.51	27.86	0.6109	Complies

Test Mode	UNII-3_TX N(HT20) Mode_Total
-----------	------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	25.54	27.86	0.6109	Complies
157	5785	25.32	27.86	0.6109	Complies
165	5825	25.45	27.86	0.6109	Complies

Test Mode	UNII-3_TX N(HT40) Mode_Ant. 1
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	16.54	1.19	17.73	27.86	0.6109	Complies
159	5795	16.68	1.19	17.87	27.86	0.6109	Complies

Test Mode	UNII-3_TX N(HT40) Mode_Ant. 2
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	17.44	1.19	18.63	27.86	0.6109	Complies
159	5795	17.46	1.19	18.65	27.86	0.6109	Complies

Test Mode	UNII-3_TX N(HT40) Mode_Ant. 3
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	17.04	1.19	18.23	27.86	0.6109	Complies
159	5795	17.46	1.19	18.65	27.86	0.6109	Complies

Test Mode	UNII-3_TX N(HT40) Mode_Ant. 4
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	16.96	1.19	18.15	27.86	0.6109	Complies
159	5795	17.38	1.19	18.57	27.86	0.6109	Complies

Test Mode	UNII-3_TX N(HT40) Mode_Total
-----------	------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	24.22	27.86	0.6109	Complies
159	5795	24.47	27.86	0.6109	Complies

Test Mode	UNII-3_TX AC(VHT20) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	18.60	0.61	19.21	27.86	0.6109	Complies
157	5785	18.62	0.61	19.23	27.86	0.6109	Complies
165	5825	18.62	0.61	19.23	27.86	0.6109	Complies

Test Mode	UNII-3_TX AC(VHT20) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	19.04	0.61	19.65	27.86	0.6109	Complies
157	5785	18.04	0.61	18.65	27.86	0.6109	Complies
165	5825	18.69	0.61	19.30	27.86	0.6109	Complies

Test Mode	UNII-3_TX AC(VHT20) Mode_Ant. 3
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	18.71	0.61	19.32	27.86	0.6109	Complies
157	5785	19.03	0.61	19.64	27.86	0.6109	Complies
165	5825	18.77	0.61	19.38	27.86	0.6109	Complies

Test Mode	UNII-3_TX AC(VHT20) Mode_Ant. 4
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	19.01	0.61	19.62	27.86	0.6109	Complies
157	5785	19.22	0.61	19.83	27.86	0.6109	Complies
165	5825	18.89	0.61	19.50	27.86	0.6109	Complies

Test Mode	UNII-3_TX AC(VHT20) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	25.47	27.86	0.6109	Complies
157	5785	25.38	27.86	0.6109	Complies
165	5825	25.37	27.86	0.6109	Complies

Test Mode	UNII-3_TX AC(VHT40) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	16.77	1.17	17.94	27.86	0.6109	Complies
159	5795	16.90	1.17	18.07	27.86	0.6109	Complies

Test Mode	UNII-3_TX AC(VHT40) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	17.60	1.17	18.77	27.86	0.6109	Complies
159	5795	17.64	1.17	18.81	27.86	0.6109	Complies

Test Mode	UNII-3_TX AC(VHT40) Mode_Ant. 3
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	17.32	1.17	18.49	27.86	0.6109	Complies
159	5795	17.50	1.17	18.67	27.86	0.6109	Complies

Test Mode	UNII-3_TX AC(VHT40) Mode_Ant. 4
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	16.99	1.17	18.16	27.86	0.6109	Complies
159	5795	17.79	1.17	18.96	27.86	0.6109	Complies

Test Mode	UNII-3_TX AC(VHT40) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	24.38	27.86	0.6109	Complies
159	5795	24.67	27.86	0.6109	Complies

Test Mode	UNII-3_TX AC(VHT80) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	17.39	2.12	19.51	27.86	0.6109	Complies

Test Mode	UNII-3_TX AC(VHT80) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	17.48	2.12	19.60	27.86	0.6109	Complies

Test Mode	UNII-3_TX AC(VHT80) Mode_Ant. 3
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	17.25	2.12	19.37	27.86	0.6109	Complies

Test Mode	UNII-3_TX AC(VHT80) Mode_Ant. 4
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	17.45	2.12	19.57	27.86	0.6109	Complies

Test Mode	UNII-3_TX AC(VHT80) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	25.54	27.86	0.6109	Complies

Test Mode	UNII-3_TX AX(HE20) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	14.73	2.11	16.84	27.86	0.6109	Complies
157	5785	16.65	2.11	18.76	27.86	0.6109	Complies
165	5825	17.57	2.11	19.68	27.86	0.6109	Complies

Test Mode	UNII-3_TX AX(HE20) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	15.18	2.11	17.29	27.86	0.6109	Complies
157	5785	17.70	2.11	19.81	27.86	0.6109	Complies
165	5825	17.25	2.11	19.36	27.86	0.6109	Complies

Test Mode	UNII-3_TX AX(HE20) Mode_Ant. 3
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	14.80	2.11	16.91	27.86	0.6109	Complies
157	5785	17.41	2.11	19.52	27.86	0.6109	Complies
165	5825	17.32	2.11	19.43	27.86	0.6109	Complies

Test Mode	UNII-3_TX AX(HE20) Mode_Ant. 4
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	15.02	2.11	17.13	27.86	0.6109	Complies
157	5785	17.51	2.11	19.62	27.86	0.6109	Complies
165	5825	17.62	2.11	19.73	27.86	0.6109	Complies

Test Mode	UNII-3_TX AX(HE20) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	23.07	27.86	0.6109	Complies
157	5785	25.46	27.86	0.6109	Complies
165	5825	25.57	27.86	0.6109	Complies

Test Mode	UNII-3_TX AX(HE40) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	16.59	2.18	18.77	27.86	0.6109	Complies
159	5795	16.68	2.18	18.86	27.86	0.6109	Complies

Test Mode	UNII-3_TX AX(HE40) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	17.41	2.18	19.59	27.86	0.6109	Complies
159	5795	17.51	2.18	19.69	27.86	0.6109	Complies

Test Mode	UNII-3_TX AX(HE40) Mode_Ant. 3
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	17.13	2.18	19.31	27.86	0.6109	Complies
159	5795	17.62	2.18	19.80	27.86	0.6109	Complies

Test Mode	UNII-3_TX AX(HE40) Mode_Ant. 4
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	17.20	2.18	19.38	27.86	0.6109	Complies
159	5795	17.76	2.18	19.94	27.86	0.6109	Complies

Test Mode	UNII-3_TX AX(HE40) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	25.29	27.86	0.6109	Complies
159	5795	25.61	27.86	0.6109	Complies

Test Mode	UNII-3_TX AX(HE80) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	16.94	2.24	19.18	27.86	0.6109	Complies

Test Mode	UNII-3_TX AX(HE80) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	17.32	2.24	19.56	27.86	0.6109	Complies

Test Mode	UNII-3_TX AX(HE80) Mode_Ant. 3
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	17.36	2.24	19.60	27.86	0.6109	Complies

Test Mode	UNII-3_TX AX(HE80) Mode_Ant. 4
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	17.70	2.24	19.94	27.86	0.6109	Complies


Test Mode	UNII-3_TX AX(HE80) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	25.60	27.86	0.6109	Complies


APPENDIX G - POWER SPECTRAL DENSITY

Test Mode	UNII-1_TX A Mode_Ant. 1
-----------	-------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	6.15	0.60	6.75	13.00	Complies
40	5200	5.93	0.60	6.53	13.00	Complies
48	5240	6.12	0.60	6.72	13.00	Complies



Date: 21.AUG.2021 11:53:47




Date: 21.AUG.2021 13:44:18




Date: 21.AUG.2021 13:45:22

Test Mode	UNII-1_TX A Mode_Ant. 2
-----------	-------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	6.31	0.60	6.91	13.00	Complies
40	5200	6.37	0.60	6.97	13.00	Complies
48	5240	6.33	0.60	6.93	13.00	Complies



Date: 21.AUG.2021 17:12:17






Date: 21.AUG.2021 17:15:52



Date: 21.AUG.2021 17:16:20




Test Mode	UNII-1_TX A Mode_Ant. 3
-----------	-------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	6.01	0.60	6.61	13.00	Complies
40	5200	6.25	0.60	6.85	13.00	Complies
48	5240	6.19	0.60	6.79	13.00	Complies



Test Mode	UNII-1_TX A Mode_Ant. 4
-----------	-------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	6.20	0.60	6.80	13.00	Complies
40	5200	6.17	0.60	6.77	13.00	Complies
48	5240	6.26	0.60	6.86	13.00	Complies




Test Mode	UNII-1_TX A Mode_Total
-----------	------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	12.79	13.00	Complies
40	5200	12.81	13.00	Complies
48	5240	12.85	13.00	Complies

Test Mode	UNII-1_TX AC(VHT20) Mode_Ant. 1
-----------	---------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	6.10	0.61	6.71	13.00	Complies
40	5200	6.07	0.61	6.68	13.00	Complies
48	5240	6.24	0.61	6.85	13.00	Complies



Date: 21.AUG.2021 14:07:54




Date: 21.AUG.2021 14:08:37




Date: 21.AUG.2021 14:13:00

Test Mode	UNII-1_TX AC(VHT20) Mode_Ant. 2
-----------	---------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	6.31	0.61	6.92	13.00	Complies
40	5200	6.12	0.61	6.73	13.00	Complies
48	5240	6.10	0.61	6.71	13.00	Complies



Date: 21.AUG.2021 17:22:50




Date: 21.AUG.2021 17:28:25




Date: 21.AUG.2021 17:28:57

Test Mode	UNII-1_TX AC(VHT20) Mode_Ant. 3
-----------	---------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	6.14	0.61	6.75	13.00	Complies
40	5200	6.27	0.61	6.88	13.00	Complies
48	5240	6.30	0.61	6.91	13.00	Complies



Date: 24.AUG.2021 11:57:50




Date: 24.AUG.2021 11:58:15




Date: 24.AUG.2021 11:59:28

Test Mode	UNII-1_TX AC(VHT20) Mode_Ant. 4
-----------	---------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	6.25	0.61	6.86	13.00	Complies
40	5200	6.18	0.61	6.79	13.00	Complies
48	5240	6.24	0.61	6.85	13.00	Complies



Date: 24.AUG.2021 14:23:43



Date: 24.AUG.2021 14:24:05




Date: 24.AUG.2021 14:25:27

Test Mode	UNII-1_TX AC(VHT20) Mode_Total
-----------	--------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	12.83	13.00	Complies
40	5200	12.79	13.00	Complies
48	5240	12.85	13.00	Complies

Test Mode	UNII-1_TX AC(VHT40) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
38	5190	5.73	1.17	6.90	13.00	Complies
46	5230	5.26	1.17	6.43	13.00	Complies




Date: 21.AUG.2021 14:31:56




Date: 21.AUG.2021 14:35:15

Test Mode	UNII-1_TX AC(VHT40) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
38	5190	5.58	1.17	6.75	13.00	Complies
46	5230	5.81	1.17	6.98	13.00	Complies



Date: 21.AUG.2021 17:38:10



Date: 21.AUG.2021 17:39:48