

SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR221200049604 Page: 1 of 12

RF EXPOSURE EVALUATION REPORT

Application No.:	FYCR2212000496AT			
Applicant:	Ruijie Networks Co., Ltd.			
Address of Applicant:	Building 19, Juyuanzhou Industrial Park, No. 618 Jinshan Road, Cangshan District, Fuzhou, Fujian 350002 China			
Manufacturer:	Ruijie Networks Co., Ltd.			
Address of Manufacturer:	Building 19, Juyuanzhou Industrial Park, No. 618 Jinshan Road, Cangshar District,Fuzhou, Fujian 350002 China			
Equipment Under Test (EUT):			
EUT Name:	Wireless Access Point			
Model No.:	:: RG-RAP2260			
Trade Mark:	Ruíjie Reyce Ruíjie Reyce Reyce			
	Reyee			
FCC ID:	2AX5J-RAP2260			
Standard(s) :	FCC Rules 47 CFR §2.1091			
	KDB 447498 D04 interim General RF Exposure Guidance v01			
Date of Receipt:	2022-12-08			
Date of Evaluation:	2022-12-09 to 2023-01-03			
Date of Issue:	2023-01-03			
Evaluation Result:	Pass*			

* In the configuration evaluated, the EUT complied with the standards specified above.

WinkeyWang

Winkey Wang EMC Technical Manager



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>http://www.sgs.com/en/Terms-and-Conditions,aspx</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>http://www.sgs.com/en/Terms-and-Conditions/Terms-end-Conditions/Terms-and-Conditions/Terms-end-Conditions</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest extend of the escentes stated ther results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. *Areamalic* **(Bocchert'Agenence)** (stesting Almapection report a certificate, please contact us at telephone: (86-755) 8307 1443, *Areamalic* **(Bocchert'Agenence)**.

Fuyong lab. Xiniong TechnoPark, Fengtang Road, Fuyong Subdistrict, Bao'an, Sherzhen, China 518103 tt (86-755) 88663988 ft (86-755) 26710594 www.sgsgroup.com.cn 中国・深圳・宝安区福永街道凤塘大道鑫龙科技园福永实验室 邮编: 518103 tt (86-755) 88663988 ft (86-755) 26710594 sgs.china@sgs.com



SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR221200049604 Page: 2 of 12

	Revision Record								
Version Chapter Date Modifier Remark									
01		2023-01-03		Original					

Authorized for issue by:		
	Gree Zhan	
	Tree Zhan/Project Engineer	
	WinkeyWang	
	Winkey Wang/Reviewer	



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-end-Conditions/T

Flyong lak Jiking TechnoPark, Fengang Road, Flyong Subdistict, Bay'an, Shenzhen, China 518103 tt (86-755) 88663988 ft (86-755) 26710594 www.sgsgroup.com.cn 中国・深圳・宝安区福永街道凤塘大道鑫龙科技园福永实验室 邮编: 518103 tt (86-755) 88663988 ft (86-755) 26710594 sgs.china@sgs.com



SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR221200049604 Page: 3 of 12

2 Contents

			Page
1	Cov	ver Page	1
2	Con	ntents	3
3	Gen	neral Information	
	3.1	General Description of E.U.T.	
	3.2	Details of E.U.T.	
	3.3	Separation Distance	
	3.4	Test Location	
	3.5	Test Facility	
	3.6	Deviation from Standards	
	3.7	Abnormalities from Standard Conditions	
4	FCC	C Radiofrequency radiation exposure limits	7
	4.1	Blanket 1 mW Blanket Exemption	
	4.2	MPE-based Exemption	
	4.3	SAR-based Exemption	
5	Меа	asurement and Calculation	11
	5.1	Maximum transmit power	11
	5.2	RF Exposure Calculation	
	5.3	Simultaneous transmitting	
		-	



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Cilent's instructions, if any. The Company's sole responsibility is to its Cilent and this document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone; (86-75) 8307 1443, or email: 61 Doccheck the authenticity of testing /inspection report & certificate, please contact us at telephone; (86-75) 8307 1443, or email: 61 Doccheck the authenticity of testing /inspection report & certificate, please contact us at telephone; (86-75) 8307 1443, or email: 61 Doccheck the authenticity of testing /inspection report & certificate, please contact us at telephone; (86-75) 8307 1443, or email: 61 Doccheck the authenticity of testing /inspection report & certificate, please contact us at telephone; (86-75) 8307 1443, or email: 61 Doccheck the authenticity of testing /ins

 Fuyong lab. Xiniong TechnoPark, Fengtang Road, Fuyong Subdistrict, Bao'an, Shenzhen, China
 518103
 t
 (86–755)
 88663988
 f
 (86–755)
 26710594
 www.sgsgroup.com.cn

 中国・深圳・宝安区福永街道凤塘大道鑫龙科技园福永实验室
 邮编:
 518103
 t
 (86–755)
 88663988
 f
 (86–755)
 26710594
 www.sgsgroup.com.cn



SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR221200049604 Page: 4 of 12

3 General Information

3.1 General Description of E.U.T.

	Portable device
Product Type:	Mobile device
	⊠ Fixed device

3.2 Details of E.U.T.

3.2 Details								
Power supply:	12V 2A, PoE							
For 2.4G WIFI:								
Operation	802.11b/g/n(HT	20)/ax(HEW20): 2412MHz to 2462MHz,						
Frequency:	802.11n(HT40)/	802.11n(HT40)/ax(HEW40): 2422MHz to 2452MHz						
Madulation	802.11b: DSSS(CCK, DQPSK, DBPSK)						
Modulation Type:	802.11 g/n: OFE	DM(16QAM, 64QAM, QPSK, BPSK)						
rype.	802.11 ax: OFD	MA(16QAM, 64QAM, 256QAM, 1024QAM,	QPSK, BPSK)					
Channel Spacing:	5MHz							
Number of	802 11b/g/n(HT)	20)/ax(HEW20): 11,						
Channels:	802.11n(HT40)/							
Antenna Type:	PIFA Antenna							
	Antenna1: 2.750	IBi, Antenna2: 1.95dBi						
Antenna Gain:	Directional gain	-						
For 5G WIFI:	<u> </u>							
Operation Frequency:	Band	Mode	Frequency Range(MHz)	Number of channels				
	UNII Band I	802.11a/n(HT20)/ac(HT20)/ax(HEW20):	5180-5240	4				
		802.11n(HT40)/ac(HT40)/ax(HEW40)	5190-5230	2				
		802.11ac(HT80)/ax(HEW80)	5210	1				
		802.11ac(HT160)/ax(HEW160)	5250	1				
	UNII Band II-A	II Band II-A 802.11a/n(HT20)/ac(HT20)/ax(HEW20):		4				
		802.11n(HT40)/ac(HT40)/ax(HEW40)	5270-5310	2				
		802.11ac(HT80)/ax(HEW80)	5290	1				
	UNII Band II-C	802.11a/n(HT20)/ac(HT20)/ax(HEW20):	5500-5700	11				
		802.11n(HT40)/ac(HT40)/ax(HEW40)	5510-5670	5				
		802.11ac(HT80)/ax(HEW80)	5530,5610	2				
		802.11ac(HT160)/ax(HEW160)	5570	1				
	UNII Band III	802.11a/n(HT20)/ac(HT20)/ax(HEW20):	5745-5825	5				
		802.11n(HT40)/ac(HT40)/ax(HEW40)	5755-5795	2				
		802.11ac(HT80)/ax(HEW80)	5775	1				



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Cilent's instructions, if any. The Company's sole responsibility is to its Cilent and this document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone; (86-75) 8307 1443, or email: Ch.Doccheck@ss.com

 Fuyong lab, Xiniong TechnoPark, Fenglang Road, Fuyong Subdistrict, Bao'an, Shenzhen, China
 518103
 t
 (86-755)
 8663988
 f
 (86-755)
 26710594
 www.sgsgroup.com.cn

 中国・深圳・宝安区福永街道风塘大道鑫龙科技园福永实验室
 邮编:
 518103
 t
 (86-755)
 8663988
 f
 (86-755)
 26710594
 sgs.com



SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR221200049604 Page: 5 of 12

Modulation	802.11a: OFDM(16QAM, 64QAM, QPSK, BPSK)			
Туре:	802.11n: OFDM(16QAM, 64QAM, QPSK, BPSK)			
	802.11ac: OFDM(16QAM, 64QAM, 256QAM, QPSK, BPSK)			
	802.11ax: OFDMA(16QAM, 64QAM, 256QAM, 1024QAM, QPSK, BPSK)			
DFS Function:	Master			
TPC Function:	Support			
Sample Type:	Fixed device			
Antenna Type:	PIFA Antenna			
Antenna Gain:	U-NII-1: Antenna1:3.33dBi, Antenna2: 2.15dBi, Antenna3: 3.5dBi			
	U-NII-2A: Antenna1:3.4dBi, Antenna2: 2.12dBi, Antenna3: 2.54dBi			
	U-NII-2C: Antenna1:4.1dBi, Antenna2: 2.96dBi, Antenna3: 3.22dBi			
	U-NII-III: Antenna1:3.2dBi, Antenna2: 2.5dBi, Antenna3: 3.47dBi			

Remark: The information in this section is provided by the applicant or manufacturer, CCS is not liable to the accuracy, suitability, reliability or/and integrity of the information.

3.3 Separation Distance

Minimum test separation distance: 20cm

Remark: This minimum test separation distance is determined by the smallest distance from the antenna and radiating structures or outer surface of the device, according to the host form factor, exposure conditions and platform requirements, to any part of the body or extremity of a user or bystander.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions.Terms-enocument.aspx. Attention is drawn to the limitation of liability, indermification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Cilent's instructions, if any. The Company's sole responsibility is to its Cilent and this document cannot be reproduced except in full, without prior written approval of the Company, any unauthorized alteration, forgery or falisfication of the content or appearance of this document is unlawful and offenders may be prosecuted to the fulleat extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) issued and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-75) 8307 1443, or certained in Documents (80-75) 8307 1443.

 Fuyong lab. Xiniong TechnoPark, Fengtang Read, Fuyong Subdistict, Bao'an, Shenzhen, China
 518103
 t
 (86–755)
 88663988
 f
 (86–755)
 26710594
 www.sgsgroup.com.cn

 中国<< 深圳・宝安区福永街道凤塘大道鑫龙科技园福永实验室</td>
 邮编:
 518103
 t
 (86–755)
 88663988
 f
 (86–755)
 26710594
 www.sgsgroup.com.cn



SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR221200049604 Page: 6 of 12

3.4 Test Location

All tests were performed at:

Compliance Certification Services (Kunshan) Inc. Shenzhen branch.

Fuyong lab. Xinlong TechnoPark, Fengtang Road, Fuyong Subdistrict, Bao'an, Shenzhen, China Tel: +86 755 8866 3988 Fax: +86 755 2671 0594 No tests were sub-contracted.

3.5 Test Facility

The test facility is recognized, certified, or accredited by the following organizations:

• A2LA (Certificate No. 6606.01)

Compliance Certification Services (Kunshan) Inc. Shenzhen branch is accredited by the American Association for Laboratory Accreditation(A2LA). Certificate No. 6606.01.

• FCC – Designation Number: CN1322

Compliance Certification Services (Kunshan) Inc. Shenzhen branch has been recognized as an accredited testing laboratory.

Designation Number: CN1322. Test Firm Registration Number: 718073

• Innovation, Science and Economic Development Canada

Compliance Certification Services (Kunshan) Inc. Shenzhen branch has been recognized by ISED as an accredited testing laboratory.

CAB identifier: CN0129.

IC#: 28189.

3.6 Deviation from Standards

None

3.7 Abnormalities from Standard Conditions



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>http://www.sgs.com/en/Terms-and-Conditions.aspx</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Conditions/Terms-and-Conditions</u>, Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein, Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) lested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing finspection report & certificate, please contact us at telephone: (86-755) 8307 1443,

Fuyong kab. Xinlong TechnoPark, Fengtang Read, Fuyong Subdistrid, Bao'an, Shenzhen, China 518103 t (86-755) 88663988 f (86-755) 26710594 www.sgsgroup.com.cn 中国・深圳・宝安区福永街道昆塘大道鑫龙科技园福永实验室 邮编: 518103 t (86-755) 88663988 f (86-755) 26710594 sgs.china@sgs.com



SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR221200049604 Page: 7 of 12

4 FCC Radiofrequency radiation exposure limits

Test exemptions apply for devices used in general population/uncontrolled exposure environments, according to the SAR-based, or MPE-based exemption thresholds.

4.1 Blanket 1 mW Blanket Exemption

The 1 mW Blanket Exemption of §1.1307(b)(3)(i)(A) applies for single fixed, mobile, and portable RF sources with available maximum time-averaged power of no more than 1 mW, regardless of separation distance.

The 1-mW blanket exemption applies at separation distances less than 0.5 cm, including where there is no separation. This exemption shall not be used in conjunction with other exemption criteria other than those for multiple RF sources in paragraph §1.1307(b)(3)(ii)(A).

The 1-mW exemption is independent of service type and covers the full range of 100 kHz to 100 GHz, but it shall not be used in conjunction with other exemption criteria or in devices with higher-power transmitters operating in the same time-averaging period. Exposure from such higher-power transmitters would invalidate the underlying assumption that exposure from the lower-power transmitter is the only contributor to SAR in the relevant volume of tissue.

4.2 MPE-based Exemption

General frequency and separation-distance dependent MPE-based effective radiated power (ERP) thresholds are in Table B.1 [Table 1 of §1.1307(b)(1)(i)(C)] to support an exemption from further evaluation from 300 kHz through 100 GHz.

RF Source Frequency			Minim	Threshold ERP			
<i>f</i> ∟ MHz		<i>f</i> ⊢ MHz	λ∟ / 2π		λ _Η / 2π	W	
0.3	_	1.34	159 m	_	35.6 m	1,920 R ²	
1.34	_	30	35.6 m	_	1.6 m	3,450 R²/f ²	
30	_	300	1.6 m	_	159 mm	3.83 R ²	
300	_	1,500	159 mm	_	31.8 mm	0.0128 R ² f	
1,500	-	100,000	31.8 mm	-	0.5 mm	19.2R ²	
Subscripts L and H are low and high; λ is wavelength.							
From §1.1307(b)(3)(i)(C), modified by a	dding Minimum D	listance	e columns.		

Table B.1—Thresholds For Single RF Sources Subject to Routine Environmental Evaluation

The table applies to any RF source (i.e. single fixed, mobile, and portable transmitters) and specifies power and distance criteria for each of the five frequency ranges used for the MPE limits. These criteria apply at separation distances from any part of the radiating structure of at least $\lambda/2\pi$. The thresholds are



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Conditions/Terms-and-Conditions/

Fuyong lab. Xiniong TechnoPark, Fengtang Road, Fuyong Subdistrict, Bao'an, Shenzhen, China 518103 t (86–755) 88663988 f (86–755) 26710594 www.sgs.group.com.cn 中国・深圳・宝安区福永街道凤塘大道鑫龙科技园福永实验室 邮编: 518103 t (86–755) 88663988 f (86–755) 26710594 sgs.china@sgs.com



SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR221200049604 Page: 8 of 12

based on the general population MPE limits with a single perfect reflection, outside of the reactive near-field, and in the main beam of the radiator.

For mobile devices that are not exempt per Table B.1 [Table 1 of \$1.1307(b)(1)(i)(C)] at distances from 20 cm to 40 cm and in 0.3 GHz to 6 GHz, evaluation of compliance with the exposure limits in \$1.1310 is necessary if the ERP of the device is greater than *ERP*_{20cm} in Formula (B.1) [repeated from \$2.1091(c)(1); also in \$1.1307(b)(1)(i)(B)].

 $P_{\rm th} (\rm mW) = ERP_{20 \rm \ cm} (\rm mW) = \begin{cases} 2040f & 0.3 \rm \ GHz \le f < 1.5 \rm \ GHz \\ \\ 3060 & 1.5 \rm \ GHz \le f \le 6 \rm \ GHz \end{cases}$ (B.1)

If the ERP is not easily obtained, then the available maximum time-averaged power may be used (i.e., without consideration of ERP only if the physical dimensions of the radiating structure(s) do not exceed the electrical length of $\lambda/4$ or if the antenna gain is less than that of a half-wave dipole.

SAR-based exemptions are constant at separation distances between 20 cm and 40 cm to avoid discontinuities in the threshold when transitioning between SAR-based and MPE-based exemption criteria at 40 cm, considering the importance of reflections.

Limit calculation						
Frequency range	Frequency(MHz)	R(λ/2π)(m)	Threshold ERP(W)			
300~1500MHz	915	0.0522	0.032			
1500~100000MHz	2480	0.0193	0.007			

4.3 SAR-based Exemption

SAR-based thresholds are derived based on frequency, power, and separation distance of the RF source. The formula defines the thresholds in general for either available maximum time-averaged power or maximum time-averaged ERP, whichever is greater.

If the ERP of a device is not easily determined, such as for a portable device with a small form factor, the applicant may use the available maximum time-averaged power exclusively if the device antenna or radiating structure does not exceed an electrical length of $\lambda/4$.

As for devices with antennas of length greater than $\lambda/4$ where the gain is not well defined, but always less than that of a half-wave dipole (length $\lambda/2$), the available maximum time-averaged power generated by the device may be used in place of the maximum time-averaged ERP, where that value is not known.

The separation distance is the smallest distance from any part of the antenna or radiating structure for all persons, during operation at the applicable ERP. In the case of mobile or portable devices, the separation distance is from the outer housing of the device where it is closest to the antenna.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forger or faisification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are restard for 30 days only. Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: Ch.Doccheck@sgs.com

Fuyong lab. Xiniong TechnoPark, Fengtang Road, Fuyong Subdistrict, Bao'an, Shenzhen, China 518103 t (86-755) 88663988 f (86-755) 26710594 www.sgsgroup.com.cn 中国・深圳・宝安区福永街道凤塘大道鑫龙科技园福永实验室 邮编: 518103 t (86-755) 88663988 f (86-755) 26710594 sgs.china@sgs.com



SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR221200049604 Page: 9 of 12

The SAR-based exemption formula of (1.1307(b))(3)(i)(B), repeated here as Formula (B.2), applies for single fixed, mobile, and portable RF sources with available maximum time-averaged power or effective radiated power (ERP), whichever is greater, of less than or equal to the threshold P_{th} (mW).

This method shall only be used at separation distances from 0.5 cm to 40 cm and at frequencies from 0.3 GHz to 6 GHz (inclusive). P_{th} is given by Formula (B.2).

$$P_{\rm th} \,({\rm mW}) = \begin{cases} ERP_{20\,\rm cm} (d/20\,\rm cm)^x & d \le 20\,\rm cm \\ \\ ERP_{20\,\rm cm} & 20\,\rm cm < d \le 40\,\rm cm \end{cases}$$
(B.2)

where

$$x = -\log_{10}\left(\frac{60}{ERP_{20}\operatorname{cm}\sqrt{f}}\right)$$

and f is in GHz, d is the separation distance (cm), and ERP_{20cm} is per Formula (B.1).



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>http://www.sgs.com/en/Terms-and-Conditions.aspx</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Conditions/Terms-and-Conditions</u>, Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawiful and offenders may be prosecuted to the fullest extend to the law Unless otherwise stated the results shown in this test report refer only to the sample(s) lested and such sample(s) are retained for 30 days only. Attention: To back the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8307 1443,

Fuyong kab. Xinlong TechnoPark, Fengtang Read, Fuyong Subdistrid, Bao'an, Shenzhen, China 518103 t (86-755) 88663988 f (86-755) 26710594 www.sgsgroup.com.cn 中国・深圳・宝安区福永街道昆塘大道鑫龙科技园福永实验室 邮编: 518103 t (86-755) 88663988 f (86-755) 26710594 sgs.china@sgs.com



SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR221200049604 Page: 10 of 12

Example values shown in Table B.2 are for illustration only.

Frequency					Distand	ce(mm)				
(MHz)	5	10	15	20	25	30	35	40	45	50
300	39	65	88	110	129	148	166	184	201	217
450	22	44	67	89	112	135	158	180	203	226
835	9	25	44	66	90	116	145	175	207	240
1900	3	12	26	44	66	92	122	157	195	236
2450	3	10	22	38	59	83	111	143	179	219
3600	2	8	18	32	49	71	96	125	158	195
5800	1	6	14	25	40	58	80	106	136	169

Table B.2—Example Power Thresholds (mW)

Limit calculation							
Frequency range(GHz) Frequency(GHz) X Distance(cm) Pth (mW)							
0.3~1.5	0.915	1.474	0.5	8.133			
1.5~6	2.48	1.905	0.5	2.717			



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions, for electronic format documents, advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document is and/sect that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document. This document is unawrition and of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unawrition and of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unawrition and offenders may be prosecuted to the fullest extend for 30 days only. Attention: To breek the authentiony of testing fingeection report a certificate, please contact us at telephone: (86-75) 8307 1443, Attention: To breek the authentiony of testing fingeection report a certificate, please contact us at telephone: (86-75) 8307 1443,

 Fuyong lab. Xiniong TechnoPark, Fengtang Road, Fuyong Subdistrict, Bao'an, Shenzhen, China
 518103
 t
 (86–755)
 88663988
 f
 (86–755)
 26710594
 www.sgsgroup.com.cn

 中国・深圳・宝安区福永街道凤塘大道鑫龙科技园福永实验室
 邮编:
 518103
 t
 (86–755)
 88663988
 f
 (86–755)
 26710594
 www.sgsgroup.com.cn



SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR221200049604 Page: 11 of 12

5 Measurement and Calculation

5.1 Maximum transmit power

For 2.4G WIFI:

The Power Data is based on the RF Test Report FYCR221200049602.

Directional Gain: 4.1dBi

Output Power Into Antenna & RF Exposure Evaluation Distance:

Frequency	Conducted Output Power [dBm]	EIRP [dBm]	EIRP (mW)
2.4G	28.17	32.27	1686.55

For 5G WIFI:

The Power Data is based on the RF Test Report FYCR221200049603.

Directional Gain: 3.47dBi

Output Power Into Antenna & RF Exposure Evaluation Distance:

Frequency	Conducted Output Power [dBm]	EIRP [dBm]	EIRP (mW)
5G	25.33	28.8	758.58



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions.Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Cilent's instructions, if any. The Company's sole responsibility is to its Cilent and this document cannot be reproduced except in full, without prior written approval of the Company, any unauthorized alteration, forgery or falisfication of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) issue and such asmip(e(s) are retained for 30 days only. Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-75) 83071443, or email: Choscheck the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-75) 83071443, or email: Choscheck the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-75) 83071443, or email: Choscheck the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-75) 83071443, or email: Choscheck the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-75) 83071443, or email: Choscheck the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-75) 83071443, or email: Choscheck the authenticity of testing /inspection report

Fuyong lab. Xiniong TechnoPark, Fengtang Read, Fuyong Subdistrict, Bao'an, Shenzhen, China 518103 t (86-755) 88663988 f (86-755) 26710594 www.sgsgroup.com.cn 中国・深圳・宝安区福永街道昆塘大道鑫龙科技园福永实验室 邮编: 518103 t (86-755) 88663988 f (86-755) 26710594 sgs.china@sgs.com



SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR221200049604 Page: 12 of 12

5.2 RF Exposure Calculation

Remark: we used the maximum power between the conducted power and ERP/EIRP to perform RF exposure exemption evaluation.

For 2.4G WIFI:

The Max EIRP is 1686.55mW.

	Evaluation method	Exempt Limit(mW)	Verdict
	Blanket 1 mW Blanket Exemption	1mW	N/A
	MPE-based Exemption(ERP)	7mW(ERP)	N/A
\boxtimes	SAR-based Exemption(P_{th})	3060	Yes

For 5G WIFI:

The Max EIRP is 758.58mW.

Evaluation method	Exempt Limit(mW)	Verdict
Blanket 1 mW Blanket Exemption	1mW	N/A
MPE-based Exemption(ERP)	7mW(ERP)	N/A
SAR-based Exemption(<i>P</i> th)	3060	Yes

So, the device is to qualify for SAR test exemption, the exemption report is in lieu of the SAR report.

5.3 Simultaneous transmitting

 Σ rations of simultaneous transmitting: 2.4G WIFI + 5G WIFI as the following table:

Ratio of EIRP power of 2.4G WIFI	Ratio of EIRP power of 5G WIFI	Total ratios of simultaneous transmitting	Limit	Result
0.5512	0.2479	0.7991	1.0	PASS

So, the device is to qualify for SAR test exemption, the exemption report is in lieu of the SAR report.

--End of the Report--



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Com-Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the company stated the appearance on Inhibs certain of the site of the site of the fullest extent of the site stated the Attention: To check the authenticity of testing linspection report & certificate, please contact us at telephone: (86-75) 8307 1443, or email: C. Doccheck@ss.com

Fuyong lab. Xiniong TechnoPark, Fengtang Road, Fuyong Subdishit, Barlan, Shenzhen, China 518103 tt (86-755) 88663988 ft (86-755) 26710594 www.sgsgroup.com.cn 中国・深圳・宝安区福永街道凤塘大道鑫龙科技园福永实验室 邮编: 518103 tt (86-755) 88663988 ft (86-755) 26710594 sgs.china@sgs.com