

SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR221200049004

Page: 1 of 12

RF EXPOSURE EVALUATION REPORT

Application No.: FYCR2212000490AT **Applicant:** Ruijie Networks Co., Ltd.

Address of Applicant: Building 19, Juyuanzhou Industrial Park, No. 618 Jinshan Road, Cangshan

District, Fuzhou, Fujian 350002 China

Manufacturer: Ruijie Networks Co., Ltd.

Address of Manufacturer: Building 19, Juyuanzhou Industrial Park, No. 618 Jinshan Road, Cangshan

District, Fuzhou, Fujian 350002 China

Equipment Under Test (EUT):

EUT Name: Wireless Access Point **Model No.:** RG-RAP2260(H)

Trade Mark: Reyee Reyee Reyee Reyee

Ruijie | Reyee

FCC ID: 2AX5J-RAP2260H

Standard(s): FCC Rules 47 CFR §2.1091

KDB 447498 D04 interim General RF Exposure Guidance v01

Date of Receipt: 2022-12-06

Date of Evaluation: 2022-12-08 to 2023-01-03

Date of Issue: 2023-01-03

Evaluation Result: Pass*

Winkey Wang EMC Technical Manager

WinkeyWang



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions/Terms-en/Comditions/Terms-en/

| Fuyong lab. Xinlong TechnoPark, Fenglang Road, Fuyong Subdistrid, Bao'an, Shenzhen, Chira 518103 t (86-755) 88663988 f (86-755) 26710594 www.sgsgroup.com.cn 中国・深圳・宝安区福永街道凤塘大道鑫龙科技园福永实验室 邮编: 518103 t (86-755) 88663988 f (86-755) 26710594 sgs.china@sgs.com

^{*} In the configuration evaluated, the EUT complied with the standards specified above.



SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR221200049004

Page: 2 of 12

| | Revision Record | | | | | | |
|---------|-----------------|------------|----------|----------|--|--|--|
| Version | Chapter | Date | Modifier | Remark | | | |
| 01 | | 2023-01-03 | | Original | | | |
| | | | | | | | |

| Authorized for issue by: | | |
|--------------------------|----------------------------|---|
| | Tree Zhan | |
| | Tree Zhan/Project Engineer | - |
| | WinkeyWarg | |
| | Winkey Wang/Reviewer | - |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions. Attention is drawn to the limitation of liability, indeminification and jurisdiction issues define therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's Instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, greatery of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are related for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, example (5).



SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR221200049004

Page: 3 of 12

2 Contents

| | | | Page |
|---|--------------------------|--|-------------|
| 1 | Cov | ver Page | 1 |
| 2 | Cor | ntents | 3 |
| 3 | Ger | neral Information | 4 |
| | 3.1 3.2 3.3 3.4 | General Description of E.U.T. Details of E.U.T. Separation Distance Test Location | 4 5 6 |
| | 3.5 3.6 3.7 | Test Facility Deviation from Standards Abnormalities from Standard Conditions | 6 6 |
| 4 | FCC | C Radiofrequency radiation exposure limits | 7 |
| | 4.1 4.2 4.3 | Blanket 1 mW Blanket Exemption | 7 |
| 5 | Mea | asurement and Calculation | 11 |
| | 5.1 5.2 | Maximum transmit powerRF Exposure Calculation | |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at https://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, **Certificate** (Advisors of the company in the c

Fuyong lab. Xiniong TechnoPark, Fenglang Road, Fuyong Subdishird, Bao'an, Shenzhen, Chira 518103 t (86-755) 88663988 f (86-755) 26710594 www.sgsgroup.com.cn 中国·深圳·宝安区福永街道凤塘大道鑫龙科技园福永实验室 邮编: 518103 t (86-755) 88663988 f (86-755) 26710594 sgs.china@sgs.com



SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR221200049004

Page: 4 of 12

3 General Information

3.1 General Description of E.U.T.

| | ☐ Portable device | |
|---------------|-------------------|--|
| Product Type: | ☐ Mobile device | |
| | | |

3.2 Details of E.U.T.

| 3.2 Details | of E.U.T. | | | | | | |
|----------------------|--|-------------------------------------|-------------------------|--------------------|--|--|--|
| Power supply: | 48V 1A, PoE | | | | | | |
| For 2.4G WIFI: | F1: | | | | | | |
| Operation | 802.11b/g/n(HT20)/ax(HEW20): 2412MHz to 2462MHz, | | | | | | |
| Frequency: | 802.11n(HT40)/ | ax(HEW40): 2422MHz to 2452MHz | | | | | |
| | 802.11b: DSSS | (CCK, DQPSK, DBPSK) | | | | | |
| Modulation Type: | 802.11 g/n: OFE | DM(16QAM, 64QAM, QPSK, BPSK) | | | | | |
| туре. | 802.11 ax: OFD | MA(16QAM, 64QAM, 256QAM, 1024QAM, | QPSK, BPSK) | | | | |
| Channel Spacing: | 5MHz | | | | | | |
| Number of | 802.11b/g/n(HT | 20)/ax(HEW20): 11, | | | | | |
| Channels: | 802.11n(HT40)/ | ax(HEW40):7 | | | | | |
| Antenna Type: | PIFA Antenna | | | | | | |
| | Antenna1: 4.08dBi, Antenna2: 4.25dBi, | | | | | | |
| Antenna Gain: | Antenna3: 3.54dBi, Antenna4: 2.49dBi | | | | | | |
| | Directional gain | = 4.25dBi | | | | | |
| For 5G WIFI: | | | | | | | |
| Operation Frequency: | Band | Mode | Frequency Range(MHz) | Number of channels | | | |
| | UNII Band I | 802.11a/n(HT20)/ac(HT20)/ax(HEW20): | 5180-5240 | 4 | | | |
| | | 802.11n(HT40)/ac(HT40)/ax(HEW40) | 5190-5230 | 2 | | | |
| | | 802.11ac(HT80)/ax(HEW80) | 5210 | 1 | | | |
| | | 802.11ac(HT160)/ax(HEW160) | 5250 | 1 | | | |
| | UNII Band II-A | 802.11a/n(HT20)/ac(HT20)/ax(HEW20): | 5260-5320 | 4 | | | |
| | | 802.11n(HT40)/ac(HT40)/ax(HEW40) | 5270-5310 | 2 | | | |
| | | 802.11ac(HT80)/ax(HEW80) | 5290 | 1 | | | |
| | UNII Band II-C | 802.11a/n(HT20)/ac(HT20)/ax(HEW20): | 5500-5700 | 11 | | | |
| | | 802.11n(HT40)/ac(HT40)/ax(HEW40) | 5510-5670 | 5 | | | |
| | | 802.11ac(HT80)/ax(HEW80) | 5530,5610 | 2 | | | |
| | | 802.11ac(HT160)/ax(HEW160) | 5570 | 1 | | | |
| | UNII Band III | 802.11a/n(HT20)/ac(HT20)/ax(HEW20): | 5745-5825 | 5 | | | |
| | | 802.11n(HT40)/ac(HT40)/ax(HEW40) | 5755-5795 | 2 | | | |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's Instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, frogery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or semile CPA Doccheck@ses.com.

Fuyong lab. Xinlong TechnoPark, Fenglang Road, Fuyong Subdistrict, Barian, Shenzhen, China 518103 t (86-755) 88663988 f (86-755) 26710594 www.sgsgroup.com.cn 中国·深圳·宝安区福永街道凤塘大道鑫龙科技园福永实验室 邮编: 518103 t (86-755) 88663988 f (86-755) 26710594 sgs.china@sgs.com



SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR221200049004

Page: 5 of 12

| | | 802.11ac(HT80)/ax(HEW80) | 5775 | 1 | | | |
|---------------|---|--|----------------------|--------------|--|--|--|
| Modulation | 802.11a: OFDM(| 16QAM, 64QAM, QPSK, BPSK) | | | | | |
| Type: | 802.11n: OFDM(| 802.11n: OFDM(16QAM, 64QAM, QPSK, BPSK) | | | | | |
| | 802.11ac: OFDM | 802.11ac: OFDM(16QAM, 64QAM, 256QAM, QPSK, BPSK) | | | | | |
| | 802.11ax: OFDMA(16QAM, 64QAM, 256QAM, 1024QAM, QPSK, BPSK) | | | | | | |
| DFS Function: | Master | Master | | | | | |
| TPC Function: | Support | | | | | | |
| Sample Type: | Fixed device | | | | | | |
| Antenna Type: | PIFA Antenna | | | | | | |
| Antenna Gain: | U-NII-1: Antenna | 1:4.01dBi, Antenna2: 5.36dBi, Antenn | a3: 4.93dBi, Antenn | a4: 4.26dBi | | | |
| | U-NII-2A: Antenna1:3.69dBi, Antenna2: 4.86dBi, Antenna3: 4.50dBi, Antenna4: 4.59dBi | | | | | | |
| | U-NII-2C: Antenr | na1:5.67dBi, Antenna2: 6.30dBi, Anter | nna3: 4.82dBi, Anten | na4: 5.88dBi | | | |
| | U-NII-III: Antenna | a1:4.42dBi, Antenna2: 4.85dBi, Antenr | na3: 4.68dBi, Antenr | na4: 5.70dBi | | | |

Remark: The information in this section is provided by the applicant or manufacturer, CCS is not liable to the accuracy, suitability, reliability or/and integrity of the information.

3.3 Separation Distance

| Minimum test separation distance: 20cm | Minimum | test | separation | distance: | 20cm |
|--|---------|------|------------|-----------|------|
|--|---------|------|------------|-----------|------|

Remark: This minimum test separation distance is determined by the smallest distance from the antenna and radiating structures or outer surface of the device, according to the host form factor, exposure conditions and platform requirements, to any part of the body or extremity of a user or bystander.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, **Certificate, please contact us at telephone: (86-755) 8307 1443, **Certificate, please contact us at telephone: (86-755) 8307 1443, **Certificate, please contact us at telephone: (86-755) 8307 1443, **Certificate, please contact us at telephone: (86-755) 8307 1443, **Certificate, please contact us at telephone: (86-755) 8307 1443, **Certificate, please contact us at telephone: (86-755) 8307 1443, **Certificate, please contact us at telephone: (86-755)



SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR221200049004

Page: 6 of 12

3.4 Test Location

All tests were performed at:

Compliance Certification Services (Kunshan) Inc. Shenzhen branch.

Fuyong lab. Xinlong TechnoPark, Fengtang Road, Fuyong Subdistrict, Bao'an, Shenzhen, China Tel: +86 755 8866 3988 Fax: +86 755 2671 0594

No tests were sub-contracted.

3.5 Test Facility

The test facility is recognized, certified, or accredited by the following organizations:

A2LA (Certificate No. 6606.01)

Compliance Certification Services (Kunshan) Inc. Shenzhen branch is accredited by the American Association for Laboratory Accreditation(A2LA). Certificate No. 6606.01.

• FCC -Designation Number: CN1322

Compliance Certification Services (Kunshan) Inc. Shenzhen branch has been recognized as an accredited testing laboratory.

Designation Number: CN1322. Test Firm Registration Number: 718073

Innovation, Science and Economic Development Canada

Compliance Certification Services (Kunshan) Inc. Shenzhen branch has been recognized by ISED as an accredited testing laboratory.

CAB identifier: CN0129.

IC#: 28189.

3.6 Deviation from Standards

None

3.7 Abnormalities from Standard Conditions

None



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx.and, for electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx.and, Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extend of the law Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, **Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, *Terms and the company and telephone in the company and the company an



SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR221200049004

Page: 7 of 12

4 FCC Radiofrequency radiation exposure limits

Test exemptions apply for devices used in general population/uncontrolled exposure environments, according to the SAR-based, or MPE-based exemption thresholds.

4.1 Blanket 1 mW Blanket Exemption

The 1 mW Blanket Exemption of §1.1307(b)(3)(i)(A) applies for single fixed, mobile, and portable RF sources with available maximum time-averaged power of no more than 1 mW, regardless of separation distance.

The 1-mW blanket exemption applies at separation distances less than 0.5 cm, including where there is no separation. This exemption shall not be used in conjunction with other exemption criteria other than those for multiple RF sources in paragraph §1.1307(b)(3)(ii)(A).

The 1-mW exemption is independent of service type and covers the full range of 100 kHz to 100 GHz, but it shall not be used in conjunction with other exemption criteria or in devices with higher-power transmitters operating in the same time-averaging period. Exposure from such higher-power transmitters would invalidate the underlying assumption that exposure from the lower-power transmitter is the only contributor to SAR in the relevant volume of tissue.

4.2 MPE-based Exemption

General frequency and separation-distance dependent MPE-based effective radiated power (ERP) thresholds are in Table B.1 [Table 1 of §1.1307(b)(1)(i)(C)] to support an exemption from further evaluation from 300 kHz through 100 GHz.

Table B.1—Thresholds For Single RF Sources Subject to Routine Environmental Evaluation

| RF Sou | ırce Fre | equency | Minimum Distance | | | Threshold ERP | | |
|--------|----------|--------------------|------------------|---|---------|--------------------------------------|--|--|
| f∟ MHz | | f _H MHz | λ∟ / 2π | | λн / 2π | W | | |
| 0.3 | _ | 1.34 | 159 m | _ | 35.6 m | 1,920 R ² | | |
| 1.34 | _ | 30 | 35.6 m | _ | 1.6 m | 3,450 R ² /f ² | | |
| 30 | _ | 300 | 1.6 m | _ | 159 mm | 3.83 R ² | | |
| 300 | _ | 1,500 | 159 mm | _ | 31.8 mm | 0.0128 R ² f | | |
| 1,500 | _ | 100,000 | 31.8 mm | _ | 0.5 mm | 19.2R ² | | |

Subscripts L and H are low and high; λ is wavelength.

From §1.1307(b)(3)(i)(C), modified by adding Minimum Distance columns.

The table applies to any RF source (i.e. single fixed, mobile, and portable transmitters) and specifies power and distance criteria for each of the five frequency ranges used for the MPE limits. These criteria apply at separation distances from any part of the radiating structure of at least $\lambda/2\pi$. The thresholds are



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx.and, for electronic format documents, subject to Terms and Conditions for Electronic Documents a flttp://www.sgs.com/en/Terms-and-Conditions/Terms-a-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8307 1443,



SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR221200049004

Page: 8 of 12

based on the general population MPE limits with a single perfect reflection, outside of the reactive near-field, and in the main beam of the radiator.

For mobile devices that are not exempt per Table B.1 [Table 1 of §1.1307(b)(1)(i)(C)] at distances from 20 cm to 40 cm and in 0.3 GHz to 6 GHz, evaluation of compliance with the exposure limits in §1.1310 is necessary if the ERP of the device is greater than *ERP*_{20cm} in Formula (B.1) [repeated from §2.1091(c)(1); also in §1.1307(b)(1)(i)(B)].

$$P_{\text{th }}(\text{mW}) = ERP_{20 \text{ cm }}(\text{mW}) = \begin{cases} 2040f & 0.3 \text{ GHz} \le f < 1.5 \text{ GHz} \\ \\ 3060 & 1.5 \text{ GHz} \le f \le 6 \text{ GHz} \end{cases}$$
(B. 1)

If the ERP is not easily obtained, then the available maximum time-averaged power may be used (i.e., without consideration of ERP only if the physical dimensions of the radiating structure(s) do not exceed the electrical length of $\lambda/4$ or if the antenna gain is less than that of a half-wave dipole.

SAR-based exemptions are constant at separation distances between 20 cm and 40 cm to avoid discontinuities in the threshold when transitioning between SAR-based and MPE-based exemption criteria at 40 cm, considering the importance of reflections.

| Limit calculation | | | | | | | |
|-------------------|----------------|------------|------------------|--|--|--|--|
| Frequency range | Frequency(MHz) | R(λ/2π)(m) | Threshold ERP(W) | | | | |
| 300~1500MHz | 915 | 0.0522 | 0.032 | | | | |
| 1500~100000MHz | 2480 | 0.0193 | 0.007 | | | | |

4.3 SAR-based Exemption

SAR-based thresholds are derived based on frequency, power, and separation distance of the RF source. The formula defines the thresholds in general for either available maximum time-averaged power or maximum time-averaged ERP, whichever is greater.

If the ERP of a device is not easily determined, such as for a portable device with a small form factor, the applicant may use the available maximum time-averaged power exclusively if the device antenna or radiating structure does not exceed an electrical length of $\lambda/4$.

As for devices with antennas of length greater than $\lambda/4$ where the gain is not well defined, but always less than that of a half-wave dipole (length $\lambda/2$), the available maximum time-averaged power generated by the device may be used in place of the maximum time-averaged ERP, where that value is not known.

The separation distance is the smallest distance from any part of the antenna or radiating structure for all persons, during operation at the applicable ERP. In the case of mobile or portable devices, the separation distance is from the outer housing of the device where it is closest to the antenna.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx.and, for electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx.attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8307 1443,



SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR221200049004

Page: 9 of 12

The SAR-based exemption formula of $\S1.1307(b)(3)(i)(B)$, repeated here as Formula (B.2), applies for single fixed, mobile, and portable RF sources with available maximum time-averaged power or effective radiated power (ERP), whichever is greater, of less than or equal to the threshold P_{th} (mW).

This method shall only be used at separation distances from 0.5 cm to 40 cm and at frequencies from 0.3 GHz to 6 GHz (inclusive). P_{th} is given by Formula (B.2).

$$P_{\text{th}} \text{ (mW)} = \begin{cases} ERP_{20 \text{ cm}} (d/20 \text{ cm})^x & d \le 20 \text{ cm} \\ ERP_{20 \text{ cm}} & 20 \text{ cm} < d \le 40 \text{ cm} \end{cases}$$
(B. 2)

where

$$x = -\log_{10}\left(\frac{60}{ERP_{20\,\mathrm{cm}}\sqrt{f}}\right)$$

and f is in GHz, d is the separation distance (cm), and ERP_{20cm} is per Formula (B.1).



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx.and, for electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx.and, Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extend of the law Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, **Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, *Terms and the company and telephone in the company and the company an



SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR221200049004

Page: 10 of 12

Example values shown in Table B.2 are for illustration only.

Table B.2—Example Power Thresholds (mW)

| Frequency | | | | | Distanc | ce(mm) | | | | |
|-----------|----|----|----|-----|---------|--------|-----|-----|-----|-----|
| (MHz) | 5 | 10 | 15 | 20 | 25 | 30 | 35 | 40 | 45 | 50 |
| 300 | 39 | 65 | 88 | 110 | 129 | 148 | 166 | 184 | 201 | 217 |
| 450 | 22 | 44 | 67 | 89 | 112 | 135 | 158 | 180 | 203 | 226 |
| 835 | 9 | 25 | 44 | 66 | 90 | 116 | 145 | 175 | 207 | 240 |
| 1900 | 3 | 12 | 26 | 44 | 66 | 92 | 122 | 157 | 195 | 236 |
| 2450 | 3 | 10 | 22 | 38 | 59 | 83 | 111 | 143 | 179 | 219 |
| 3600 | 2 | 8 | 18 | 32 | 49 | 71 | 96 | 125 | 158 | 195 |
| 5800 | 1 | 6 | 14 | 25 | 40 | 58 | 80 | 106 | 136 | 169 |

| Limit calculation | | | | | | |
|----------------------|----------------|-------|--------------|----------|--|--|
| Frequency range(GHz) | Frequency(GHz) | Χ | Distance(cm) | Pth (mW) | | |
| 0.3~1.5 | 0.915 | 1.474 | 0.5 | 8.133 | | |
| 1.5~6 | 2.48 | 1.905 | 0.5 | 2.717 | | |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx.and, for electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions-and-Conditions-and



SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR221200049004

Page: 11 of 12

5 Measurement and Calculation

5.1 Maximum transmit power

For 2.4G WIFI:

The Power Data is based on the RF Test Report FYCR221200049002.

Directional Gain: 4.25dBi

Output Power Into Antenna & RF Exposure Evaluation Distance:

| Frequency | Conducted Output Power [dBm] | EIRP [dBm] | EIRP (mW) |
|-----------|------------------------------|------------|-----------|
| 2.4G | 28.09 | 32.34 | 1713.96 |

For 5G WIFI:

The Power Data is based on the RF Test Report FYCR221200049003.

Directional Gain: 5.70dBi

Output Power Into Antenna & RF Exposure Evaluation Distance:

| Frequency | Conducted Output Power [dBm] | EIRP [dBm] | EIRP (mW) |
|-----------|------------------------------|------------|-----------|
| 5G | 23.37 | 29.07 | 807.24 |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are related for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, remails CPD Descheck@ass.com.



SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR221200049004

Page: 12 of 12

5.2 RF Exposure Calculation

Remark: we used the maximum power between the conducted power and ERP/EIRP to perform RF exposure exemption evaluation.

For 2.4G WIFI:

The Max EIRP is 1713.96mW.

| | Evaluation method | Exempt Limit(mW) | Verdict |
|-------------|---------------------------------|------------------|---------|
| | Blanket 1 mW Blanket Exemption | 1mW | N/A |
| | MPE-based Exemption(ERP) | 7mW(ERP) | N/A |
| \boxtimes | SAR-based Exemption(P_{th}) | 3060 | Yes |

For 5G WIFI:

The Max EIRP is 807.24mW.

| | Evaluation method | Exempt Limit(mW) | Verdict |
|-------------|---------------------------------|------------------|---------|
| | Blanket 1 mW Blanket Exemption | 1mW | N/A |
| | MPE-based Exemption(ERP) | 7mW(ERP) | N/A |
| \boxtimes | SAR-based Exemption(P_{th}) | 3060 | Yes |

So, the device is to qualify for SAR test exemption, the exemption report is in lieu of the SAR report.

5.3 Simultaneous transmitting

 Σ rations of simultaneous transmitting: 2.4G WIFI + 5G WIFI as the following table:

| Ratio of EIRP power of 2.4G WIFI | Ratio of EIRP power of 5G WIFI | Total ratios of simultaneous transmitting | Limit | Result |
|--|--------------------------------------|---|-------|--------|
| 0.560 | 0.264 | 0.824 | 1.0 | PASS |

So, the device is to qualify for SAR test exemption, the exemption report is in lieu of the SAR report.

-- End of the Report--



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, **Certificate**.