





11AC160MIMO_5570_Type1




11AC160MIMO_5570_Type2







11AC160MIMO_5570_Type6



7.2 CHANNEL AVAILABILITY CHECK TIME


Temperature : 25°C
 Humidity : 45%

ATM Pressure:: 1011 mbar
 Test Engineer: GJ

If the UUT successfully detected the radar burst, it should be observed as the UUT has no transmissions occurred until the UUT starts transmitting on another channel.


Channel Loading

Test Mode	Frequency[MHz]	Result	Limit [%]	Verdict
11AC160MIMO	5570	28.85	17	PASS




Initial Channel Availability Check Time

Test Mode	Frequency[MHz]	Result	Verdict
11A	5260	See test Graph	PASS
	5500	See test Graph	PASS




Beginning of Channel Availability Check Time

Test Mode	Frequency[MHz]	Result	Verdict
11A	5260	See test Graph	PASS
	5500	See test Graph	PASS




End of Channel Availability Check Time

Test Mode	Frequency[MHz]	Result	Verdict
11A	5260	See test Graph	PASS
	5500	See test Graph	PASS




Channel Move Time and Channel Closing

TestMode	Frequency[MHz]	CCTT[ms]	Limit[ms]	CMT[ms]	Limit[ms]	Verdict
11AC160MIMO	5570	200+57.2	200+60	1607.9	10000	PASS



For Bridge Mode:

TestMode	Frequency[MHz]	CCTT[ms]	Limit[ms]	CMT[ms]	Limit[ms]	Verdict
1AC160MIMO	5570	200+37.7	200+60	4600.8	10000	PASS



Statistical Performance check

Test Mode	Frequency[MHz]	Radar Type	Pass Times	Fail Times	Probability (%)	Limit (%)	Verdict
11A	5260	Type1	29	1	96.67	60	PASS
		Type2	27	3	90.00	60	PASS
		Type3	28	2	93.33	60	PASS
		Type4	29	1	96.67	60	PASS
		Type 1-4	---	---	94.17	80	PASS
	5500	Type1	29	1	96.67	60	PASS
		Type2	28	2	93.33	60	PASS
		Type3	28	2	93.33	60	PASS
		Type4	29	1	96.67	60	PASS
		Type 1-4	---	---	95.00	80	PASS
11N40MIMO	5270	Type1	29	1	96.67	60	PASS
		Type2	29	1	96.67	60	PASS
		Type3	27	3	90.00	60	PASS
		Type4	29	1	96.67	60	PASS
		Type 1-4	---	---	95.00	80	PASS
	5510	Type1	29	1	96.67	60	PASS
		Type2	30	0	100.00	60	PASS
		Type3	27	3	90.00	60	PASS
		Type4	28	2	93.33	60	PASS
		Type 1-4	---	---	95.00	80	PASS
11AC80MIMO	5290	Type1	28	2	93.33	60	PASS
		Type2	29	1	96.67	60	PASS
		Type3	30	0	100.00	60	PASS
		Type4	29	1	96.67	60	PASS
		Type 1-4	---	---	96.67	80	PASS
		Type5	29	1	96.67	70	PASS
		Type6	29	1	96.67	80	PASS
	5530	Type1	29	1	96.67	60	PASS
		Type2	29	1	96.67	60	PASS
		Type3	29	1	96.67	60	PASS
		Type4	28	2	93.33	60	PASS
		Type 1-4	---	---	95.83	80	PASS
		Type5	28	2	93.33	70	PASS
		Type6	29	1	96.67	80	PASS
11AC160MIMO	5570	Type1	28	2	93.33	60	PASS
		Type2	29	1	96.67	60	PASS
		Type3	29	1	96.67	60	PASS
		Type4	29	1	96.67	60	PASS
		Type 1-4	---	---	95.83	80	PASS
		Type5	28	2	93.33	70	PASS
		Type6	29	1	96.67	80	PASS

TestMode	Frequency[MHz]	Radar Type	Trial ID	Detection (1: Yes; 0: No)
11A	5260	Type1	0	1
		Type1	1	1
		Type1	2	1
		Type1	3	1
		Type1	4	1
		Type1	5	1
		Type1	6	1
		Type1	7	1
		Type1	8	1
		Type1	9	1
		Type1	10	1
		Type1	11	1
		Type1	12	0
		Type1	13	1
		Type1	14	1
		Type1	15	1
		Type1	16	1
		Type1	17	1
		Type1	18	1
		Type1	19	1
		Type1	20	1
		Type1	21	1
		Type1	22	1
		Type1	23	1
		Type1	24	1
		Type1	25	1
		Type1	26	1
		Type1	27	1
		Type1	28	1
		Type1	29	1
		Type2	0	1
		Type2	1	1
		Type2	2	1
		Type2	3	1
		Type2	4	1
		Type2	5	1
		Type2	6	1
		Type2	7	0
		Type2	8	1
		Type2	9	1
		Type2	10	1
		Type2	11	1
		Type2	12	1
		Type2	13	1
		Type2	14	1
		Type2	15	1
		Type2	16	1
		Type2	17	0
		Type2	18	1
		Type2	19	1
		Type2	20	1
		Type2	21	1
Type2	22	1		
Type2	23	1		
Type2	24	0		
Type2	25	1		
Type2	26	1		
Type2	27	1		
Type2	28	1		

	Type2	29	1
	Type3	0	1
	Type3	1	1
	Type3	2	1
	Type3	3	1
	Type3	4	1
	Type3	5	1
	Type3	6	0
	Type3	7	1
	Type3	8	1
	Type3	9	1
	Type3	10	1
	Type3	11	1
	Type3	12	1
	Type3	13	1
	Type3	14	1
	Type3	15	0
	Type3	16	1
	Type3	17	1
	Type3	18	1
	Type3	19	1
	Type3	20	1
	Type3	21	1
	Type3	22	1
	Type3	23	1
	Type3	24	1
	Type3	25	1
	Type3	26	1
	Type3	27	1
	Type3	28	1
	Type3	29	1
	Type4	0	1
	Type4	1	1
	Type4	2	1
	Type4	3	1
	Type4	4	1
	Type4	5	1
	Type4	6	1
	Type4	7	1
	Type4	8	1
	Type4	9	1
	Type4	10	1
	Type4	11	1
	Type4	12	1
	Type4	13	0
	Type4	14	1
	Type4	15	1
	Type4	16	1
	Type4	17	1
	Type4	18	1
	Type4	19	1
	Type4	20	1
	Type4	21	1
	Type4	22	1
	Type4	23	1
	Type4	24	1
	Type4	25	1
	Type4	26	1
	Type4	27	1
	Type4	28	1
	Type4	29	1
5500	Type1	0	1

Type1	1	1
Type1	2	1
Type1	3	1
Type1	4	1
Type1	5	1
Type1	6	1
Type1	7	1
Type1	8	1
Type1	9	0
Type1	10	1
Type1	11	1
Type1	12	1
Type1	13	1
Type1	14	1
Type1	15	1
Type1	16	1
Type1	17	1
Type1	18	1
Type1	19	1
Type1	20	1
Type1	21	1
Type1	22	1
Type1	23	1
Type1	24	1
Type1	25	1
Type1	26	1
Type1	27	1
Type1	28	1
Type1	29	1
Type2	0	1
Type2	1	1
Type2	2	1
Type2	3	1
Type2	4	1
Type2	5	1
Type2	6	0
Type2	7	1
Type2	8	1
Type2	9	1
Type2	10	1
Type2	11	1
Type2	12	1
Type2	13	1
Type2	14	1
Type2	15	1
Type2	16	0
Type2	17	1
Type2	18	1
Type2	19	1
Type2	20	1
Type2	21	1
Type2	22	1
Type2	23	1
Type2	24	1
Type2	25	1
Type2	26	1
Type2	27	1
Type2	28	1
Type2	29	1
Type3	0	1
Type3	1	1
Type3	2	1

		Type3	3	1
		Type3	4	1
		Type3	5	1
		Type3	6	1
		Type3	7	1
		Type3	8	1
		Type3	9	1
		Type3	10	1
		Type3	11	1
		Type3	12	1
		Type3	13	1
		Type3	14	0
		Type3	15	1
		Type3	16	1
		Type3	17	1
		Type3	18	1
		Type3	19	1
		Type3	20	1
		Type3	21	1
		Type3	22	1
		Type3	23	1
		Type3	24	1
		Type3	25	0
		Type3	26	1
		Type3	27	1
		Type3	28	1
		Type3	29	1
		Type4	0	1
		Type4	1	1
		Type4	2	1
		Type4	3	1
		Type4	4	1
		Type4	5	1
		Type4	6	1
		Type4	7	1
		Type4	8	1
		Type4	9	1
		Type4	10	1
		Type4	11	1
		Type4	12	1
		Type4	13	0
		Type4	14	1
		Type4	15	1
		Type4	16	1
		Type4	17	1
		Type4	18	1
		Type4	19	1
		Type4	20	1
		Type4	21	1
		Type4	22	1
		Type4	23	1
		Type4	24	1
		Type4	25	1
		Type4	26	1
		Type4	27	1
		Type4	28	1
		Type4	29	1
11N40MIMO	5270	Type1	0	1
		Type1	1	1
		Type1	2	1
		Type1	3	1
		Type1	4	1

Type1	5	1
Type1	6	1
Type1	7	1
Type1	8	1
Type1	9	1
Type1	10	1
Type1	11	0
Type1	12	1
Type1	13	1
Type1	14	1
Type1	15	1
Type1	16	1
Type1	17	1
Type1	18	1
Type1	19	1
Type1	20	1
Type1	21	1
Type1	22	1
Type1	23	1
Type1	24	1
Type1	25	1
Type1	26	1
Type1	27	1
Type1	28	1
Type1	29	1
Type2	0	1
Type2	1	1
Type2	2	1
Type2	3	1
Type2	4	1
Type2	5	1
Type2	6	1
Type2	7	1
Type2	8	0
Type2	9	1
Type2	10	1
Type2	11	1
Type2	12	1
Type2	13	1
Type2	14	1
Type2	15	1
Type2	16	1
Type2	17	1
Type2	18	1
Type2	19	1
Type2	20	1
Type2	21	1
Type2	22	1
Type2	23	1
Type2	24	1
Type2	25	1
Type2	26	1
Type2	27	1
Type2	28	1
Type2	29	1
Type3	0	1
Type3	1	1
Type3	2	1
Type3	3	1
Type3	4	0
Type3	5	1
Type3	6	1

	Type3	7	1
	Type3	8	1
	Type3	9	1
	Type3	10	0
	Type3	11	1
	Type3	12	1
	Type3	13	1
	Type3	14	1
	Type3	15	1
	Type3	16	1
	Type3	17	1
	Type3	18	1
	Type3	19	1
	Type3	20	1
	Type3	21	0
	Type3	22	1
	Type3	23	1
	Type3	24	1
	Type3	25	1
	Type3	26	1
	Type3	27	1
	Type3	28	1
	Type3	29	1
	Type4	0	1
	Type4	1	1
	Type4	2	1
	Type4	3	1
	Type4	4	1
	Type4	5	1
	Type4	6	1
	Type4	7	1
	Type4	8	1
	Type4	9	1
	Type4	10	1
	Type4	11	1
	Type4	12	0
	Type4	13	1
	Type4	14	1
	Type4	15	1
	Type4	16	1
	Type4	17	1
	Type4	18	1
	Type4	19	1
	Type4	20	1
	Type4	21	1
	Type4	22	1
	Type4	23	1
	Type4	24	1
	Type4	25	1
	Type4	26	1
	Type4	27	1
	Type4	28	1
	Type4	29	1
5510	Type1	0	1
	Type1	1	1
	Type1	2	1
	Type1	3	1
	Type1	4	1
	Type1	5	1
	Type1	6	1
	Type1	7	1
	Type1	8	1

Type1	9	1
Type1	10	1
Type1	11	1
Type1	12	1
Type1	13	1
Type1	14	1
Type1	15	0
Type1	16	1
Type1	17	1
Type1	18	1
Type1	19	1
Type1	20	1
Type1	21	1
Type1	22	1
Type1	23	1
Type1	24	1
Type1	25	1
Type1	26	1
Type1	27	1
Type1	28	1
Type1	29	1
Type2	0	1
Type2	1	1
Type2	2	1
Type2	3	1
Type2	4	1
Type2	5	1
Type2	6	1
Type2	7	1
Type2	8	1
Type2	9	1
Type2	10	1
Type2	11	1
Type2	12	1
Type2	13	1
Type2	14	1
Type2	15	1
Type2	16	1
Type2	17	1
Type2	18	1
Type2	19	1
Type2	20	1
Type2	21	1
Type2	22	1
Type2	23	1
Type2	24	1
Type2	25	1
Type2	26	1
Type2	27	1
Type2	28	1
Type2	29	1
Type3	0	1
Type3	1	1
Type3	2	1
Type3	3	0
Type3	4	1
Type3	5	1
Type3	6	1
Type3	7	1
Type3	8	1
Type3	9	1
Type3	10	1

		Type3	11	0
		Type3	12	1
		Type3	13	1
		Type3	14	1
		Type3	15	1
		Type3	16	1
		Type3	17	1
		Type3	18	1
		Type3	19	1
		Type3	20	1
		Type3	21	1
		Type3	22	0
		Type3	23	1
		Type3	24	1
		Type3	25	1
		Type3	26	1
		Type3	27	1
		Type3	28	1
		Type3	29	1
		Type4	0	1
		Type4	1	1
		Type4	2	1
		Type4	3	0
		Type4	4	1
		Type4	5	1
		Type4	6	1
		Type4	7	1
		Type4	8	1
		Type4	9	1
		Type4	10	1
		Type4	11	1
		Type4	12	1
		Type4	13	1
		Type4	14	1
		Type4	15	1
		Type4	16	1
		Type4	17	1
		Type4	18	1
		Type4	19	1
		Type4	20	1
		Type4	21	1
		Type4	22	1
		Type4	23	0
		Type4	24	1
		Type4	25	1
		Type4	26	1
		Type4	27	1
		Type4	28	1
		Type4	29	1
11AC80MIMO	5290	Type1	0	1
		Type1	1	1
		Type1	2	1
		Type1	3	1
		Type1	4	1
		Type1	5	1
		Type1	6	0
		Type1	7	1
		Type1	8	1
		Type1	9	1
		Type1	10	1
		Type1	11	0
		Type1	12	1

Type1	13	1
Type1	14	1
Type1	15	1
Type1	16	1
Type1	17	1
Type1	18	1
Type1	19	1
Type1	20	1
Type1	21	1
Type1	22	1
Type1	23	1
Type1	24	1
Type1	25	1
Type1	26	1
Type1	27	1
Type1	28	1
Type1	29	1
Type2	0	1
Type2	1	1
Type2	2	1
Type2	3	1
Type2	4	1
Type2	5	1
Type2	6	1
Type2	7	1
Type2	8	1
Type2	9	1
Type2	10	0
Type2	11	1
Type2	12	1
Type2	13	1
Type2	14	1
Type2	15	1
Type2	16	1
Type2	17	1
Type2	18	1
Type2	19	1
Type2	20	1
Type2	21	1
Type2	22	1
Type2	23	1
Type2	24	1
Type2	25	1
Type2	26	1
Type2	27	1
Type2	28	1
Type2	29	1
Type3	0	1
Type3	1	1
Type3	2	1
Type3	3	1
Type3	4	1
Type3	5	1
Type3	6	1
Type3	7	1
Type3	8	1
Type3	9	1
Type3	10	1
Type3	11	1
Type3	12	1
Type3	13	1
Type3	14	1

Type3	15	1
Type3	16	1
Type3	17	1
Type3	18	1
Type3	19	1
Type3	20	1
Type3	21	1
Type3	22	1
Type3	23	1
Type3	24	1
Type3	25	1
Type3	26	1
Type3	27	1
Type3	28	1
Type3	29	1
Type4	0	1
Type4	1	1
Type4	2	1
Type4	3	1
Type4	4	1
Type4	5	1
Type4	6	1
Type4	7	1
Type4	8	1
Type4	9	1
Type4	10	1
Type4	11	1
Type4	12	1
Type4	13	1
Type4	14	1
Type4	15	1
Type4	16	1
Type4	17	1
Type4	18	1
Type4	19	1
Type4	20	1
Type4	21	0
Type4	22	1
Type4	23	1
Type4	24	1
Type4	25	1
Type4	26	1
Type4	27	1
Type4	28	1
Type4	29	1

11AC80MIMO	5290	Type5	0	1
		Type5	1	1
		Type5	2	1
		Type5	3	1
		Type5	4	1
		Type5	5	1
		Type5	6	1
		Type5	7	1
		Type5	8	1
		Type5	9	1
		Type5	10	1
		Type5	11	1
		Type5	12	1
		Type5	13	1
		Type5	14	1
		Type5	15	1
		Type5	16	1
		Type5	17	1
		Type5	18	1
		Type5	19	1
		Type5	20	1
		Type5	21	1
		Type5	22	1
		Type5	23	1
		Type5	24	1
		Type5	25	0
		Type5	26	1
		Type5	27	1
		Type5	28	1
Type5	29	1		
11AC80MIMO	5530	Type6	0	1
		Type6	1	1
		Type6	2	1
		Type6	3	1
		Type6	4	1
		Type6	5	1
		Type6	6	1
		Type6	7	1
		Type6	8	1
		Type6	9	1
		Type6	10	1
		Type6	11	1
		Type6	12	1
		Type6	13	1
		Type6	14	1
		Type6	15	1
		Type6	16	1
		Type6	17	1
		Type6	18	1
		Type6	19	0
11AC80MIMO	5530	Type6	20	1
		Type6	21	1
		Type6	22	1
		Type6	23	1
		Type6	24	1
		Type6	25	1
		Type6	26	1
		Type6	27	1
		Type6	28	1
		Type6	29	1
		Type1	0	1

		Type1	1	1
		Type1	2	1
		Type1	3	1
		Type1	4	1
		Type1	5	1
		Type1	6	1
		Type1	7	1
		Type1	8	1
		Type1	9	1
		Type1	10	1
		Type1	11	1
		Type1	12	1
		Type1	13	1
		Type1	14	1
		Type1	15	1
		Type1	16	1
		Type1	17	1
		Type1	18	1
		Type1	19	1
		Type1	20	1
		Type1	21	0
		Type1	22	1
		Type1	23	1
		Type1	24	1
		Type1	25	1
		Type1	26	1
		Type1	27	1
		Type1	28	1
		Type1	29	1
		Type2	0	1
		Type2	1	1
		Type2	2	1
		Type2	3	1
		Type2	4	1
		Type2	5	1
		Type2	6	1
		Type2	7	1
		Type2	8	1
		Type2	9	1
		Type2	10	1
		Type2	11	1
		Type2	12	1
		Type2	13	0
		Type2	14	1
		Type2	15	1
		Type2	16	1
		Type2	17	1
		Type2	18	1
		Type2	19	1
		Type2	20	1
		Type2	21	1
		Type2	22	1
		Type2	23	1
		Type2	24	1
		Type2	25	1
		Type2	26	1
		Type2	27	1
		Type2	28	1
		Type2	29	1
11AC80MIMO	5530	Type3	0	1
		Type3	1	1
		Type3	2	1

		Type3	3	1
		Type3	4	1
		Type3	5	0
		Type3	6	1
		Type3	7	1
		Type3	8	1
		Type3	9	1
		Type3	10	1
		Type3	11	1
		Type3	12	1
		Type3	13	1
		Type3	14	1
		Type3	15	1
		Type3	16	1
		Type3	17	1
		Type3	18	1
		Type3	19	1
		Type3	20	1
		Type3	21	1
		Type3	22	1
		Type3	23	1
		Type3	24	1
		Type3	25	1
		Type3	26	1
		Type3	27	1
		Type3	28	1
		Type3	29	1
		Type4	0	1
		Type4	1	1
		Type4	2	1
		Type4	3	1
		Type4	4	1
		Type4	5	1
		Type4	6	1
		Type4	7	1
		Type4	8	0
		Type4	9	1
		Type4	10	1
		Type4	11	1
		Type4	12	1
		Type4	13	1
		Type4	14	1
		Type4	15	1
		Type4	16	1
		Type4	17	1
		Type4	18	1
		Type4	19	0
		Type4	20	1
		Type4	21	1
		Type4	22	1
		Type4	23	1
		Type4	24	1
		Type4	25	1
		Type4	26	1
		Type4	27	1
		Type4	28	1
		Type4	29	1
		Type5	0	1
		Type5	1	1
		Type5	2	1
		Type5	3	1
		Type5	4	1
11AC80MIMO	5530			

		Type5	5	1
		Type5	6	1
		Type5	7	0
		Type5	8	1
		Type5	9	1
		Type5	10	1
		Type5	11	1
		Type5	12	1
		Type5	13	1
		Type5	14	1
		Type5	15	1
		Type5	16	1
		Type5	17	1
		Type5	18	1
		Type5	19	1
		Type5	20	1
		Type5	21	0
		Type5	22	1
		Type5	23	1
		Type5	24	1
		Type5	25	1
		Type5	26	1
		Type5	27	1
		Type5	28	1
		Type5	29	1
		Type6	0	1
		Type6	1	1
		Type6	2	1
		Type6	3	1
		Type6	4	1
		Type6	5	1
		Type6	6	1
		Type6	7	1
		Type6	8	1
		Type6	9	1
		Type6	10	0
		Type6	11	1
		Type6	12	1
		Type6	13	1
		Type6	14	1
		Type6	15	1
		Type6	16	1
		Type6	17	1
		Type6	18	1
		Type6	19	1
		Type6	20	1
		Type6	21	1
		Type6	22	1
		Type6	23	1
		Type6	24	1
		Type6	25	1
		Type6	26	1
		Type6	27	1
		Type6	28	1
		Type6	29	1
		Type1	0	1
		Type1	1	1
		Type1	2	1
		Type1	3	1
		Type1	4	0
		Type1	5	1
		Type1	6	1
11AC160MIMO	5570			

		Type1	7	1
		Type1	8	1
		Type1	9	1
		Type1	10	1
		Type1	11	1
		Type1	12	1
		Type1	13	1
		Type1	14	1
		Type1	15	1
		Type1	16	0
		Type1	17	1
		Type1	18	1
		Type1	19	1
		Type1	20	1
		Type1	21	1
		Type1	22	1
		Type1	23	1
		Type1	24	1
		Type1	25	1
		Type1	26	1
		Type1	27	1
		Type1	28	1
		Type1	29	1
		Type2	0	1
		Type2	1	1
		Type2	2	1
		Type2	3	1
		Type2	4	1
		Type2	5	1
		Type2	6	1
		Type2	7	1
		Type2	8	1
		Type2	9	1
		Type2	10	1
		Type2	11	1
		Type2	12	1
		Type2	13	1
		Type2	14	1
		Type2	15	1
		Type2	16	1
		Type2	17	1
		Type2	18	1
		Type2	19	1
		Type2	20	1
		Type2	21	1
		Type2	22	0
		Type2	23	1
		Type2	24	1
		Type2	25	1
		Type2	26	1
		Type2	27	1
		Type2	28	1
		Type2	29	1
		Type3	0	1
		Type3	1	1
		Type3	2	1
		Type3	3	1
		Type3	4	1
		Type3	5	1
		Type3	6	1
		Type3	7	1
		Type3	8	1
11AC160MIMO	5570			

		Type3	9	1
		Type3	10	1
		Type3	11	1
		Type3	12	1
		Type3	13	1
		Type3	14	1
		Type3	15	1
		Type3	16	0
		Type3	17	1
		Type3	18	1
		Type3	19	1
		Type3	20	1
		Type3	21	1
		Type3	22	1
		Type3	23	1
		Type3	24	1
		Type3	25	1
		Type3	26	1
		Type3	27	1
		Type3	28	1
		Type3	29	1
		Type4	0	1
		Type4	1	1
		Type4	2	1
		Type4	3	1
		Type4	4	1
		Type4	5	1
		Type4	6	1
		Type4	7	1
		Type4	8	1
		Type4	9	1
		Type4	10	1
		Type4	11	1
		Type4	12	0
		Type4	13	1
		Type4	14	1
		Type4	15	1
		Type4	16	1
		Type4	17	1
		Type4	18	1
		Type4	19	1
		Type4	20	1
		Type4	21	1
		Type4	22	1
		Type4	23	1
		Type4	24	1
		Type4	25	1
		Type4	26	1
		Type4	27	1
		Type4	28	1
		Type4	29	1
		Type5	0	1
		Type5	1	1
		Type5	2	1
		Type5	3	1
		Type5	4	1
		Type5	5	1
		Type5	6	1
		Type5	7	1
		Type5	8	1
		Type5	9	1
		Type5	10	1
11AC160MIMO	5570			


Type5	11	1
Type5	12	1
Type5	13	1
Type5	14	0
Type5	15	1
Type5	16	1
Type5	17	1
Type5	18	1
Type5	19	1
Type5	20	1
Type5	21	1
Type5	22	1
Type5	23	0
Type5	24	1
Type5	25	1
Type5	26	1
Type5	27	1
Type5	28	1
Type5	29	1
Type6	0	1
Type6	1	1
Type6	2	1
Type6	3	1
Type6	4	1
Type6	5	1
Type6	6	1
Type6	7	1
Type6	8	1
Type6	9	1
Type6	10	1
Type6	11	1
Type6	12	1
Type6	13	1
Type6	14	1
Type6	15	1
Type6	16	1
Type6	17	1
Type6	18	1
Type6	19	1
Type6	20	1
Type6	21	1
Type6	22	1
Type6	23	1
Type6	24	1
Type6	25	0
Type6	26	1
Type6	27	1
Type6	28	1
Type6	29	1

Note:

The detailed parameters of the radar signal can be found in the local corresponding table file(in the software local folder DFS_Wave List).

For Bridge Mode:

TestMode	Frequency[MHz]	Result	Limit[s]	Verdict
11AC160MIMO	5570	see test graph	≥1800	PASS




Note: All the modes are tested, only the worst data are described in the report.

7.4 UNIFORM SPREADING

The intention of the uniform spreading is to provide, on aggregate, a uniform loading of the spectrum. The UUT using the bands 5250 to 5350MHz and 5470 to 5600 MHz channels so that the probability of electing a given channel shall be the same for channels. The UUT will select channel by random mode and remember this channel when detect radar signal, so that will select unused channel by random mode.

11AC80M IMO	5290	5249	1	1	1	0	1	1	1	0	1	1	80
		5250	1	1	0	1	1	1	1	1	1	1	90
		5255	1	1	1	1	1	1	0	1	1	1	90
		5260	1	1	1	1	1	1	1	1	1	1	100
		5265	1	1	1	1	1	1	1	1	1	1	100
		5270	1	1	1	1	1	1	1	1	1	1	100
		5275	1	1	1	1	1	1	1	1	1	1	100
		5280	1	1	1	1	1	1	1	1	1	1	100
		5285	1	1	1	1	1	1	1	1	1	1	100
		5290	1	1	1	1	1	1	1	1	1	1	100
		5295	1	1	1	1	1	1	1	1	1	1	100
		5300	1	1	1	1	1	1	1	1	1	1	100
		5305	1	1	1	1	1	1	1	1	1	1	100
		5310	1	1	1	1	1	1	1	1	1	1	100
		5315	1	1	1	1	1	1	1	1	1	1	100
		5320	1	1	1	1	1	0	1	1	1	1	90
		5325	1	1	1	0	1	1	1	1	1	1	90
5330	1	1	0	1	1	1	1	1	1	1	90		
5331	1	0	1	1	1	1	1	1	0	1	80		
11AC80M IMO	5530	5489	1	1	1	0	1	1	1	0	1	1	80
		5490	1	1	0	1	1	1	1	1	1	1	90
		5495	1	1	1	1	1	1	0	1	1	1	90
		5500	1	1	1	1	1	1	1	1	1	1	100
		5505	1	1	1	1	1	1	1	1	1	1	100
		5510	1	1	1	1	1	1	1	1	1	1	100
		5515	1	1	1	1	1	1	1	1	1	1	100
		5520	1	1	1	1	1	1	1	1	1	1	100
		5525	1	1	1	1	1	1	1	1	1	1	100
		5530	1	1	1	1	1	1	1	1	1	1	100
		5505	1	1	1	1	1	1	1	1	1	1	100
		5510	1	1	1	1	1	1	1	1	1	1	100
		5515	1	1	1	1	1	1	1	1	1	1	100
		5520	1	1	1	1	1	1	1	1	1	1	100
		5525	1	1	1	1	1	1	1	1	1	1	100
		5530	1	1	1	1	1	0	1	1	1	1	90
		5535	1	1	1	0	1	1	1	1	1	1	90
5540	1	1	0	1	1	1	1	1	1	1	90		
5541	1	1	1	1	1	0	1	1	1	1	90		
11AC160 MIMO	5570	5489	1	1	1	0	1	1	1	0	1	1	80
		5490	1	1	0	1	1	1	1	1	1	1	90
		5495	1	1	1	1	1	1	0	1	1	1	90
		5500	1	1	1	1	1	1	1	1	1	1	100
		5505	1	1	1	1	1	1	1	1	1	1	100
		5510	1	1	1	1	1	1	1	1	1	1	100
		5515	1	1	1	1	1	1	1	1	1	1	100
		5520	1	1	1	1	1	1	1	1	1	1	100
		5525	1	1	1	1	1	1	1	1	1	1	100
		5530	1	1	1	1	1	1	1	1	1	1	100
		5535	1	1	1	1	1	1	1	1	1	1	100
		5540	1	1	1	1	1	1	1	1	1	1	100
		5545	1	1	1	1	1	1	1	1	1	1	100
		5550	1	1	1	1	1	1	1	1	1	1	100
		5555	1	1	1	1	1	1	1	1	1	1	100
		5560	1	1	1	1	1	0	1	1	1	1	90
		5570	1	1	1	0	1	1	1	1	1	1	90
5575	1	1	0	1	1	1	1	1	1	1	90		
5580	1	1	1	1	1	0	1	1	1	1	90		
5585	1	0	1	1	1	1	1	1	0	1	80		

5590	1	1	1	0	1	1	1	0	1	1	80
5595	1	1	1	1	1	0	1	1	1	1	90
5600	1	1	0	1	1	1	1	1	1	1	90
5605	1	1	1	1	1	1	0	1	1	1	90
5610	1	1	1	1	1	1	1	1	1	1	100
5615	1	1	1	1	1	1	1	1	1	1	100
5620	1	1	1	1	1	1	1	1	1	1	100
5625	1	1	1	1	1	1	1	1	1	1	100
5630	1	1	1	1	1	1	1	1	1	1	100
5635	1	1	1	1	1	1	1	1	1	1	100
5640	1	1	1	1	1	1	1	1	1	1	100
5645	1	1	1	1	1	1	1	1	1	1	100
5650	1	1	1	1	1	1	1	1	1	1	100
5651	1	1	1	1	1	1	1	1	1	1	100



--- End of Report ---

声 明 Statement

1. 本报告无授权批准人签字及“检验检测专用章”无效。
1. This report is invalid without the signature of the authorized approver and "special seal for testing".
2. 未经许可本报告不得部分复制。
2. This report shall not be copied partly without authorization.
3. 本报告的检测结果仅对送测样品有效，委托方对样品的代表性和资料的真实性负责。
3. The test results or observations are applicable only to tested sample. Client shall be responsible for representativeness of the sample and authenticity of the material.
4. 本检测报告中检测项目标注有特殊符号则该项目不在资质认定范围内，仅作为客户委托、科研、教学或内部质量控制等目的使用。
4. The observations or tests with special mark fall outside the scope of accreditation, and are only used for purpose of commission, research, training, internal quality control etc.
5. 本检测报告以实测值进行符合性判定，未考虑不确定度所带来的风险，本实验室不承担相关责任，特别约定、标准或规范中有明确规定的除外。
5. The test results or observations are provided in accordance with measured value, without taking risks caused by uncertainty into account. Without explicit stipulation in special agreements, standards or regulations, EMTEK shall not assume any responsibility.
6. 对本检验报告若有异议，请于收到报告之日起 20 日内提出。
6. Objections shall be raised within 20 days from the date receiving the report.