



Manufacturer's Name : "AJAX SYSTEMS MANUFACTURING" LIMITED LIABILITY COMPANY

Address : Sklyarenka, 5, Kyiv, 04073, Ukraine

| Angle, degrees | Phi=' 0deg' dBi (GainTotal) | Theta=' 90deg' dBi (GainTotal) | Theta=' 90deg' dBi (GainTotal) | Freq, MHz | Antenna gain dBi |
|----------------|-----------------------------|--------------------------------|--------------------------------|-----------|------------------|
|                | Z-X plane                   | Z-Y plane                      | X-Y plane                      |           |                  |
| 0              | -5.19                       | -5.91                          | -6.94                          | 905       | -4.96            |
| 10             | -4.88                       | -5.25                          | -6.24                          | 915.85    | -4.71            |
| 20             | -4.74                       | -4.89                          | -5.77                          | 926.5     | -4.6             |
| 30             | -4.88                       | -4.79                          | -5.4                           |           |                  |
| 40             | -5.33                       | -4.77                          | -5.09                          |           |                  |
| 50             | -5.82                       | -4.8                           | -4.83                          |           |                  |
| 60             | -6.09                       | -4.94                          | -4.65                          |           |                  |
| 70             | -6.27                       | -5.12                          | -4.6                           |           |                  |
| 80             | -6.47                       | -5.19                          | -4.71                          |           |                  |
| 90             | -6.51                       | -5.16                          | -4.87                          |           |                  |
| 100            | -6.29                       | -5.08                          | -5.11                          |           |                  |
| 110            | -6.01                       | -4.96                          | -5.58                          |           |                  |
| 120            | -5.73                       | -4.8                           | -6.28                          |           |                  |
| 130            | -5.32                       | -4.67                          | -7.02                          |           |                  |
| 140            | -4.85                       | -4.6                           | -7.84                          |           |                  |
| 150            | -4.6                        | -4.65                          | -9.11                          |           |                  |
| 160            | -4.62                       | -4.88                          | -10.93                         |           |                  |
| 170            | -4.75                       | -5.23                          | -13.25                         |           |                  |
| 180            | -4.9                        | -5.62                          | -16.74                         |           |                  |
| 190            | -5.31                       | -6.17                          | -23.95                         |           |                  |
| 200            | -6.14                       | -7.02                          | -26.17                         |           |                  |
| 210            | -7.3                        | -8.04                          | -17.86                         |           |                  |
| 220            | -8.68                       | -9.04                          | -14.32                         |           |                  |
| 230            | -10.35                      | -10.14                         | -12.66                         |           |                  |
| 240            | -12.38                      | -11.71                         | -12.04                         |           |                  |
| 250            | -14.69                      | -13.71                         | -12.36                         |           |                  |
| 260            | -16.35                      | -15.4                          | -13.59                         |           |                  |
| 270            | -16.31                      | -15.81                         | -15.52                         |           |                  |
| 280            | -15.3                       | -14.94                         | -18.35                         |           |                  |
| 290            | -13.65                      | -13.6                          | -23.31                         |           |                  |
| 300            | -11.78                      | -12.19                         | -24.2                          |           |                  |
| 310            | -10.1                       | -10.75                         | -18.01                         |           |                  |
| 320            | -8.6                        | -9.38                          | -14.03                         |           |                  |
| 330            | -7.33                       | -8.23                          | -11.37                         |           |                  |
| 340            | -6.35                       | -7.37                          | -9.42                          |           |                  |
| 350            | -5.65                       | -6.65                          | -7.97                          |           |                  |



926.5Mhz

