

915.85MHz

Angle, degrees	E			E			H			H		
	Z-X plane	Z-Y plane	X-Y plane	Z-X plane norm.	Z-Y plane norm.	X-Y plane norm.	Z-X plane	Z-Y plane	X-Y plane	Z-X plane norm.	Z-Y plane norm.	X-Y plane norm.
0	-55	-54	-68	-6	-8	-17	-60	-57		-16	-9	
10	-54	-52	-69	-5	-6	-18	-57	-57		-13	-9	
20	-54	-52	-70	-5	-6	-19	-55	-58		-11	-10	
30	-54	-52	-65	-5	-6	-14	-54	-59		-10	-11	
40	-54	-52	-63	-5	-6	-12	-52	-59		-8	-11	
50	-55	-53	-61	-6	-7	-10	-51	-58		-7	-10	
60	-57	-54	-60	-8	-8	-9	-51	-57		-7	-9	
70	-58	-56	-56	-9	-10	-5	-50	-57		-6	-9	
80	-62	-57	-58	-13	-11	-7	-50	-59		-6	-11	
90	-66	-62	-58	-17	-16	-7	-50	-58		-6	-10	
100	-75	-67	-58	-26	-21	-7	-49	-59		-5	-11	
110	-67	-70	-58	-18	-24	-7	-49	-58		-5	-10	
120	-62	-63	-61	-13	-17	-10	-49	-58		-5	-10	
130	-59	-59	-62	-10	-13	-11	-52	-58		-8	-10	
140	-57	-56	-63	-8	-10	-12	-53	-58		-9	-10	
150	-55	-55	-62	-6	-9	-11	-54	-58		-10	-10	
160	-55	-53	-63	-6	-7	-12	-52	-58		-8	-10	
170	-55	-52	-65	-6	-6	-14	-53	-57		-9	-9	
180	-56	-51	-61	-7	-5	-10	-52	-57		-8	-9	
190	-57	-51	-60	-8	-5	-9	-51	-56		-7	-8	
200	-57	-52	-61	-8	-6	-10	-52	-55		-8	-7	
210	-59	-53	-60	-10	-7	-9	-53	-54		-9	-6	
220	-59	-54	-60	-10	-8	-9	-52	-54		-8	-6	
230	-60	-56	-60	-11	-10	-9	-54	-54		-10	-6	
240	-60	-58	-59	-11	-12	-8	-55	-53		-11	-5	
250	-62	-61	-57	-13	-15	-6	-56	-53		-12	-5	
260	-64	-65	-58	-15	-19	-7	-56	-53		-12	-5	
270	-67	-74	-57	-18	-28	-6	-57	-53		-13	-5	
280	-74	-81	-58	-25	-35	-7	-56	-53		-12	-5	
290	-80	-70	-60	-31	-24	-9	-56	-53		-12	-5	
300	-69	-65	-62	-20	-19	-11	-57	-53		-13	-5	
310	-63	-63	-65	-14	-17	-14	-57	-54		-13	-6	
320	-60	-60	-68	-11	-14	-17	-57	-54		-13	-6	
330	-59	-58	-67	-10	-12	-16	-60	-54		-16	-6	
340	-57	-56	-67	-8	-10	-16	-63	-56		-19	-8	
350	-56	-54	-67	-7	-8	-16	-59	-57		-15	-9	

Max antenna gain, dBi	
905 MHz	-6
915,85 MHz	-5
926,5 MHz	-5.5







