

915.85MHz

Angle, degrees	E			H			H			H		
	Z-X plane	Z-Y plane	X-Y plane	Z-X plane norm.	Z-Y plane norm.	X-Y plane norm.	Z-X plane	Z-Y plane	X-Y plane	Z-X plane norm.	Z-Y plane norm.	X-Y plane norm.
0	-56	-56	-58	-7	-8	-7	-59	-57	-13	-7	-7	-7
10	-55	-57	-59	-6	-9	-8	-59	-57	-13	-7	-7	-7
20	-55	-59	-58	-6	-11	-7	-59	-58	-13	-8	-8	-8
30	-55	-62	-57	-6	-14	-6	-58	-60	-12	-10	-10	-10
40	-56	-65	-59	-7	-17	-8	-58	-61	-12	-11	-11	-11
50	-57	-68	-60	-8	-20	-9	-59	-62	-13	-12	-12	-12
60	-58	-71	-61	-9	-23	-10	-59	-63	-13	-13	-13	-13
70	-62	-76	-62	-13	-28	-11	-58	-63	-12	-13	-13	-13
80	-65	-75	-63	-16	-27	-12	-59	-62	-13	-12	-12	-12
90	-71	-76	-63	-22	-28	-12	-58	-62	-12	-12	-12	-12
100	-78	-78	-64	-29	-30	-13	-58	-61	-12	-11	-11	-11
110	-68	-72	-61	-19	-24	-10	-57	-62	-11	-12	-12	-12
120	-64	-71	-63	-15	-23	-12	-57	-62	-11	-12	-12	-12
130	-60	-71	-67	-11	-23	-16	-56	-62	-10	-12	-12	-12
140	-57	-73	-66	-8	-25	-15	-56	-62	-10	-12	-12	-12
150	-57	-71	-67	-8	-23	-16	-57	-61	-11	-11	-11	-11
160	-56	-67	-66	-7	-19	-15	-56	-59	-10	-9	-9	-9
170	-55	-63	-65	-6	-15	-14	-58	-58	-12	-8	-8	-8
180	-55	-58	-64	-6	-10	-13	-55	-57	-9	-7	-7	-7
190	-55	-57	-62	-6	-9	-11	-53	-56	-7	-6	-6	-6
200	-56	-54	-62	-7	-6	-11	-54	-56	-8	-6	-6	-6
210	-57	-54	-62	-8	-6	-11	-55	-56	-9	-6	-6	-6
220	-58	-54	-62	-9	-6	-11	-56	-57	-10	-7	-7	-7
230	-59	-54	-62	-10	-6	-11	-56	-57	-10	-7	-7	-7
240	-61	-55	-63	-12	-7	-12	-56	-57	-10	-7	-7	-7
250	-62	-57	-64	-13	-9	-13	-58	-58	-12	-8	-8	-8
260	-64	-59	-63	-15	-11	-12	-59	-59	-13	-9	-9	-9
270	-66	-64	-64	-17	-16	-13	-59	-60	-13	-10	-10	-10
280	-71	-72	-64	-22	-24	-13	-60	-60	-14	-10	-10	-10
290	-78	-70	-64	-29	-22	-13	-61	-59	-15	-9	-9	-9
300	-77	-63	-65	-28	-15	-14	-60	-59	-14	-9	-9	-9
310	-69	-59	-65	-20	-11	-14	-60	-57	-14	-7	-7	-7
320	-64	-57	-66	-15	-9	-15	-63	-57	-17	-7	-7	-7
330	-61	-55	-66	-12	-7	-15	-66	-56	-20	-6	-6	-6
340	-58	-55	-63	-9	-7	-12	-64	-56	-18	-6	-6	-6
350	-57	-55	-61	-8	-7	-10	-62	-56	-16	-6	-6	-6

Max antenna gain, dBi	
905 MHz	-7
915,85 MHz	-6
926,5 MHz	-6.5







