

Molonlave Group LLC

Date: 11/22/2020

To: Federal Communications Commission
7435 Oakland Mills Road
Columbia, MD

FCC ID: 2AX9S-RBW100UVC

To Whom It May Concern:

This letter is to ascertain that Molonlave Group LLC Product disinfectant charger Model:RBW100UVC , has been the units used for conducting FCC compliance testing, and it meets KDB 680106 Clause 5(2) all 6 conditions as stated below hence PBA is need required.

1	Power transfer frequency is less than 1 MHz. Yes, Operation Frequency is 110KHz-205KHz.
2	Output power from each primary coil is less than or equal to 15 watts. max output power less than 15W.
3	The transfer system includes only single primary and secondary coils. This includes charging systems that may have multiple primary coils and clients that are able to detect and allow coupling only between individual pairs of coils. Yes.
4	Client device is placed directly in contact with the transmitter Yes.
5	Mobile exposure conditions only (portable exposure conditions are not covered by this exclusion).. No.
6	The aggregate H-field strengths at 15 cm surrounding the device and 20 cm above the top surface from all simultaneous transmitting coils are demonstrated to be less than 50% of the MPE limit. Yes.

If you have any question or concerns, pls. contact us.

Sincerely,

<Signature of Cleopatra Georgiades >



Name : **Cleopatra Georgiades**
Company: **Molonlave Group LLC**
Address: **36-20 34th Street, Long Island City, NY 11106, USA**
Phone: **201 560 7647**
Fax: **N/A**
E-Mail: **Cleopatra@rushcharge.com**